



















Processor Group · Detail

Ingress

Normalize body, validate profile, Keycloak auth

▼ 7 processors

Data Attribute Swapper Processor
Save Raw Body

```
graph TD; A[ ] --> B[RegExIntoTransactionAttributeProcessor<br/>Extract Body ResourceType]; B --> C[RegExIntoTransactionAttributeProcessor<br/>Extract Logical Id]; C --> D[ ]
```

RegExIntoTransactionAttributeProcessor
Extract Body ResourceType

RegExIntoTransactionAttributeProcessor
Extract Logical Id


```
graph TD; A[ ] --> B[RegExIntoTransactionAttributeProcessor<br/>Extract Bundle Interaction]; B --> C[Attribute Population Processor<br/>Normalize Ids And Validation]; C --> D[ ]
```


RegExIntoTransactionAttributeProcessor
Extract Bundle Interaction


Attribute Population Processor
Normalize Ids And Validation

```
graph TD; A[ ] --> B[FhirProfileValidationProcessor  
HAPI FHIR Profile Validation]; B --> C[Call Route Processor  
Call Keycloak JWT Auth Route];
```


FhirProfileValidationProcessor
HAPI FHIR Profile Validation


Call Route Processor
Call Keycloak JWT Auth Route








Create Location



















HTTP Response Headers Processor


Search Headers































Processor Group · Detail

Worker Init

Mark job in-progress + status.json

▼ 4 processors


Attribute Population Processor

Init Worker Attrs

```
graph TD; A[ ] --> B[Database (SQL) Processor  
Mark Job In Progress]; B --> C[Data Attribute Swapper Processor  
Load In Progress Status Body]; C --> D[ ];
```

Database (SQL) Processor
Mark Job In Progress

Data Attribute Swapper Processor
Load In Progress Status Body



The diagram shows a light blue grid background. A white rounded rectangle with a blue border and a blue drop shadow is centered. A blue arrow points down to the top center of the rectangle. Two small white circles are on the left and right sides of the rectangle. The text 'File Writing Processor' is in blue, and 'Write In Progress Status File' is in bold black.

File Writing Processor
Write In Progress Status File

Processor Group · Detail

Select NDJSON

SQL STRING_AGG by ResourceType

▼ 2 processors

Database (SQL) Processor

Select Ndjson By Job



The diagram features a light blue grid background. At the top, a dark blue horizontal bar represents a data source. A dark blue arrow points downwards from this bar to a central white rounded rectangle with a blue border. Inside this rectangle, the text 'XPath Evaluation Processor' is written in blue, and 'Extract All Type Ndjson Columns' is written in bold black. Two small white circles with blue outlines are positioned on the left and right sides of the rectangle, resembling binder holes.

XPath Evaluation Processor
Extract All Type Ndjson Columns

Processor Group · Detail

Per-type NDJSON Export

Patient...Organization FileWrite + output entries

▼ 18 processors

Data Attribute Swapper Processor
Load Patient Ndjson

```
graph TD; A[ ] --> B[File Writing Processor<br/>Write Patient Ndjson]; B --> C[Attribute Population Processor<br/>Append Patient Output Entry];
```


File Writing Processor
Write Patient Ndjson

Attribute Population Processor
Append Patient Output Entry


```
graph TD; A[ ] --> B[Data Attribute Swapper Processor  
Load Observation Ndjson]; B --> C[File Writing Processor  
Write Observation Ndjson]; C --> D[ ]
```

Data Attribute Swapper Processor
Load Observation Ndjson

File Writing Processor
Write Observation Ndjson



```
graph TD; A[File Writing Processor  
Write Condition Ndjson] --> B[Attribute Population Processor  
Append Condition Output Entry]; B --> C[Data Attribute Swapper Processor  
Load Encounter Ndjson];
```

File Writing Processor
Write Condition Ndjson

Attribute Population Processor
Append Condition Output Entry

Data Attribute Swapper Processor
Load Encounter Ndjson

```
graph TD; A["Data Attribute Swapper Processor  
Load Encounter Ndjson"] --> B["File Writing Processor  
Write Encounter Ndjson"]; B --> C["Attribute Population Processor  
Append Encounter Output Entry"]
```

Data Attribute Swapper Processor
Load Encounter Ndjson

File Writing Processor
Write Encounter Ndjson

Attribute Population Processor
Append Encounter Output Entry

Attribute Population Processor

Append Encounter Output Entry



Data Attribute Swapper Processor

Load Practitioner Ndjson



File Writing Processor

Write Practitioner Ndjson

```
graph TD; A[Write Practitioner Ndjson] --> B[Attribute Population Processor Append Practitioner Output Entry]; B --> C[Data Attribute Swapper Processor Load Organization Ndjson];
```

Write Practitioner Ndjson

Attribute Population Processor
Append Practitioner Output Entry

Data Attribute Swapper Processor
Load Organization Ndjson

Load Organization Ndjson

```
graph TD; A[Load Organization Ndjson] --> B[File Writing Processor  
Write Organization Ndjson]; B --> C[Attribute Population Processor  
Append Organization Output Entry];
```

File Writing Processor
Write Organization Ndjson

Attribute Population Processor
Append Organization Output Entry

Append Organization Output Entry

