

NHL – Catholic (CAT): Huggins / Monadnock

Updated plan — Strip charges, keep demos

Client confirmed strip (not split) · Demo overrides: 868 write-off + XXX.X if ICD-10 blank

Plan revised Jul 23, 2026 · No route code changes applied yet

DECISION: STRIP (NOT SPLIT)

CHARGES: EXCLUDE

DEMOS: KEEP + TWEAK

1. Client confirmation (updated)

Follow-up from the client clarified **strip vs split**:

“Strip. Exclude the charges from Huggins and Monadnock locations. We can keep the demos.”

Required logic:

1. Based on Huggins and Monadnock field values
 - a. **Strip clinical charges** (do not send DFT / charge HL7 for those locations)
 - b. **Load demos** (ADT still generated), with two overrides:
 - i. Override insurance with **868 write-off** insurance codes
 - ii. Send **XXX.X** if ICD-10 is blank

Location	Mnemonic	Alternate (charge line)
Huggins Hospital	HUGGINSHOS	CMCX.HH
Monadnock Community Hospital	MONCOMHOS	CMCX.MCH

2. What this means for the interface

Artifact	Huggins / Monadnock behavior	Other CAT locations
Clinical charges (DFT)	Strip / exclude	Process normally
Demographics (ADT)	Keep and send	Process normally
Insurance on those demos	Force 868 write-off codes	Unchanged
ICD-10 on those demos	If blank → XXX.X	Unchanged
Facility split (Route 3)	No change — still not a split request	admLocation remains split key

admLocation: Still do **not** overwrite with Huggins/Monadnock. CAT NHL facility splitting continues to use unit codes in admLocation (R.LAB, R.ED, ...). Identification for this strip uses Filler2 (HUGGINSHOS / MONCOMHOS) and/or mapped CMCX.* on charges.

3. Field findings (unchanged)

On CAT Expanded samples, Karen’s mnemonics land in PatientDemographics/Filler2. Screenshot codes CMCX.HH / CMCX.MCH appear on C R charge lines. Today’s Route 2 site-strip XSLT matches Charge/performingSite, which does not carry these values — so CAT needs a charge-strip rule keyed to the correct field(s), plus demo tweaks for the kept ADTs.

NHL – Catholic (CAT): Huggins / Monadnock

Updated plan — Strip charges, keep demos

Client confirmed strip (not split) · Demo overrides: 868 write-off + XXX.X if ICD-10 blank

Plan revised Jul 23, 2026 · No route code changes applied yet

4. Updated implementation options

A

Recommended — Strip charges on Filler2 + tweak demos

Medium effort · Matches confirmed strip/keep-demo logic

For NHL/CAT when Filler2 ∈ {HUGGINSHOS, MONCOMHOS}:

- Mark matching Charge nodes stripped (charges excluded from DFT).
- Leave PatientDemographics unstripped so ADT still flows.
- On those demos (canonical tweak and/or ADT XSLT): set primary insurance plan/code to **868** write-off; if ICD-10 / admit DX is blank, emit **XXX.X**.

Pros: Aligns exactly with client wording; Filler2 already mapped; preserves admLocation split behavior.

Cons: Patient-level Filler2 strips all charges under that demo; need to confirm 868 IN1 field mapping and which ICD node(s) get XXX.X (admit DX vs DG1 list).

B

Charge-level CMCX.* strip + same demo tweaks

Medium–higher · Use if mixed accounts appear

Map C R CMCX . HH / CMCX . MCH onto each charge, strip only those charges, and apply 868 / XXX.X demo overrides when **any** (or all) charges on the account were Huggins/Monadnock — rule to confirm with client if accounts can mix locations.

Pros: Most precise to screenshot charge field.

Cons: Extra mapping work; demo-override trigger needs a clear account-level rule.

C

Hybrid A + B

Higher effort · Belt and suspenders

Strip if Filler2 is HUGGINSHOS/MONCOMHOS **or** charge CMCX.* matches. Same demo overrides when the account is flagged. Best if production shows either signal independently.

Out of scope / rejected: Facility **split** on Filler2 (POS-style). Client explicitly chose strip and keeping demos.

5. Demo override details to nail down in build

Override	Intended behavior	Implementation notes
868 write-off insurance	Force insurance to 868 on kept Huggins/Monadnock demos	868 already used as IN1 plan code for SPG employee-health defaults in ADT XSLT — reuse similar IN1.2/IN1.3 pattern for CAT flagged demos; confirm name/mnemonic vs code-only
XXX.X if ICD-10 blank	Populate placeholder diagnosis when ICD-10 empty	Confirm target: admit DX (absadmitdiag), DG1 list, or both; only when blank
Charges stripped	No clinical charge HL7 for those locations	stripped=true on Charge; Group can still have demographics for ADT

6. Recommendation

Implement Option A: strip clinical charges when Filler2 is HUGGINSHOS or MONCOMHOS; keep demos; apply 868 insurance override and XXX.X for blank ICD-10 on those demos. Add Option B charge-level CMCX matching only if test files show gaps.

Accept criteria: (1) Huggins/Monadnock charges absent from DFT; (2) ADT still produced; (3) ADT insurance shows 868; (4) blank ICD-10 becomes XXX.X; (5) other CAT locations unchanged; (6) admLocation / facility split unchanged.

Med Rec eip-root was refreshed from eip-root-fromTEST_July23rd2026.zip. No strip/demo override code has been applied yet — awaiting go-ahead to build Option A.