

THE CAKES FLOOR

Complete Front-End Source Code Document

Project Location: C:\Users\rohan\.gemini\ntigravity\scratch\cakes-floor-website

Repository URL: <https://github.com/thecakesfloorchain-stack/cakesfloor>

Deployment URL: <https://thecakesfloor.netlify.app/>

Framework stack: React 19 + TypeScript + Vite 8 + TailwindCSS v4 + Framer Motion

■ package.json

```
{
  "name": "madhur-bakery-website",
  "private": true,
  "version": "0.0.0",
  "type": "module",
  "scripts": {
    "dev": "vite",
    "predeploy": "npm run build",
    "deploy": "gh-pages -d dist",
    "build": "tsc -b && vite build",
    "lint": "oxlint",
    "preview": "vite preview"
  },
  "dependencies": {
    "@splinetool/react-spline": "^4.1.0",
    "@splinetool/runtime": "^1.12.98",
    "@tailwindcss/vite": "^4.3.2",
    "autoprefixer": "^10.5.2",
    "clsx": "^2.1.1",
    "framer-motion": "^12.42.2",
    "gsap": "^3.15.0",
    "lenis": "^1.3.25",
    "lucide-react": "^1.23.0",
    "postcss": "^8.5.16",
    "react": "^19.2.7",
    "react-dom": "^19.2.7",
    "react-helmet-async": "^3.0.0",
    "react-router-dom": "^7.18.1",
    "tailwind-merge": "^3.6.0",
    "tailwindcss": "^4.3.2"
  },
  "devDependencies": {
    "@types/node": "^24.13.2",
    "@types/react": "^19.2.17",
    "@types/react-dom": "^19.2.3",
    "@vitejs/plugin-react": "^6.0.3",
    "gh-pages": "^6.1.1",
    "oxlint": "^1.71.0",
    "typescript": "~6.0.2",
    "vite": "^8.1.1"
  }
}
```

■ vite.config.ts

```
import { defineConfig } from 'vite';
import react from '@vitejs/plugin-react';
import tailwindcss from '@tailwindcss/vite';

// https://vite.dev/config/
export default defineConfig({
  base: '/',
  plugins: [
    react(),
    tailwindcss(),
  ],
});
```

■ tsconfig.json

```
{
  "files": [],
  "references": [
    { "path": "./tsconfig.app.json" },
    { "path": "./tsconfig.node.json" }
  ]
}
```

■ index.html

```
<!doctype html>
<html lang="en" class="dark">
  <head>
    <meta charset="UTF-8" />
    <link rel="icon" type="image/png" href="/logo.png" />
    <meta name="viewport" content="width=device-width, initial-scale=1.0" />
    <title>The Cakes Floor | Premium Artisanal Cakes & Confectionery in Bhandara</title>
    <meta name="description" content="Indulge in Bhandara's finest 100% vegetarian bakery. Order custom cakes and pastries online." />
    <link rel="canonical" href="https://thecakesfloor.in/" />
    <meta name="theme-color" content="#ffb954" />
    <!-- Google Fonts -->
    <link rel="preconnect" href="https://fonts.googleapis.com" />
    <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin />
    <link href="https://fonts.googleapis.com/css2?family=Cormorant+Garamond:ital,wght@0,300..700;1,300..700&family=Custom+Webfonts" rel="stylesheet" />
    <link href="https://fonts.cdnfonts.com/css/gagalin" rel="stylesheet" />
    <link href="https://fonts.cdnfonts.com/css/horizon" rel="stylesheet" />
    <link href="https://fonts.cdnfonts.com/css/open-sauce-one" rel="stylesheet" />
    <!-- Start Single Page Apps for GitHub Pages -->
    <script type="text/javascript">
      (function(l) {
        if (l.search[1] === "&apos;/"&apos; ) {
          var decoded = l.search.slice(1).split("&apos;&amp;apos;").map(function(s) {
            return s.replace(/~25/g, "&apos;&amp;apos;");
          }).join("&apos;?&apos;");
          window.history.replaceState(null, null,
            l.pathname.slice(0, -1) + decoded + l.hash
          );
        }
      })(window.location));
    </script>
    <!-- End Single Page Apps for GitHub Pages -->
  </head>
  <body class="bg-background text-on-surface font-body antialiased selection:bg-primary/20 selection:text-primary">
    <div id="root">
      <script type="module" src="/src/main.tsx">
    </body>
  </html>
```

■ public/_redirects

```
/*      /index.html  200
```

■ src/main.tsx

```
import { StrictMode } from 'react';
import { createRoot } from 'react-dom/client';
import gsap from 'gsap';
import { ScrollTrigger } from 'gsap/ScrollTrigger';
import './index.css';
import App from './App.tsx';

gsap.registerPlugin(ScrollTrigger);

createRoot(document.getElementById('root')).render(
  <StrictMode>
    <App />
  </StrictMode>,
)
```

■ src/App.tsx

```
import { useState, useEffect } from 'react';
import { BrowserRouter as Router, Routes, Route, useLocation } from 'react-router-dom';
import { HelmetProvider } from 'react-helmet-async';
import Lenis from 'lenis';
import { Navbar } from 'components/layout/Navbar';
import { Footer } from 'components/layout/Footer';
import { FloatingCTA } from 'components/layout/FloatingCTA';
import { IntroAnimation } from 'components/layout/IntroAnimation';

import { Home } from 'pages/Home';
import { About } from 'pages/About';
import { Menu } from 'pages/Menu';
import { Gallery } from 'pages/Gallery';
import { Reviews } from 'pages/Reviews';
import { Contact } from 'pages/Contact';
import { PrivacyPolicy } from 'pages/PrivacyPolicy';
import { TermsOfService } from 'pages/TermsOfService';

import 'App.css'; // We will empty this file to avoid conflicts

// Route listener component to snap scroll positions to the top

const ScrollToTop = () => {
  const { pathname } = useLocation();

  useEffect(() => {
    window.scrollTo(0, 0);
  }, [pathname]);

  return null;
};

function App() {
  const [introCompleted, setIntroCompleted] = useState(false);

  useEffect(() => {
    // Check if intro has been played this session or if prefers-reduced-motion is active
    const introPlayed = sessionStorage.getItem('the_cakes_floor_intro_played');
    const prefersReducedMotion = window.matchMedia('(prefers-reduced-motion: reduce)').matches;

    if (introPlayed === 'true' || prefersReducedMotion) {
      setIntroCompleted(true);
    }
  }, []);

  useEffect(() => {
    if (!introCompleted) return;

    // Initialize Lenis smooth scroll
    const lenis = new Lenis({
      duration: 1.2,
      easing: (t) => Math.min(1, 1.001 - Math.pow(2, -10 * t)), // standard ease-out curve
      wheelMultiplier: 1,
      infinite: false,
    });

    const raf = (time: number) => {
      lenis.raf(time);
      requestAnimationFrame(raf);
    };

    requestAnimationFrame(raf);

    return () => {
      lenis.destroy();
    };
  }, [introCompleted]);

  // Eagerly prefetch and load all images across all sections/pages in the background
  useEffect(() => {
    if (!introCompleted) return;

    const imagesToPreload = [
```



```

    &apos;/logo.png&apos;;
    &apos;/images/hero-carousel-1.webp&apos;;
    &apos;/images/hero-carousel-2.webp&apos;;
    &apos;/images/hero-carousel-3.webp&apos;;
    &apos;/images/instagram-profile.webp&apos;;
    &apos;/images/teaser-cake-1.webp&apos;;
    &apos;/images/teaser-cake-2.webp&apos;;
    &apos;/images/teaser-cake-3.webp&apos;;
    &apos;/images/aboutus-img.webp&apos;;
    &apos;/images/aboutus-img2.webp&apos;;
    &apos;/images/menu-header-bg.webp&apos;;
    &apos;/images/usp-bg.webp&apos;;
    &apos;/images/review-bg-1.webp&apos;;
    &apos;/images/review-bg-2.webp&apos;;
    &apos;/images/review-bg-4.webp&apos;;
    &apos;/images/box-img-1.webp&apos;;
    &apos;/images/box-img-2.webp&apos;;
    &apos;/images/box-img-3.webp&apos;;
    &apos;/images/hero-bg.jpg&apos;;
    &apos;/images/WhatsApp Image 2026-07-02 at 23.53.24.jpeg&apos;;
    &apos;/images/WhatsApp Image 2026-07-02 at 23.53.25.jpeg&apos;;
    &apos;/images/WhatsApp Image 2026-07-02 at 23.53.23.jpeg&apos;;
    &apos;/images/WhatsApp Image 2026-07-02 at 23.53.26.jpeg&apos;;
    &apos;/images/WhatsApp Image 2026-07-02 at 23.53.25 (2).jpeg&apos;;
  ];

  imagesToPreload.forEach((src) => {
    const img = new Image();
    img.src = `${import.meta.env.BASE_URL}${src.replace(/^\//, &apos;&apos;)}`;
  });
}, [introCompleted]);

return (
  <HelmetProvider>
    <Router basename={import.meta.env.BASE_URL}>
      <ScrollToTop />
      {/* 1. The lightweight Intro Animation overlay */}
      {!introCompleted & & (
        <IntroAnimation onComplete={() => setIntroCompleted(true)} />
      )}

      {/* 2. Main Website Wrapper (allowed to render in the background, locked from scroll if not completed) */}
      <div className={introCompleted ? &apos;opacity-100 min-h-screen&apos; : &apos;h-screen overflow-hidden opacity-100&apos;}>
        <Navbar introCompleted={introCompleted} />
        <main className="min-h-screen">
          <Routes>
            <Route path="/" element={<Home />} />
            <Route path="/about" element={<About />} />
            <Route path="/menu" element={<Menu />} />
            <Route path="/gallery" element={<Gallery />} />
            <Route path="/reviews" element={<Reviews />} />
            <Route path="/contact" element={<Contact />} />
            <Route path="/privacy-policy" element={<PrivacyPolicy />} />
            <Route path="/terms-of-service" element={<TermsOfService />} />
          </Routes>
          </main>
          <Footer />
          <FloatingCTA />
        </div>
      </Router>
    </HelmetProvider>
  );
}

export default App;

```

■ src/index.css

```
@import "tailwindcss";

@theme {
  --color-background: #131313;
  --color-surface: #131313;
  --color-surface-container: #20201f;
  --color-on-surface: #e5e2e0;
  --color-primary: #ffb954;
  --color-on-primary: #452b00;
  --color-secondary: #cfc4bf;
  --color-outline: #9e8e7c;

  --font-display: "Playfair Display", serif;
  --font-body: "Work Sans", sans-serif;
  --font-serif-luxury: "Cormorant Garamond", serif;
}

@layer base {
  body {
    @apply bg-background text-on-surface font-body antialiased;
  }
  h1, h2, h3, h4, h5, h6 {
    @apply font-display text-on-surface;
  }
}

/* Custom styles for luxury glassmorphism, glowing buttons, etc. */
.glass-nav {
  background: rgba(255, 255, 255, 0.05);
  backdrop-filter: blur(16px) saturate(150%);
  -webkit-backdrop-filter: blur(16px) saturate(150%);
  box-shadow: 0 8px 32px 0 rgba(0, 0, 0, 0.25), inset 0 1px 0 0 rgba(255, 255, 255, 0.15);
  border-bottom: 1px solid rgba(255, 255, 255, 0.08);
}

.glass-card {
  background: rgba(32, 32, 31, 0.6);
  backdrop-filter: blur(10px);
  -webkit-backdrop-filter: blur(10px);
  border: 1px solid rgba(255, 255, 255, 0.05);
}

.text-glow {
  text-shadow: 0 0 15px rgba(255, 185, 84, 0.35);
}

.button-glow {
  transition: all 0.3s ease;
}

.button-glow:hover {
  box-shadow: 0 0 25px 6px rgba(255, 185, 84, 0.3);
}

/* Custom scrollbar */
::-webkit-scrollbar {
  width: 8px;
}
::-webkit-scrollbar-track {
  background: #131313;
}
::-webkit-scrollbar-thumb {
  background: #333333;
  border-radius: 4px;
}
::-webkit-scrollbar-thumb:hover {
  background: #ffb954;
}

/* Lenis Scroll Smooth resets */
html.lenis, html.lenis body {
  height: auto;
}
```

```

.lenis.lenis-smooth {
  scroll-behavior: auto !important;
}

.lenis.lenis-smooth [data-lenis-prevent] {
  overscroll-behavior: contain;
}

.lenis.lenis-stopped {
  overflow: hidden;
}

.lenis.lenis-scrolling iframe {
  pointer-events: none;
}

/* ScrollTrigger reveal styling */
.reveal-item {
  opacity: 0;
  transform: translateY(30px);
}

/* CSS Infinite Marquee Animation */
@keyframes marquee {
  0% {
    transform: translate3d(0, 0, 0);
  }
  100% {
    transform: translate3d(-50%, 0, 0);
  }
}

.animate-marquee {
  display: flex;
  width: max-content;
  animation: marquee 30s linear infinite;
}

/* CSS Limited Iteration Marquee Pulse for Floating CTA */
@keyframes ping-limited {
  0% {
    transform: scale(1);
    opacity: 1;
  }
  70%, 100% {
    transform: scale(2);
    opacity: 0;
  }
}

.animate-ping-limited {
  animation: ping-limited 1.5s cubic-bezier(0, 0, 0.2, 1) 4;
}

```

■ src/App.css

```
/* Reset any default App styling to prevent conflicts with custom index.css layout */
#root {
  width: 100% !important;
  max-width: 100% !important;
  margin: 0 !important;
  text-align: left !important;
  border-inline: none !important;
  min-height: 100vh !important;
  display: block !important;
}
```

■ src/lib/utils.ts

```
import { type ClassValue, clsx } from "clsx";
import { twMerge } from "tailwind-merge";

export function cn(...inputs: ClassValue[]) {
  return twMerge(clsx(inputs));
}
```

■ src/hooks/useLazyBackgrounds.ts

```
import { useEffect } from 'react';

export function useLazyBackgrounds(dependency?: any) {
  useEffect(() => {
    const lazyBackgrounds = document.querySelectorAll('[data-bg]');

    if ('IntersectionObserver' in window) {
      const observer = new IntersectionObserver((entries) => {
        entries.forEach((entry) => {
          if (entry.isIntersecting) {
            const target = entry.target as HTMLElement;
            const bgUrl = target.getAttribute('data-bg');
            if (bgUrl) {
              target.style.backgroundImage = `url('${bgUrl}');`;
            }
            observer.unobserve(target);
          }
        });
      }, {
        rootMargin: '200px',
      });

      lazyBackgrounds.forEach((bg) => observer.observe(bg));

      return () => {
        lazyBackgrounds.forEach((bg) => observer.unobserve(bg));
      };
    } else {
      // Fallback for older browsers
      lazyBackgrounds.forEach((bg) => {
        const target = bg as HTMLElement;
        const bgUrl = target.getAttribute('data-bg');
        if (bgUrl) {
          target.style.backgroundImage = `url('${bgUrl}');`;
        }
      });
    }
  }, [dependency]);
}
```

■ src/data/menu.ts

```
export interface MenuItem {
  id: string;
  name: string;
  category: &apos;Maggi&apos; | &apos;Sandwich&apos; | &apos;Hot Dog&apos; | &apos;Pizza&apos; | &apos;Burger&apos; | &apos;Pu
  price: number;
  description: string;
  isPopular?: boolean;
  image: string;
  isVeg: boolean;
}

export const menuItems: MenuItem[] = [
  // Cakes & Pastries
  {
    id: &apos;butterscotch-cake&apos;,
    name: &apos;Butterscotch Cake&apos;,
    category: &apos;Cakes & Pastries&apos;,
    price: 380,
    description: &apos;Rich butterscotch layers topped with caramelized crunch and smooth premium whipped cream.&apos;,
    isPopular: true,
    image: &apos;/images/signature-butterscotch.webp&apos;,
    isVeg: true
  },
  {
    id: &apos;mix-fruit-chocolate-cake&apos;,
    name: &apos;Mix Fruit & Chocolate Cake&apos;,
    category: &apos;Cakes & Pastries&apos;,
    price: 450,
    description: &apos;An indulgent fusion of fresh seasonal fruits and premium dark chocolate ganache layering.&apos;,
    isPopular: false,
    image: &apos;/images/cake-mix-fruit.webp&apos;,
    isVeg: true
  },
  {
    id: &apos;black-forest-cake-pops&apos;,
    name: &apos;Black Forest Cake Pops&apos;,
    category: &apos;Cakes & Pastries&apos;,
    price: 180,
    description: &apos;Bite-sized delights of rich chocolate cake blended with cherry syrup, dipped in white chocolate.&apos;,
    isPopular: false,
    image: &apos;/images/cake-pop-black-forest.webp&apos;,
    isVeg: true
  },
  {
    id: &apos;premium-rasmalai-cake&apos;,
    name: &apos;Premium Rasmalai Cake&apos;,
    category: &apos;Cakes & Pastries&apos;,
    price: 550,
    description: &apos;Our signature fusion masterwork. Cardamom-spiced sponge soaked in saffron milk and layered with real Ra
    isPopular: true,
    image: &apos;/images/signature-rasmalai.webp&apos;,
    isVeg: true
  },
  {
    id: &apos;white-dark-forest-pastry&apos;,
    name: &apos;White & Dark Forest Pastry&apos;,
    category: &apos;Cakes & Pastries&apos;,
    price: 90,
    description: &apos;Classic chocolate pastry with sweet cherry layers, shaved white and dark chocolate flakes.&apos;,
    isPopular: false,
    image: &apos;/images/pastry-white-dark-forest.webp&apos;,
    isVeg: true
  },
  {
    id: &apos;pineapple-pastry&apos;,
    name: &apos;Pineapple Pastry&apos;,
    category: &apos;Cakes & Pastries&apos;,
    price: 75,
    description: &apos;Light vanilla sponge layered with chopped pineapple and topped with whipped cream.&apos;,
    isPopular: false,
    image: &apos;/images/pastry-pineapple.webp&apos;,
    isVeg: true
  },
],
```

```

{
  id: 'choco-chips-pastry',
  name: 'Choco Chips Pastry',
  category: 'Cakes & Pastries',
  price: 85,
  description: 'Decadent chocolate sponge loaded with premium chocolate chips and silky chocolate cream.',
  isPopular: true,
  image: '/images/signature-choco-chip.webp',
  isVeg: true
},
{
  id: 'dry-fruit-celebrations',
  name: 'Dry Fruit Celebrations',
  category: 'Cakes & Pastries',
  price: 480,
  description: 'A luxurious cake studded with almonds, cashews, pistachios, and rich butter cream.',
  isPopular: true,
  image: '/images/signature-dry-fruit.webp',
  isVeg: true
},
{
  id: 'pull-off-cake',
  name: 'Pull Off Cake',
  category: 'Cakes & Pastries',
  price: 600,
  description: 'A fun, interactive cake that reveals a delicious waterfall of chocolate ganache when pulled.',
  isPopular: false,
  image: '/images/cake-pull-off.webp',
  isVeg: true
},
// Maggi
{
  id: 'spicy-tadka-maggi',
  name: 'Spicy Tadka Maggi',
  category: 'Maggi',
  price: 70,
  description: 'Noodles tossed in aromatic Indian spices, garlic, green chilies, and a hot butter tadka.',
  isPopular: true,
  image: '/images/maggi-tadka.webp',
  isVeg: true
},
{
  id: 'butter-cheese-maggi',
  name: 'Butter & Cheese Maggi',
  category: 'Maggi',
  price: 90,
  description: 'Classic comfort Maggi overloaded with melted Amul butter and grated mozzarella cheese.',
  isPopular: true,
  image: '/images/maggi-cheese.webp',
  isVeg: true
},
{
  id: 'schezwan-maggi',
  name: 'Schezwan Maggi',
  category: 'Maggi',
  price: 80,
  description: 'Spicy stir-fried noodles cooked with hot Schezwan sauce and crispy spring vegetables.',
  isPopular: false,
  image: '/images/maggi-schezwan.webp',
  isVeg: true
},
{
  id: 'sweet-corn-maggi',
  name: 'Sweet Corn Maggi',
  category: 'Maggi',
  price: 85,
  description: 'A mild and sweet preparation loaded with juicy sweet corn kernels and a creamy white seasoning.',
  isPopular: false,
  image: '/images/maggi-corn.webp',
  isVeg: true
},
// Pizza
{
  id: 'veg-coin-pizza',

```



```

name: &apos;Veg. Coin Pizza&apos;;,
category: &apos;Pizza&apos;;,
price: 110,
description: &apos;Bite-sized mini pizzas topped with sweet onions, tomatoes, bell peppers, and melted cheese.&apos;;,
isPopular: false,
image: &apos;/images/pizza-coin.webp&apos;;,
isVeg: true
},
{
  id: &apos;veg-pizza&apos;;,
  name: &apos;Veg. Pizza&apos;;,
  category: &apos;Pizza&apos;;,
  price: 180,
  description: &apos;Hand-stretched base topped with fresh marinara sauce, bell peppers, onions, tomatoes, and golden cheese.&apos;;,
  isPopular: false,
  image: &apos;/images/pizza-veg.webp&apos;;,
  isVeg: true
},
{
  id: &apos;manchurian-pizza&apos;;,
  name: &apos;Manchurian Pizza&apos;;,
  category: &apos;Pizza&apos;;,
  price: 220,
  description: &apos;An exciting Indo-Chinese fusion topped with soft Manchurian balls, spring onions, and a spicy soy-chili sauce.&apos;;,
  isPopular: true,
  image: &apos;/images/pizza-manchurian.webp&apos;;,
  isVeg: true
},
{
  id: &apos;sweet-corn-pizza&apos;;,
  name: &apos;Sweet Corn Pizza&apos;;,
  category: &apos;Pizza&apos;;,
  price: 200,
  description: &apos;Sweet corn kernels paired with jalapenos and red onions on a cheese-stuffed base.&apos;;,
  isPopular: false,
  image: &apos;/images/pizza-sweet-corn.webp&apos;;,
  isVeg: true
},
{
  id: &apos;paneer-pizza&apos;;,
  name: &apos;Paneer Pizza&apos;;,
  category: &apos;Pizza&apos;;,
  price: 240,
  description: &apos;Marinated paneer tikka cubes, roasted capsicum, onions, and spicy tandoori sauce.&apos;;,
  isPopular: true,
  image: &apos;/images/pizza-paneer.webp&apos;;,
  isVeg: true
},
{
  id: &apos;mushroom-pizza&apos;;,
  name: &apos;Mushroom Pizza&apos;;,
  category: &apos;Pizza&apos;;,
  price: 230,
  description: &apos;Earthy button mushrooms sautéed in herbs, garlic, and baked with rich mozzarella cheese.&apos;;,
  isPopular: false,
  image: &apos;/images/pizza-mushroom.webp&apos;;,
  isVeg: true
},
{
  id: &apos;cheese-burst-pizza&apos;;,
  name: &apos;Cheese Burst Pizza&apos;;,
  category: &apos;Pizza&apos;;,
  price: 280,
  description: &apos;Overloaded pizza with a double-layered crust filled to the brim with warm, liquid cheese.&apos;;,
  isPopular: true,
  image: &apos;/images/pizza-cheese-burst.webp&apos;;,
  isVeg: true
},
{
  id: &apos;mexican-pizza&apos;;,
  name: &apos;Mexican Pizza&apos;;,
  category: &apos;Pizza&apos;;,
  price: 260,
  description: &apos;Spicy salsa sauce base topped with sweet corn, jalapenos, olives, capsicum, and chili flakes.&apos;;,
  isPopular: true,
  image: &apos;/images/pizza-mexican.webp&apos;;,

```

```

    isVeg: true
  },
  // Sandwich
  {
    id: &apos;yummy-chocolate-sandwich&apos;;,
    name: &apos;Yummy Chocolate Sandwich&apos;;,
    category: &apos;Sandwich&apos;;,
    price: 110,
    description: &apos;Grilled bread stuffed with chocolate chips, hazelnut spread, and topped with chocolate syrup.&apos;;,
    isPopular: true,
    image: &apos;/images/sandwich-chocolate.webp&apos;;,
    isVeg: true
  },
  {
    id: &apos;plain-veg-sandwich&apos;;,
    name: &apos;Plain Veg Sandwich&apos;;,
    category: &apos;Sandwich&apos;;,
    price: 60,
    description: &apos;Light and refreshing sandwich with sliced cucumbers, tomatoes, potatoes, and mint chutney.&apos;;,
    isPopular: false,
    image: &apos;/images/sandwich-veg.webp&apos;;,
    isVeg: true
  },
  {
    id: &apos;cheese-sandwich&apos;;,
    name: &apos;Cheese Sandwich&apos;;,
    category: &apos;Sandwich&apos;;,
    price: 80,
    description: &apos;Classic grilled cheese sandwich with butter, pepper, and lots of mozzarella cheese.&apos;;,
    isPopular: false,
    image: &apos;/images/sandwich-cheese.webp&apos;;,
    isVeg: true
  },
  {
    id: &apos;corn-cheese-sandwich&apos;;,
    name: &apos;Corn Cheese Sandwich&apos;;,
    category: &apos;Sandwich&apos;;,
    price: 100,
    description: &apos;Sweet corn mixed with mayonnaise, cheese, black pepper, and toasted until golden.&apos;;,
    isPopular: true,
    image: &apos;/images/sandwich-corn-cheese.webp&apos;;,
    isVeg: true
  },
  {
    id: &apos;paneer-sandwich&apos;;,
    name: &apos;Paneer Sandwich&apos;;,
    category: &apos;Sandwich&apos;;,
    price: 120,
    description: &apos;Cottage cheese chunks tossed in spicy mint chutney, grilled with onions and capsicum.&apos;;,
    isPopular: false,
    image: &apos;/images/sandwich-paneer.webp&apos;;,
    isVeg: true
  },
  // Burger
  {
    id: &apos;veg-burger&apos;;,
    name: &apos;Veg Burger&apos;;,
    category: &apos;Burger&apos;;,
    price: 70,
    description: &apos;Crispy mixed vegetable patty with lettuce, tomatoes, onions, and chef's special burger sauce.&apos;;,
    isPopular: false,
    image: &apos;/images/burger-veg.webp&apos;;,
    isVeg: true
  },
  {
    id: &apos;cheese-burger&apos;;,
    name: &apos;Cheese Burger&apos;;,
    category: &apos;Burger&apos;;,
    price: 90,
    description: &apos;Classic veg burger enhanced with a thick slice of melted cheese and creamy mayonnaise.&apos;;,
    isPopular: true,
    image: &apos;/images/burger-cheese.webp&apos;;,
    isVeg: true
  },

```

```

{
  id: 'french-fries-burger',
  name: 'French Fries Burger',
  category: 'Burger',
  price: 100,
  description: 'An exciting burger packed with golden french fries, cheese sauce, and chili seasoning.',
  isPopular: false,
  image: '/images/burger-fries.webp',
  isVeg: true
},
{
  id: 'spicy-paneer-burger',
  name: 'Spicy Paneer Burger',
  category: 'Burger',
  price: 130,
  description: 'Deep-fried tandoori paneer patty with onions, spicy spread, and sliced cheese.',
  isPopular: true,
  image: '/images/burger-paneer.webp',
  isVeg: true
},
// Hot Dog
{
  id: 'hot-dog',
  name: 'Hot Dog',
  category: 'Hot Dog',
  price: 80,
  description: 'Soft long bun filled with a grilled vegetable roll, ketchup, mustard, and mayonnaise.',
  isPopular: false,
  image: '/images/hotdog-plain.webp',
  isVeg: true
},
{
  id: 'paneer-hot-dog',
  name: 'Paneer Hot Dog',
  category: 'Hot Dog',
  price: 110,
  description: 'Hot dog bun stuffed with spicy minced paneer bhurji, diced onions, and garlic sauce.',
  isPopular: true,
  image: '/images/hotdog-paneer.webp',
  isVeg: true
},
{
  id: 'manchurian-hot-dog',
  name: 'Manchurian Hot Dog',
  category: 'Hot Dog',
  price: 100,
  description: 'Indo-Chinese fusion hot dog filled with dry Manchurian balls, capsicum, and sweet soy glaze.',
  isPopular: false,
  image: '/images/hotdog-manchurian.webp',
  isVeg: true
},
// Puffs
{
  id: 'veg-puff',
  name: 'Veg Puff',
  category: 'Puffs',
  price: 25,
  description: 'Crispy, flaky puff pastry filled with spiced potatoes, green peas, and carrots.',
  isPopular: true,
  image: '/images/puff-veg.webp',
  isVeg: true
},
{
  id: 'paneer-puff',
  name: 'Paneer Puff',
  category: 'Puffs',
  price: 35,
  description: 'Flaky baked puff pastry shell stuffed with spicy paneer tikka filling.',
  isPopular: true,
  image: '/images/puff-paneer.webp',
  isVeg: true
},
// Rolls

```

```

{
  id: 'manchurian-roll',
  name: 'Manchurian Roll',
  category: 'Rolls',
  price: 90,
  description: 'Spicy Manchurian gravy wrapped in a soft grilled chapati/tortilla roll with cabbage.',
  isPopular: false,
  image: '/images/roll-manchurian.webp',
  isVeg: true
},
{
  id: 'paneer-roll',
  name: 'Paneer Roll',
  category: 'Rolls',
  price: 110,
  description: 'Juicy paneer chunks marinated in spices, wrapped with sliced onions and lime juice.',
  isPopular: true,
  image: '/images/roll-paneer.webp',
  isVeg: true
},
{
  id: 'egg-rolls',
  name: 'Egg Rolls',
  category: 'Rolls',
  price: 80,
  description: 'Classic street style roll with egg omelette coating, filled with crunchy raw veggies and sauce.',
  isPopular: false,
  image: '/images/roll-egg.webp',
  isVeg: false
},
// Beverages
{
  id: 'butterscotch-shake',
  name: 'Butterscotch Shake',
  category: 'Beverages',
  price: 100,
  description: 'Thick, creamy milkshake made with real butterscotch ice cream and caramel drizzle.',
  isPopular: true,
  image: '/images/beverage-shake.webp',
  isVeg: true
},
{
  id: 'coffee-latte',
  name: 'Coffee Latte',
  category: 'Beverages',
  price: 80,
  description: 'Classic espresso shot combined with steamed milk and a thin layer of microfoam.',
  isPopular: false,
  image: '/images/beverage-latte.webp',
  isVeg: true
},
// Others
{
  id: 'cheese-masala-french-fries',
  name: 'Cheese Masala French Fries',
  category: 'Others',
  price: 110,
  description: 'Crispy potato fries dusted with peri-peri spices and layered with melted cheese sauce.',
  isPopular: true,
  image: '/images/others-fries.webp',
  isVeg: true
},
{
  id: 'chicken-lollypop',
  name: 'Chicken Lollypop',
  category: 'Others',
  price: 220,
  description: 'Golden fried chicken winglets tossed in a rich, sweet and spicy Indo-Chinese sauce.',
  isPopular: true,
  image: '/images/others-chicken-lollypop.webp',
  isVeg: false
},
{
  id: 'white-sauce-pasta',

```

```
name: 'White Sauce Pasta',
category: 'Others',
price: 150,
description: 'Penne pasta tossed in a creamy, velvety cheese sauce with broccoli, mushrooms, and herbs.',
isPopular: false,
image: '/images/others-pasta.webp',
isVeg: true
},
{
id: 'crispy-frenes',
name: 'Crispy Frenes (100gm)',
category: 'Others',
price: 70,
description: 'Delicately crunchy, spiced flour bites - a perfect light tea-time accompaniment.',
isPopular: false,
image: '/images/others-frenes.webp',
isVeg: true
}
];
```

■ src/data/reviews.ts

```
export interface Review {
  id: string;
  firstName: string;
  rating: number;
  text: string;
  date: string;
  avatarBg: string; // CSS or Tailwind gradient classes
}

export const reviews: Review[] = [
  {
    id: 'rev-1',
    firstName: 'Nikhil',
    rating: 5,
    text: 'Nice place to satisfy your appetite with delicious snacks options available here. There is good seating arrangement',
    date: '4 years ago',
    avatarBg: 'from-amber-400 to-amber-600',
  },
  {
    id: 'rev-2',
    firstName: 'Jayant',
    rating: 5,
    text: 'Nice place to have quick bites inside the city. Loved it!',
    date: '4 years ago',
    avatarBg: 'from-yellow-500 to-yellow-700',
  },
  {
    id: 'rev-3',
    firstName: 'Aishu',
    rating: 5,
    text: 'Awesome place. Great food. Do visit at least once. They give really great service.',
    date: '4 years ago',
    avatarBg: 'from-orange-400 to-amber-600',
  },
  {
    id: 'rev-4',
    firstName: 'Minal',
    rating: 5,
    text: 'We ordered a cake at very last minute..but thanks to them..they were able to pull it off.',
    date: '2 years ago',
    avatarBg: 'from-yellow-400 to-amber-600',
  },
  {
    id: 'rev-5',
    firstName: 'Rucha',
    rating: 5,
    text: 'Thank you cake floor for making my son's birthday special, cake was yummy, beautifully designed and upto the mark',
    date: '4 years ago',
    avatarBg: 'from-amber-500 to-orange-700',
  },
  {
    id: 'rev-6',
    firstName: 'Sumit',
    rating: 5,
    text: 'Thank you very much! The cake was wonderful and prepared as demanded, most importantly it tasted great! Great service',
    date: '4 years ago',
    avatarBg: 'from-orange-500 to-yellow-600',
  },
  {
    id: 'rev-7',
    firstName: 'Mayuri',
    rating: 5,
    text: 'The staff here are helpful and polite. The vibe in here is also great.',
    date: '4 years ago',
    avatarBg: 'from-yellow-600 to-amber-800',
  },
  {
    id: 'rev-8',
    firstName: 'Prachi',
    rating: 5,
    text: 'Good place to eat. I've always loved their burgers. They do have good snack options',
    date: '4 years ago',
    avatarBg: 'from-amber-600 to-orange-600',
  },
]
```

```

},
{
  id: 'rev-9',
  firstName: 'Shubhangi',
  rating: 5,
  text: 'For the cake it is best..never ever disappointed. And paneer tikka piza is also best.rest atmosphere is best.',
  date: '2 years ago',
  avatarBg: 'from-yellow-500 to-orange-500',
},
{
  id: 'rev-10',
  firstName: 'Piyush',
  rating: 5,
  text: 'It's a place where calories count doesn't matter... So just if u r hungry.. U can take a bite of any',
  date: '5 years ago',
  avatarBg: 'from-orange-600 to-amber-700',
},
{
  id: 'rev-11',
  firstName: 'Bullet Foodie',
  rating: 5,
  text: 'Great place to hangout',
  date: '2 years ago',
  avatarBg: 'from-amber-500 to-yellow-700',
},
{
  id: 'rev-12',
  firstName: 'Khushi',
  rating: 5,
  text: 'The pizza and sandwich is delicious and tasty 🍕❤️🍕❤️🍕❤️ it's just too good 🍕',
  date: '5 years ago',
  avatarBg: 'from-yellow-400 to-orange-500',
},
{
  id: 'rev-13',
  firstName: 'Hardika',
  rating: 5,
  text: 'Quality of cakes and other products are up to the mark and hav lot's of variety',
  date: '4 years ago',
  avatarBg: 'from-orange-400 to-yellow-600',
},
{
  id: 'rev-14',
  firstName: 'Garima',
  rating: 5,
  text: 'Cake tastes really great. I ordered chocolate truffle for my friend on his birthday. And he said that the cake',
  date: '5 years ago',
  avatarBg: 'from-amber-700 to-yellow-900',
},
{
  id: 'rev-15',
  firstName: 'Animesh',
  rating: 5,
  text: 'A great place to order and get cakes for numerous occasions. They have various eateries even. I found this pla',
  date: '6 years ago',
  avatarBg: 'from-yellow-500 to-amber-600',
},
{
  id: 'rev-16',
  firstName: 'Shreyash',
  rating: 5,
  text: 'Food is really good and the staff is also good',
  date: '1 year ago',
  avatarBg: 'from-orange-500 to-amber-600',
},
{
  id: 'rev-17',
  firstName: 'Sumit S.',
  rating: 5,
  text: 'At my first visit... Such a good place to visit with family. U can enjoy lots of pizzas, desert, cakes, gifts,',
  date: '4 years ago',
  avatarBg: 'from-amber-400 to-yellow-500',
}
];

```

```
export const reviewsSummary = {
```

```
rating: 4.1,  
totalReviews: 697  
};
```


■ src/components/layout/Navbar.tsx

```
import React, { useEffect, useState, useRef } from 'react';
import { Link, useLocation } from 'react-router-dom';
import { Phone, Home, User, Cake, Image, Star, Menu, X } from 'lucide-react';
import { NavBar } from 'ui/tubelight-navbar';

export interface NavBarProps {
  introCompleted: boolean;
}

export const NavBar: React.FC<NavBarProps> = ({ introCompleted }) => {
  const [scrolled, setScrolled] = useState(false);
  const [visible, setVisible] = useState(true);
  const [mobileMenuOpen, setMobileMenuOpen] = useState(false);
  const [isMobile, setIsMobile] = useState(false);
  const lastScrollYRef = useRef(0);
  const tickingRef = useRef(false);
  const location = useLocation();

  // Detect mobile viewport size to conditionally render mobile DOM elements
  useEffect(() => {
    const handleResize = () => {
      setIsMobile(window.innerWidth < 768);
    };
    handleResize();
    window.addEventListener('resize', handleResize);
    return () => window.removeEventListener('resize', handleResize);
  }, []);

  // Close mobile menu on navigation
  useEffect(() => {
    setMobileMenuOpen(false);
  }, [location.pathname]);

  useEffect(() => {
    const handleScroll = () => {
      if (!tickingRef.current) {
        window.requestAnimationFrame(() => {
          const currentScrollY = window.scrollY;
          const lastScrollY = lastScrollYRef.current;

          // Scrolled styling (only update state if value has changed)
          const isScrolled = currentScrollY > 50;
          setScrolled(prev => prev !== isScrolled ? isScrolled : prev);

          // Mobile vs. Desktop logic
          if (isMobile) {
            // Mobile-specific scroll behavior:
            // 1. Stays fixed. Fades out/becomes hidden as user scrolls down even slightly (scrollY > 10).
            // 2. Only reappears when the user scrolls back to the very top (scrollY <= 10).
            if (currentScrollY > 10) {
              if (!mobileMenuOpen) {
                setVisible(prev => prev !== false ? false : prev);
              }
            } else {
              setVisible(prev => prev !== true ? true : prev);
            }
          } else {
            // Desktop/Tablet behavior (md breakpoint and above):
            // Hide on scroll down, show on scroll up past 80% threshold.
            const heroHeight = window.innerHeight;
            const threshold = heroHeight * 0.8;

            if (currentScrollY <= threshold) {
              setVisible(prev => prev !== true ? true : prev);
            } else {
              if (currentScrollY > lastScrollY) {
                setVisible(prev => prev !== false ? false : prev);
              } else {
                setVisible(prev => prev !== true ? true : prev);
              }
            }
          }
        });
        tickingRef.current = true;
      }
    };
    window.addEventListener('scroll', handleScroll);
    return () => window.removeEventListener('scroll', handleScroll);
  }, []);
};
```

```

        lastScrollYRef.current = currentScrollY;
        tickingRef.current = false;
    });
    tickingRef.current = true;
  }
};

window.addEventListener('scroll', handleScroll, { passive: true });
return () => window.removeEventListener('scroll', handleScroll);
}, [mobileMenuOpen, isMobile]);

const navItems = [
  { name: 'Home', url: '/', icon: Home },
  { name: 'About', url: '/about', icon: User },
  { name: 'Menu', url: '/menu', icon: Cake },
  { name: 'Gallery', url: '/gallery', icon: Image },
  { name: 'Reviews', url: '/reviews', icon: Star },
  { name: 'Contact', url: '/contact', icon: Phone },
];

return (
  <>
    <header
      className={`fixed top-0 left-0 w-full z-45 transition-all duration-300 ease-out ${
        visible ? 'translate-y-0 opacity-100' : 'translate-y-full opacity-0 pointer-events-none'
      } ${
        scrolled ? 'glass-nav py-2.5 shadow-lg' : 'bg-transparent py-4'
      }}`
    >
      <div className="max-w-7xl mx-auto px-6 flex justify-between items-center w-full gap-4">
        </* Logo (Left) */>
        <Link
          id="navbar-logo-lockup"
          to="/"
          className={`flex items-center gap-3 shrink-0 transition-opacity duration-100 ${
            introCompleted ? 'opacity-100' : 'opacity-0'
          }}`
        >
          <img
            src={`import.meta.env.BASE_URL}logo.png`
            alt="The Cakes Floor Logo"
            className={`transition-all duration-300 object-contain ${scrolled ? 'h-12' : 'h-16'}`}
          />
          <div
            className={`flex flex-col justify-center gap-0 transition-all duration-300 leading-[0.85] select-none font-displ
              scrolled ? 'h-12' : 'h-16'
            }`
          >
            <span
              className={`font-extrabold tracking-[0.08em] text-white text-glow uppercase transition-all duration-300 ${scro
                style={{ fontFamily: 'Open Sauce One', sans-serif }}
              >
                THE
              </span>
              <span
                className={`font-extrabold tracking-[0.08em] text-[#ffb954] text-glow uppercase transition-all duration-300 ${
                  style={{ fontFamily: 'Open Sauce One', sans-serif }}
                >
                  Cakes
                </span>
                <span
                  className={`font-extrabold tracking-[0.08em] text-[#ffb954] text-glow uppercase transition-all duration-300 ${
                    style={{ fontFamily: 'Open Sauce One', sans-serif }}
                  >
                    Floor
                  </span>
              </div>
            </Link>

        </* --- DESKTOP VIEW ONLY (md:flex) --- */>
        <div className="hidden md:flex flex-grow items-center justify-between ml-8">
          </* Inline Tubelight Navigation Bar (Center) */>
          <div className="flex-1 flex justify-center">
            <Nav
              items={navItems}
            >
          </div>

```

```

    /* Quick Contact CTA (Right) */
    <div className="shrink-0">
      <Link
        to="/contact"
        className="bg-primary text-on-primary font-body text-xs uppercase tracking-[0.2em] font-semibold px-5 py-2"
      >
        <Phone size={12} strokeWidth={2.5} />
        <span>Contact</span>
      </Link>
    </div>
  </div>

  /* --- MOBILE VIEW ONLY (md:hidden) --- */
  {isMobile && (
    <button
      onClick={() => setMobileMenuOpen(!mobileMenuOpen)}
      className="md:hidden p-2 rounded-full bg-white/5 border border-white/10 text-[#e5e2e0] hover:text-primary"
      aria-label="Toggle Mobile Menu"
    >
      {mobileMenuOpen ? <X size={20} /> : <Menu size={20} />}
    </button>
  )}
  </div>
</header>

/* --- MOBILE MENU OVERLAY (md:hidden) --- */
{isMobile && mobileMenuOpen && (
  <div
    className={`fixed left-0 w-full md:hidden bg-[#0c0c0c]/98 backdrop-blur-xl border-b border-white/5 shadow-2xl flex flex-direction-column items-center justify-center p-4`}
    style={{
      top: '16px',
      height: `calc(100vh - 64px)`,
    }}
  >
    <nav className="flex flex-col gap-3 text-center py-6">
      {navItems.map((item) => {
        const Icon = item.icon;
        const isActive = location.pathname === item.url || (item.url !== '/' && location.pathname.startsWith(item.url));
        return (
          <Link
            key={item.name}
            to={item.url}
            className={`flex items-center gap-3 text-sm uppercase tracking-widest font-semibold px-5 py-2.5 rounded-full ${
              isActive ? 'text-primary bg-white/5 border border-primary/20' : 'text-[#e5e2e0]/80 hover:text-primary'
            }`}
          >
            <Icon size={16} className={isActive ? 'text-primary' : 'text-[#e5e2e0]/60'} />
            <span>{item.name}</span>
          </Link>
        );
      })}
    </nav>
  </div>
)}
</>
};

```

■ src/components/layout/Footer.tsx

```
import React from 'react';
import { Link } from 'react-router-dom';
import { MapPin, Phone, Mail, MessageCircle } from 'lucide-react';

export const Footer: React.FC = () => {
  return (
    <div className="bg-[#0e0e0d] border-t border-white/5 pt-16 pb-8">
      <div className="max-w-7xl mx-auto px-6 grid grid-cols-1 md:grid-cols-4 gap-12">
        {/* Column 1: Brand Info */}
        <div className="space-y-4">
          <div className="flex items-center gap-3 w-fit select-none">
            <img src={` ${import.meta.env.BASE_URL}logo.png`} alt="The Cakes Floor Logo" className="h-14 w-auto" />
            <div className="flex flex-col justify-center gap-0 leading-[0.85] font-display h-14">
              <span
                className="font-extrabold tracking-[0.08em] text-white text-glow uppercase text-xs"
                style={{ fontFamily: 'Open Sauce One', sans-serif }}
              >
                THE
              </span>
              <span
                className="font-extrabold tracking-[0.08em] text-[#ffb954] text-glow uppercase text-xs"
                style={{ fontFamily: 'Open Sauce One', sans-serif }}
              >
                CAKES
              </span>
              <span
                className="font-extrabold tracking-[0.08em] text-[#ffb954] text-glow uppercase text-xs"
                style={{ fontFamily: 'Open Sauce One', sans-serif }}
              >
                FLOOR
              </span>
            </div>
          </div>
          <p className="font-body text-[#e5e2e0]/60 text-sm font-light leading-relaxed max-w-xs">
            Bhandara's beloved destination for premium cakes, fresh savories, and artisanal celebration masterworks baked daily
          </p>
          <div className="flex gap-4 pt-2">
            <a
              href="https://www.instagram.com/thecakesfloor"
              target="_blank"
              rel="noopener noreferrer"
              className="w-9 h-9 rounded-full bg-white/5 border border-white/10 flex items-center justify-center text-[#e5e2e0]"
              aria-label="Visit Instagram Profile"
            >
              <svg viewBox="0 0 24 24" width="16" height="16" stroke="currentColor">
                <rect width="20" height="20" x="2" y="2" rx="5" ry="5" />
                <path d="M16 11.37A4 4 0 1 1 12.63 8 4 4 0 1 16 11.37z" />
                <line x1="17.5" x2="17.51" y1="6.5" y2="6.5" />
              </svg>
            </a>
            <a
              href="https://wa.me/917887324373"
              target="_blank"
              rel="noopener noreferrer"
              className="w-9 h-9 rounded-full bg-white/5 border border-white/10 flex items-center justify-center text-[#e5e2e0]"
              aria-label="Chat on WhatsApp"
            >
              <MessageCircle size={16} />
            </a>
          </div>
        </div>
        {/* Column 2: Quick Links */}
        <div>
          <h4 className="font-display text-lg text-primary mb-6 font-semibold">Explore</h4>
          <ul className="space-y-3 font-body text-sm font-light text-[#e5e2e0]/60">
            <li>
              <Link to="/" className="hover:text-primary transition-colors">Home</Link>
            </li>
            <li>
              <Link to="/about" className="hover:text-primary transition-colors">About Us</Link>
            </li>
          </ul>
        </div>
      </div>
    </div>
  );
}
```

```

        <Link to="/menu" className="hover:text-primary transition-colors">Our Menu</Link>
    </li>
    <li>
        <Link to="/gallery" className="hover:text-primary transition-colors">Gallery</Link>
    </li>
    <li>
        <Link to="/reviews" className="hover:text-primary transition-colors">Reviews</Link>
    </li>
    <li>
        <Link to="/contact" className="hover:text-primary transition-colors">Contact Us</Link>
    </li>
</ul>
</div>

{/* Column 3: Hours */}
<div>
    <h4 className="font-display text-lg text-primary mb-6 font-semibold">Hours</h4>
    <ul className="space-y-3 font-body text-sm font-light text-[#e5e2e0]/60">
        <li className="flex justify-between border-b border-white/5 pb-2">
            <span>Monday - Sunday:</span>
            <span className="text-[#e5e2e0]">10:00 AM - 10:30 PM</span>
        </li>
        <li>
            <span>Open all 7 days of the week, including holidays, to sweeten your special celebrations.</span>
        </li>
    </ul>
</div>

{/* Column 4: Contact info */}
<div>
    <h4 className="font-display text-lg text-primary mb-6 font-semibold">Contact</h4>
    <ul className="space-y-4 font-body text-sm font-light text-[#e5e2e0]/60">
        <li>
            <div>
                <div>
                    <MapPin size={18} className="text-primary shrink-0 mt-0.5" />
                    <span>Zilla Parishad Square, Takiya Ward, Near Sai Mandir, Near, Ganeshpur, Bhandara, Maharashtra - 441904</span>
                </div>
            </div>
            <div>
                <div>
                    <Phone size={18} className="text-primary shrink-0" />
                    <a href="tel:+917887324373" className="hover:text-primary transition-colors">+91 7887324373</a>
                </div>
                <div>
                    <div>
                        <Mail size={18} className="text-primary shrink-0" />
                        <a href="mailto:info@thecakesfloor.com" className="hover:text-primary transition-colors">info@thecakesfloor.com</a>
                    </div>
                </div>
            </div>
        </li>
    </ul>
</div>
</div>

{/* Copyright Bar */}
<div className="max-w-7xl mx-auto px-6 border-t border-white/5 mt-16 pt-8 flex flex-col md:flex-row justify-between">
    <div>
        &copy; {new Date().getFullYear()} The Cakes Floor. All rights reserved.
    </div>
    <div>
        <div>
            <Link to="/privacy-policy" className="hover:text-primary transition-colors">Privacy Policy</Link>
            <Link to="/terms-of-service" className="hover:text-primary transition-colors">Terms of Service</Link>
        </div>
    </div>
</div>
</footer>
);
};

```

■ src/components/layout/FloatingCTA.tsx

```
import React from 'react';
import { motion } from 'framer-motion';

export const FloatingCTA: React.FC = () => {
  const instagramUrl = 'https://www.instagram.com/thecakesfloor';
  const whatsappNumber = '917887324373';
  const whatsappText = encodeURIComponent('Hi, I'd like to enquire about ordering a cake from The Cakes Floor.');
```

return (

<>

<div className="fixed bottom-6 left-6 z-[49]">

<motion.a

href={instagramUrl}

target="_blank"

rel="noopener noreferrer"

whileHover={{ scale: 1.1 }}

whileTap={{ scale: 0.9 }}

className="w-12 h-12 rounded-full bg-gradient-to-tr from-[#f9ce34] via-[#ee2a7b] to-[#6228d7] text-white shadow-[0_8px_24px_rgba(37,211,102,0.35)] flex items-center justify-center"

title="Follow us on Instagram"

aria-label="Follow us on Instagram"

>

<div className="absolute inset-0 rounded-full bg-[#ee2a7b]/30 animate-ping-limited pointer-events-none">

<div>

<div>

<div>

<div>

<div>

<div>

<div>

<div>

<div>

<div>

<div>

</div>

</div>

</div>

</div>

</div>

</div>

</div>

</div>

</div>

</div>

</div>

</div>

</>

```
);
```


■ src/components/layout/IntroAnimation.tsx

```
import React, { useEffect, useRef } from 'react';
import gsap from 'gsap';

interface IntroAnimationProps {
  onComplete: () => void;
}

export const IntroAnimation: React.FC<IntroAnimationProps> = ({ onComplete }) => {
  const overlayRef = useRef<HTMLDivElement | null>(null);
  const logoLockupRef = useRef<HTMLDivElement | null>(null);
  const subheadingRef = useRef<HTMLHeadingElement | null>(null);

  // Subheading text with thin vertical bar dividers
  const subheadingText = 'LUXURY ■ ARTISANAL ■ BAKERY';
  const chars = subheadingText.split('').map((char, index) => {
    const isDivider = char === '■';
    return (
      <span
        key={index}
        className={`inline-block char-span opacity-100 ${
          isDivider ? 'text-white/40 mx-2 md:mx-4 font-light select-none' : ''
        }`}
        style={{
          fontFamily: 'Cinzel, serif',
          whiteSpace: char === '■' ? 'pre' : 'normal',
        }}
      >
        {char}
      </span>
    );
  });

  useEffect(() => {
    // Session gating check (runs immediately to skip if already played)
    const introPlayed = sessionStorage.getItem('the_cakes_floor_intro_played');
    if (introPlayed === 'true') {
      onComplete();
      return;
    }

    let tl: gsap.core.Timeline | null = null;
    let isMounted = true;

    // Wait for custom fonts to finish loading so getBoundingClientRect outputs accurate positions
    document.fonts.ready.then(() => {
      if (!isMounted) return;

      // Target the combined navbar logo+text container
      const targetElement = document.getElementById('navbar-logo-lockup');
      const sourceElement = logoLockupRef.current;

      // Timeline setup
      tl = gsap.timeline({
        onComplete: () => {
          sessionStorage.setItem('the_cakes_floor_intro_played', 'true');
          onComplete();
        }
      });

      if (targetElement && sourceElement && overlayRef.current && subheadingRef.current) {
        // 1. Get exact bounds for seamless scaling and positioning
        const targetRect = targetElement.getBoundingClientRect();
        const sourceRect = sourceElement.getBoundingClientRect();

        // Calculate translation and scaling differences
        const deltaX = (targetRect.left + targetRect.width / 2) - (sourceRect.left + sourceRect.width / 2);
        const deltaY = (targetRect.top + targetRect.height / 2) - (sourceRect.top + sourceRect.height / 2);
        const deltaScale = targetRect.width / sourceRect.width;

        // 2. Set will-change immediately before animating (split per element role)
        gsap.set(overlayRef.current, {
          willChange: 'opacity';
        });
      }
    });
  });
};
```



```

gsap.set([sourceElement, subheadingRef.current], {
  willChange: 'transform, opacity';
});

// 3. Stagger dissolve subheading text downward (0s to 1.2s)
const charElements = subheadingRef.current.querySelectorAll('char-span');
tl.to(charElements, {
  opacity: 0,
  y: 25,
  stagger: 0.045,
  duration: 1.2,
  ease: 'power2.in';
}, 0);

// 4. Move, scale-down, and Y-axis flip the logo lockup (0.6s to 3.0s)
tl.to(sourceElement, {
  x: deltaX,
  y: deltaY,
  scale: deltaScale,
  rotateY: 1440,
  duration: 2.4,
  ease: 'power2.inOut';
}, 0.6);

// 5. Fade out the glass overlay without expensive backdropFilter tweening (1.8s to 3.0s)
tl.to(overlayRef.current, {
  opacity: 0,
  duration: 1.2,
  ease: 'power2.out';
}, 1.8);

// 6. Reset will-change on complete
tl.eventCallback('onComplete', () => {
  if (overlayRef.current) {
    gsap.set(overlayRef.current, { willChange: 'auto' });
  }
  if (logoLockupRef.current && subheadingRef.current) {
    gsap.set([logoLockupRef.current, subheadingRef.current], { willChange: 'auto' });
  }
  sessionStorage.setItem('the_cakes_floor_intro_played', 'true');
  onComplete();
});
} else {
  // Fallback if elements aren't resolved in time
  tl.to(overlayRef.current, {
    opacity: 0,
    duration: 0.5,
    onComplete: () => {
      sessionStorage.setItem('the_cakes_floor_intro_played', 'true');
      onComplete();
    }
  });
}
});
});

return () => {
  isMounted = false;
  if (tl) {
    tl.kill();
  }
};
}, [onComplete]);

return (
  <div
    ref={overlayRef}
    className='fixed inset-0 z-[9999] flex flex-col items-center justify-center bg-transparent backdrop-blur-[20px] select-none'
    style={{ perspective: 1200 }}
  >
    <div className='flex flex-col items-center justify-center text-center px-4 max-w-4xl'>
      /* Large Centered Logo Lockup (Matches side-by-side alignment of the navbar) */
      <div
        ref={logoLockupRef}
        className='flex items-center gap-4 sm:gap-6 md:gap-8 shrink-0 mb-6 sm:mb-8'
        style={{ transformOrigin: 'center center', backfaceVisibility: 'hidden' }}
      >

```

```

<img
  src={`${import.meta.env.BASE_URL}logo.png`}
  alt="The Cakes Floor Logo"
  className="h-20 w-20 sm:h-28 sm:w-28 md:h-44 md:w-44 object-contain"
/>
<div className="flex flex-col justify-center gap-0 leading-[0.82] select-none font-display text-left">
  <span
    className="font-extrabold tracking-[0.08em] text-white text-glow uppercase text-xl sm:text-3xl md:text-5xl"
    style={{ fontFamily: "Open Sauce One", sans-serif }}
  >
    THE
  </span>
  <span
    className="font-extrabold tracking-[0.08em] text-[#ffb954] text-glow uppercase text-xl sm:text-3xl md:text-5xl"
    style={{ fontFamily: "Open Sauce One", sans-serif }}
  >
    CAKES
  </span>
  <span
    className="font-extrabold tracking-[0.08em] text-[#ffb954] text-glow uppercase text-xl sm:text-3xl md:text-5xl"
    style={{ fontFamily: "Open Sauce One", sans-serif }}
  >
    FLOOR
  </span>
</div>

{/* Expanded Subheading styled in all-caps Cinzel font with wide letter-spacing */}
<h2
  ref={subheadingRef}
  className="text-[10px] sm:text-lg md:text-3xl text-primary font-medium select-none flex flex-wrap justify-center"
  style={{ letterSpacing: "0.25em" }}
>
  {chars}
</h2>
</div>
</div>
);
};

```

■ src/pages/Home.tsx

```
import React, { useState, useEffect, useRef } from 'react';
import { Link } from 'react-router-dom';
import { motion, AnimatePresence } from 'framer-motion';
import gsap from 'gsap';
import { ArrowRight, ArrowLeft, Star, Clock, Heart, Award, Compass } from 'lucide-react';
import { menuItems } from '../data/menu';
import { SEO } from '../components/SEO';

const homeJsonLd = {
  '@context': 'https://schema.org',
  '@graph': [
    {
      '@type': 'Bakery',
      '@id': 'https://thecakesfloor.in/#bhandara',
      'name': 'The Cakes Floor',
      'image': 'https://thecakesfloor.in/images/aboutus-img.webp',
      'telephone': '+91 78873 24373',
      'url': 'https://thecakesfloor.in/',
      'priceRange': '₹',
      'servesCuisine': ['Bakery', 'Cakes', 'Fast Food'],
      'address': {
        '@type': 'PostalAddress',
        'streetAddress': 'Zilla Parishad Square, Takiya Ward, Near Sai Mandir, Near Ganeshpur',
        'addressLocality': 'Bhandara',
        'addressRegion': 'Maharashtra',
        'postalCode': '441904',
        'addressCountry': 'IN'
      },
      'geo': {
        '@type': 'GeoCoordinates',
        'latitude': 21.1736173,
        'longitude': 80.1874254
      },
      'openingHoursSpecification': {
        '@type': 'OpeningHoursSpecification',
        'dayOfWeek': ['Monday', 'Tuesday', 'Wednesday', 'Thursday', 'Friday', 'Saturday', 'Sunday'],
        'opens': '10:00',
        'closes': '22:30'
      },
      'aggregateRating': {
        '@type': 'AggregateRating',
        'ratingValue': 4.1,
        'reviewCount': 697
      },
      'sameAs': ['https://www.instagram.com/thecakesfloor']
    },
    {
      '@type': 'Bakery',
      '@id': 'https://thecakesfloor.in/#lakhani',
      'name': 'The Cakes Floor - Lakhani Outlet',
      'image': 'https://thecakesfloor.in/images/aboutus-img2.webp',
      'telephone': '+91 78873 24373',
      'url': 'https://thecakesfloor.in/',
      'priceRange': '₹',
      'servesCuisine': ['Bakery', 'Cakes', 'Fast Food'],
      'address': {
        '@type': 'PostalAddress',
        'streetAddress': 'Gangotri Building, Murmadi',
        'addressLocality': 'Lakhani',
        'addressRegion': 'Maharashtra',
        'postalCode': '441804',
        'addressCountry': 'IN'
      },
      'openingHoursSpecification': {
        '@type': 'OpeningHoursSpecification',
        'dayOfWeek': ['Monday', 'Tuesday', 'Wednesday', 'Thursday', 'Friday', 'Saturday', 'Sunday'],
        'opens': '10:00',
        'closes': '22:30'
      },
      'sameAs': ['https://www.instagram.com/thecakesfloor']
    }
  ]
};
```

```

export const Home: React.FC = () => {
  const containerRef = useRef<HTMLDivElement | null>(null);
  const [[page, direction], setPage] = useState([0, 0]);

  const slides = [
    {
      id: 0,
      image: <img alt="Hero carousel 2" data-bbox="118 144 471 156"/>,
      badge: <span>Bhandara's Premier Bakery</span>,
      heading: (
        <div>
          <span>Crafting</span> <span className="text-primary text-glow">Sweet Moments</span>
        </div>
      ),
      subtext: <span>Step into a world of sensory indulgence. From customized celebration cakes to delicious hot savories, we</span>,
      subtextStyle: { fontFamily: <span>Quicksand</span>, sans-serif },
      headingStyle: { fontFamily: <span>Berkshire Swash</span>, serif, textTransform: <span>none</span> },
    },
    {
      id: 1,
      image: <img alt="Hero carousel 1" data-bbox="118 294 471 306"/>,
      badge: <span>Handmade Delicacies</span>,
      heading: (
        <div>
          <span>Handmade With</span> <span className="text-primary text-glow font-cormorant">Love</span>, Displayed With
        </div>
      ),
      subtext: <span>From birthdays to celebrations – pick your favourite, freshly made.</span>,
      subtextStyle: { fontFamily: <span>Lato</span>, sans-serif, color: <span>#EDE6DA</span> },
      headingStyle: { fontFamily: <span>Cormorant Garamond</span>, serif },
    },
    {
      id: 2,
      image: <img alt="Hero carousel 3" data-bbox="118 444 471 456"/>,
      badge: <span>Bakers of Bhandara</span>,
      heading: (
        <div>
          <span>Sweet</span> <span className="text-primary text-glow font-cormorant">Moments</span> <span>Start Here</span>
        </div>
      ),
      subtext: <span>Visit us in-store for the freshest cakes, made fresh every day.</span>,
      subtextStyle: { fontFamily: <span>Lato</span>, sans-serif, color: <span>#EDE6DA</span> },
      headingStyle: { fontFamily: <span>Cormorant Garamond</span>, serif },
    }
  ];

  const currentSlide = page;

  const nextSlide = () => {
    setPage([(page + 1) % slides.length, 1]);
  };

  const prevSlide = () => {
    setPage([(page - 1 + slides.length) % slides.length, -1]);
  };

  const slideVariants = {
    enter: (dir: number) => ({
      x: dir < 0 ? <span>100%</span> : dir < 0 ? <span>-100%</span> : <span>0%</span>,
      opacity: 0
    }),
    center: {
      x: <span>0%</span>,
      opacity: 1
    },
    exit: (dir: number) => ({
      x: dir < 0 ? <span>100%</span> : dir > 0 ? <span>-100%</span> : <span>0%</span>,
      opacity: 0
    })
  };

  // Filter popular highlights
  const highlights = menuItems.filter((item) => item.isPopular).slice(0, 4);

  // GSAP ScrollTrigger reveals with proper memory leak cleanup
  useEffect(() => {

```

```

const items = gsap.utils.toArray('&apos;.reveal-item&apos;');
const triggers = items.map((item: any) => {
  gsap.to(item, {
    opacity: 1,
    y: 0,
    duration: 0.5,
    ease: '&apos;power2.out&apos;;',
    scrollTrigger: {
      trigger: item,
      start: '&apos;top 92%&apos;;',
      toggleActions: '&apos;play none none none&apos;;',
    },
  })
});

return () => {
  triggers.forEach((t) => t.scrollTrigger?.kill());
};
}, []);

// Track the current page value in a ref to avoid recreation of the interval
const pageRef = useRef(page);
useEffect(() => {
  pageRef.current = page;
}, [page]);

// Set up the auto-advance interval exactly once on mount, respecting Page Visibility API
useEffect(() => {
  const autoAdvance = () => {
    if (document.visibilityState === '&apos;visible&apos;') {
      setPage([current] => [(current + 1) % slides.length, 1]);
    }
  };

  const timer = setInterval(autoAdvance, 5000);

  const handleVisibilityChange = () => {
    // If user comes back to the tab, we reset the timer interval if needed
  };
  document.addEventListener('&apos;visibilitychange&apos;', handleVisibilityChange);

  return () => {
    clearInterval(timer);
    document.removeEventListener('&apos;visibilitychange&apos;', handleVisibilityChange);
  };
}, [slides.length]);

const handleGetDirections = () => {
  if (navigator.geolocation) {
    navigator.geolocation.getCurrentPosition(
      (position) => {
        const { latitude, longitude } = position.coords;
        window.open(
          `https://www.google.com/maps/dir/?api=1&origin=${latitude},${longitude}&destination=The+Cakes+Floor,+near+&apos;_blank&apos;`
        );
      },
      () => {
        // Fallback if permission denied
        window.open(
          `&apos;https://www.google.com/maps/dir/?api=1&destination=The+Cakes+Floor,+near+Sai+Mandir,+Khat+Road,+Bhandara&apos;_blank&apos;`
        );
      }
    );
  } else {
    window.open(
      `&apos;https://www.google.com/maps/dir/?api=1&destination=The+Cakes+Floor,+near+Sai+Mandir,+Khat+Road,+Bhandara&apos;_blank&apos;`
    );
  }
};

return (
  <div ref={containerRef} className="overflow-hidden">
    <SEO

```

```

title=&quot;The Cakes Floor | Premium Artisanal Cakes & Bakery in Bhandara&quot;;
description=&quot;Indulge in Bhandara&apos;s finest 100% vegetarian bakery. Order custom birthday & wedding cakes,&quot;;
path=&quot;/&quot;;
jsonLd={homeJsonLd}
/&gt;
{/* 1. Hero Section */}
&lt;section className=&quot;relative h-[calc(100vh-54px)] flex items-center pt-16 md:pt-24 overflow-hidden bg-[#0c0c0c]&quot;
  {/* Background Slide (Uses absolute images inside animated motion containers for proper LCP optimization) */}
  &lt;AnimatePresence initial={false} custom={direction}&gt;
    &lt;motion.div
      key={currentSlide}
      custom={direction}
      variants={slideVariants}
      initial=&quot;enter&quot;;
      animate=&quot;center&quot;;
      exit=&quot;exit&quot;;
      transition={{
        x: { type: &quot;spring&quot;;, stiffness: 300, damping: 30 },
        opacity: { duration: 0.25 }
      }}
      className=&quot;absolute inset-0 z-0 overflow-hidden&quot;;
    &gt;
      &lt;img
        src={`$import.meta.env.BASE_URL}${slides[currentSlide].image.replace(/^\\//, &apos;&apos;)}`
        alt={slides[currentSlide].badge}
        className=&quot;w-full h-full object-cover&quot;;
        loading={currentSlide === 0 ? &quot;eager&quot; : &quot;lazy&quot;;}
        fetchPriority={currentSlide === 0 ? &quot;high&quot; : &quot;auto&quot;;}
        decoding=&quot;async&quot;;
      /&gt;
    &lt;/motion.div&gt;
  &lt;/AnimatePresence&gt;

  {/* Overlay to dim background brightness */}
  &lt;div className=&quot;absolute inset-0 bg-black/50 z-0 pointer-events-none&quot; /&gt;

  &lt;div className=&quot;max-w-7xl mx-auto px-6 flex flex-col items-center justify-center text-center w-full z-10 py-8&quot;
    {/* Centered Text Block */}
    &lt;AnimatePresence mode=&quot;wait&quot;&gt;
      &lt;motion.div
        key={currentSlide}
        initial={{ opacity: 0, y: 15 }}
        animate={{ opacity: 1, y: 0 }}
        exit={{ opacity: 0, y: -15 }}
        transition={{ duration: 0.4, ease: &quot;easeOut&quot; }}
        className=&quot;space-y-3 md:space-y-6 max-w-3xl flex flex-col items-center justify-center text-center drop-shadow&quot;
      &gt;
        &lt;div className=&quot;inline-flex items-center gap-2 px-3 py-1 rounded-full bg-white/15 border border-white/30&quot;
          &lt;Star size={12} className=&quot;fill-primary text-primary&quot; /&gt;
          {slides[currentSlide].badge}
        &lt;/div&gt;

        &lt;h1
          className=&quot;text-2xl sm:text-4xl md:text-6xl lg:text-7xl leading-[1.2] md:leading-[1.25] text-on-surface p&quot;
          style={slides[currentSlide].headingStyle}
        &gt;
          {slides[currentSlide].heading}
        &lt;/h1&gt;

        &lt;p
          className=&quot;text-[#EDE6DA] text-[11px] sm:text-base md:text-lg font-medium max-w-2xl leading-relaxed select&quot;
          style={slides[currentSlide].subtextStyle}
        &gt;
          {slides[currentSlide].subtext}
        &lt;/p&gt;

        {currentSlide === 0 &amp; (
          &lt;div className=&quot;hidden md:flex flex-wrap gap-4 mt-5 md:mt-0 pt-1 sm:pt-2 pb-2 sm:pb-10 justify-center&quot;
            &lt;Link
              to=&quot;/menu&quot;;
              className=&quot;bg-primary text-on-primary font-body text-[9px] sm:text-xs uppercase tracking-[0.2em] font&quot;
            &gt;
              Explore Menu
            &lt;ArrowRight className=&quot;w-3 h-3 sm:w-3.5 sm:h-3.5&quot; /&gt;
            &lt;/Link&gt;
          &lt;/div&gt;
        )}
      &lt;/AnimatePresence&gt;
    &lt;/div&gt;
  &lt;/div&gt;

```

```

    })
    </motion.div>
    </AnimatePresence>

    {/ * Navigation Controls */}
    <div className="md:absolu md:bottom-6 md:left-1/2 md:-translate-x-1/2 z-20 flex items-center gap-4 bg-black
    <button
      onClick={prevSlide}
      className="w-8 h-8 rounded-full flex items-center justify-center text-white/80 hover:text-primary transition
      aria-label="Previous Slide"
    >
      <ArrowLeft size={16} />
    </button>

    <div className="flex gap-1.5">
      {slides.map((_, index) => (
        <button
          key={index}
          onClick={() => setPage([index, index > currentSlide ? 1 : -1])}
          className="w-2 h-2 rounded-full transition-all duration-300 ${
            currentSlide === index ? 'bg-primary w-4&apos; : &apos;bg-white/30 hover:bg-white/50&apos;
          }`"
          aria-label={`Go to slide ${index + 1}`}
        />
      ))}
    </div>

    <button
      onClick={nextSlide}
      className="w-8 h-8 rounded-full flex items-center justify-center text-white/80 hover:text-primary transition
      aria-label="Next Slide"
    >
      <ArrowRight size={16} />
    </button>
  </div>
</div>
</section>

{/ * Marquee Banner */}
<div className="w-full overflow-hidden bg-[#B8562F] py-4 border-y border-[#a04622] relative z-20">
  <div className="animate-marquee whitespace-nowrap flex gap-12">
    <span
      className="text-sm sm:text-base uppercase flex items-center gap-12 text-[#FDF6EC]"
      style={{
        fontFamily: "Playfair Display", serif,
        fontWeight: 600,
        letterSpacing: "0.8px"
      }}
    >
      <span>■ BHANDARA'S FAVORITE CAKE DESTINATION</span>
      <span>■ 100% PURE VEG & FRESHLY BAKED DAILY</span>
      <span>■ ORDER CUSTOMIZED CAKES FOR BIRTHDAYS & ANNIVERSARIES</span>
      <span>■ VISIT US NEAR SAI MANDIR</span>
    </span>
    {/ * Duplicate for seamless looping */}
    <span
      className="text-sm sm:text-base uppercase flex items-center gap-12 text-[#FDF6EC]"
      aria-hidden="true"
      style={{
        fontFamily: "Playfair Display", serif,
        fontWeight: 600,
        letterSpacing: "0.8px"
      }}
    >
      <span>■ BHANDARA'S FAVORITE CAKE DESTINATION</span>
      <span>■ 100% PURE VEG & FRESHLY BAKED DAILY</span>
      <span>■ ORDER CUSTOMIZED CAKES FOR BIRTHDAYS & ANNIVERSARIES</span>
      <span>■ VISIT US NEAR SAI MANDIR</span>
    </span>
  </div>
</div>

{/ * 2. About Us Teaser Section */}
<section className="py-24 relative overflow-hidden" style={{ backgroundColor: 'E7DCCB' }}>

```

```

<div class="col">
    <div class="row">
        <div class="col">
            <div class="card">
                <img alt="Custom butterfly theme fondant cake by The Cakes Floor Bhandara" data-bbox="100 100 300 300" />
            </div>
            <div class="card">
                <img alt="Handcrafted Avengers superhero theme cake for kids birthday" data-bbox="350 100 550 300" />
            </div>
            <div class="card">
                <img alt="Premium 3D sports car themed birthday cake" data-bbox="600 100 800 300" />
            </div>
        </div>
        <div class="col">
            <div class="text">
                <h2>The Cakes Floor – Bhandara’s Favorite Since Inception</h2>
                <p>For years, The Cakes Floor has been craft-baking premium confectioneries. Every cake, sponge, and savory roll is</p>
                <p>We specialize in bringing your dream custom cake designs to life. Whether it is a grand multi-tier wedding cake</p>
                <div class="button">
                    <a href="/about">
                        <span>Read Our Story</span>
                    </a>
                </div>
            </div>
        </div>
    </div>
</div>
<div class="col">
    <div class="row">
        <div class="col">
            <div class="text">
                <h2>Menu Highlights</h2>
                <p>Discover our most popular sweet and savory creations, baked daily in limited batches.</p>
            </div>
            <div class="cards">
                <div class="card">
                    <div class="card-image">
                        <img alt="Signature Masterworks" data-bbox="100 400 300 600" />
                    </div>
                    <div class="card-text">
                        <p>Signature Masterworks</p>
                    </div>
                </div>
            </div>
        </div>
    </div>
</div>

```



```

whileHover={{ y: -8 }}
className="glass-card rounded-2xl overflow-hidden text-left flex flex-col group border border-white/5 bg-
<div className="h-48 w-full overflow-hidden relative bg-neutral-900 border-b border-white/5">
  <img
    src={` ${import.meta.env.BASE_URL}${item.image.replace(/\\/ /, '&apos;&apos;')}}`
    alt={` ${item.name} - The Cakes Floor Signature Selection`}
    className="w-full h-full object-cover transition-transform duration-500 group-hover:scale-105"
    loading="lazy"
    decoding="async"
  />
  <div className="absolute top-4 left-4 bg-primary/20 backdrop-blur-md border border-primary/40 text-
    Popular
  />
  </div>

  <div className="p-6 flex-grow flex flex-col justify-between space-y-4">
    <div className="space-y-2">
      <h3 className="font-display text-xl font-bold text-[#e5e2e0] group-hover:text-primary transition-c
        {item.name}
      />
      <p className="font-body text-xs text-[#e5e2e0]/60 font-light leading-relaxed line-clamp-3">
        {item.description}
      />
    />
  />
</div>
</div>
</div>

<div className="pt-4 reveal-item">
  <Link
    to="menu"
    className="bg-primary/5 border border-primary/20 text-primary hover:bg-primary/10 px-8 py-3.5 rounded-full"
  />
  View Full Menu
  <ArrowRight size={14} />
</Link>
</div>
</div>
</section>

<div className="relative min-h-screen pt-16 pb-32 flex flex-col justify-start items-center overflow-hidden b
  <div className="absolute inset-0 z-0 bg-[#0c0c0c]">
    <div
      className="w-full h-full bg-cover bg-center opacity-100 transition-opacity duration-500 bg-[#0c0c0c]"
      style={{
        backgroundImage: `url('${import.meta.env.BASE_URL}${import.meta.env.BASE_URL}/images/usp-bg.webp')`,
        backgroundAttachment: 'scroll'
      }}
    />
  />
</div>

<div className="max-w-7xl mx-auto px-6 relative z-10 w-full flex flex-col justify-center gap-16">
  <div className="text-center space-y-4 max-w-2xl mx-auto">
    <span className="font-body text-xs uppercase tracking-[0.25em] text-primary">Discover Our Differences</span>
    <h2 className="font-display text-4xl md:text-5xl font-bold text-on-surface">Why Choose Us</h2>
    <div className="w-16 h-[1px] bg-primary/50 mx-auto"></div>
  />

  <div className="flex flex-col gap-36 w-full">
    <div className="grid grid-cols-1 md:grid-cols-2 gap-y-12 gap-x-24 w-full items-center">
      <div className="hidden md:block order-1"></div>
      <div className="order-2 glass-card bg-[#160e0a]/85 border border-[#30221a] p-8 md:p-10 rounded-3xl shadow-
        <div className="w-12 h-12 shrink-0 rounded-2xl bg-primary/20 border border-primary/30 flex items-center"
          <Clock size={22} />
        />
      />
      <div className="space-y-3"></div>
    />
  />
</div>

```

```

        &lt;h3 className=&quot;font-display text-2xl font-bold text-primary&quot;&gt;Always Baked Fresh&lt;/h3&gt;
        &lt;p className=&quot;font-body text-[#e5e2e0]/90 font-light leading-relaxed text-sm md:text-base&quot;&gt;
            Every morning starts the same way for us – fresh dough, real butter, and 100% eggless batters, mixed before
        &lt;/p&gt;
    &lt;/div&gt;
&lt;/div&gt;

&lt;div className=&quot;grid grid-cols-1 md:grid-cols-2 gap-y-12 gap-x-24 w-full items-center&quot;&gt;
    &lt;div className=&quot;order-1 glass-card bg-[#160e0a]/85 border border-[#30221a] p-8 md:p-10 rounded-3xl shadow
        &lt;div className=&quot;w-12 h-12 shrink-0 rounded-2xl bg-primary/20 border border-primary/30 flex items-center
            &lt;Award size={22} /&gt;
        &lt;/div&gt;
        &lt;div className=&quot;space-y-3&quot;&gt;
            &lt;h3 className=&quot;font-display text-2xl font-bold text-primary&quot;&gt;Premium Ingredients&lt;/h3&gt;
            &lt;p className=&quot;font-body text-[#e5e2e0]/90 font-light leading-relaxed text-sm md:text-base&quot;&gt;
                We don&apos;t compromise on what goes into our bakes. Real Madagascar vanilla, premium Belgian cocoa, and
            &lt;/p&gt;
        &lt;/div&gt;
    &lt;/div&gt;
    &lt;div className=&quot;hidden md:block order-2&quot; /&gt;
&lt;/div&gt;

&lt;div className=&quot;grid grid-cols-1 md:grid-cols-2 gap-y-12 gap-x-24 w-full items-center&quot;&gt;
    &lt;div className=&quot;hidden md:block order-1&quot; /&gt;
    &lt;div className=&quot;order-2 glass-card bg-[#160e0a]/85 border border-[#30221a] p-8 md:p-10 rounded-3xl shadow
        &lt;div className=&quot;w-12 h-12 shrink-0 rounded-2xl bg-primary/20 border border-primary/30 flex items-center
            &lt;Award size={22} /&gt;
        &lt;/div&gt;
        &lt;div className=&quot;space-y-3&quot;&gt;
            &lt;h3 className=&quot;font-display text-2xl font-bold text-primary&quot;&gt;Bhandara&apos;s Trusted Choice&lt;/h3&gt;
            &lt;p className=&quot;font-body text-[#e5e2e0]/90 font-light leading-relaxed text-sm md:text-base&quot;&gt;
                For years, families across Bhandara&apos;s ward districts have chosen us to be part of their biggest momen
            &lt;/p&gt;
        &lt;/div&gt;
    &lt;/div&gt;
&lt;/div&gt;
&lt;/section&gt;

/* Coffee-Brown Marquee Banner */
&lt;div className=&quot;w-full overflow-hidden bg-[#3E2C23] py-4 border-y border-[#2d2019] relative z-20&quot;&gt;
    &lt;div className=&quot;animate-marquee whitespace-nowrap flex gap-12&quot;&gt;
        &lt;span
            className=&quot;text-sm sm:text-base uppercase flex items-center gap-12 text-white&quot;
            style={{
                fontFamily: &quot;&apos;Playfair Display&apos;, serif&quot;,
                fontWeight: 600,
                letterSpacing: &quot;0.8px&quot;
            }}
        &gt;
            &lt;span&gt;Warm from the Oven ■&lt;/span&gt;
            &lt;span&gt;Baked Fresh Every Morning ♦&lt;/span&gt;
            &lt;span&gt;No Preservatives, Just Passion ♦&lt;/span&gt;
            &lt;span&gt;Taste the Difference ♦&lt;/span&gt;
            &lt;span className=&quot;mx-4 opacity-30&quot;&gt;&lt;span&gt;Warm from the Oven ■&lt;/span&gt;&lt;span&gt;Baked Fresh Every Morning ♦&lt;/span&gt;&lt;span&gt;No Preservatives, Just Passion ♦&lt;/span&gt;&lt;span&gt;Taste the Difference ♦&lt;/span&gt;&lt;/span&gt;
        &lt;/div&gt;
    &lt;/div&gt;
    {/ Duplicate for seamless looping */}
    &lt;span
        className=&quot;text-sm sm:text-base uppercase flex items-center gap-12 text-white&quot;
        aria-hidden=&quot;true&quot;
        style={{
            fontFamily: &quot;&apos;Playfair Display&apos;, serif&quot;,
            fontWeight: 600,
            letterSpacing: &quot;0.8px&quot;
        }}
    &gt;
        &lt;span&gt;Warm from the Oven ■&lt;/span&gt;
        &lt;span&gt;Baked Fresh Every Morning ♦&lt;/span&gt;
        &lt;span&gt;No Preservatives, Just Passion ♦&lt;/span&gt;
        &lt;span&gt;Taste the Difference ♦&lt;/span&gt;
    &lt;/span&gt;

```

```

        <span className="mx-4 opacity-30"><span>
        <span>Warm from the Oven <span>
        <span>Baked Fresh Every Morning <span>
        <span>No Preservatives, Just Passion <span>
        <span>Taste the Difference <span>
        </span>
    </div>
</div>

/* 5. Instagram Profile Feature Section */
<section className="bg-white text-neutral-900 border-y border-neutral-100 overflow-hidden">
    <div className="max-w-7xl mx-auto px-6 grid grid-cols-1 lg:grid-cols-2 w-full gap-12 items-center py-0">
        /* Left Column */
        <div className="flex items-center justify-start h-full">
            <div className="relative w-full max-w-[580px] aspect-[1000/590] overflow-hidden select-none border border-
                <img
                    src={`import.meta.env.BASE_URL`images/instagram-profile.webp`}
                    alt="The Cakes Floor Instagram feed and latest custom cake designs social page"
                    className="w-full h-full object-cover"
                    loading="lazy"
                    decoding="async"
                />
                <a
                    href="https://www.instagram.com/thecakesfloor/"
                    target="_blank"
                    rel="noopener noreferrer"
                    className="absolute left-[7.8%] top-[20.3%] w-[18.4%] h-[31.4%] rounded-full cursor-pointer z-10"
                    title="Go to Instagram Profile"
                />
                <a
                    href="https://www.instagram.com/thecakesfloor/"
                    target="_blank"
                    rel="noopener noreferrer"
                    className="absolute left-[29.5%] top-[15.5%] w-[19%] h-[10.5%] cursor-pointer z-10"
                    title="Go to Instagram Profile"
                />
                <a
                    href="https://www.instagram.com/thecakesfloor/"
                    target="_blank"
                    rel="noopener noreferrer"
                    className="absolute left-[7.8%] top-[54.5%] w-[37.6%] h-[9.5%] cursor-pointer z-10"
                    title="Follow us on Instagram"
                />
                <a
                    href="https://ig.me/m/thecakesfloor/"
                    target="_blank"
                    rel="noopener noreferrer"
                    className="absolute left-[46.5%] top-[54.5%] w-[38.3%] h-[9.5%] cursor-pointer z-10"
                    title="Message us on Instagram"
                />
            </div>
        </div>

        /* Right Column */
        <div className="flex flex-col justify-center items-center lg:items-start space-y-6 py-12 md:py-16 w-full">
            <div className="bg-[#e6e6fa]/40 backdrop-blur-md border border-[#c3b6f0]/30 p-8 md:p-10 rounded-3xl shadow-
                <p className="text-neutral-900 font-medium leading-relaxed text-base md:text-lg" style={{ fontFamili
                    Our Instagram is where the magic happens first – new designs, fresh flavours, and a closer look at how each ca
                </p>

                <div className="pt-2 flex justify-center">
                    <a
                        href="https://www.instagram.com/thecakesfloor/"
                        target="_blank"
                        rel="noopener noreferrer"
                        className="inline-flex items-center gap-2 px-6 py-3.5 rounded-full text-white font-body text-xs upperca
                    >
                        explore us on insta
                        <ArrowRight size={14} />
                    </a>
                </div>
            </div>
        </div>
    </div>
</section>

```

```

    { /* 6. Google Maps & Geolocation Directions */
    <section className="py-24 bg-background" >
      <div className="max-w-7xl mx-auto px-6 grid grid-cols-1 lg:grid-cols-2 gap-16 items-center" >
        { /* Maps iframe */
        <div className="h-[400px] md:h-[450px] w-full rounded-2xl overflow-hidden border border-white/5 shadow-2xl" >
          <iframe
            src="https://maps.google.com/maps?q=The%20Cakes%20Floor%2C%20near%20Sai%20Mandir%2C%20Khat%20Road%2C%20Bhandara"
            width="100%"
            height="100%"
            style={{ border: 0 }}
            allowFullScreen
            loading="lazy"
            title="The Cakes Floor Bhandara Map Location"
          />
        </div>

        { /* Maps info block */
        <div className="text-left space-y-6 reveal-item" >
          <div className="inline-flex items-center gap-2 px-3 py-1 rounded-full bg-primary/10 border border-primary" >
            <Compass size={12} />
            Visit Our Shop
          </div>
          <h2 className="font-display text-4xl md:text-5xl font-bold leading-tight" >
            Steer Directly to Sweetness
          </h2>
          <p className="font-body text-[#e5e2e0]/70 font-light leading-relaxed" >
            Located conveniently at **Zilla Parishad Square, Khat Road in Bhandara, Maharashtra**. We invite you to experience the best of our bakery.
          </p>
          <div className="space-y-4 font-body text-sm font-light text-[#e5e2e0]/70" >
            <p>■ Zilla Parishad Square, near Sai Mandir, Khat Road, Bhandara</p>
            <p>■ Phone Enquiries: +91 78873 24373</p>
            <p>■ Open Daily: 10:00 AM - 10:30 PM</p>
          </div>
          <div className="pt-2" >
            <button
              onClick={handleGetDirections}
              className="bg-primary text-on-primary font-body text-xs uppercase tracking-[0.2em] font-semibold px-8 py-2" >
                Get Live Directions
                <ArrowRight size={14} />
            </button>
          </div>
        </div>
      </div>
    </section>
  </div>
);
};

```

■ src/pages/About.tsx

```
import React, { useEffect } from 'react';
import gsap from 'gsap';
import { Award, ShieldCheck, Smile } from 'lucide-react';
import { SEO } from 'components/SEO';

export const About: React.FC = () => {
  useEffect(() => {
    // GSAP ScrollTrigger reveals
    const items = gsap.utils.toArray('reveal-item');
    const triggers = items.map((item: any) => {
      gsap.to(item, {
        opacity: 1,
        y: 0,
        duration: 1,
        ease: 'power3.out',
        scrollTrigger: {
          trigger: item,
          start: 'top 85%',
          toggleActions: 'play none none none',
        },
      });
    });

    return () => {
      triggers.forEach((t) => t.scrollTrigger?.kill());
    };
  }, []);

  return (
    <div className="pt-24 pb-16">
      <SEO
        title="Our Story | The Cakes Floor Bhandara"
        description="Learn about The Cakes Floor, Bhandara's premium pure vegetarian bakery. Discover our baking philosophy."
        path="/about"
      />
      {/* 1. Page Header */}
      <section className="py-16 bg-gradient-to-b from-[#181817] to-background border-b border-white/5 relative">
        <div className="max-w-4xl mx-auto px-6 text-center space-y-4">
          <span className="font-body text-xs uppercase tracking-[0.25em] text-primary">Discover</span>
          <h1 className="font-display text-5xl md:text-6xl font-bold text-on-surface">
            Our Story
          </h1>
          <div className="w-16 h-[1px] bg-primary/50 mx-auto mt-4">
            <p
              className="font-body text-[#e5e2e0]/60 font-light text-base md:text-lg max-w-2xl mx-auto leading-relaxed"
              style={{ fontFamily: 'Fraunces', serif: true }}
            >
              Crafting beautiful memories in Bhandara, one premium recipe at a time.
            </p>
          </div>
        </div>
      </section>

      {/* 2. Story Section (The Art of Fine Baking) */}
      <section className="py-20 max-w-7xl mx-auto px-6 grid grid-cols-1 lg:grid-cols-2 gap-16 items-center">
        <div className="text-left space-y-6 reveal-item">
          <h2 className="font-display text-3xl md:text-4xl font-bold text-primary">The Art of Fine Baking</h2>
          <p
            className="font-body text-[#e5e2e0]/70 font-light leading-relaxed"
            >
            Founded with a passion for genuine flavors, The Cakes Floor began as a humble kitchen with a single mission: to create
            </p>
          <p
            className="font-body text-[#e5e2e0]/70 font-light leading-relaxed"
            >
            Our secret lies in respecting the craft of baking. We do not believe in shortcuts or mass production. Every batch
            </p>
          <p
            className="font-body text-[#e5e2e0]/70 font-light leading-relaxed"
            >
            We use only 100% vegetarian, premium quality ingredients—ranging from fresh seasonal fruits to pure dairy cream and
            </p>
        </div>

        <div
          className="relative h-[400px] lg:h-[500px] rounded-2xl overflow-hidden border border-white/5 shadow-2xl"
        >
          <img
            src={`import.meta.env.BASE_URL${images/aboutus-img.webp}`}
            alt="The Cakes Floor bakery cafe interior seating and coffee area in Bhandara"
            className="w-full h-full object-cover"
            loading="eager"
          />
        </div>
      </section>
    </div>
  );
};
```

```

        decoding=&quot;async&quot;;
    /&gt;;
    &lt;div className=&quot;absolute inset-0 bg-gradient-to-t from-background/80 via-transparent to-transparent&quot; /&
    &lt;/div&gt;;
    &lt;/section&gt;;

    /* 3. Core Philosophy */
    &lt;section className=&quot;py-20 bg-[#111111] border-y border-white/5&quot; &gt;;
    &lt;div className=&quot;max-w-7xl mx-auto px-6 grid grid-cols-1 lg:grid-cols-2 gap-16 items-center&quot; &gt;;
    /* Left Column: Title + 3 Cards Stacked Vertically */
    &lt;div className=&quot;text-left space-y-6&quot; &gt;;
    &lt;div className=&quot;space-y-2 reveal-item&quot; &gt;;
    &lt;span className=&quot;font-body text-xs uppercase tracking-[0.25em] text-primary&quot; &gt;Foundations&lt;/span&gt;;
    &lt;h2 className=&quot;font-display text-3xl md:text-4xl font-bold&quot; &gt;Our Philosophy&lt;/h2&gt;;
    &lt;div className=&quot;w-16 h-[1px] bg-primary/50 mt-2&quot; /&gt;;
    &lt;/div&gt;;

    &lt;div className=&quot;flex flex-col gap-5 w-full pt-2&quot; &gt;;
    /* Value 1: Absolute Hygiene */
    &lt;div className=&quot;glass-card p-6 rounded-2xl text-left flex gap-4 items-start reveal-item&quot; &gt;;
    &lt;div className=&quot;w-12 h-12 rounded-xl bg-primary/10 border border-primary/20 flex items-center justify-
    &lt;ShieldCheck size={22} /&gt;;
    &lt;/div&gt;;
    &lt;div className=&quot;space-y-1&quot; &gt;;
    &lt;h3 className=&quot;font-display text-lg font-bold text-primary&quot; &gt;Absolute Hygiene&lt;/h3&gt;;
    &lt;p className=&quot;font-body text-xs text-[#e5e2e0]/60 font-light leading-relaxed&quot; &gt;;
    We maintain strict sanitary practices in our kitchen. From ingredient sourcing to baking and packing, hygi
    &lt;/p&gt;;
    &lt;/div&gt;;
    &lt;/div&gt;;

    /* Value 2: Artisanal Quality */
    &lt;div className=&quot;glass-card p-6 rounded-2xl text-left flex gap-4 items-start reveal-item&quot; &gt;;
    &lt;div className=&quot;w-12 h-12 rounded-xl bg-primary/10 border border-primary/20 flex items-center justify-
    &lt;Award size={22} /&gt;;
    &lt;/div&gt;;
    &lt;div className=&quot;space-y-1&quot; &gt;;
    &lt;h3 className=&quot;font-display text-lg font-bold text-primary&quot; &gt;Artisanal Quality&lt;/h3&gt;;
    &lt;p className=&quot;font-body text-xs text-[#e5e2e0]/60 font-light leading-relaxed&quot; &gt;;
    Every recipe is balanced by our pastry chefs. We pride ourselves on custom decorations and soft sponges th
    &lt;/p&gt;;
    &lt;/div&gt;;
    &lt;/div&gt;;

    /* Value 3: 100% Pure Veg */
    &lt;div className=&quot;glass-card p-6 rounded-2xl text-left flex gap-4 items-start reveal-item&quot; &gt;;
    &lt;div className=&quot;w-12 h-12 rounded-xl bg-primary/10 border border-primary/20 flex items-center justify-
    &lt;Smile size={22} /&gt;;
    &lt;/div&gt;;
    &lt;div className=&quot;space-y-1&quot; &gt;;
    &lt;h3 className=&quot;font-display text-lg font-bold text-primary&quot; &gt;100% Pure Veg&lt;/h3&gt;;
    &lt;p className=&quot;font-body text-xs text-[#e5e2e0]/60 font-light leading-relaxed&quot; &gt;;
    All of our bakes, custom cakes, savorys, and beverages are 100% pure vegetarian, ensuring a safe and incl
    &lt;/p&gt;;
    &lt;/div&gt;;
    &lt;/div&gt;;
    &lt;/div&gt;;

    /* Right Column: Big Image Box */
    &lt;div className=&quot;relative h-[400px] lg:h-[500px] rounded-2xl overflow-hidden border border-white/5 shadow-2xl
    &lt;img
    src={`$import.meta.env.BASE_URL}images/aboutus-img2.webp`
    alt=&quot;The Cakes Floor premium bakery wall signage decor&quot;
    className=&quot;w-full h-full object-cover&quot;
    loading=&quot;eager&quot;
    decoding=&quot;async&quot;
    /&gt;;
    &lt;div className=&quot;absolute inset-0 bg-gradient-to-t from-background/80 via-transparent to-transparent&quot;
    &lt;/div&gt;;
    &lt;/div&gt;;
    &lt;/section&gt;;

    /* 4. Consistency & Trust Section (Centered heading with 3 boxes side-by-side) */
    &lt;section className=&quot;py-20 border-b border-white/5&quot; &gt;;
    &lt;div className=&quot;max-w-7xl mx-auto px-6 flex flex-col items-center space-y-12&quot; &gt;;

```

```

    { /* Centered Heading */
    <div className="space-y-2 reveal-item text-center max-w-2xl mx-auto">
      <span className="font-body text-xs uppercase tracking-[0.25em] text-primary">Reliability</span>
      <h2 className="font-display text-3xl md:text-4xl font-bold">Baked Consistently, Everywhere We Are</h2>
      <div className="w-16 h-[1px] bg-primary/50 mx-auto mt-2">
    </div>

    { /* 3 Boxes Side-by-Side */
    <div className="grid grid-cols-1 md:grid-cols-3 gap-6 w-full pt-2 items-stretch">
      { /* Card 1: Same Recipe, Every Time */
      <div className="bg-[#FFF8EF] border border-[#EFE3D3] p-6 rounded-2xl text-left flex gap-4 items-start shadow">
        <div className="w-12 h-12 rounded-xl bg-primary flex items-center justify-center text-on-primary shrink-0">
          <span>1</span>
        </div>
        <div>
          <h3>Same Recipe, Every Time</h3>
          <p>No matter which branch you walk into, the recipe never changes. Every cake, every pastry, every loaf is made</p>
        </div>
      </div>

      { /* Card 2: Trusted by More Families Every Year */
      <div className="bg-[#FFF8EF] border border-[#EFE3D3] p-6 rounded-2xl text-left flex gap-4 items-start shadow">
        <div className="w-12 h-12 rounded-xl bg-primary flex items-center justify-center text-on-primary shrink-0">
          <span>2</span>
        </div>
        <div>
          <h3>Trusted by More Families Every Year</h3>
          <p>Growing to multiple branches didn't happen overnight – it happened because more families kept choosing</p>
        </div>
      </div>

      { /* Card 3: Built on the Same Values We Started With */
      <div className="bg-[#FFF8EF] border border-[#EFE3D3] p-6 rounded-2xl text-left flex gap-4 items-start shadow">
        <div className="w-12 h-12 rounded-xl bg-primary flex items-center justify-center text-on-primary shrink-0">
          <span>3</span>
        </div>
        <div>
          <h3>Built on the Same Values We Started With</h3>
          <p>Bigger doesn't mean different. Whether it's our very first branch or our newest one, the same care</p>
        </div>
      </div>
    </div>
  </div>
</div>
);
};

```

■ src/pages/Menu.tsx

```
import React, { useState, useEffect } from 'react';
import { motion, AnimatePresence } from 'framer-motion';
import gsap from 'gsap';
import { menuItems } from '../data/menu';
import type { MenuItem } from '../data/menu';
import { SEO } from '../components/SEO';

export const Menu: React.FC = () => {
  const [selectedCategory, setSelectedCategory] = useState<string>('All');
  const [vegOnly, setVegOnly] = useState<boolean>(false);
  const [filteredItems, setFilteredItems] = useState<MenuItem[]>(menuItems);

  const categories = [
    'All',
    'Cakes & Pastries',
    'Pizza',
    'Sandwich',
    'Burger',
    'Maggi',
    'Hot Dog',
    'Puffs',
    'Rolls',
    'Beverages',
    'Others',
  ];

  useEffect(() => {
    let result = menuItems;

    // Category Filter
    if (selectedCategory !== 'All') {
      result = result.filter((item) => item.category === selectedCategory);
    }

    // Vegetarian Filter
    if (vegOnly) {
      result = result.filter((item) => item.isVeg);
    }

    setFilteredItems(result);
  }, [selectedCategory, vegOnly]);

  useEffect(() => {
    // GSAP ScrollTrigger reveals
    const items = gsap.utils.toArray('reveal-item');
    const triggers = items.map((item: any) => {
      gsap.to(item, {
        opacity: 1,
        y: 0,
        duration: 0.8,
        ease: 'power3.out',
        scrollTrigger: {
          trigger: item,
          start: 'top 85%',
          toggleActions: 'play none none none',
        },
      });
    });
  });

  return () => {
    triggers.forEach((t) => t.scrollTrigger?.kill());
  };
}, [filteredItems]);

return (
  <div className="pt-24 pb-16">
    <SEO
      title="Cake & Bakery Menu | The Cakes Floor Bhandara"
      description="Explore our delicious menu of custom cakes, soft pastries, cheesecakes, rasmalai cakes, paneer burger"
      path="/menu"
    />
    {/* 1. Page Header */}
    <section className="relative py-24 overflow-hidden border-b border-white/5 bg-gradient-to-b from-[#181817] to-ba
```



```

<div className="max-w-4xl mx-auto px-6 text-center space-y-4 relative z-10">
  <span className="font-body text-xs uppercase tracking-[0.25em] text-primary">&Artisanal</span>
  <h1
    className="text-5xl md:text-6xl text-on-surface uppercase tracking-wider text-glow"
    style={{ fontFamily: '&apos;Gagalin&apos;, sans-serif' }}
  >
    Our Menu
  </h1>
  <div className="w-16 h-[1px] bg-primary/50 mx-auto mt-4"> </div>
  <p className="font-body text-[#e5e2e0]/80 font-medium text-sm md:text-base max-w-lg mx-auto leading-relaxed">
    Browse our full catalog of fresh custom cakes, golden pastries, and savory quick bites.
  </p>
</div>
</section>

{/* 2. Category Navigation & Filters */}
<section className="max-w-7xl mx-auto px-6 py-10 space-y-6">
  {/* Scrollable Category Tabs */}
  <div className="flex overflow-x-auto gap-3 pb-4 scrollbar-thin scrollbar-thumb-white/10 scrollbar-track-transparent">
    {categories.map((cat) => (
      <button
        key={cat}
        onClick={() => setSelectedCategory(cat)}
        className={`px-5 py-2.5 rounded-full font-body text-xs uppercase tracking-widest transition-all shrink-0 snap-start
          selectedCategory === cat
            ? &apos;bg-primary text-on-primary font-semibold&apos;
            : &apos;bg-white/5 border border-white/5 text-[#e5e2e0]/70 hover:text-primary hover:border-primary/30&apos;`}
      >
        {cat}
      </button>
    ))}
  </div>

  {/* Veg Only Toggle */}
  <div className="flex justify-end items-center">
    <label className="flex items-center gap-3 cursor-pointer select-none">
      <span className="font-body text-xs uppercase tracking-wider text-[#e5e2e0]/60">Vegetarian Only</span>
      <div className="relative">
        <input
          type="checkbox" />
          checked={vegOnly}
          onChange={() => setVegOnly(!vegOnly)}
          className="sr-only"
        />
        <div
          className={`w-10 h-6 rounded-full transition-colors duration-300 ${
            vegOnly ? &apos;bg-primary&apos; : &apos;bg-white/10&apos;`}
        >
        </div>
        <div
          className={`absolute top-1 left-1 w-4 h-4 rounded-full bg-background transition-transform duration-300 ${
            vegOnly ? &apos;transform translate-x-4&apos; : &apos;&apos;`}
        >
        </div>
      </div>
    </label>
  </div>
</section>

{/* 3. Items Grid */}
<section className="max-w-7xl mx-auto px-6 min-h-[400px]>
  <motion.div
    layout
    className="grid grid-cols-1 md:grid-cols-2 lg:grid-cols-4 gap-8">
    <AnimatePresence mode="popLayout">
      {filteredItems.map((item) => (
        <motion.div
          layout
          initial={{ opacity: 0, scale: 0.9 }}
          animate={{ opacity: 1, scale: 1 }}
          exit={{ opacity: 0, scale: 0.9 }}
          transition={{ duration: 0.3 }}
          key={item.id}
          className="glass-card rounded-2xl overflow-hidden text-left flex flex-col group h-full border border-white"
        >

```

```
<code>&gt;;  
{/* Image Header */}  
&lt;div className=&quot;h-44 w-full overflow-hidden relative bg-neutral-900 border-b border-white/5&quot;&gt;  
  &lt;img  
    src={`${import.meta.env.BASE_URL}${item.image.replace(/\\/ /g, '%20')}`}  
    alt={`${item.name} - The Cakes Floor Premium Selection`}  
    className=&quot;w-full h-full object-cover transition-transform duration-500 group-hover:scale-105&quot;  
    loading=&quot;lazy&quot;  
  /&gt;  
  {item.isPopular &amp;&amp; (  
    &lt;span className=&quot;absolute top-4 left-4 bg-primary/20 backdrop-blur-md border border-primary/40 text-white  
      Popular  
    &lt;/span&gt;  
  )}  
  &lt;span  
    className={`absolute top-4 right-4 w-5 h-5 flex items-center justify-center border bg-black/50 backdrop-blur-sm  
      ${item.isVeg ? 'border-green-600' : 'border-red-600'}&quot;  
    }`  
    title={item.isVeg ? '&apos;Pure Veg&apos;' : '&apos;Non-Veg&apos;'}  
  /&gt;  
  &lt;span  
    className={`w-2 h-2 rounded-full ${  
      item.isVeg ? 'bg-green-600' : 'bg-red-600'}&quot;  
    }`  
  /&gt;  
  &lt;/span&gt;  
&lt;/div&gt;  
  
{/* Content */}  
&lt;div className=&quot;p-6 flex-grow flex flex-col justify-between space-y-4&quot;&gt;  
  &lt;div className=&quot;space-y-2&quot;&gt;  
    &lt;div className=&quot;flex justify-between items-baseline gap-2&quot;&gt;  
      &lt;h3 className=&quot;font-display text-lg font-bold text-[#e5e2e0] group-hover:text-primary transition-colors&quot;&gt;  
        {item.name}<br/></h3>  
      &lt;span className=&quot;font-body text-primary font-bold text-sm shrink-0&quot;&gt;  
        ■{item.price}</span>  
    &lt;/div>  
    &lt;div>  
      &lt;p className=&quot;font-body text-xs text-[#e5e2e0]/60 font-light leading-relaxed line-clamp-3&quot;&gt;  
        {item.description}</p>  
    &lt;/div>  
  &lt;/div>  
&lt;/motion.div>  
)})<br/></AnimatePresence>  
&lt;/motion.div>  
  
{filteredItems.length === 0 &amp;&amp; (  
  &lt;div className=&quot;flex flex-col items-center justify-center py-20 space-y-4&quot;&gt;  
    &lt;p className=&quot;text-secondary font-body text-sm&quot;&gt;No items found matching your filters.</p>  
  &lt;/div>  
)}  
&lt;/section>  
&lt;/div>  
</code>
```

■ src/pages/Gallery.tsx

```
import React from 'react';
import { motion } from 'framer-motion';
import type { Variants } from 'framer-motion';
import { SEO } from 'components/SEO';

// Optimized WebP image assets from the public folder
const galleryImages = [
  'images/gallery/gallery-cake-1.webp',
  'images/gallery/gallery-cake-2.webp',
  'images/gallery/gallery-cake-3.webp',
  'images/gallery/gallery-cake-4.webp',
  'images/gallery/gallery-cake-5.webp',
  'images/gallery/gallery-cake-6.webp',
  'images/gallery/gallery-cake-7.webp',
  'images/gallery/gallery-cake-8.webp',
  'images/gallery/gallery-cake-9.webp',
  'images/gallery/gallery-cake-10.webp',
  'images/gallery/gallery-cake-11.webp',
  'images/gallery/gallery-cake-12.webp',
  'images/gallery/gallery-cake-13.webp',
  'images/gallery/gallery-cake-14.webp',
  'images/gallery/gallery-cake-15.webp',
  'images/gallery/gallery-cake-16.webp',
  'images/gallery/gallery-cake-17.webp',
  'images/gallery/gallery-cake-18.webp',
  'images/gallery/gallery-cake-19.webp',
  'images/gallery/gallery-cake-20.webp',
  'images/gallery/gallery-cake-21.webp',
  'images/gallery/gallery-cake-22.webp',
  'images/gallery/gallery-cake-23.webp',
  'images/gallery/gallery-cake-24.webp',
];

const galleryAltTexts = [
  'Custom chocolate birthday cake with elegant gold dust and premium chocolate toppings',
  'Elegant multi-tier wedding cake decorated with soft pastel rose petals and fine fondant',
  'Colorful cartoon character themed birthday cake for kids birthday celebrations',
  'Premium fresh strawberry cream cake topped with glazed berries and chocolate curls',
  'Classic black forest chocolate gateau with whipped cream stars and glazed cherries',
  'Heart-shaped red velvet celebration cake with smooth pink cream cheese frosting',
  'Bespoke tiered anniversary cake with rustic naked styling and rosemary accents',
  'Butterscotch drip cake decorated with caramelized walnuts and gold piping details',
  'Creative childrens theme cake shaped like a playful blue toy car',
  'Luxury dark chocolate drip cake topped with French macarons and chocolate shards',
  'Traditional Indian fusion rasmalai cake garnished with pistachios and almond flakes',
  'Playful baby shower cake in pastel pink and blue with edible baby booties',
  'Fresh tropical mango mousse cake styled with mango slices and white curls',
  'Delicate vanilla sponge anniversary cake with handmade white chocolate roses',
  'Festive star themed tiered cake for new year celebrations',
  'Bespoke engagement cake featuring intertwined gold wedding rings design',
  'Zesty lemon curd celebration cake with toasted Swiss meringue peaks',
  'Soft red velvet cake decorated with premium cream cheese frosting swirls',
  'Custom photo print birthday cake with colorful sprinkles and chocolate borders',
  'Gourmet pineapple gateau with caramelized slices and cherry highlights',
  'Minimalist coffee mocha cream cake topped with dark chocolate beans',
  'Stunning blue marble effect fondant cake with gold leaf detailing',
  'Seasonal mixed fruit whipped cream cake loaded with kiwi, grapes, and orange slices',
  'Premium dark chocolate truffle cake with golden sugar sprinkles',
];

export const Gallery: React.FC = () => {

  // Individual card item animation variants (fade-in & slide-up)
  const itemVariants: Variants = {
    hidden: { opacity: 0, y: 30 },
    visible: {
      opacity: 1,
      y: 0,
      transition: {
        duration: 0.6,
        ease: [0.16, 1, 0.3, 1],
      },
    },
  },
};
```


■ **src/pages/Reviews.tsx**

```
import React from <react>;
import { Star, MessageSquare, X } from <lucide-react>;
import { reviews, reviewsSummary } from <../data/reviews>;
import type { Review } from <../data/reviews>;
import { SEO } from <../components/SEO>;

interface WhiteBoxProps {
  heading: string;
  text: string;
  imageSrc: string;
}

const WhiteBox: React.FC<WhiteBoxProps> = ({ heading, text, imageSrc }) => {
  return (
    <div
      className="bg-[#FFF8EF] border border-[#EFE3D3] px-8 md:px-10 pb-8 md:pb-10 pt-[18px] rounded-[2.5rem] shadow-[0_2px_4px_rgba(0,0,0,.05)]"
      >
      </* Top Header Area: Full Width Image Frame with centered cake, object-cover scaling to fill the container */>
      <div className="flex-1 min-h-[200px] md:min-h-0 w-full mb-[18px] rounded-[2.5rem] flex items-center justify-center">
        <img
          src={ `${import.meta.env.BASE_URL}${imageSrc.replace(/^\/\//, &'&apos;')}` }
          alt={heading}
          className="w-full h-full object-cover object-center"
        />
      </div>

      </* Text Content */>
      <div className="space-y-4 shrink-0">
        <h3
          className="font-display text-2xl md:text-3xl font-semibold text-[#2B1B12] leading-tight"
          style={{ fontFamily: &'&apos;Playfair Display&'&apos;, serif: true, letterSpacing: &'&apos;-0.01em&'&apos; }}
          >{heading}</h3>
        <p
          className="font-body text-[14px] md:text-[15px] font-normal text-[#6B564A]"
          style={{ lineHeight: &'&apos;1.6&'&apos; }}
          >{text}</p>
      </div>
    </div>
  );
};

// Module-level background style objects moved outside the component body
const pinkSectionStyles = {
  backgroundColor: &'&apos;#F8BDBE&'&apos;,
  backgroundImage: `url(&'&apos;${import.meta.env.BASE_URL}images/noise-tile.webp&'&apos;)&'&apos;`,
  backgroundRepeat: &'&apos;repeat&'&apos;;
};

const mintSectionStyles = {
  backgroundColor: &'&apos;#ADEBB3&'&apos;,
  backgroundImage: `url(&'&apos;${import.meta.env.BASE_URL}images/noise-tile.webp&'&apos;)&'&apos;`,
  backgroundRepeat: &'&apos;repeat&'&apos;;
};

const beigeSectionStyles = {
  backgroundColor: &'&apos;#D1B7E1&'&apos;,
  backgroundImage: `url(&'&apos;${import.meta.env.BASE_URL}images/noise-tile.webp&'&apos;)&'&apos;`,
  backgroundRepeat: &'&apos;repeat&'&apos;;
};

export const Reviews: React.FC = () => {
  const [isModalOpen, setIsModalOpen] = React.useState(false);

  const outlets = [
    { name: &'&apos;Bhandara Main Branch&'&apos;, address: &'&apos;Zilla Parishad Square, Takiya Ward, Near Sai Mandir, Near, Ganesh Chowk, Lakhani&'&apos;, placeId: &'&apos;ChIJHqQ3...&'&apos; },
    { name: &'&apos;Lakhani&'&apos;, address: &'&apos;Gangotri Building, Murmadi, Lakhani, Maharashtra&'&apos;, placeId: &'&apos;ChIJHqQ3...&'&apos; },
  ];

  const renderCard = (rev: Review, isCompact: boolean, theme: &'&apos;dark-overlay&'&apos; | &'&apos;light-glass&'&apos; | &'&apos;clean&'&apos;) => {
    // ...render logic continues here...
  };
}
```

```

const initial = rev.firstName.charAt(0).toUpperCase();

// Theme configurations
let cardClass = &apos;&apos;&apos;;
let textClass = &apos;&apos;&apos;;
let nameClass = &apos;&apos;&apos;;
let dateClass = &apos;&apos;&apos;;
let borderClass = &apos;&apos;&apos;;

if (theme === &apos;dark-overlay&apos;) {
  cardClass = &apos;bg-[#160f0a]/95 border-[#30221a] hover:border-primary/45&apos;;
  textClass = &apos;text-[#e5e2e0]&apos;;
  nameClass = &apos;text-[#e5e2e0]&apos;;
  dateClass = &apos;text-[#e5e2e0]/50&apos;;
  borderClass = &apos;border-white/10&apos;;
} else if (theme === &apos;light-glass&apos;) {
  cardClass = &apos;bg-white/40 border-black/10 hover:border-black/25&apos;;
  textClass = &apos;text-[#2B1B12]/95&apos;;
  nameClass = &apos;text-[#2B1B12]&apos;;
  dateClass = &apos;text-[#2B1B12]/50&apos;;
  borderClass = &apos;border-black/10&apos;;
} else {
  // clear-glass
  cardClass = &apos;bg-white/10 border-white/15 hover:border-white/30&apos;;
  textClass = &apos;text-[#e5e2e0]&apos;;
  nameClass = &apos;text-[#e5e2e0]&apos;;
  dateClass = &apos;text-[#e5e2e0]/50&apos;;
  borderClass = &apos;border-white/10&apos;;
}

return (
  <div
    className={`border rounded-[2rem] shadow-[0_8px_32px_rgba(0,0,0,0.3)] flex flex-col justify-between transition-all duration-300
      ${isCompact ? 'p-6 md:p-8 min-h-[220px] space-y-6' : 'p-8 md:p-10 min-h-[260px] space-y-8']}
    `}
    style={{ backdropFilter: &apos;none&apos;, WebkitBackdropFilter: &apos;none&apos; }}
  >
    <div className={`${isCompact ? 'space-y-4' : 'space-y-6'}>
      <div className="flex gap-1 text-primary">
        {[...Array(5)].map((_, i) => (
          <Star key={i} size={isCompact ? 14 : 18} className={i < rev.rating ? 'fill-primary' : ''} />
        ))}
      </div>
      <p className={`font-body font-light leading-relaxed italic ${textClass} ${
        isCompact ? 'text-sm md:text-base line-clamp-3' : 'text-base md:text-lg line-clamp-4'}>
        "{rev.text}"
      </p>
    </div>
    <div className="flex items-center gap-3 border-t ${borderClass} ${isCompact ? 'pt-4' : 'pt-6'}>
      <div className={`
        ${isCompact ? 'w-10 h-10 text-xs' : 'w-12 h-12 text-sm'}
      `} rounded-full bg-gradient-to-br ${rev.avatarBg} flex items-center justify-center text-on-primary font-display font-size-4
        {initial}
      </div>
      <h4 className={`font-body font-bold ${nameClass} ${isCompact ? 'text-sm md:text-base' : 'text-base'}>
        <span className={`font-body uppercase tracking-widest ${dateClass} ${isCompact ? 'text-[9px]' : ''}>
          {rev.date}
        </span>
      </div>
    </div>
  </div>
);
};

return (
  <div className="pt-24 pb-16 bg-[#0c0c0c] min-h-screen">
    <SEO
      title="Customer Reviews | The Cakes Floor Bhandara (4.1★, 697+ reviews)"
    />
  </div>
);

```

```

description=&quot;Read customer reviews and testimonials about The Cakes Floor in Bhandara. Discover why our bakery is
path=&quot;./reviews&quot;;
/&gt;
{ /* Combined Section: Header + Google Rating Summary */ }
<div section className=&quot;py-16 bg-gradient-to-b from-[#181817] to-background border-b border-white/5 relative&quot;; s
<div className=&quot;max-w-7xl mx-auto px-6 grid grid-cols-1 md:grid-cols-2 gap-8 items-center&quot;;&gt;
  { /* Left Column */ }
  <div className=&quot;text-left space-y-4&quot;;&gt;
    <span className=&quot;font-body text-xs uppercase tracking-[0.25em] text-primary&quot;;&gt;Testimonials</span>
    <h1
      className=&quot;text-4xl md:text-5xl text-on-surface uppercase leading-none tracking-widest&quot;;
      style={{ fontFamily: &quot;'Horizon'&quot;, sans-serif&quot;; }}
    &gt;
      What Our Customers Say
    </h1>
    <div className=&quot;w-16 h-[2px] bg-primary mt-2&quot;; /&gt;
    <p className=&quot;font-body text-[#e5e2e0]/60 font-light text-sm max-w-md leading-relaxed&quot;;&gt;
      Read verified feedback from our guests across Bhandara about our flavor standards, custom designs, and service.
    </p>
  </div>

  { /* Right Column */ }
  <div className=&quot;p-8 bg-[#2B1B12]/50 border border-white/15 rounded-3xl text-center space-y-4 shadow-xl&quot;;
    <div className=&quot;flex flex-col items-center justify-center space-y-2&quot;;&gt;
      <div className=&quot;flex items-center gap-1.5 text-primary text-5xl font-bold justify-center&quot;;&gt;
        <span style={{ fontFamily: &quot;'Horizon'&quot;, sans-serif&quot;; }}&gt;{reviewsSummary.rating}</span>
        <span className=&quot;text-3xl&quot;;&gt;★</span>
      </div>
      <p className=&quot;font-body text-xs uppercase tracking-widest text-[#e5e2e0]/40&quot;;&gt;
        Based on {reviewsSummary.totalReviews} Google Reviews
      </p>
    </div>

    <div className=&quot;flex justify-center gap-1.5 text-primary&quot;;&gt;
      {[...Array(5)].map((_, i) => {
        <Star
          key={i}
          size={18}
          className={i < Math.floor(reviewsSummary.rating) ? &quot;fill-primary&quot; : &quot;&quot;}
        &gt;
      )]}
    </div>

    <div className=&quot;pt-2&quot;;&gt;
      <button
        onClick={() => setIsModalOpen(true)}
        className=&quot;bg-primary text-on-primary font-body text-xs uppercase tracking-[0.2em] font-semibold px-8 py-
      &gt;
      <MessageSquare size={14} /&gt;
      Rate Us on Google
    </button>
  </div>
</div>
</div>
</section>

{ /* Section 1: Image 1 Background */ }
<div section className=&quot;relative h-auto py-16 md:h-[85vh] md:py-12 flex flex-col justify-center items-center overflo
  <div className=&quot;absolute inset-0 z-0 bg-[#0c0c0c]&quot;;&gt;
    <img
      src={`$import.meta.env.BASE_URLimages/review-bg-1.webp`}
      alt=&quot;Beautiful custom cake preparation and ingredients background&quot;;
      loading=&quot;eager&quot;;
      fetchPriority=&quot;high&quot;;
      decoding=&quot;async&quot;;
      width=&quot;1920&quot;;
      height=&quot;1080&quot;;
      className=&quot;w-full h-full object-cover object-top opacity-100 pointer-events-none select-none&quot;;
    &gt;
    { /* Black overlay: 40% opacity on mobile only, transparent on desktop */ }
    <div className=&quot;absolute inset-0 bg-black/40 md:bg-transparent pointer-events-none&quot;; /&gt;
  </div>
  <div className=&quot;max-w-7xl mx-auto px-6 relative z-10 w-full flex flex-col justify-center items-center&quot;;&gt;
    <div className=&quot;flex flex-col gap-16 w-full&quot;;&gt;
      { /* Row 1: Top-Left (Visible on mobile & desktop) & Top-Right (Desktop only) */ }
      <div className=&quot;grid grid-cols-1 md:grid-cols-3 gap-6 w-full items-center&quot;;&gt;

```

```

        <div className="order-1">{renderCard(reviews[0], true, 'clear-glass')}</div>
        <div className="hidden md:block order-2"> />
        <div className="hidden md:block order-3">{renderCard(reviews[11], true, 'clear-glass')}</div>
    </div>
    {/ Row 2: Bottom-Left & Bottom-Right (Desktop only) */}
    <div className="hidden md:grid grid-cols-1 md:grid-cols-3 gap-6 w-full items-center">
        <div className="order-1">{renderCard(reviews[1], true, 'clear-glass')}</div>
        <div className="hidden md:block order-2"> />
        <div className="hidden md:block order-3">{renderCard(reviews[2], true, 'clear-glass')}</div>
    </div>
</div>
</div>
</section>

{/ Section 2: Beige Background */}
<section
  className="relative h-auto py-16 md:h-[85vh] md:py-[18px] flex flex-col justify-center items-center overflow-hidden"
  style={{ ...beigeSectionStyles, contentVisibility: 'auto', containIntrinsicSize: 'auto 1000px' }}
>
  <div className="max-w-7xl mx-auto px-6 relative z-10 w-full flex flex-col justify-center items-center">
    <div className="grid grid-cols-1 md:grid-cols-3 gap-8 w-full items-stretch">
      <div className="order-1 flex items-center">{renderCard(reviews[3], false, 'light-glass')}</div>
      <div className="hidden md:flex order-2 items-center">{renderCard(reviews[4], false, 'light-glass')}</div>
      <div className="order-3">
        <WhiteBox>
          heading="A Promise You Can Taste"
          text="Every review you read here echoes the same thing we hear at the counter every day – our cakes are so good."
          imageSrc="/images/box-img-1.webp"
        </WhiteBox>
      </div>
    </div>
  </div>
</div>
</section>

{/ Section 3: Image 2 Background */}
<section className="relative h-auto py-16 md:h-[85vh] md:py-12 flex flex-col justify-center items-center overflow-hidden"
  <div className="absolute inset-0 z-0 bg-[#0c0c0c]">
    <img
      src={ `${import.meta.env.BASE_URL}images/review-bg-2.webp` }
      alt="Artisanal bakery and cake styling background image"
      loading="lazy"
      decoding="async"
      width="1920"
      height="1080"
      className="w-full h-full object-cover object-top opacity-100 pointer-events-none select-none"
    </img>
  </div>
  <div className="max-w-7xl mx-auto px-6 relative z-10 w-full flex flex-col justify-center items-center">
    <div className="flex flex-col gap-16 w-full">
      {/ Row 1: Top-Left (Visible on mobile & desktop) & Top-Right (Desktop only) */}
      <div className="grid grid-cols-1 md:grid-cols-3 gap-6 w-full items-center">
        <div className="order-1">{renderCard(reviews[5], true, 'dark-overlay')}</div>
        <div className="hidden md:block order-2"> />
        <div className="hidden md:block order-3">{renderCard(reviews[6], true, 'dark-overlay')}</div>
      </div>
      {/ Row 2: Bottom-Center (Desktop only) */}
      <div className="hidden md:grid grid-cols-1 md:grid-cols-3 gap-6 w-full items-center">
        <div className="hidden md:block order-1"> />
        <div className="order-2 mt-4">{renderCard(reviews[7], true, 'dark-overlay')}</div>
        <div className="hidden md:block order-3"> />
      </div>
    </div>
  </div>
</div>
</section>

{/ Section 4: Mint Background */}
<section
  className="relative h-auto py-16 md:h-[85vh] md:py-[18px] flex flex-col justify-center items-center overflow-hidden"
  style={{ ...mintSectionStyles, contentVisibility: 'auto', containIntrinsicSize: 'auto 1000px' }}
>
  <div className="max-w-7xl mx-auto px-6 relative z-10 w-full flex flex-col justify-center items-center">
    <div className="grid grid-cols-1 md:grid-cols-3 gap-8 w-full items-stretch">
      <div className="order-1">
        <WhiteBox>
          heading="Ingredients That Earn Their Place"
          text="Behind every review praising our flavor is a simple reason – we don't settle for average ingredients."
        </WhiteBox>
      </div>
    </div>
  </div>
</div>
</section>

```



```

        imageSrc=&quot;/images/box-img-2.webp&quot;;
    /&gt;
    &lt;/div&gt;
    &lt;div className=&quot;order-2 flex items-center&quot;&gt;{renderCard(reviews[8], false, &apos;light-glass&apos;)}
    &lt;div className=&quot;hidden md:flex order-3 items-center&quot;&gt;{renderCard(reviews[9], false, &apos;light-glass&apos;)}
    &lt;/div&gt;
    &lt;/div&gt;
    &lt;/section&gt;

/* Black & White Review Marquee Separator */
&lt;div className=&quot;w-full overflow-hidden bg-black py-4 border-y border-white/10 relative z-20&quot;&gt;
    &lt;div className=&quot;animate-marquee whitespace-nowrap flex gap-12&quot; style={{ willChange: &apos;transform&apos; }}&gt;
        &lt;span
            className=&quot;text-sm sm:text-base uppercase flex items-center gap-12 text-white&quot;
            style={{
                fontFamily: &quot;&apos;Playfair Display&apos;; serif&quot;,
                fontWeight: 600,
                letterSpacing: &quot;0.8px&quot;
            }}
        &gt;
            &lt;span&gt;Swapnil – &quot;Good product, awesome taste ■&quot; ■■■■■&lt;/span&gt;
            &lt;span&gt;Shreyash – &quot;Food is really good and the staff is great too.&quot; ■■■■■&lt;/span&gt;
            &lt;span&gt;Preveen – &quot;Only place in Bhandara with such tasty plum cake!&quot; ■■■■■&lt;/span&gt;
            &lt;span&gt;Taskin – &quot;Amazing food, lovely decor for selfies, super friendly staff.&quot; ■■■■■&lt;/span&gt;
            &lt;span className=&quot;mx-4 opacity-30&quot;&gt;&lt;/span&gt;
            &lt;span&gt;Swapnil – &quot;Good product, awesome taste ■&quot; ■■■■■&lt;/span&gt;
            &lt;span&gt;Shreyash – &quot;Food is really good and the staff is great too.&quot; ■■■■■&lt;/span&gt;
            &lt;span&gt;Preveen – &quot;Only place in Bhandara with such tasty plum cake!&quot; ■■■■■&lt;/span&gt;
            &lt;span&gt;Taskin – &quot;Amazing food, lovely decor for selfies, super friendly staff.&quot; ■■■■■&lt;/span&gt;
        &lt;/span&gt;
        &lt;span
            className=&quot;text-sm sm:text-base uppercase flex items-center gap-12 text-white&quot;
            aria-hidden=&quot;true&quot;
            style={{
                fontFamily: &quot;&apos;Playfair Display&apos;; serif&quot;,
                fontWeight: 600,
                letterSpacing: &quot;0.8px&quot;
            }}
        &gt;
            &lt;span&gt;Swapnil – &quot;Good product, awesome taste ■&quot; ■■■■■&lt;/span&gt;
            &lt;span&gt;Shreyash – &quot;Food is really good and the staff is great too.&quot; ■■■■■&lt;/span&gt;
            &lt;span&gt;Preveen – &quot;Only place in Bhandara with such tasty plum cake!&quot; ■■■■■&lt;/span&gt;
            &lt;span&gt;Taskin – &quot;Amazing food, lovely decor for selfies, super friendly staff.&quot; ■■■■■&lt;/span&gt;
            &lt;span className=&quot;mx-4 opacity-30&quot;&gt;&lt;/span&gt;
            &lt;span&gt;Swapnil – &quot;Good product, awesome taste ■&quot; ■■■■■&lt;/span&gt;
            &lt;span&gt;Shreyash – &quot;Food is really good and the staff is great too.&quot; ■■■■■&lt;/span&gt;
            &lt;span&gt;Preveen – &quot;Only place in Bhandara with such tasty plum cake!&quot; ■■■■■&lt;/span&gt;
            &lt;span&gt;Taskin – &quot;Amazing food, lovely decor for selfies, super friendly staff.&quot; ■■■■■&lt;/span&gt;
        &lt;/span&gt;
    &lt;/div&gt;
&lt;/div&gt;

/* Section 5: Bashful Pink Background */
&lt;section
    className=&quot;relative h-auto py-16 md:h-[85vh] md:py-[18px] flex flex-col justify-center items-center overflow-hidden&quot;
    style={{ ...pinkSectionStyles, contentVisibility: &apos;auto&apos;, containIntrinsicSize: &apos;auto 1000px&apos; }}
&gt;
    &lt;div className=&quot;max-w-7xl mx-auto px-6 relative z-10 w-full flex flex-col justify-center items-center&quot;&gt;
        &lt;div className=&quot;grid grid-cols-1 md:grid-cols-3 gap-8 w-full items-stretch&quot;&gt;
            &lt;div className=&quot;order-1&quot;&gt;
                &lt;WhiteBox
                    heading=&quot;Part of Bhandara&apos;s Celebrations&quot;
                    text=&quot;The stories in these reviews aren&apos;t just about cake – they&apos;re about birthdays, weddings,
                    imageSrc=&quot;/images/box-img-3.webp&quot;
                /&gt;
            &lt;/div&gt;
            &lt;div className=&quot;order-2 flex items-center&quot;&gt;{renderCard(reviews[12], false, &apos;light-glass&apos;)}
            &lt;div className=&quot;hidden md:flex order-3 items-center&quot;&gt;{renderCard(reviews[13], false, &apos;light-glass&apos;)}
            &lt;/div&gt;
        &lt;/div&gt;
    &lt;/div&gt;

/* Section 6: Image 4 Background */
&lt;section className=&quot;relative h-auto py-16 md:h-[85vh] md:py-12 flex flex-col justify-center items-center overflow-hidden&quot;
    &lt;div className=&quot;absolute inset-0 z-0 bg-[#0c0c0c]&quot;&gt;
        &lt;img

```

```

src={` ${import.meta.env.BASE_URL}images/review-bg-4.webp`}
alt="Freshly baked cake slices background image";
loading="lazy";
decoding="async";
width="1920";
height="1080";
className="w-full h-full object-cover object-top opacity-100 pointer-events-none select-none";
/>
</div>
<div className="max-w-7xl mx-auto px-6 relative z-10 w-full flex flex-col justify-center items-center">
  <div className="flex flex-col gap-16 w-full">
    /* Row 1: Top-Left (Visible on mobile & desktop) & Top-Right (Desktop only) */
    <div className="grid grid-cols-1 md:grid-cols-3 gap-6 w-full items-center">
      <div className="order-1">{renderCard(reviews[14], true, "clear-glass")}</div>
      <div className="hidden md:block order-2"> />
      <div className="hidden md:block order-3">{renderCard(reviews[10], true, "clear-glass")}</div>
    </div>
    /* Row 2: Bottom-Left & Bottom-Right (Desktop only) */
    <div className="hidden md:grid grid-cols-1 md:grid-cols-3 gap-6 w-full items-center">
      <div className="order-1">{renderCard(reviews[15], true, "clear-glass")}</div>
      <div className="hidden md:block order-2"> />
      <div className="hidden md:block order-3">{renderCard(reviews[16], true, "clear-glass")}</div>
    </div>
  </div>
</div>
</section>
/* Outlet Selection Modal */
{isModalOpen && (
  <div
    className="fixed inset-0 bg-black/75 backdrop-blur-sm z-50 flex items-center justify-center p-4";
    onClick={(e) => {
      if (e.target === e.currentTarget) setIsModalOpen(false);
    }}
  >
    <div className="bg-[#160f0a] border border-[#30221a] rounded-[2.5rem] p-6 md:p-8 max-w-md w-full relative shadow">
      /* Close Button */
      <button
        onClick={() => setIsModalOpen(false)}
        className="absolute top-5 right-5 text-[#e5e2e0]/60 hover:text-[#DFBA6B] hover:scale-110 transition-all cursor-pointer";
        aria-label="Close modal";
      >
        <X size={20} />
      </button>

      /* Header */
      <div className="space-y-2 text-center">
        <h3 className="font-display text-2xl font-bold leading-tight text-white" style={{ fontFamily: "Playfair Display", letterSpacing: "0.2px" }}>
          Which outlet did you visit?
        </h3>
        <p className="font-body text-xs text-[#e5e2e0]/60 leading-relaxed font-light">
          Select the store location you visited to leave your Google review.
        </p>
      </div>

      /* Outlet Options */
      <div className="space-y-3">
        {outlets.map((outlet, index) => (
          <button
            key={index}
            onClick={() => {
              window.open(`https://search.google.com/local/writereview?placeid=${outlet.placeId}`, "_blank", &
              setIsModalOpen(false);
            }}
            className="w-full text-left p-4 rounded-2xl bg-black/35 hover:bg-white/5 border border-[#30221a] hover:shadow";
          >
            <h4
              className="font-display text-base font-bold text-[#DFBA6B] group-hover:text-[#ffb954] transition-color"
              style={{ fontFamily: "Playfair Display", serif: true, letterSpacing: "0.2px" }}>
              {outlet.name}
            </h4>
            <p className="font-body text-xs text-[#e5e2e0]/50 leading-relaxed font-light">
              {outlet.address}
            </p>
          </button>
        ))}
      </div>
    </div>
  </div>
)

```

```
        </div>
      </div>
    </div>
  )}
  </div>
);
};
```

■ src/pages/Contact.tsx

```
import React, { useState, useEffect } from 'react';
import { motion } from 'framer-motion';
import gsap from 'gsap';
import { MapPin, Phone, Mail, Clock, Send, Compass } from 'lucide-react';
import { SEO } from '../components/SEO';

export const Contact: React.FC = () => {
  const [isOpenNow, setIsOpenNow] = useState<boolean>(false);
  const [formSubmitted, setFormSubmitted] = useState<boolean>(false);
  const [formData, setFormData] = useState({
    name: '',
    phone: '',
    message: '',
    deliveryAddress: '',
    pincode: '',
    preferredDate: '',
    nameOnCake: '',
    specialInstructions: '',
    alternatePhone: '',
    orderType: 'Self-Pickup',
    weight: '500g',
    quantity: 1,
    eggPreference: 'Eggless',
    timeSlot: 'Morning (9am-12pm)',
    isSurprise: 'No',
    addons: [] as string[],
  });
  const [errors, setErrors] = useState<Record<string, string>>({});

  // Calculate live open/closed status (10:00 AM to 10:30 PM)
  useEffect(() => {
    const checkOpenStatus = () => {
      const now = new Date();
      const currentHour = now.getHours();
      const currentMin = now.getMinutes();
      const currentTime = currentHour * 60 + currentMin; // Current time in minutes from midnight

      const openTime = 10 * 60; // 10:00 AM in minutes
      const closeTime = 22 * 60 + 30; // 10:30 PM in minutes

      if (currentTime >= openTime && currentTime < closeTime) {
        setIsOpenNow(true);
      } else {
        setIsOpenNow(false);
      }
    };

    checkOpenStatus();
    const interval = setInterval(checkOpenStatus, 60000); // Re-check every minute
    return () => clearInterval(interval);
  }, []);

  useEffect(() => {
    // GSAP ScrollTrigger reveals
    const items = gsap.utils.toArray('reveal-item');
    const triggers = items.map((item: any) => {
      gsap.to(item, {
        opacity: 1,
        y: 0,
        duration: 0.8,
        ease: 'power3.out',
        scrollTrigger: {
          trigger: item,
          start: 'top 85%',
          toggleActions: 'play none none none',
        },
      });
    });

    return () => {
      triggers.forEach((t) => t.scrollTrigger?.kill());
    };
  }, []);
```

```

const handleGetDirections = (destinationAddress: string) => {
  if (navigator.geolocation) {
    navigator.geolocation.getCurrentPosition(
      (position) => {
        const { latitude, longitude } = position.coords;
        window.open(
          `https://www.google.com/maps/dir/?api=1&origin=${latitude},${longitude}&destination=${encodeURIComponent(
            destinationAddress
          )}&_blank`
        );
      },
      () => {
        // Fallback if permission denied
        window.open(
          `https://www.google.com/maps/dir/?api=1&destination=${encodeURIComponent(destinationAddress)}`,
          '_blank'
        );
      }
    );
  } else {
    window.open(
      `https://www.google.com/maps/dir/?api=1&destination=${encodeURIComponent(destinationAddress)}`,
      '_blank'
    );
  }
};

const handleInputChange = (e: React.ChangeEvent<HTMLInputElement | HTMLTextAreaElement | HTMLSelectElement>) => {
  const { name, value } = e.target;
  setFormData((prev) => ({
    ...prev,
    [name]: value,
  }));
  if (errors[name]) {
    setErrors((prev) => {
      const next = { ...prev };
      delete next[name];
      return next;
    });
  }
};

const handleCheckboxChange = (addonName: string) => {
  setFormData((prev) => {
    let updatedAddOns = [...prev.addOns];
    if (addonName === 'None') {
      if (updatedAddOns.includes('None')) {
        updatedAddOns = [];
      } else {
        updatedAddOns = ['None'];
      }
    } else {
      updatedAddOns = updatedAddOns.filter((item) => item !== 'None');
      if (updatedAddOns.includes(addonName)) {
        updatedAddOns = updatedAddOns.filter((item) => item !== addonName);
      } else {
        updatedAddOns.push(addonName);
      }
    }
    return {
      ...prev,
      addOns: updatedAddOns,
    };
  });
};

const validateForm = () => {
  const newErrors: Record<string, string> = {};
  if (!formData.name.trim()) newErrors.name = 'Name is required';
  if (!formData.phone.trim()) newErrors.phone = 'Phone number is required';
  if (!formData.message.trim()) newErrors.message = 'Cake details/message is required';
  if (!formData.weight) newErrors.weight = 'Weight is required';
  if (!formData.quantity) newErrors.quantity = 'Quantity is required';
  if (!formData.orderType) newErrors.orderType = 'Order type is required';

  if (formData.orderType === 'Delivery') {
    if (!formData.deliveryAddress.trim()) newErrors.deliveryAddress = 'Delivery address is required for delivery';
  }
};

```

```

    if (!formData.pincodes.trim()) newErrors.pincodes = 'Pin Code / Area is required for delivery';
  }

  setErrors(newErrors);
  return Object.keys(newErrors).length === 0;
};

const handleSubmit = (e: React.FormEvent) => {
  e.preventDefault();
  if (!validateForm()) return;

  const whatsappNumber = '917887324373';

  const lines: string[] = [];
  lines.push('New Cake Enquiry');
  lines.push(`Name: ${formData.name.trim()}`);
  lines.push(`Phone: ${formData.phone.trim()}`);
  if (formData.alternatePhone.trim()) {
    lines.push(`Alternate Phone: ${formData.alternatePhone.trim()}`);
  }
  lines.push(`Cake Details: ${formData.message.trim()}`);
  lines.push(`Weight: ${formData.weight}`);
  lines.push(`Quantity: ${formData.quantity}`);
  lines.push(`Egg Preference: ${formData.eggPreference}`);

  if (formData.nameOnCake.trim()) {
    lines.push(`Name on Cake: ${formData.nameOnCake.trim()}`);
  }

  const addonsStr = formData.addons.length > 0 ? formData.addons.join(', ') : 'None';
  lines.push(`Add-ons: ${addonsStr}`);

  lines.push(`Order Type: ${formData.orderType}`);
  if (formData.orderType === 'Delivery') {
    lines.push(`Delivery Address: ${formData.deliveryAddress.trim()}`);
    lines.push(`Pin Code/Area: ${formData.pincodes.trim()}`);
  }

  if (formData.preferredDate) {
    lines.push(`Preferred Date: ${formData.preferredDate}`);
  }
  lines.push(`Preferred Time: ${formData.timeSlot}`);
  lines.push(`Surprise Order: ${formData.isSurprise}`);

  if (formData.specialInstructions.trim()) {
    lines.push(`Special Instructions: ${formData.specialInstructions.trim()}`);
  }

  const messageTemplate = lines.join('\n');
  const encodedMessage = encodeURIComponent(messageTemplate);
  const whatsappUrl = `https://wa.me/${whatsappNumber}?text=${encodedMessage}`;

  window.open(whatsappUrl, '_blank', 'noopener,noreferrer');

  setFormSubmitted(true);
  setFormData({
    name: '',
    phone: '',
    message: '',
    deliveryAddress: '',
    pincodes: '',
    preferredDate: '',
    nameOnCake: '',
    specialInstructions: '',
    alternatePhone: '',
    orderType: 'Self-Pickup',
    weight: '500g',
    quantity: '1',
    eggPreference: 'Eggless',
    timeSlot: 'Morning (9am-12pm)',
    isSurprise: 'No',
    addons: [],
  });
  setErrors({});
};

```

```
return (  
    <div className="pt-24 pb-16">  
        <SEO  
            title="Contact Us & Order Cakes | The Cakes Floor Bhandara";  
            description="Get in touch with The Cakes Floor in Bhandara. Order custom birthday & wedding cakes on WhatsApp";  
            path="/contact";  
        />  
        {  
            /* 1. Page Header */  
            <section className="py-16 bg-gradient-to-b from-[#181817] to-background border-b border-white/5 relative">  
                <div className="max-w-4xl mx-auto px-6 text-center space-y-4">  
                    <span className="font-body text-xs uppercase tracking-[0.25em] text-primary">Get in Touch</span>  
                    <h1 className="font-display text-5xl md:text-6xl font-bold text-on-surface">Contact Us</h1>  
                    <div className="w-16 h-[1px] bg-primary/50 mx-auto mt-4" />  
                    <p className="font-body text-sm max-w-lg mx-auto leading-relaxed">Have questions about customized birthday cakes or catering? Send us a message or visit us in Bhandara.</p>  
                </div>  
            </section>  
  
            {  
                /* 2. Contact details & form */  
                <section className="max-w-7xl mx-auto px-6 py-16 grid grid-cols-1 lg:grid-cols-2 gap-16">  
                    {  
                        /* Contact Info Column */  
                        <div className="text-left space-y-8 reveal-item">  
                            <div className="space-y-4">  
                                <h2 className="font-display text-3xl font-bold text-[#e5e2e0]">The Cakes Floor</h2>  
                                <p className="font-body text-sm font-light text-[#e5e2e0]/60 max-w-md leading-relaxed">We look forward to serving you Bhandara's freshest cakes and savories. Drop by our storefront or contact us via</p>  
                            </div>  
  
                            <div className="space-y-6 font-body text-sm font-light text-[#e5e2e0]/70">  
                                {  
                                    /* Address */  
                                    <div className="flex items-start gap-4">  
                                        <div className="w-10 h-10 rounded-xl bg-white/5 border border-white/10 flex items-center justify-center">  
                                            <MapPin size={18} />  
                                        </div>  
                                        <div className="space-y-4 flex-1">  
                                            <h4 className="font-semibold text-[#e5e2e0] mb-1">Our Branches</h4>  
                                            <div className="space-y-5 font-body text-xs md:text-sm text-[#e5e2e0]/70 font-light">  
                                                <div>  
                                                    <p className="font-semibold text-[#e5e2e0]">Bhandara – Zilla Parishad Square (Main Branch)</p>  
                                                    <p className="leading-relaxed">Zilla Parishad Square, Takiya Ward, Near Sai Mandir, Near,</p>  
                                                    <button  
                                                        onClick={() => handleGetDirections("The Cakes Floor, Zilla Parishad Square, Takiya Ward, Near Sa<br/>className="text-primary hover:underline text-xs font-semibold uppercase tracking-wider flex items-c<br/><br/>Compass size={12} /> Get Directions</button>  
                                                </div>  
                                                <div>  
                                                    <p className="font-semibold text-[#e5e2e0]">Lakhani</p>  
                                                    <p className="leading-relaxed">Gangotri Building, Murmadi, Lakhani, Maharashtra</p>  
                                                    <button  
                                                        onClick={() => handleGetDirections("The Cakes Floor, Gangotri Building, Murmadi, Lakhani")}<br/>className="text-primary hover:underline text-xs font-semibold uppercase tracking-wider flex items-c<br/><br/>Compass size={12} /> Get Directions</button>  
                                                </div>  
                                            </div>  
                                        </div>  
                                    </div>  
                                </div>  
  
                                {  
                                    /* Phone */  
                                    <div className="flex items-start gap-4">  
                                        <div className="w-10 h-10 rounded-xl bg-white/5 border border-white/10 flex items-center justify-center">  
                                            <Phone size={18} />  
                                        </div>  
                                        <div>  
                                            <h4 className="font-semibold text-[#e5e2e0] mb-1">Call Enquiries</h4>  
                                            <p className="leading-relaxed"><a href="tel:+917887324373" class="hover:text-primary transition-colors">+91 7</a></p>  
                                        </div>  
                                    </div>  
                                }  
                            }  
                        }  
                    }  
                }  
            )  
        )  
    )  
)
```

```

    </div>
  </div>

  { /* Email */
  <div className="flex items-start gap-4">
    <div className="w-10 h-10 rounded-xl bg-white/5 border border-white/10 flex items-center justify-center"
      <Mail size={18} />
    </div>
    <div>
      <h4 className="font-semibold text-[#e5e2e0] mb-1">Email Support</h4>
      <p className="leading-relaxed">
        <a href="mailto:info@thecakesfloor.com" className="hover:text-primary transition-colors"
          </p>
      </div>
    </div>

    { /* Hours with Live status */
    <div className="flex items-start gap-4">
      <div className="w-10 h-10 rounded-xl bg-white/5 border border-white/10 flex items-center justify-center"
        <Clock size={18} />
      </div>
      <div>
        <div className="flex items-center gap-3">
          <h4 className="font-semibold text-[#e5e2e0]">Opening Hours</h4>
          {isOpenNow ? (
            <span className="px-2.5 py-0.5 rounded-full bg-green-500/10 border border-green-500/20 text-green-500"
              Open Now
            </span>
          ) : (
            <span className="px-2.5 py-0.5 rounded-full bg-red-500/10 border border-red-500/20 text-red-500"
              Closed Now
            </span>
          )}
        </div>
        <p className="leading-relaxed mt-1">Monday - Sunday: 10:00 AM - 10:30 PM</p>
      </div>
    </div>

    { /* Form Column */
    <div className="reveal-item">
      <div className="glass-card p-8 rounded-3xl space-y-6">
        <h3 className="font-display text-2xl font-bold text-left text-on-surface">Cake Enquiry Form</h3>

        {formSubmitted ? (
          <motion.div
            initial={{ opacity: 0, scale: 0.95 }}
            animate={{ opacity: 1, scale: 1 }}
            className="py-12 text-center space-y-4"
          >
            <div className="w-12 h-12 rounded-full bg-primary/15 border border-primary/20 text-primary flex items-center justify-center">✓</div>
            <h4 className="font-display text-lg font-bold text-[#e5e2e0]">Enquiry Sent!</h4>
            <p className="font-body text-xs text-[#e5e2e0]/60 max-w-sm mx-auto leading-relaxed">
              Thank you for contacting The Cakes Floor. Our baking team will get back to you shortly on your phone number.
            </p>
            <button
              onClick={() => setFormSubmitted(false)}
              className="text-primary hover:underline text-xs font-semibold uppercase tracking-wider mt-4"
            >
              Send another message
            </button>
          </motion.div>
        ) : (
          <form onSubmit={handleSubmit} noValidate className="space-y-5 text-left font-body text-sm">
            { /* 1. Name & Phone & Alternate Phone */
            <div className="grid grid-cols-1 md:grid-cols-2 gap-4">
              <div>
                <label htmlFor="name" className="block text-xs uppercase tracking-wider text-[#e5e2e0]/60">Name *</label>
                <input
                  type="text"
                  id="name"

```



```

        name=&quot;name&quot;;
        value={formData.name}
        onChange={handleInputChange}
        className={`w-full bg-white/5 border ${errors.name ? &apos;border-red-500&apos; : &apos;border-white/10&apos;}
        placeholder=&quot;Enter your name&quot;;
    /&gt;;
    {errors.name &amp;&amp; &lt;p className=&quot;text-red-400 text-xs mt-1&quot;&gt;{errors.name}&lt;/p&gt;;}
    &lt;/div&gt;;

    &lt;/div&gt;;
    &lt;label htmlFor=&quot;phone&quot; className=&quot;block text-xs uppercase tracking-wider text-[#e5e2e0]/
    Phone Number *
    &lt;/label&gt;;
    &lt;input
    type=&quot;tel&quot;;
    id=&quot;phone&quot;;
    name=&quot;phone&quot;;
    value={formData.phone}
    onChange={handleInputChange}
    className={`w-full bg-white/5 border ${errors.phone ? &apos;border-red-500&apos; : &apos;border-white/10&apos;}
    placeholder=&quot;Enter your mobile number&quot;;
    /&gt;;
    {errors.phone &amp;&amp; &lt;p className=&quot;text-red-400 text-xs mt-1&quot;&gt;{errors.phone}&lt;/p&gt;;}
    &lt;/div&gt;;
    &lt;/div&gt;;

    &lt;div className=&quot;grid grid-cols-1 md:grid-cols-2 gap-4&quot;&gt;;
    &lt;/div&gt;;
    &lt;label htmlFor=&quot;alternatePhone&quot; className=&quot;block text-xs uppercase tracking-wider text-[#e5e2e0]/
    Alternate Phone Number (Optional)
    &lt;/label&gt;;
    &lt;input
    type=&quot;tel&quot;;
    id=&quot;alternatePhone&quot;;
    name=&quot;alternatePhone&quot;;
    value={formData.alternatePhone}
    onChange={handleInputChange}
    className=&quot;w-full bg-white/5 border border-white/10 rounded-xl px-4 py-3 text-[#e5e2e0] placeholder-
    placeholder=&quot;Enter alternate number&quot;;
    /&gt;;
    &lt;/div&gt;;

    &lt;/div&gt;;
    &lt;label htmlFor=&quot;nameOnCake&quot; className=&quot;block text-xs uppercase tracking-wider text-[#e5e2e0]/
    Name to be written on cake (Optional)
    &lt;/label&gt;;
    &lt;input
    type=&quot;text&quot;;
    id=&quot;nameOnCake&quot;;
    name=&quot;nameOnCake&quot;;
    value={formData.nameOnCake}
    onChange={handleInputChange}
    className=&quot;w-full bg-white/5 border border-white/10 rounded-xl px-4 py-3 text-[#e5e2e0] placeholder-
    placeholder=&quot;Leave blank if not needed&quot;;
    /&gt;;
    &lt;/div&gt;;
    &lt;/div&gt;;

    {/ 2. Order Type, Preferred Date, Preferred Time Slot */}
    &lt;div className=&quot;grid grid-cols-1 sm:grid-cols-3 gap-4&quot;&gt;;
    &lt;/div&gt;;
    &lt;label htmlFor=&quot;orderType&quot; className=&quot;block text-xs uppercase tracking-wider text-[#e5e2e0]/
    Order Type *
    &lt;/label&gt;;
    &lt;select
    id=&quot;orderType&quot;;
    name=&quot;orderType&quot;;
    value={formData.orderType}
    onChange={handleInputChange}
    className=&quot;w-full bg-white/5 border border-white/10 rounded-xl px-4 py-3 text-[#e5e2e0] focus:borde
    &gt;;
    &lt;option value=&quot;Self-Pickup&quot; className=&quot;bg-[#1e1511] text-[#e5e2e0]&quot;&gt;Self-Picku
    &lt;option value=&quot;Delivery&quot; className=&quot;bg-[#1e1511] text-[#e5e2e0]&quot;&gt;Delivery&lt;/
    &lt;/select&gt;;
    &lt;/div&gt;;

```

```

</div>
<label htmlFor="preferredDate" className="block text-xs uppercase tracking-wider text-[#e5e2e0] font-medium" >
  Preferred Date (Optional)
</label>
<input
  type="date"
  id="preferredDate"
  name="preferredDate"
  value={formData.preferredDate}
  onChange={handleInputChange}
  className="w-full bg-white/5 border border-white/10 rounded-xl px-4 py-3 text-[#e5e2e0] focus:outline-none"
/>
</div>

<div>
<label htmlFor="timeSlot" className="block text-xs uppercase tracking-wider text-[#e5e2e0] font-medium" >
  Preferred Time Slot *
</label>
<select
  id="timeSlot"
  name="timeSlot"
  value={formData.timeSlot}
  onChange={handleInputChange}
  className="w-full bg-white/5 border border-white/10 rounded-xl px-4 py-3 text-[#e5e2e0] focus:outline-none"
>
  <option value="Morning (9am-12pm)" className="bg-[#1e1511] text-[#e5e2e0]" >>Morning (9am-12pm)
  <option value="Afternoon (12pm-4pm)" className="bg-[#1e1511] text-[#e5e2e0]" >>Afternoon (12pm-4pm)
  <option value="Evening (4pm-8pm)" className="bg-[#1e1511] text-[#e5e2e0]" >>Evening (4pm-8pm)
  <option value="Specific Time (mention in special instructions)" className="bg-[#1e1511] text-[#e5e2e0]" >>Specific Time (mention in special instructions)
</select>
</div>
</div>

/* 3. Delivery Details (Shown conditionally if Order Type is Delivery) */
{formData.orderType === 'Delivery' && (
  <div className="grid grid-cols-1 md:grid-cols-4 gap-4 animate-in fade-in slide-in-from-top-2 duration-300" >
    <div className="md:col-span-3" >
      <label htmlFor="deliveryAddress" className="block text-xs uppercase tracking-wider text-[#e5e2e0] font-medium" >
        Delivery Address *
      </label>
      <textarea
        id="deliveryAddress"
        name="deliveryAddress"
        rows={2}
        value={formData.deliveryAddress}
        onChange={handleInputChange}
        className={`w-full bg-white/5 border ${errors.deliveryAddress ? 'border-red-500' : 'border-white/10'} rounded-xl px-4 py-3 text-[#e5e2e0] focus:outline-none`}
        placeholder="Enter full delivery address"
      />
      {errors.deliveryAddress && <p className="text-red-400 text-xs mt-1" >{errors.deliveryAddress}</p>}
    </div>
    <div className="md:col-span-1" >
      <label htmlFor="pincode" className="block text-xs uppercase tracking-wider text-[#e5e2e0] font-medium" >
        Pin Code / Area *
      </label>
      <input
        type="text"
        id="pincode"
        name="pincode"
        value={formData.pincode}
        onChange={handleInputChange}
        className={`w-full bg-white/5 border ${errors.pincode ? 'border-red-500' : 'border-white/10'} rounded-xl px-4 py-3 text-[#e5e2e0] focus:outline-none`}
        placeholder="441904"
      />
      {errors.pincode && <p className="text-red-400 text-xs mt-1" >{errors.pincode}</p>}
    </div>
  </div>
)}

/* 4. Cake Weight, Quantity, and Egg Preference */
<div className="grid grid-cols-1 sm:grid-cols-3 gap-4" >
  <div>
    <label htmlFor="weight" className="block text-xs uppercase tracking-wider text-[#e5e2e0] font-medium" >
      Cake Weight *
    </label>

```

```

        <select
            id="weight";
            name="weight";
            value={formData.weight}
            onChange={handleInputChange}
            className="w-full bg-white/5 border border-white/10 rounded-xl px-4 py-3 text-[#e5e2e0] focus:borde
        >;
        <option value="250g"; className="bg-[#1e1511] text-[#e5e2e0]";>250g</option>;
        <option value="500g"; className="bg-[#1e1511] text-[#e5e2e0]";>500g</option>;
        <option value="1kg"; className="bg-[#1e1511] text-[#e5e2e0]";>1kg</option>;
        <option value="1.5kg"; className="bg-[#1e1511] text-[#e5e2e0]";>1.5kg</option>;
        <option value="2kg"; className="bg-[#1e1511] text-[#e5e2e0]";>2kg</option>;
        <option value="Custom (specify in cake details)"; className="bg-[#1e1511] text-[#e5e2e0]
    </select>;
</div>;

<div>;
    <label htmlFor="quantity"; className="block text-xs uppercase tracking-wider text-[#e5e2e0]
        Cake Quantity *
    </label>;
    <select
        id="quantity";
        name="quantity";
        value={formData.quantity}
        onChange={handleInputChange}
        className="w-full bg-white/5 border border-white/10 rounded-xl px-4 py-3 text-[#e5e2e0] focus:borde
    >;
    <option value="1"; className="bg-[#1e1511] text-[#e5e2e0]";>1</option>;
    <option value="2"; className="bg-[#1e1511] text-[#e5e2e0]";>2</option>;
    <option value="3"; className="bg-[#1e1511] text-[#e5e2e0]";>3</option>;
    <option value="More than 3"; className="bg-[#1e1511] text-[#e5e2e0]";>More than
    </select>;
</div>;

<div>;
    <label htmlFor="eggPreference"; className="block text-xs uppercase tracking-wider text-[#e5e2e0]
        Egg Preference *
    </label>;
    <select
        id="eggPreference";
        name="eggPreference";
        value={formData.eggPreference}
        onChange={handleInputChange}
        className="w-full bg-white/5 border border-white/10 rounded-xl px-4 py-3 text-[#e5e2e0] focus:borde
    >;
    <option value="Eggless"; className="bg-[#1e1511] text-[#e5e2e0]";>Eggless</option>;
    <option value="With Egg"; className="bg-[#1e1511] text-[#e5e2e0]";>With Egg</option>;
    </select>;
</div>;
</div>;

{/* 5. Is this a surprise order? */}
<div>;
    <label htmlFor="isSurprise"; className="block text-xs uppercase tracking-wider text-[#e5e2e0]
        Is this a surprise order? *
    </label>;
    <select
        id="isSurprise";
        name="isSurprise";
        value={formData.isSurprise}
        onChange={handleInputChange}
        className="w-full bg-white/5 border border-white/10 rounded-xl px-4 py-3 text-[#e5e2e0] focus:borde
    >;
    <option value="No"; className="bg-[#1e1511] text-[#e5e2e0]";>No</option>;
    <option value="Yes"; className="bg-[#1e1511] text-[#e5e2e0]";>Yes</option>;
    </select>;
</div>;

{/* 6. Cake Details / Message */}
<div>;
    <label htmlFor="message"; className="block text-xs uppercase tracking-wider text-[#e5e2e0]
        Message / Cake Details *
    </label>;
    <textarea
        id="message";
        name="message";

```

```

        rows={3}
        value={formData.message}
        onChange={handleInputChange}
        className={`w-full bg-white/5 border ${errors.message ? 'border-red-500' : 'border-white/10'}
        placeholder="Flavor, theme description, frosting style, custom message details..."`}
      />
      {errors.message && <p className="text-red-400 text-xs mt-1">{errors.message}</p>
    }</div>

    /* 7. Special Instructions */
    <div>
      <label htmlFor="specialInstructions" className="block text-xs uppercase tracking-wider tex
      Special Instructions (Optional)
    </label>
    <textarea
      id="specialInstructions"
      name="specialInstructions"
      rows={2}
      value={formData.specialInstructions}
      onChange={handleInputChange}
      className="w-full bg-white/5 border border-white/10 rounded-xl px-4 py-3 text-[#e5e2e0] placeholder-
      placeholder="Allergies, packaging preferences, specific time note..."`
    />
    </div>

    /* 8. Add-ons Checkboxes */
    <div className="space-y-2">
      <label className="block text-xs uppercase tracking-wider text-[#e5e2e0]/60">
        Add-ons (Optional)
      </label>
      <div className="grid grid-cols-2 sm:grid-cols-3 gap-3 pt-1">
        {[&Candles,, &Cake Topper,, &Balloons/Decoration,, &Greeting Card&
        <label key={addon} className="flex items-center gap-2.5 cursor-pointer text-xs md:text-sm text-
        <input
          type="checkbox"
          checked={formData.addOns.includes(addon)}
          onChange={() => handleCheckboxChange(addon)}
          className="accent-primary w-4 h-4 rounded border-white/10 cursor-pointer"
        />
        {addon}
      </label>
    )}]
    </div>
  </div>

  /* 9. Submit Button */
  <div className="pt-4">
    <button
      type="submit"
      className="w-full bg-primary text-on-primary font-semibold py-3.5 rounded-full hover:brightness-110 a
    >
    <Send size={14} />
    <Send Enquiry on WhatsApp
  </button>
  </div>
  </form>
})
</div>
</div>
</section>

/* 3. Maps Embed */
<section className="max-w-7xl mx-auto px-6 pt-10">
  <div className="h-[450px] w-full rounded-3xl overflow-hidden border border-white/5 shadow-2xl relative bg-whit
  <iframe
    src="https://maps.google.com/maps?q=The%20Cakes%20Floor%20near%20Sai%20Mandir%20Khat%20Road%20Bhanda
    width="100%"
    height="100%"
    style={{ border: 0 }}
    allowFullScreen
    loading="lazy"
    title="The Cakes Floor Bhandara Map Location"
  />
  </div>
  </section>
</div>

```

```
);  
};
```

■ src/pages/PrivacyPolicy.tsx

```
import React from 'react';
import { SEO } from 'components/SEO';

export const PrivacyPolicy: React.FC = () => {
  return (
    <div className="pt-24 pb-16 bg-[#0c0c0c] min-h-screen">
      <SEO
        title="Privacy Policy"
        description="Read the Privacy Policy of The Cakes Floor Bhandara to learn how we protect your personal ordering d"
        path="/privacy-policy"
        robots="noindex, follow"
      />
      <div className="py-16 bg-gradient-to-b from-[#181817] to-background border-b border-white/5">
        <div className="max-w-4xl mx-auto px-6 text-center space-y-4">
          <span className="font-body text-xs uppercase tracking-[0.25em] text-primary">Legal</span>
          <h1 className="font-display text-4xl md:text-5xl lg:text-6xl font-bold text-on-surface">Privacy Policy</h1>
          <div className="w-16 h-[1px] bg-primary/50 mx-auto mt-4"></div>
        </div>
      </div>

      <div className="max-w-4xl mx-auto px-6 py-16 text-left text-[#e5e2e0]/80 font-body space-y-10">
        <p>Last Updated: July 2026</p>
        <p>The Cakes Floor (<span>we,</span> <span>our,</span> <span>us</span>) operates this website to share information about</p>
        <div>
          <h2>Information We Collect</h2>
          <p>When you use our Contact/Enquiry form, we collect:</p>
          <ul>
            <li>Your name</li>
            <li>Your phone number</li>
            <li>Any message details you provide</li>
          </ul>
          <p>If you use our <span>Get Directions</span> feature, your device may share your location with Google Maps to calcula</p>
        </div>

        <div>
          <h2>How We Use Your Information</h2>
          <p>We use the information you provide solely to:</p>
          <ul>
            <li>Respond to your cake orders and enquiries</li>
            <li>Contact you regarding your order details</li>
            <li>Improve our products and customer service</li>
          </ul>
          <p>We do not sell, rent, or trade your personal information to third parties.</p>
        </div>

        <div>
          <h2>Third-Party Services</h2>
          <p>Our website uses the following third-party services, which have their own privacy policies:</p>
          <ul>
            <li>Google Maps – for location and directions</li>
            <li>Instagram and WhatsApp – if you choose to contact us through these platforms, their respective privacy p</li>
          </ul>
          <p>We do not currently use analytics or advertising tracking tools on this site. (If you add Google Analytics or simi</p>
        </div>

        <div>
          <h2>Data Retention</h2>
          <p>We retain enquiry information only as long as necessary to respond to and fulfill your request, or as required by</p>
        </div>
      </div>
    </div>
  );
};
```

</div>

<div className="space-y-4">

<h2 className="font-display text-2xl font-semibold text-on-surface">Your Rights</h2>

<p>

You may contact us at any time to request that we delete or update the information you've shared with us.

</p>

</div>

<div className="space-y-4">

<h2 className="font-display text-2xl font-semibold text-on-surface">Cookies</h2>

<p>

This website does not currently use tracking cookies. (Update this if you add analytics, ads, or a cart/login system)

</p>

</div>

<div className="space-y-4">

<h2 className="font-display text-2xl font-semibold text-on-surface">Changes to This Policy</h2>

<p>

We may update this Privacy Policy from time to time. Changes will be posted on this page with an updated revision number.

</p>

</div>

<div className="space-y-4">

<h2 className="font-display text-2xl font-semibold text-on-surface">Contact Us</h2>

<p>If you have questions about this Privacy Policy, please contact us:</p>

<ul className="list-disc list-inside pl-4 space-y-2">

Phone: +91 78873 24373

Branch 1 (Bhandara): Zilla Parishad Square, Takiya Ward, Near Sai Mandir, Near, Ganeshpur, Bhandara, Maharashtra

Branch 2 (Lakhani): Gangotri Building, Murmadi, Lakhani, Maharashtra

</div>

</section>

</div>

>

>

■ src/pages/TermsOfService.tsx

```
import React from 'react';
import { SEO } from 'components/SEO';

export const TermsOfService: React.FC = () => {
  return (
    <div className="pt-24 pb-16 bg-[#0c0c0c] min-h-screen">
      <SEO
        title="Terms of Service"
        description="Read the Terms of Service of The Cakes Floor Bhandara to understand our ordering policies, custom de"
        path="/terms-of-service"
        robots="noindex, follow"
      />
      </* 1. Page Header */>
      <section className="py-16 bg-gradient-to-b from-[#181817] to-background border-b border-white/5 relative">
        <div className="max-w-4xl mx-auto px-6 text-center space-y-4">
          <span className="font-body text-xs uppercase tracking-[0.25em] text-primary">Legal</span>
          <h1 className="font-display text-4xl md:text-5xl lg:text-6xl font-bold text-on-surface">Terms of Service</h1>
          <div className="w-16 h-[1px] bg-primary/50 mx-auto mt-4"></div>
        </div>
      </section>

      </* 2. Page Content */>
      <section className="max-w-4xl mx-auto px-6 py-16 text-left text-[#e5e2e0]/80 font-body space-y-10 leading-relaxed">
        <div className="space-y-4">
          <p className="text-xs uppercase tracking-widest text-primary font-bold">Last Updated: July 2026</p>
          <p>Welcome to The Cakes Floor website. By accessing or using our website, you agree to the following terms.</p>
        </div>

        <div className="space-y-4">
          <h2>About Our Website</h2>
          <p>This website provides information about The Cakes Floor, including our menu, locations, gallery, and customer reviews.</p>
        </div>

        <div className="space-y-4">
          <h2>Enquiries and Orders</h2>
          <ul>
            <li>Submitting the Contact/Enquiry form does not constitute a confirmed order. All orders are confirmed only after d</li>
            <li>Prices, availability, and designs shown on this website (including the Menu and Gallery pages) are indicative an</li>
            <li>Custom cake designs are subject to feasibility and availability of ingredients at the time of order.</li>
          </ul>
        </div>

        <div className="space-y-4">
          <h2>Our Branches</h2>
          <p>The Cakes Floor operates two branches:</p>
          <ul>
            <li>Bhandara – Zilla Parishad Square: Zilla Parishad Square, Takiya Ward, Near Sai Mandir, Near, Ganeshpur,</li>
            <li>Lakhani: Gangotri Building, Murmadi, Lakhani, Maharashtra</li>
          </ul>
        </div>

        <div className="space-y-4">
          <h2>Intellectual Property</h2>
          <p>All content on this website – including our logo, photographs, text, and design – is the property of The Cakes Flo</p>
        </div>

        <div className="space-y-4">
          <h2>Accuracy of Information</h2>
          <p></p>
        </div>
      </section>
    </div>
  );
};
```


While we make every effort to keep information on this website accurate and up to date (menu items, prices, hours)
</p>
</div>

<div className="space-y-4">
<h2 className="font-display text-2xl font-semibold text-on-surface">Limitation of Liability</h2>
<p>
The Cakes Floor is not liable for any indirect, incidental, or consequential damages arising from the use of this
</p>
</div>

<div className="space-y-4">
<h2 className="font-display text-2xl font-semibold text-on-surface">Third-Party Links</h2>
<p>
Our website contains links to third-party platforms (Instagram, WhatsApp, Google Maps). We are not responsible for
</p>
</div>

<div className="space-y-4">
<h2 className="font-display text-2xl font-semibold text-on-surface">Governing Law</h2>
<p>
These Terms of Service are governed by the laws of India, and any disputes shall be subject to the jurisdiction of
</p>
</div>

<div className="space-y-4">
<h2 className="font-display text-2xl font-semibold text-on-surface">Changes to These Terms</h2>
<p>
We may update these Terms of Service from time to time. Continued use of the website after changes are posted cons
</p>
</div>

<div className="space-y-4">
<h2 className="font-display text-2xl font-semibold text-on-surface">Contact Us</h2>
<p>For questions regarding these Terms of Service, please contact us:</p>
<ul className="list-disc list-inside pl-4 space-y-2">
Phone: +91 78873 24373

</div>

</section>

</div>