sample_01 vs sample_02

Generated 2026-08-22 16:25 · 700 images

What should I look at?

38 images have low semantic fit. They don't strongly match any of the detected themes — worth a quick look to confirm they belong in this dataset.

26 images belong to near-duplicate groups. This may be expected (e.g. burst-mode photos, or the same subject appearing in both datasets) or a sign of redundancy, depending on what this dataset is for.

Compared with “sample_02”: distributional distance 0.152. For reference, splitting this dataset into two random halves gives 0.022 — that's roughly the gap you'd expect from sampling alone, even between two halves of the exact same dataset. A distance well above that suggests a genuinely different overall makeup; a distance close to it suggests the two are hard to tell apart, distribution-wise.



Texture distance from “sample_02”: 0.083. This looks at low-level visual texture (not subject matter) — splitting this dataset into two random halves gives 0.000 as a reference. Two datasets can be texturally similar even when the distributional distance above says they differ in subject matter, or vice versa — different cameras, compression, or rendering can show up here even when the content itself looks the same.



OVERVIEW

700
TOTAL IMAGES
500 200

95%
SEMANTIC COVERAGE
92% 100%

5.4%
LOW SEMANTIC FIT
7.6% 0.0%

3.3%
VISUAL REDUNDANCY
4.2% 1.0%

20
SEMANTIC AXES

13% / 0%
LARGEST / SMALLEST CLUSTER



Axis sizes
waves
open fire
water
clothes
cup
violins
cat
snow
tall building
horse
chef
owl
pottery
toys
astronaut
train
lavender fields
tunnel
road
air
68
63
45
43
40
40
39
37
35
34
34
28
23
21
21
21
20
19
17
14
sample_01
sample_02
0
10
20
30
40
50
60
70
images



Semantic coverage
Classified (94.6%)
Unclassified (5.4%)
sample_01
sample_02



Visual redundancy
Unique (96.7%)
Near-duplicate (3.3%)
sample_01
sample_02

WHAT IS IN YOUR DATASETS?

One representative image per semantic axis — for auto-detected axes, the image closest to the cluster centroid; for custom text axes (which have no centroid image of their own), a random image that dominates that axis.

open fire

water



waves

clothes

cup

cat

violins

snow

chef

horse

owl

tall building

astronaut

lavender fields

road

pottery

train



air

tunnel



toys

DATASET COMPOSITION

Two independent signals: whether an image fits a semantic theme at all, and whether it's visually a near-duplicate of another image.

What doesn't fit?: Low semantic fit — 38 images (5.4%)

0280.jpg
sample_01

0636.jpg
sample_01

0230.jpg
sample_01

0253.jpg
sample_01



0620.jpg
sample_01

+33
MORE...

How much visual redundancy is there?: Near duplicates — 26 images (3.7%)



Group 1
0680.jpg
sample_01



0681.jpg
sample_01



0683.jpg
sample_01

0065.jpg
sample_02



0165.jpg
sample_02

+2
MORE...



Group 2
0687.jpg
sample_01



0688.jpg
sample_01



0689.jpg
sample_01



0690.jpg
sample_01



0096.jpg
sample_02

+2
MORE...

Group 3
0122.jpg
sample_01

0685.jpg
sample_01

0686.jpg
sample_01

Group 4
0657.jpg
sample_01

0695.jpg
sample_01

0696.jpg
sample_01

Group 5
0559.jpg
sample_01

0699.jpg
sample_01

Group 6
0618.jpg
sample_01

0697.jpg
sample_01



Group 7
0693.jpg
sample_01

0051.jpg
sample_02

HOW DIVERSE ARE THEY?



HOW DO THE TWO DATASETS COMPARE?





UMAP — sample_01 vs sample_02
Axis
Other
air
astronaut
cat
chef
clothes
cup
horse
lavender fields
open fire
owl
pottery
road
snow
tall building
toys
train
tunnel
violins
water
waves
Dataset
sample_01
sample_02