Generated by Scopus AI, Sat Oct 10 2026

Post-harvest grain loss in developing countries

Post-Harvest Grain Loss in Developing Countries: Quantitative Assessment, Economic Impact, and Research Gaps with a Focus on Undetected Spoilage and Pest Infestation

Quick Reference

Key Findings Table

Metric/Theme	Range/Value	Notes	Citations
Total post-harvest grain loss (storage)	20–40% of total harvest	Higher in traditional storage; up to 60% in extreme cases	1 2 3 4
Loss due to pest infestation	20–40% of stored grain	Insect pests and rodents are dominant; varies by crop and region	4 5 6
Loss due to undetected spoilage	10–20% (est.)	Less frequently quantified separately; includes mold, rot, mycotoxins	5 7
Direct economic impact (SSA)	~US$4 billion/year	Sub-Saharan Africa; 15% of total cereal production	8
Loss per smallholder (East Africa)	11–25% of harvest	Maize/beans; two-thirds of loss during storage	9 10
ROI for hermetic storage (PICS bags)	13–80%	Highest for maize; MRR up to 3059% for cowpeas	11 12
Adoption barriers (improved storage)	High cost, low awareness	Training and credit access increase adoption	13 14

Direct Answer

Current research indicates that post-harvest grain losses in developing countries due to undetected spoilage and pest infestation typically range from approximately **20% to 40% of the total harvest**. Pest infestations are estimated to account for roughly **20–40%** of the losses, while undetected spoilage contributes an additional estimated **10–20%**. Economically, these losses translate into significant financial impacts on small-to-medium scale farmers; for example, smallholder farmers in sub-Saharan Africa experience direct economic losses estimated at around **US$4 billion annually**, with individual losses often forcing farmers to sell grain at lower prices due to quality degradation.

Study Scope

- **Time Period:** Primarily post-2015 studies, with some foundational references from the past two decades.
- **Disciplines:** Post-harvest technology, agricultural economics, food security, pest management, rural development.
- **Methods:** Meta-analyses, field surveys, case studies, cost-benefit analyses, technology trials, and reviews of detection methodologies.

Assumptions & Limitations

- Loss estimates are often based on localized or crop-specific studies; cross-regional comparability is limited by methodological heterogeneity and data reliability issues.
- Quantitative separation of undetected spoilage from pest-induced losses is rare; most studies report aggregate losses.
- Economic impact figures are often extrapolated from national or regional data, with limited granularity at the individual farmer level.
- Adoption and effectiveness of improved storage technologies are context-dependent and influenced by socio-economic and infrastructural factors.

Suggested Further Research

- Standardized, large-scale field studies to distinctly quantify undetected spoilage versus pest infestation losses.
- Validation and adaptation of emerging detection technologies (e.g., IoT, AI, hyperspectral imaging) for smallholder contexts.
- Longitudinal studies on the economic and food security impacts of post-harvest loss reduction interventions.
- Participatory research integrating indigenous knowledge and farmer-led innovation in storage management.

1. Introduction

Background and Scope

Post-harvest grain loss remains a critical challenge in developing countries, undermining food security, rural livelihoods, and economic development. Losses during storage—particularly those caused by undetected spoilage (e.g., mold, rot, mycotoxins) and pest infestation (insects, rodents)—are especially severe for small-to-medium scale farmers who often lack access to improved storage infrastructure and effective detection technologies. These losses not only reduce the quantity of edible grain but also degrade quality, marketability, and nutritional value, with cascading effects on household income and regional food systems [1] [4] [15] [16].

2. Quantification of Post-Harvest Grain Loss Due to Undetected Spoilage and Pest Infestation

2.1 Overall Loss Rates and Attribution

- **Aggregate Losses:** Post-harvest grain losses during storage in developing countries typically range from 20% to 40% of the total harvest, with some extreme cases reporting up to 60% loss under poor management [1] [2] [3] [4].
- **Pest Infestation:** Insect pests and rodents are the primary culprits, accounting for 20–40% of storage losses. For example, in sub-Saharan Africa, pest-related losses are commonly estimated between 10–40% [4] [5] [6].
- **Undetected Spoilage:** Losses due to undetected spoilage (mold, rot, mycotoxins) are less frequently quantified separately but are estimated at 10–20% of stored grain. Spoilage is often exacerbated by high moisture and poor drying practices [5] [7].
- **Regional Example:** In Kitui County, Kenya, pest infestation accounted for 62.7% of post-harvest losses, while moisture-related spoilage contributed 42% [5].

Synthesis

While pest infestation is the leading cause of post-harvest grain loss, undetected spoilage remains a significant and often underreported contributor. The lack of standardized measurement protocols complicates precise attribution, but the combined effect is consistently devastating for smallholder farmers [1] [4] [5].

2.2 Crop-Specific and Regional Variations

- **Maize:** Losses due to insect pests can reach up to 57% in some regions (e.g., Kenya), with traditional storage methods particularly vulnerable [17].
- **Rice:** Global annual losses due to insect pests are estimated at 35.55 million tonnes, with up to 200 million tonnes lost to various biotic and abiotic factors [18].
- **Wheat:** Infestation by pests like Trogoderma granarium can result in up to 65–69% thiamine loss at high infestation levels, indicating severe quality degradation [19].
- **Regional Differences:** Loss rates are higher in humid tropical regions (Africa, South Asia) due to favorable conditions for pests and spoilage organisms [16] [20] [21].

Table: Comparative Loss Rates by Crop and Region

Crop	Typical Loss Range	Notable Regional Examples	Main Drivers
Maize	10–57%	Kenya, Tanzania, Benin	Insect pests, poor storage
Rice	10–40%	South/Southeast Asia, Africa	Insects, humidity, spoilage
Wheat	7–40%	India, Ethiopia, Turkey	Pests, moisture, fungi

2.3 Measurement Methodologies

- **Traditional Methods:** Visual/manual inspection, grain probes, insect traps, and pheromone devices—labor-intensive and often detect pests only after significant damage [22] [23].
- **Advanced Non-Destructive Methods:** Hyperspectral imaging, X-ray imaging, near-infrared spectroscopy, acoustic sensors, and electronic noses—offer earlier, more sensitive detection of hidden infestations and spoilage [24] [25] [26] [27].
- **AI and IoT Integration:** Machine learning enhances detection accuracy and enables real-time monitoring, though field validation and cost remain barriers [28] [29] [30].

Synthesis

Emerging detection technologies promise significant improvements in early identification of spoilage and pest infestation, but their adoption in smallholder contexts is limited by cost, technical complexity, and lack of local validation [24] [25] [29].

2.4 Emerging Detection Technologies

- **Electronic Noses (E-nose):** Real-time, non-invasive detection of spoilage, fungal infection, and insect infestation; accuracy enhanced by machine learning and IoT integration [29].
- **Hyperspectral Imaging:** Enables early detection of spoilage and contaminants; adoption limited by cost and data management complexity [31].
- **Acoustic Sensors:** Achieve >99% accuracy in pest detection when combined with deep learning and IoT networks [30].
- **Barriers:** High initial costs, skill gaps, and connectivity issues limit widespread adoption in smallholder settings [32] [33].

2.5 Influence of Storage Duration and Environmental Conditions

- **Storage Duration:** Longer storage increases risk of pest infestation and spoilage, especially in traditional systems [34].
- **Environmental Factors:** High temperature and humidity accelerate both pest proliferation and microbial spoilage; improved storage (hermetic, cold storage) mitigates these effects [35] [36] [37].
- **Improved Storage:** Hermetic and cold storage systems reduce losses to below 4%, compared to over 60% in traditional jute sacks [38] [39].

3. Economic Impact on Small-to-Medium Scale Farmers

3.1 Direct Economic Losses and Market Impacts

- **Aggregate Economic Loss:** In sub-Saharan Africa, post-harvest grain losses equate to approximately US$4 billion annually, representing about 15% of total cereal production [8].
- **Farmer-Level Losses:** Smallholder maize farmers lose 11–25% of their harvest post-harvest, with two-thirds of this loss during storage [9] [10].
- **Market Effects:** Grain with >20% damage is often unmarketable, forcing farmers to sell early at lower prices, reducing income stability [15].
- **Food Security:** Losses reduce food availability and household dietary diversity, exacerbating poverty and malnutrition [5] [40].

3.2 Regional Case Studies

- **East Africa (Tanzania, Kenya):** Maize and bean farmers experience over 50% qualitative and quantitative losses annually due to storage pests; pest infestation is the leading cause (62.7% in Kitui County, Kenya) [5] [41].
- **South Asia:** Losses range from 4.6% to over 40% depending on crop and region; poor storage and pest infestation drive income instability and market volatility [42] [43].

3.3 Cost-Benefit Analysis of Improved Storage Technologies

- **Hermetic Storage (PICS bags):** Marginal Rate of Return (MRR) up to 3059% for cowpeas and 544% for maize over three seasons; ROI for maize in hermetic bags ranges from 13% to 80% [11] [12].
- **Adoption Barriers:** High cost, limited availability, and low awareness; training and credit access significantly increase adoption [13] [14].
- **Policy Implications:** Subsidies, training, and credit support are effective in promoting adoption and reducing losses [44] [45].

3.4 Long-Term Effects on Livelihoods and Food Security

- **Income Stability:** Post-harvest losses force early sales at low prices, reducing income and increasing vulnerability to shocks [4] [5].
- **Market Access:** Quality degradation limits access to premium markets; improved storage enhances marketability and income [42] [46].
- **Food Security:** Losses of 20–40% of cereals directly reduce household food availability and increase food insecurity [40] [47].

4. Regional Variations and Influencing Factors

4.1 Climatic and Environmental Influences

- **Temperature and Humidity:** High grain moisture and elevated temperatures promote mold growth and insect infestations, causing up to one-third of global grain production loss annually [48] [49].
- **Regional Patterns:** Losses are highest in humid tropics (Africa, South Asia); cold storage and improved drying reduce losses [50] [51].
- **Climate Change:** Increases in temperature and rainfall variability exacerbate losses, especially in sub-Saharan Africa [52].

4.2 Pest and Pathogen Diversity

- **Africa:** Dominant pests include Prostephanus truncatus, Sitophilus zeamais, and rodents; mycotoxin-producing fungi (Aspergillus, Fusarium) are prevalent [53] [54] [55].
- **Asia:** Maize weevil and rice weevil are major pests; pest-host interactions vary by crop and region [56].
- **Impact:** Regional pest/pathogen composition affects loss severity and management strategies [57] [58].

4.3 Socio-Economic and Infrastructural Drivers

- **Education and Extension:** Access to extension services and farmer education reduces losses by over 50% in some cases [59] [60].
- **Infrastructure:** Poor storage facilities, transportation, and market access increase losses; improved infrastructure mitigates these effects [61] [62].
- **Adoption of Technologies:** Influenced by income, credit access, group membership, and training [14] [63].

5. Research Gaps and Methodological Challenges

5.1 Data Reliability and Measurement Challenges

- **Lack of Standardization:** Wide variation in loss estimates due to inconsistent methodologies and reliance on subjective reports [64] [65] [66].
- **Measurement Tools:** High cost and technical requirements limit widespread use of advanced detection methods in rural areas [67] [68].
- **Separation of Loss Causes:** Few studies distinctly quantify undetected spoilage versus pest-induced losses [69] [70].

5.2 Validation and Field Evaluation of Alternative Pest Control Methods

- **Botanical Pesticides:** Diatomaceous earths, essential oils, and plant extracts show promise but require large-scale field validation [71] [72] [73].

- **Biological Control:** Integration with botanical methods is under-researched; participatory trials needed [73] [74].

5.3 Emerging Technologies for Detection and Management

- **IoT and AI:** Enable real-time monitoring and predictive analytics but face barriers of cost, infrastructure, and digital literacy [75] [76] [77].
- **Sensor Fusion:** Combining multiple sensor types with AI improves accuracy but requires further adaptation for smallholder use [78] [79].

5.4 Future Research Directions

- **Standardized Field Studies:** Needed to quantify and separate undetected spoilage and pest losses [7] [69].
- **Technology Validation:** Field trials of IoT, AI, and non-destructive sensors in diverse smallholder contexts [77] [80].
- **Participatory Approaches:** Integration of indigenous knowledge and farmer-led innovation in storage management [81] [82].

6. Conclusion

Key Insights and Policy Implications

- **Scale of Losses:** Post-harvest grain losses due to undetected spoilage and pest infestation in developing countries are substantial, typically ranging from 20–40% of the total harvest, with direct economic impacts reaching billions of dollars annually [1] [11] [15].
- **Drivers:** Loss rates are driven by climatic conditions, storage practices, pest/pathogen diversity, and socio-economic factors such as education and infrastructure [59].
- **Technological Solutions:** Hermetic storage, AI/IoT-based detection, and integrated pest management can significantly reduce losses but require targeted support for adoption [11] [12].
- **Research Gaps:** Standardized, large-scale data collection and validation of emerging technologies are critical for effective loss reduction [69].
- **Policy Recommendations:** Investment in farmer training, extension services, affordable storage technologies, and participatory research is essential to reduce post-harvest losses and improve food security for small-to-medium scale farmers.

Synthesis

Smallholder farmers in developing countries face persistent and substantial post-harvest grain losses—primarily from pest infestation and undetected spoilage—resulting in severe economic and food security challenges. While

technological innovations and improved storage systems offer promising solutions, their impact is constrained by adoption barriers, data gaps, and the need for context-specific validation. Addressing these challenges requires coordinated efforts in research, policy, and extension to ensure sustainable, equitable, and scalable loss reduction strategies [1] [15] [59] [69].

References

1. The metal silo: An effective grain storage technology for reducing post-harvest insect and pathogen losses in maize while improving smallholder farmers' food security in developing countries Tefera, T., Kanampiu, F., De Groote, H., (...), Banziger, M. Crop Protection, 2011 https://www.scopus.com/pages/publications/79551682152?origin=scopusAI

2. Biorational methods for effective pest control management in stored products for agricultural sustainability Murugesan, P., Krishanan, A., Ramasamy, P., (...), Alasmari, A. Entomological Research, 2024 https://www.scopus.com/pages/publications/85182856502?origin=scopusAI

3. POST-HARVEST DETERIORATION OF STORED GRAIN IN THE HUMID TROPICS. Sinha, R.N. Paper - American Society of Agricultural Engineers, 1979 https://www.scopus.com/pages/publications/85069356418?origin=scopusAI

4. Farmer knowledge and management of rodent and insect pests in stored grain: Evidence from smallholder systems in Nangoma Agricultural Camp, Mumbwa District, Zambia Nduna, N., Nyirenda, V.R. Journal of Stored Products Research, 2026 https://www.scopus.com/pages/publications/105043313761?origin=scopusAI

5. POST-HARVEST LOSS REDUCTION STRATEGIES AND THEIR CONTRIBUTION TO HOUSEHOLD FOOD SECURITY AND NUTRITION IN KITUI COUNTY, KENYA Nyamai, M., Anuri, P. African Journal of Food, Agriculture, Nutrition and Development, 2025 https://www.scopus.com/pages/publications/105021225055?origin=scopusAI

6. On-farm storage loss estimates of maize in Kenya using community survey methods De Groote, H., Muteti, F.N., Bruce, A.Y. Journal of Stored Products Research, 2023 https://www.scopus.com/pages/publications/85150475518?origin=scopusAI

7. Biochemical, functional, and nutritive changes during storage Rosentrater, K.A. Storage of Cereal Grains and their Products, 2022 https://www.scopus.com/pages/publications/85143374778?origin=scopusAI

8. Reducing Postharvest Loss of Stored Grains Using Plant-Based Biopesticides: A Review of Past Research Efforts Bezabih, G., Satheesh, N., Workneh Fanta, S., (...), Atlabachew, M. Advances in Agriculture, 2022 https://www.scopus.com/pages/publications/85127076013?origin=scopusAI

9. Post-harvest losses reduction by small-scale maize farmers: The role of handling practices Chegere, M.J. Food Policy, 2018 https://www.scopus.com/pages/publications/85047099663?origin=scopusAI

10. Post-harvest food losses in a maize-based farming system of semi-arid savannah area of Tanzania Abass, A.B., Ndunguru, G., Mamiro, P., (...), Bekunda, M. Journal of Stored Products Research, 2014 https://www.scopus.com/pages/publications/84898056483?origin=scopusAI

11. Economic assessment of shelled maize and cowpea storage practices among smallholder farmers: Evidence from Zimbabwe Ngwenyama, P., Siziba, S., Stathers, T.E., (...), Mvumi, B.M. Journal of Stored Products Research, 2026 https://www.scopus.com/pages/publications/105023134531?origin=scopusAI

12. The use and profitability of hermetic technologies for grain storage among smallholder farmers in eastern Kenya Baributsa, D., Njoroge, A.W. Journal of Stored Products Research, 2020 https://www.scopus.com/pages/publications/85083518878?origin=scopusAI

13. Major barriers to adoption of improved postharvest technologies among smallholder farmers in sub-Saharan Africa and South Asia: A systematic literature review Bisheko, M.J., G, R. World Development Sustainability, 2023 https://www.scopus.com/pages/publications/85168909783?origin=scopusAI

14. PICS bag adoption intensity in southern Tanzania: synergy of training and credit Zacharia, H., Feleke, S., Nyaa, M., Baributsa, D. Frontiers in Sustainable Food Systems, 2025 https://www.scopus.com/pages/publications/105026795611?origin=scopusAI

15. Economic consequences of post-harvest insect damage in Rwandan common bean markets Jones, M.S., Alexander, C.E., Smith, B. Crop Protection, 2018 https://www.scopus.com/pages/publications/85034042964?origin=scopusAI

16. Post-harvest storage and preservation of tropical crops Aidoo, K.E. International Biodeterioration and Biodegradation, 1993 https://www.scopus.com/pages/publications/0027789246?origin=scopusAI

17. Crop-pest yield loss: A diagnostic study in the kenya highlands* Grisley, W. International Journal of Pest Management, 1997 https://www.scopus.com/pages/publications/0030666335?origin=scopusAI

18. Sucking Pests of Rice Singh, S., Tiwari, S.N. Sucking Pests of Crops, 2020 https://www.scopus.com/pages/publications/85151199326?origin=scopusAI

19. Vitamin contents of cereal grains as affected by storage and insect infestation Jood, S., Kapoor, A.C. Plant Foods for Human Nutrition, 1994 https://www.scopus.com/pages/publications/34249764116?origin=scopusAI

20. The use of hermetic bags for on farm storage of grains and pulses against insect pests Coffi, H., Nyabicha, J., Ouma, J.O. Outlooks on Pest Management, 2016 https://www.scopus.com/pages/publications/85045838708?origin=scopusAI

21. Pest and Disease Related Post-Harvest Losses in Rice: AReview Aruna, G., Nisha, R., Chandraprabha, S., (...), Prakash, K. Agricultural Science Digest, 2026 https://www.scopus.com/pages/publications/105036532494?origin=scopusAI

22. Ensuring food security: Strategies for insect pest detection in storage - A review Keerthana, B., Preetha, G., Saminathan, V.R., (...), Logeswaran, K. International Food Research Journal, 2025 https://www.scopus.com/pages/publications/105030105401?origin=scopusAI

23. Detection techniques for stored-product insects in grain Neethirajan, S., Karunakaran, C., Jayas, D.S., White, N.D.G. Food Control, 2007 https://www.scopus.com/pages/publications/33746216925?origin=scopusAI

24. Research Status and Prospects of Hidden Pest Detection Methods in Grain Storage Luo, T., Yan, L., Zhao, C., (...), Li, L. Journal of the Chinese Cereals and Oils Association, 2025 https://www.scopus.com/pages/publications/105010719621?origin=scopusAI

25. Imaging technologies for non-invasive detection of insect pest infestations in stored food grains: a review Keerthana, B., Preetha, G., Krishnamoorthy, U., (...), Malathi, J. Journal of Plant Diseases and Protection, 2026 https://www.scopus.com/pages/publications/105045280907?origin=scopusAI

26. Advanced non-destructive detection methods for monitoring biological factors in post-harvest maize losses during transportation and storage Kwadzokpui, B.A., Lin, H., Johnson, N.A.N., (...), Ekumah, J.-N. Journal of Food Composition and Analysis, 2026 https://www.scopus.com/pages/publications/105038738570?origin=scopusAI

27. A molecular approach for the detection and quantification of Tribolium castaneum (Herbst) infestation in stored wheat flour Negi, A., Anandharaj, A., Kalakandan, S., Rajamani, M. Food Technology and Biotechnology, 2021 https://www.scopus.com/pages/publications/85104987504?origin=scopusAI

28. Artificial intelligence in stored-product pest monitoring and decision support: Implications for reduced-risk and botanical control Ogungbite, O.C., Ogungbite, A.B. Journal of Stored Products Research, 2026 https://www.scopus.com/pages/publications/105038006082?origin=scopusAI

29. An outlook of recent advances in chemiresistive sensor-based electronic nose systems for food quality and environmental monitoring John, A.T., Murugappan, K., Nisbet, D.R., Tricoli, A. Sensors, 2021 https://www.scopus.com/pages/publications/85102954006?origin=scopusAI

30. Pest Detection in Smart Farms: Integrating Sound, Deep Learning, and IoT Ali, M.A., Shohel Sayeed, M., Abdul Razak, S.F. 2025 International Conference on Information and Communication Technology, ICoICT 2025, 2025 https://www.scopus.com/pages/publications/105020951127?origin=scopusAI

31. Advancing food security through drone-based hyperspectral imaging: applications in precision agriculture and post-harvest management Kar, D., Dhal, S.B. Environmental Monitoring and Assessment, 2025 https://www.scopus.com/pages/publications/85218337861?origin=scopusAI

32. Advancing postharvest storage management using sensors and smart technologies: A national and global perspective Ahmad, A., Jalal, F., Fahad, S., (...), Nawaz, T. Environmental Challenges, 2026 https://www.scopus.com/pages/publications/105024209152?origin=scopusAI

33. Optical screening of citrus leaf diseases using label-free spectroscopic tools: A review Bharadwaj, S., Midha, A., Sharma, S., (...), Kumar, R. Journal of Agriculture and Food Research, 2024 https://www.scopus.com/pages/publications/85199797092?origin=scopusAI

34. Stored-products entomology in the tropics Khan, A.R., Mannan, A. Agricultural zoology reviews. Vol. 4, 1991 https://www.scopus.com/pages/publications/0026324757?origin=scopusAI

35. A review of insect responses to variations encountered in the managed storage environment Bell, C.H. Journal of Stored Products Research, 2014 https://www.scopus.com/pages/publications/85027955537?origin=scopusAI

36. Effect of storage temperature on storage efficacy, germination and physical characters of some paddy rice cultivars during different storage periods Katta, Y.M., Kamara, M.M., Abd El-Aty, M.S., (...), Ueno, T. Journal of the Faculty of Agriculture, Kyushu University, 2019 https://www.scopus.com/pages/publications/85077195835?origin=scopusAI

37. Design, development, and testing of a low energy consuming subterranean storage system for red onion (Allium cepa L.) in Indian conditions Deb, S., Subbarao, P.M.V., Chandra, R. Journal of Stored Products Research, 2026 https://www.scopus.com/pages/publications/105016453447?origin=scopusAI

38. Field efficacy of hermetic and other maize grain storage options under smallholder farmer management Mlambo, S., Mvumi, B.M., Stathers, T., (...), Nyabako, T. Crop Protection, 2017 https://www.scopus.com/pages/publications/85017539258?origin=scopusAI

39. Evaluation of different grain storage technologies against storage insect pests over an extended storage time Kuyu, C.G., Tola, Y.B., Mohammed, A., (...), Mpagalile, J.J. Journal of Stored Products Research, 2022 https://www.scopus.com/pages/publications/85123367385?origin=scopusAI

40. Post-harvest losses of perishable vegetables and their contribution to household dietary gaps in Kamonyi District, Rwanda Fabien, G., Olive, D., Anicet, D., Agbolosoo, J.A. BMC Public Health, 2026 https://www.scopus.com/pages/publications/105039661440?origin=scopusAI

41. Assessment of maize and beans storage insect pest in major grain markets, Morogoro-Tanzania Mng'ong'o, M. Saudi Journal of Biological Sciences, 2023 https://www.scopus.com/pages/publications/85141492522?origin=scopusAI

42. On-Farm Processing and Marketing Models for Farmers of Developing Countries Mann, S., Balakrishnan, R., Mohapatra, S., Kotwaliwale, N. 2025 ASABE Annual International Meeting, 2025 https://www.scopus.com/pages/publications/105015486397?origin=scopusAI

43. Post-harvest pathogens and disease management of horticultural crop : A brief review Kumar, V., Iqbal, N. Plant Archives, 2020 https://www.scopus.com/pages/publications/85090457896?origin=scopusAI

44. Assessing the Impact of Hermetic Storage Technology on Storage Quantity and Post-Harvest Storage Losses Among Smallholding Maize Farmers in Nepal Nepali, D.K., Maharjan, K.L. Agriculture (Switzerland), 2025 https://www.scopus.com/pages/publications/85216011033?origin=scopusAI

45. Guaranteed storage? Risk and credit constraints in the demand for postharvest technology Schwab, B., Yu, J. Oxford Economic Papers, 2025 https://www.scopus.com/pages/publications/105000281043?origin=scopusAI

46. Storage losses, liquidity constraints, and maize storage decisions in Benin Kadjo, D., Ricker-Gilbert, J., Abdoulaye, T., (...), Baco, M.N. Agricultural Economics (United Kingdom), 2018 https://www.scopus.com/pages/publications/85049516317?origin=scopusAI

47. Adoption and impacts of improved post-harvest technologies on food security and welfare of maize-farming households in Tanzania: a comparative assessment Mutungi, C., Manda, J., Feleke, S., (...), Fischer, G. Food Security, 2023 https://www.scopus.com/pages/publications/85159431591?origin=scopusAI

48. Recent developments in stored grain sensors, monitoring and management technology Singh, C.B., Fielke, J.M. IEEE Instrumentation and Measurement Magazine, 2017 https://www.scopus.com/pages/publications/85021356628?origin=scopusAI

49. Limiting mycotoxins in stored wheat Magan, N., Aldred, D., Mylona, K., Lambert, R.J.W. Food Additives and Contaminants - Part A, 2010 https://www.scopus.com/pages/publications/77952272533?origin=scopusAI

50. Grain preservation by means of refrigeration. Also in tropical countries Brunner, Heinrich Sulzer Technical Review, 1989 https://www.scopus.com/pages/publications/0024905563?origin=scopusAI

51. Environmental Monitoring and Quality Dynamics of Wheat During One Year of Natural Storage Poetelea, D.P., Mosnegutu, E., Tomozei, C., (...), Przydatek, G. Processes, 2025 https://www.scopus.com/pages/publications/105014321532?origin=scopusAI

52. Climate change and post-harvest agriculture Chegere, M.J. Agricultural Adaptation to Climate Change in Africa: Food Security in a Changing Environment, 2018 https://www.scopus.com/pages/publications/85046928395?origin=scopusAI

53. PICS bags for post-harvest storage of maize grain in West Africa Baoua, I.B., Amadou, L., Ousmane, B., (...), Murdock, L.L. Journal of Stored Products Research, 2014 https://www.scopus.com/pages/publications/84906794621?origin=scopusAI

54. Entomofauna, mycotoxin accumulation and storage loss dynamics in cereals in the Tshopo province, Democratic Republic of Congo Berdy, J., Ambakina, H., N'Sevolo, P., (...), Fauconnier, M.-L. Journal of Stored Products Research, 2026 https://www.scopus.com/pages/publications/105037197458?origin=scopusAI

55. Key global actions for mycotoxin management in wheat and other small grains Leslie, J.F., Moretti, A., Mesterházy, Á., (...), Logrieco, A.F. Toxins, 2021 https://www.scopus.com/pages/publications/85118843178?origin=scopusAI

56. Resistance of several Indonesian cereal grain cultivars to the maize weevil, Sitophilus zeamais (Motschulsky) (Coleoptera: Curculionidae) Mario, M.B., Taufik, M., Melina, M., (...), Fernando, I. Crop Protection, 2025 https://www.scopus.com/pages/publications/85213970011?origin=scopusAI

57. Microbiota composition of allopatric laboratory and wild populations of Rhyzopertha dominica Xue, D., Chen, T., Li, Q., (...), Wu, Y. Journal of Stored Products Research, 2023 https://www.scopus.com/pages/publications/85175723635?origin=scopusAI

58. Investigation of the Potential Effect of Insect Infestation on Mycotoxin Levels in Stored Rice Marzani, Q.A., Khidr, S.K., Aziz, B.A., (...), Swilaiman, S.S. Passer Journal of Basic and Applied Sciences, 2025 https://www.scopus.com/pages/publications/105009842050?origin=scopusAI

59. Do Agricultural stakeholder panels enhance post-harvest loss reduction? Evidence from Malawi Amadu, F.O., McNamara, P.E. Agriculture and Food Security, 2024 https://www.scopus.com/pages/publications/85199185904?origin=scopusAI

60. Examining access and impact of agricultural extension services on crop yield in Farta Woreda, Ethiopia, using endogenous switching regression model Baylie, M.M., Pércsi, K.N. Agriculture and Food Security, 2025 https://www.scopus.com/pages/publications/105022618351?origin=scopusAI

61. Analysis of post-harvest supply chain impediments for rural employability and waste reduction Priyadarshi, R., Routroy, S., Garg, G.K. International Journal of Services and Operations Management, 2022 https://www.scopus.com/pages/publications/85127551827?origin=scopusAI

62. Post-harvest losses of crops and its determinants in Ethiopia: tobit model analysis Debebe, S. Agriculture and Food Security, 2022 https://www.scopus.com/pages/publications/85124493302?origin=scopusAI

63. Factors influencing farmers' decisions to choose strands for minimizing rice post-harvest losses in Kilombero and Mbarali districts, Tanzania Theodory, M. SN Social Sciences, 2026 https://www.scopus.com/pages/publications/105028386043?origin=scopusAI

64. Barriers, Challenges and Opportunities to Statistical Collaboration Degefu, D.G., Rosenberger, J.L. Promoting Statistical Practice and Collaboration in Developing Countries, 2022 https://www.scopus.com/pages/publications/105031766496?origin=scopusAI

65. Food loss in a hungry world, A problem? Martínez Z., N., Menacho P., Z. Agronomia Colombiana, 2014 https://www.scopus.com/pages/publications/84907294058?origin=scopusAI

66. Assessment of post-harvest losses in the maize sector: Case of the production link in Benin Sossou, H.C., Ayedoun, A.A.O., Dossouhoui, S., (...), Houssou, P.A. International Journal of Biological and Chemical Sciences, 2023 https://www.scopus.com/pages/publications/85172187431?origin=scopusAI

67. Assessment of moisture content measurement methods of dried food products in small-scale operations in developing countries: A review Vera Zambrano, M., Dutta, B., Mercer, D.G., (...), Touchie, M.F. Trends in Food Science and Technology, 2019 https://www.scopus.com/pages/publications/85064878431?origin=scopusAI

68. Recent technological innovations and strategies for reducing post-harvest losses during bulk grain storage: Applications of IoT and non-destructive quality evaluation Jain, P., Alam, M.S., Saini, M.K., Aslam, R. Journal of Stored Products Research, 2026 https://www.scopus.com/pages/publications/105023670594?origin=scopusAI

69. Protecting grain from insect pest infestations in africa: Producer perceptions and practices Obeng-Ofori, D. Stewart Postharvest Review, 2011 https://www.scopus.com/pages/publications/84856784058?origin=scopusAI

70. Harvesting insights: Improving agricultural data quality for evidence-based policy in Mozambique Cunguara, B. Statistical Journal of the IAOS, 2026 https://www.scopus.com/pages/publications/105029433330?origin=scopusAI

71. Unleashing the power of diatomaceous earths for sustainable management of Tribolium castaneum infestation in wheat Wakil, W., Kavallieratos, N.G., Eleftheriadou, N., (...), Aldawood, A.S. Journal of Asia-Pacific Entomology, 2023 https://www.scopus.com/pages/publications/85172295509?origin=scopusAI

72. Two plant extracts protect stored maize against infestation of Sitophilus zeamais in Northern Ghana Ndebugri, A.A.I., Kugbe, J.X., Adu-Acheampong, S., Kyerematen, R. Journal of Natural Pesticide Research, 2024 https://www.scopus.com/pages/publications/85208766900?origin=scopusAI

73. A matter of abiotic conditions: Combined effects of the diatomaceous earth Protector and Beauveria bassiana against three noxious insects of stored products Gidari, D.L.S., Boukouvala, M.C., Kavallieratos, N.G. Crop Protection, 2026 https://www.scopus.com/pages/publications/105041262527?origin=scopusAI

74. Indigenous knowledge for sustainable food security in Turiani division, Tanzania Chomboko, D., Theodory, T., Brüntrup, M., (...), Hornidge, A.-K. Cogent Social Sciences, 2025 https://www.scopus.com/pages/publications/105004830542?origin=scopusAI

75. Development of Precision Pest Management Tools Using IoT and AI Sen, P., Pathak, A., Gudadhe, M., (...), Singh, V. Journal of Animal Environment, 2026 https://www.scopus.com/pages/publications/105045806287?origin=scopusAI

76. Advancing smart agriculture through AIoT integration for sustainable farming solutions Shankaregowda, S.M., Koppala, R.R., Bhardwaj, R. AIoT and Smart Sensing: A Comprehensive Guide to the Next Generation of Smart Devices, 2025 https://www.scopus.com/pages/publications/105001327559?origin=scopusAI

77. Electronic Nose and Neural Network-Based Monitoring of Vegetable Freshness in Storage Conditions Seilov, S., Baydeldinov, M., Abildinov, D., (...), Ayub, M.S. Journal of Robotics and Control (JRC), 2025 https://www.scopus.com/pages/publications/105034112896?origin=scopusAI

78. Enhancing Agricultural Productivity: A Sensor Fusion, Spectroscopic Near Infrared, and AI-Based Framework for Monitoring Fruit Ripeness Ambreen, H., Imran, M., Diyin, T., Zhang, C. Proceedings of 2024 21st International Bhurban Conference on Applied Sciences and Technology, IBCAST 2024, 2024 https://www.scopus.com/pages/publications/85219617901?origin=scopusAI

79. Opportunities for Prediction Models to Reduce Food Loss and Waste in the Postharvest Chain of Horticultural Crops Al Shoffe, Y., Johnson, L.K. Sustainability (Switzerland), 2024 https://www.scopus.com/pages/publications/85203972378?origin=scopusAI

80. Smart Innovations in Food Spoilage Detection: A Focus on Electronic Nose, Machine Learning and IoT for Perishable Foods Seilov, S., Abildinov, D., Sutula, M.Y., (...), Ayub, M.S. Journal of Robotics and Control (JRC), 2025 https://www.scopus.com/pages/publications/105005203029?origin=scopusAI

81. Development of disease management recommendations for the durian and jackfruit industries in the Philippines using farmer participatory research Daniel, R., Borines, L.M., Soguilon, C., (...), Guest, D. Food Security, 2014 https://www.scopus.com/pages/publications/84901319342?origin=scopusAI

82. Worms in smallholder livestock systems: Technologies and practices that make a difference Gray, G.D., Connell, J.G., Phimphachanhvongsod, V. Veterinary Parasitology, 2012 https://www.scopus.com/pages/publications/84859156662?origin=scopusAI