
Box placement overview

11 x 8.5 in landscape | Print at Actual size / 100% | Preliminary layout




Measured box: 53.3 x 26.5 in. Proposed board: 48 x 16 in. Case sizes are from the record.
Positions remain proposed. Board support and terminal centers need field measurements.

PRINT CHECK: this line must measure 1 inch. It represents 6 real inches.

Board connection overview

11 x 8.5 in landscape | Print at Actual size / 100% | Preliminary layout




Body outlines use the supplied product dimensions. Stud centers and cable routes are approximate.
Use pages 3 and 4 for larger labels. The BULVACK rectangle is reserved space; its body size is unknown.
Fuse values remain proposals. Cable bends, mounting holes and cut lengths need verification.

PRINT CHECK: this line must measure 1 inch. It represents 6 real inches.

Board detail: bars A and B

11 x 8.5 in landscape | Print at Actual size / 100% | Preliminary layout




Bars B appear again on page 4. They are the same bars. Use three bars per polarity in total.
Lines cut at the right edge continue on page 4. This is a detail view of the plan on page 2.

PRINT CHECK: this line must measure 1 inch. It represents 4 real inches.

Board detail: bars B and C

11 x 8.5 in landscape | Print at Actual size / 100% | Preliminary layout




Bars B repeat from page 3 to show continuity. This is a detail view of the plan on page 2.
Lines cut at the left edge continue on page 3. Cable routes and terminal centers are approximate.

PRINT CHECK: this line must measure 1 inch. It represents 4 real inches.

Complete connection schematic

11 x 8.5 in landscape | Print at Actual size / 100% | Preliminary layout



Red: positive. Blue: negative. Lines connect only at the marked connection points.
AUX: small control fuse block. TP BAT: Tycon battery terminals. All 24 main bus studs are assigned.
The EV200 is outside this box in PV positive. Its coil receives power through the AUX controls.
Fuse ratings marked with an asterisk remain proposals. Use the current review limits in the guide.

Schematic symbols and wire paths have no physical print scale.