



CIPHERX
SECURITY SOLUTIONS

CIPHERX-HR AUTHORIZED DOCUMENT

RULES OF ENGAGEMENT (RoE)

Entry-Level Internship Penetration Testing - CipherX Vulnerability Lab

WRITTEN AUTHORIZATION FOR CONTROLLED TESTING

This document defines the exact scope, approved activities, evidence rules, stop conditions, and digital-signature requirements for interns assigned to dev.cpxs.ca.

DOCUMENT REFERENCE

CX-ROE-2026-DEV-CPXS-CA-001

VERSION

1.0 - SIGNATURE READY

EFFECTIVE DATE

[EFFECTIVE DATE]

CLASSIFICATION

CONFIDENTIAL - INTERNAL USE

PREPARED BY

CIPHERX SECURITY ENGINEERING

REQUIRED SIGNERS

CEO | CISO | ASSIGNED INTERNS

DOCUMENT CONTROL AND AUTHORIZATION SNAPSHOT

CONTROL	VALUE
Document Title	CipherX-HR Rules of Engagement (RoE) - Entry-Level Internship Penetration Testing
Document Reference	CX-ROE-2026-DEV-CPXS-CA-001
Related Engagement	CipherX Vulnerability Lab - dev.cpxs.ca
Related Plan	CipherX Entry-Level Internship Penetration Testing CLI Plan and Report Template
Version	1.0 - Signature Ready
Classification	CONFIDENTIAL - INTERNAL USE
Prepared By	CipherX Security Engineering
Required Signers	One CEO, one CISO, and every assigned intern
Workflow Owner	CipherX-HR document workflow
Effective Date	[EFFECTIVE DATE]
Testing Window	[START DATE/TIME] through [END DATE/TIME]

AUTHORIZATION STATUS

Testing is not authorized until this Rules of Engagement document is fully signed by the required CEO, CISO, and assigned intern signers, and the engagement status in CipherX-HR is changed to READY or ACTIVE.

SIGNING AND VERSION CONTROL

CipherX-HR must preserve the original uploaded PDF, the signature-ready PDF, the completed signed PDF, and the certificate of completion as separate immutable document versions. The completed PDF must include the final document hash and signature audit information.

TABLE OF CONTENTS

SECTION	TITLE
1	Purpose and Authority
2	Parties, Roles, and Responsibilities
3	Engagement Overview
4	Authorized Scope
5	Out-of-Scope Assets and Prohibited Activities
6	Entry-Level Testing Methodology
7	Approved Kali Linux Command-Line Tools
8	Rate Limits and Operating Constraints
9	Test Accounts and Credential Handling
10	Evidence, Data Handling, and Confidentiality
11	Communication, Escalation, and Stop Conditions
12	Schedule and Working Hours
13	Required Deliverables and Quality Standards
14	Intern Acceptable Use and Conduct
15	CipherX-HR Digital Signature Workflow
16	Change Control, Suspension, and Termination
17	Legal and Ethical Conditions
18	Acknowledgements and Signatures
Appendix A	Quick Reference Card
Appendix B	Authorized Target and Endpoint Inventory
Appendix C	Intern Signer Roster
Appendix D	Document Audit and Completion Record

1. PURPOSE AND AUTHORITY

1.1 Purpose

This Rules of Engagement establishes the written authorization, technical boundaries, permitted methods, evidence requirements, and conduct standards for entry-level security engineering interns assigned to the CipherX Vulnerability Lab at dev.cpxs.ca. The Lab is intentionally vulnerable and exists solely for controlled cybersecurity training.

The objectives of this engagement are to validate assigned training scenarios, teach repeatable command-line testing practices, produce defensible evidence, and create professional findings and reports without causing unnecessary risk or disruption.

1.2 Statement of Authorization

EXPLICIT WRITTEN AUTHORIZATION

CipherX Security Solutions authorizes only the named signers and assigned interns listed in CipherX-HR to conduct the activities expressly permitted by this document against the assets listed in Section 4, during the approved testing window. This authorization is non-transferable and does not extend to any other system.

1.3 Conditions Precedent

- The CEO and CISO have signed this document.
- Each participating intern has signed this document.
- The intern is assigned to the engagement and applicable phases in CipherX-HR.
- The intern has received the entry-level CLI testing plan and understands the prohibited activities.
- The engagement status is READY or ACTIVE.

2. PARTIES, ROLES, AND RESPONSIBILITIES

2.1 Company and Engagement Leadership

ROLE	RESPONSIBILITIES
Chief Executive Officer (CEO)	Authorizes the engagement, confirms company ownership of the target, signs the RoE, receives executive summaries, and approves external disclosure.
Chief Information Security Officer (CISO)	Owens the engagement, approves scope, assigns interns and groups, reviews findings, manages stop-the-line decisions, and signs the RoE.
Platform or Organization Administrator	Prepares the CipherX-HR workflow, uploads the PDF, selects required signers, sends signature requests, and manages document records. Administrative preparation does not itself grant testing authority.
Red Team Lead / Reviewer	Provides technical oversight, validates intern work, approves phases, reviews evidence, and requests corrections.

2.2 Intern Participants

INTERN TYPE	AUTHORIZED RESPONSIBILITY
Penetration Tester Intern	Performs assigned entry-level reconnaissance, enumeration, web-content discovery, read-only validation, evidence capture, and reporting.
Security Event Manager Intern	Reviews assigned logs, evidence records, timelines, findings status, and reporting data. Does not perform offensive tests unless separately assigned as a Penetration Tester.
Red Team Member	A group designation for interns assigned to the Offensive Security group. Group membership grants access only to assigned engagements and phases; it does not expand the RoE scope.

2.3 Individual Accountability

Every tester is personally responsible for remaining within scope, using only approved methods, preserving evidence, protecting credentials, and stopping immediately when a stop condition occurs. Instructions from another user do not override this document.

3. ENGAGEMENT OVERVIEW

FIELD	ENGAGEMENT VALUE
Engagement Name	CipherX Vulnerability Lab - Entry-Level Internship Assessment
Engagement Reference	CX-ENG-2026-DEV-CPXS-CA-001
Primary Target	https://dev.cpxs.ca/login
Secondary Target	http://dev.cpxs.ca/login
Application Type	Next.js and Supabase training application
Environment	Pre-production / intentionally vulnerable lab
Assigned Group	Red Team - Offensive Security
Testing Window	[START DATE/TIME/TIME ZONE] to [END DATE/TIME/TIME ZONE]
Working Hours	[AUTHORIZED HOURS]
Emergency Contact	[CISO NAME / PHONE / EMAIL]

3.1 Engagement Goals

1. Identify and document the assigned intentional vulnerabilities using safe, repeatable Kali Linux command-line procedures.
2. Capture sufficient evidence to reproduce and validate each finding.
3. Write clear remediation recommendations without attempting unauthorized remediation.
4. Demonstrate professional conduct, communication, and report quality expected from an entry-level security practitioner.

4. AUTHORIZED SCOPE

4.1 Authorized Assets

#	ASSET	AUTHORIZED ACTIVITY
1	https://dev.cpxs.ca/*	Browser and command-line HTTP review, headers, assigned pages, files, and endpoints.
2	http://dev.cpxs.ca/*	Command-line validation where HTTPS is unavailable or where the lab specifically demonstrates insecure transport.
3	dev.cpxs.ca host	Limited TCP service discovery using the approved Nmap commands and constraints in Sections 7 and 8.
4	Approved /api/* routes	Read-only or assigned requests to documented lab endpoints. No destructive or high-volume fuzzing.
5	Approved exposed paths	robots.txt, sitemap.xml, assigned backup/configuration/demo files, reports, internal notes, and archive paths.
6	Assigned Supabase read-only routes	Only when specifically enabled in the engagement phase by the CISO. Read-only requests only; no inserts, updates, deletes, RPC abuse, or policy changes.

4.2 Scope Is Exact

NO IMPLIED SCOPE

Discovery of a host, link, subdomain, IP address, third-party service, cloud tenant, or credential does not make it authorized. Testing must stop at the boundary of the exact assets listed above unless a written scope amendment is approved and signed.

4.3 Allowed Demonstration Data

- Fake/demo credentials and flags intentionally placed in the Lab.
- Small, representative samples of assigned demo files or API responses.
- HTTP headers, status codes, command output, screenshots, and sanitized response excerpts.
- Metadata required to support a professional finding and remediation recommendation.

5. OUT-OF-SCOPE ASSETS AND PROHIBITED ACTIVITIES

5.1 Out-of-Scope Assets

- cpxs.ca and www.cpxs.ca production websites.
- Any CipherX customer, supplier, employee, or third-party system.
- Supabase management consoles or infrastructure not explicitly assigned in CipherX-HR.
- Cloud provider management portals, billing systems, email systems, and external APIs.
- Any IP address or host that does not directly serve the authorized lab target.
- Personal devices, home networks, or public Wi-Fi networks used by other people.

5.2 Prohibited Activities

PROHIBITED ACTIVITY	RULE
Denial of Service	No DoS, DDoS, flooding, resource exhaustion, repeated large downloads, or stress testing.
Credential Attacks	No Hydra, Medusa, password spraying, credential stuffing, or large wordlists. Only credentials expressly provided for a module may be used manually.
Automated Exploitation	No Metasploit, SQLMap exploitation, exploit frameworks, zero-day code, or operating-system shells.
Privilege Escalation	No JWT forging, role modification, mass assignment changes, unauthorized administrator creation, persistence, or lateral movement.
Destructive Actions	No delete, update, corrupt, encrypt, upload, or modify operations except a harmless action explicitly approved in writing for a module.
Social Engineering	No phishing, pretexting, employee reconnaissance, impersonation, or contact with customers.
Evasion	No log tampering, source-address masking intended to evade accountability, disabling controls, or bypassing monitoring.
Public Disclosure	No posting findings, screenshots, credentials, flags, or exploit details to social media, public repositories, or third parties.

STOP BEFORE GUESSING

When an intern is unsure whether an action is permitted, the action must not be performed. The intern must pause and request written guidance from the CISO or assigned reviewer.

6. ENTRY-LEVEL TESTING METHODOLOGY

The engagement follows a simplified workflow suitable for entry-level interns. Advanced exploitation and post-exploitation are intentionally excluded.

PHASE	OBJECTIVE	INTERN DELIVERABLE
0 - Planning and Authorization	Review scope, sign the RoE, verify assignment, create a workspace, and record the testing window.	Signed RoE, scope checklist, workspace record.
1 - Reconnaissance	Collect public and basic DNS information without targeting people.	WHOIS/DNS notes and target summary.
2 - Enumeration and Scanning	Perform limited port, service, HTTP, TLS, and technology identification.	Command log, service map, header evidence.
3 - Web Content Discovery	Review robots.txt, sitemap.xml, assigned paths, and limited directory/file discovery.	Discovered-path register and response evidence.
4 - Controlled Validation	Confirm assigned issues using read-only requests and small response samples.	Finding worksheets and evidence hashes.
5 - Reporting	Prepare findings, remediation guidance, evidence index, executive summary, and final report.	Submitted professional report.
6 - Remediation Review	Re-run only approved validation commands after fixes.	Retest result: fixed, partially fixed, or open.

6.1 Phase Gates

- An intern may access only phases assigned to them in CipherX-HR.
- A submitted phase may be returned for revision by the CISO or reviewer.
- Controlled validation begins only after reconnaissance and enumeration evidence has been reviewed where required.
- Remediation verification requires a separate retest assignment or reviewer instruction.

7. APPROVED KALI LINUX COMMAND-LINE TOOLS

Only command-line tools approved below may be used. The companion CLI Plan provides the exact commands, installation note boxes, output paths, and reporting placeholders. Interns must not improvise more aggressive options.

CATEGORY	APPROVED TOOLS	PERMITTED USE
Workspace / Evidence	mkdir, date, tee, script, sha256sum, tar	Create folders, log commands, preserve output, hash evidence, and package submissions.
DNS / Registration	whois, dig, nslookup	Basic domain and DNS review for the authorized target.
HTTP Review	curl, wget	Headers, GET/HEAD requests, assigned file retrieval, and small read-only response samples.
Network Discovery	nmap	Limited TCP scan of the target using approved ports, timing, and default safe scripts only.
Technology Identification	whatweb	Single technology fingerprinting pass against the authorized target.
TLS Review	openssl s_client	Certificate and protocol inspection without stress testing.
Content Discovery	gobuster or ffuf	One controlled scan at a time using the approved small wordlist and rate/thread limits.
Basic Web Review	nikto	One non-tuning scan only when assigned by the reviewer.
Parsing and Review	jq, grep, sed, awk, sort, uniq	Read and organize output; no data modification on the target.

7.1 Tools Requiring Separate Written Approval

- Nuclei or any template-driven scanner.
- Large wordlists or custom fuzzing scripts.
- Any credential-testing tool.
- Any SQL injection automation tool.
- Any exploit framework, proxy automation, or custom exploit code.

COMMAND SOURCE

Interns must use the exact commands published in the current CipherX Entry-Level Internship Penetration Testing CLI Plan. A command that is not included there requires written approval before execution.

8. RATE LIMITS AND OPERATING CONSTRAINTS

CONTROL	LIMIT
Concurrent Scans	One automated scan at a time per intern.
Gobuster / FFUF Threads	Maximum 20 unless the CISO specifies a lower value.
Nmap Timing	Use normal or moderate timing. No -T5, no masscan, no full UDP scan, and no unrestricted -p- scan.
Nikto	Maximum one scan per assigned test cycle.
HTTP Requests	Use normal manual review rates. No loops that produce sustained traffic.
File Retrieval	Download only the minimum demo file required as evidence. No bulk collection.
Response Storage	Store only necessary excerpts and redact unnecessary secrets from reports.
Session Duration	Maximum [SESSION LIMIT] hours unless extended by the reviewer.

8.1 Approved Network

- CipherX-approved corporate or internship device.
- Approved network or CipherX VPN where required.
- No public Wi-Fi, shared school lab network, or third-party VPN without written approval.

9. TEST ACCOUNTS AND CREDENTIAL HANDLING

9.1 Authorized Accounts

Interns may use only accounts or credentials issued through CipherX-HR, provided directly by the reviewer, or intentionally exposed as part of an assigned lab module. Discovery of credentials does not authorize use outside the specific module or target.

ACCOUNT / CREDENTIAL	AUTHORIZED PURPOSE	RESTRICTION
[ASSIGNED INTERN ACCOUNT]	Normal intern login and assigned workflows.	Do not share or reuse.
[ASSIGNED DEMO ACCOUNT]	Manual validation of the assigned weak-account module.	No automated password attacks.
[DEMO API KEY OR ANON KEY]	Read-only request where expressly assigned.	No writes, deletes, policy changes, or use against other projects.

9.2 Credential Protection

- Do not paste credentials into public chat, code repositories, screenshots shared externally, or personal notes.
- Mask secret values in the final report unless the value is essential and the report is restricted to authorized reviewers.
- Do not test discovered credentials against any other service or domain.
- Delete local credential copies according to the retention schedule after approval of the final report.

10. EVIDENCE, DATA HANDLING, AND CONFIDENTIALITY

10.1 Permitted Evidence

- Terminal output recorded with tee or script.
- Screenshots showing the URL, timestamp where possible, and relevant result.
- Small, sanitized HTTP response excerpts.
- Evidence file hashes created with SHA-256.
- Finding notes, severity rationale, remediation guidance, and retest results.

10.2 Evidence Naming

REQUIRED NAMING CONVENTION

Use: [ENGAGEMENT]-[FINDING-ID]-[EVIDENCE-NUMBER]-[SHORT-DESCRIPTION].[ext]. Example: CX-ENG-2026-DEV-CPXS-CA-001-V-003-E01-robots-txt.txt

10.3 Storage and Transmission

- Store evidence only in the approved encrypted internship workspace or CipherX secure storage.
- Do not use personal cloud drives, public repositories, personal email, or unencrypted removable media.
- Do not include unnecessary personal data or unrelated system information.
- Submitted or verified evidence must not be deleted by interns.

10.4 Retention

Raw evidence must be retained for [RETENTION PERIOD] after final report approval and then securely deleted or archived according to CipherX policy. The completed signed RoE, final report, and completion certificate are retained according to company records requirements.

11. COMMUNICATION, ESCALATION, AND STOP CONDITIONS

11.1 Severity Notification

SEVERITY	NOTIFICATION TIME	ACTION
Critical	Immediately; no later than 1 hour	Stop the related test, preserve evidence, notify the CISO and reviewer.
High	Within 4 hours	Notify the reviewer, preserve evidence, and await guidance if impact is uncertain.
Medium	By the next business day	Document in the finding register and daily update.
Low / Informational	In the final report or scheduled update	Document clearly with proportionate remediation.

11.2 Mandatory Stop Conditions

- The target becomes unstable, unavailable, or materially slower.
- The intern encounters information that appears to be real personal, customer, financial, health, or production data.
- A request or command affects an out-of-scope asset.
- A tool produces an unexpected volume of traffic or a result the intern does not understand.
- The intern gains a level of access not expected for the assigned entry-level module.
- A third party contacts the intern about the testing.
- The CISO, CEO, reviewer, or platform administrator suspends the engagement.

11.3 Emergency Contact Record

ROLE	NAME	PHONE	EMAIL
CISO	_____	_____	_____
CEO	_____	_____	_____
Red Team Lead / Reviewer	_____	_____	_____
Platform Administrator	_____	_____	_____

12. SCHEDULE AND WORKING HOURS

MILESTONE	DATE / TIME	OWNER / APPROVER
RoE issued for signature	[DATE/TIME]	Platform Administrator
RoE fully signed	[DATE/TIME]	CEO, CISO, assigned interns
Engagement kickoff	[DATE/TIME]	CISO / Red Team Lead
Planning and authorization complete	[DATE]	Intern / Reviewer
Reconnaissance complete	[DATE]	Intern / Reviewer
Enumeration and scanning complete	[DATE]	Intern / Reviewer
Controlled validation complete	[DATE]	Intern / Reviewer
Draft report submitted	[DATE]	Intern
Review and revision complete	[DATE]	CISO / Reviewer
Final report approved	[DATE]	CISO
Engagement closed	[DATE]	CISO / CEO

12.1 Authorized Hours

Testing may occur only during [AUTHORIZED DAYS AND HOURS] in the time zone [TIME ZONE]. Meetings, report writing, and evidence organization may occur outside the active testing window if no requests are sent to the target.

13. REQUIRED DELIVERABLES AND QUALITY STANDARDS

13.1 Intern Deliverables

5. Completed scope and authorization checklist.
6. Command execution log with date, time, command, purpose, output file, and result.
7. Evidence register with filename, finding ID, description, capture time, and SHA-256 hash.
8. One structured finding record for each verified issue.
9. Daily or scheduled progress updates.
10. Final penetration testing report using the CipherX template.
11. Retest record when assigned.

13.2 Finding Minimum Requirements

REQUIRED FIELD	EXPECTATION
Finding ID and Title	Unique identifier and clear, specific title.
Affected Asset	Exact authorized URL, path, endpoint, or service.
Severity	Reasoned rating and simplified CVSS worksheet where required.
Description	What the issue is, where it exists, and why it matters.
Reproduction Steps	Numbered, safe, repeatable procedure using approved commands.
Evidence	Relevant, legible, hashed evidence with unnecessary secrets masked.
Impact	Technical and business consequences stated without exaggeration.
Remediation	Specific, practical corrective actions.
Retest Criteria	A clear condition for confirming the issue is fixed.

13.3 Submission Rules

- All reports must use professional language and complete sentences.
- Do not claim exploitation or access that was not demonstrated.
- Clearly distinguish verified findings from suspected or informational observations.
- Do not paste entire secret files or large logs into the final report; include only relevant excerpts.

14. INTERN ACCEPTABLE USE AND CONDUCT

Each participating intern agrees to the following conditions:

12. I will test only the assets and activities expressly authorized by this RoE.
13. I will use only the approved Kali Linux command-line tools and exact commands in the current entry-level CLI Plan.
14. I will not use Burp Suite, GUI scanners, exploit frameworks, credential-attack tools, or unapproved custom scripts.
15. I will not perform destructive, persistent, evasive, high-volume, or advanced post-exploitation activities.
16. I will preserve accurate command logs and evidence and will not falsify or alter results.
17. I will protect all credentials, findings, reports, and internal information as confidential.
18. I will stop and report immediately when a stop condition occurs or when I am unsure about scope.
19. I will not share the target, findings, flags, screenshots, credentials, or reports outside authorized CipherX channels.
20. I understand that access is a limited training privilege and may be suspended or revoked at any time.
21. I understand that violations may result in removal from the internship, account suspension, disciplinary action, or legal referral where appropriate.

15. CIPHERX-HR DIGITAL SIGNATURE WORKFLOW

15.1 Workflow

22. An authorized administrator creates a Rules of Engagement workflow in CipherX-HR.
23. The administrator selects one CEO, one CISO, and one or more assigned interns.
24. The original RoE PDF is uploaded and hashed using SHA-256.
25. CipherX-HR appends the branded signature page and locks the signature-ready version.
26. Each signer reviews the complete PDF, confirms review, and signs their own signature section.
27. The platform records signer identity, job title, timestamp, time zone, server-observed IP address, user agent, consent version, signature hash, and document hash.
28. After all required signers complete the workflow, CipherX-HR generates the final signed PDF and certificate of completion.
29. The engagement phase remains locked until the document is fully signed and the CISO activates the engagement.

15.2 Signature Audit Requirements

AUDIT FIELD	REQUIREMENT
Document Version	Original, signature-ready, and final versions stored separately.
Document Hash	SHA-256 hash recorded for the exact version signed.
Signer Identity	User ID, full legal name, system role, job title, and organization captured at signing.
Timestamp	UTC timestamp plus displayed local time and time zone.
IP Address	Captured from the authenticated signing request; access-controlled or masked in general views.
Consent	Consent accepted and consent text version recorded.
Signature	Signature image and signature hash stored privately.
Audit Events	Viewed, consented, signed, completed, downloaded, voided, and archived events recorded immutably.

ELECTRONIC SIGNATURE NOTICE

The electronic-signature workflow and consent language should be reviewed by qualified legal counsel before production deployment. This template is an operational security document and is not a substitute for legal advice.

16. CHANGE CONTROL, SUSPENSION, AND TERMINATION

16.1 Scope Changes

Any new target, testing method, tool, account, testing window, or material change requires a written amendment. The amendment must identify the change, reason, approver, effective time, and affected signers. Verbal approval does not modify the scope.

16.2 Suspension

The CEO, CISO, Red Team Lead, or authorized platform administrator may suspend access immediately. While suspended, interns must stop all target interaction, preserve existing evidence, and await written instructions.

16.3 Termination and Closeout

- Stop all target interaction at the end of the testing window or upon termination.
- Submit all command logs, evidence, findings, and reports by the closeout deadline.
- Return or securely delete credentials and local evidence according to the retention instructions.
- Do not continue testing after internship completion, account expiration, or engagement closure.

17. LEGAL AND ETHICAL CONDITIONS

17.1 Limited Authorization

This document provides limited internal authorization only for the exact assets, persons, dates, tools, and activities stated herein. It does not authorize testing of third parties, production systems, or any activity prohibited by law or this RoE.

17.2 Confidentiality

All non-public engagement information is confidential to CipherX Security Solutions and the authorized parties. Confidentiality obligations continue after the engagement and internship end.

17.3 Professional Ethics

- Act honestly, competently, and within authorization.
- Minimize impact and collect only what is necessary.
- Report results accurately, including failed tests and limitations.
- Protect the organization, users, evidence, and profession.

17.4 Legal Review

TEMPLATE STATUS

This RoE is a professional operational template prepared for the CipherX internship platform. Company leadership should obtain legal review for electronic-signature enforceability, privacy, employment, indemnity, jurisdiction, and records-retention requirements before production use.

18. ACKNOWLEDGEMENTS AND SIGNATURES

Each signer receives a dedicated signature page so that no signature block, identity field, or audit field can split across pages. CipherX-HR records the signer identity, signing timestamp, time zone, IP address, consent version, and document hash when the electronic signature is completed.

SIGNATURE PAGE 1 OF 7

CHIEF EXECUTIVE OFFICER - AUTHORIZATION SIGNATURE

I confirm that I have reviewed this Rules of Engagement document and authorize the engagement subject to the scope, restrictions, approvals, and conditions stated in this document.

Full Legal Name	
Organization	
Signed Date and Time	
Time Zone	
IP Address	
Document SHA-256 Hash	

SIGNATURE CAPTURE

SIGNING STATUS	
----------------	--

SIGNATURE PAGE 2 OF 7**CHIEF INFORMATION SECURITY OFFICER - ENGAGEMENT OWNER SIGNATURE**

I confirm that I have reviewed this Rules of Engagement document and accept ownership of the security engagement, including scope control, escalation decisions, and approval of testing activities.

Full Legal Name	
Organization	
Signed Date and Time	
Time Zone	
IP Address	
Document SHA-256 Hash	

SIGNATURE CAPTURE

SIGNING STATUS	
----------------	--

SIGNATURE PAGE 3 OF 7**RED TEAM LEAD / REVIEWER - TECHNICAL APPROVAL SIGNATURE**

I confirm that I have reviewed this Rules of Engagement document and accept responsibility for technical oversight, intern supervision, escalation handling, and review of the engagement deliverables.

Full Legal Name	
Job Title	
Signed Date and Time	
Time Zone	
IP Address	
Document SHA-256 Hash	

SIGNATURE CAPTURE

SIGNING STATUS	
-----------------------	--

18.1 ASSIGNED INTERN SIGNATURE PAGES

CipherX-HR generates one dedicated signature page for every selected intern. Each page is assigned to one intern only, and the intern must not sign on behalf of any other person. Additional pages must be generated when more than four interns are selected.

SIGNATURE PAGE 4 OF 7

INTERN SIGNER 1 - INDIVIDUAL ACKNOWLEDGEMENT

I confirm that I have reviewed this Rules of Engagement document, understand the authorized scope and restrictions, and agree to perform testing only within my assigned internship activities. I understand that I may sign only for myself.

Full Legal Name	
Intern ID	
Job Title	
Group	
Signed Date and Time	
Time Zone	
IP Address	
Consent Version	
Document SHA-256 Hash	

SIGNATURE CAPTURE

--

SIGNING STATUS	
-----------------------	--

SIGNATURE PAGE 5 OF 7

INTERN SIGNER 2 - INDIVIDUAL ACKNOWLEDGEMENT

I confirm that I have reviewed this Rules of Engagement document, understand the authorized scope and restrictions, and agree to perform testing only within my assigned internship activities. I understand that I may sign only for myself.

Full Legal Name	
Intern ID	
Job Title	
Group	
Signed Date and Time	
Time Zone	
IP Address	
Consent Version	
Document SHA-256 Hash	

SIGNATURE CAPTURE**SIGNING STATUS**

SIGNATURE PAGE 6 OF 7

INTERN SIGNER 3 - INDIVIDUAL ACKNOWLEDGEMENT

I confirm that I have reviewed this Rules of Engagement document, understand the authorized scope and restrictions, and agree to perform testing only within my assigned internship activities. I understand that I may sign only for myself.

Full Legal Name	
Intern ID	
Job Title	
Group	
Signed Date and Time	
Time Zone	
IP Address	
Consent Version	
Document SHA-256 Hash	

SIGNATURE CAPTURE

--

SIGNING STATUS

SIGNATURE PAGE 7 OF 7

INTERN SIGNER 4 - INDIVIDUAL ACKNOWLEDGEMENT

I confirm that I have reviewed this Rules of Engagement document, understand the authorized scope and restrictions, and agree to perform testing only within my assigned internship activities. I understand that I may sign only for myself.

Full Legal Name	
Intern ID	
Job Title	
Group	
Signed Date and Time	
Time Zone	
IP Address	
Consent Version	
Document SHA-256 Hash	

SIGNATURE CAPTURE

--

SIGNING STATUS

ADDITIONAL INTERN SIGNERS When more than four interns are selected, CipherX-HR must append one complete dedicated signature page per additional intern before the document is sent.

APPENDIX A - QUICK REFERENCE CARD

YOU MAY

- Test only dev.cpxs.ca assets listed in Section 4 during the approved window.
- Use the approved Kali Linux CLI tools and exact commands in the current internship plan.
- Perform limited read-only reconnaissance, scanning, content discovery, and validation.
- Capture minimal evidence, hash it, and submit professional findings.
- Ask the reviewer for help before running any uncertain command.

YOU MAY NOT

- Test production, third-party, customer, or discovered assets outside the scope.
- Use Burp Suite, SQLMap, Hydra, Metasploit, masscan, exploit code, or advanced post-exploitation methods.
- Run DoS, brute force, password spraying, high-speed scanning, persistence, privilege escalation, or destructive tests.
- Modify or delete data, create unauthorized accounts, or use credentials on another service.
- Share findings, credentials, screenshots, flags, or reports outside approved CipherX channels.

IF SOMETHING GOES WRONG

1. Stop the command or test.
2. Preserve the current output and timestamp.
3. Do not attempt to repair or hide the issue.
4. Notify the CISO and reviewer immediately.
5. Wait for written authorization before resuming.

APPENDIX B - AUTHORIZED TARGET AND ENDPOINT INVENTORY

TYPE	AUTHORIZED LOCATION	CONSTRAINT
Web	https://dev.cpxs.ca/*	Normal GET/HEAD and assigned POST requests only.
Web	http://dev.cpxs.ca/*	Use when required by the assigned module.
Discovery	/robots.txt and /sitemap.xml	Read-only.
Assigned files	/backup/*, /configs/*, /internal/*, /reports/*, /archive/*, /backups/*, /.env.*	Only paths expressly documented in the lab or found through the approved small-wordlist process.
API	/api/debug, /api/dependencies, /api/files and other assigned routes	Read-only unless a harmless request is specifically approved.
Supabase	Assigned REST or storage read-only route	Requires explicit CISO phase assignment; no writes or RPC testing.
Network	dev.cpxs.ca host	Limited Nmap commands only; no unrestricted port or UDP scanning.

Excluded Examples

- cpxs.ca
- www.cpxs.ca
- Supabase management dashboard
- Customer systems
- Cloud management portals
- Employee accounts
- Unlisted IP addresses and subdomains

APPENDIX C - INTERN SIGNER ROSTER

#	FULL LEGAL NAME	INTERN ID	JOB TITLE	GROUP	SIGNATURE STATUS
1					Pending
2					Pending
3					Pending
4					Pending
5					Pending
6					Pending
7					Pending
8					Pending
9					Pending
10					Pending

The final signer list in CipherX-HR is authoritative. Adding or removing a signer after the document has been sent requires voiding the signature-ready version and generating a new version.

APPENDIX D - DOCUMENT AUDIT AND COMPLETION RECORD

EVENT	ACTOR	TIMESTAMP	REFERENCE / NOTES
Original PDF uploaded	_____	_____	File: _____
Original SHA-256 calculated	System	_____	Hash: _____
Signature page generated	System	_____	Version: _____
Document sent	_____	_____	Signer count: _____
CEO signed	_____	_____	Signature ID: _____
CISO signed	_____	_____	Signature ID: _____
All interns signed	System	_____	Completed: ____ / ____
Final PDF generated	System	_____	Final hash: _____
Completion certificate generated	System	_____	Certificate ID: _____
Engagement activated	_____	_____	Audit ID: _____

FINAL COMPLETION STATUS

FIELD	VALUE
Final Document Status	[FULLY SIGNED / VOIDED / EXPIRED]
Final Document Version	[VERSION]
Final SHA-256 Hash	[HASH]
Completion Certificate ID	[CERTIFICATE ID]
Completed UTC Timestamp	[TIMESTAMP]
CipherX-HR Correlation ID	[CORRELATION ID]

END OF RULES OF ENGAGEMENT

No testing may begin or continue unless the final document status is FULLY SIGNED and the engagement is ACTIVE in CipherX-HR.