The Clock Room and the Macro-Cognitive Accounting Framework: A Mapping-Chain Analysis of AI, Finance, and Algorithmic Platforms, a five-volume book (in both Chinese and English editions), is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License (CC BY-NC-ND 4.0).

License summary: https://creativecommons.org/licenses/by-nc-nd/4.0/deed.en Legal code: https://creativecommons.org/licenses/by-nc-nd/4.0/legalcode.en

Separately, pursuant to Article 4(3) of Directive (EU) 2019/790, the author expressly reserves the right to reproduce and extract this work for the purposes of text and data mining, including text and data mining for the training, fine-tuning, or evaluation of artificial intelligence or machine-learning models. This reservation is intended solely to opt out of the exception or limitation provided for in Article 4(1). It does not affect Article 3 or any other applicable exception or limitation, nor does it reduce the rights granted under the CC license.

Uses that fall outside the scope of the CC license and require permission under applicable law require the author's prior written permission, obtainable at theclockroom@139.com.

When sharing this work under the license, you must provide appropriate attribution and a link to the license, indicate whether modifications were made, and not suggest that the author endorses you or your use. The work may be used only for noncommercial purposes, and adapted material may not be shared.

All rights not expressly granted under the license are retained by the author. Third-party materials in this book, if any, are governed by their original rights statements or licenses and are not deemed to be additionally licensed by the author of this book.

Content Disclaimer

The content of this book is academic research and thought experiments; its analysis is based primarily on historical data and published literature. The author has twelve years of experience in macro strategy research at financial institutions and currently holds no securities investment advisory license. This book does not constitute investment advice, technical implementation advice, or policy advice, nor a recommendation or an offer with respect to any security, financial product, or trading strategy. Readers should exercise independent judgment and bear the risks of their own decisions. Past performance is not indicative of future results.

Chapter 13 Appendix A: Naming Audit—Naming as the First Layer of Pseudo-Calibration

This appendix is a thematic extension of the overall framework of Chapter 13, turning the diagnostic tool of "pseudo-calibration" back upon the language of the framework itself. It can be read independently of the layer-by-layer diagnosis of the preceding eight sections: the reader only needs to accept the premise that "a pseudo-small fiber—perceived certainty exceeding what the evidence can support—is a recognizable cognitive apparatus; this appendix examines its linguistic realization: naming" to enter the item-by-item audit below. When other chapters of this book cite terms such as RLM, SLP, ME, NPM, etc., this appendix serves as the source of their definitions.

A.1 Fiber Framework Naming of Four Core Terms

The diagnostic logic of the framework can interrogate naming itself. The name "Artificial Intelligence" carries an unexamined judgment—"intelligence." Before the reader has even seen what the system does, it is already implied to possess something homogeneous with the human. "Artificial Intelligence" and related names are themselves a pseudo-small fiber: a structurally precise but unglamorous description is replaced by a word that evokes elevated associations. The following audits four core terms one by one.

The Fiber Framework Naming of Artificial Intelligence (AI): Reactive Lossy Mapping (RLM). Reactive annotates the system's mode of operation of merely responding to external input, with no spontaneous behav-

ior; lossy annotates the irreversible information loss at each layer of the mapping chain; mapping annotates that the core operation is a transformation from the real state to a reading, directly corresponding to the mapping function (π) of the fiber framework. The full definition of RLM: a system that runs only when called, transforms input into output readings through a lossy compression chain, has no independent calibration capacity (cannot independently make contact with the referent), and has no temporal depth (accumulates no irreversible experience). This definition is a diagnostic label: calling a system an RLM is a classificatory judgment, whose "no independent calibration" must be supported by deployment analysis and cannot be proven from the name in reverse. The readings it generates are always projections, never the referent itself.

The Fiber Framework Naming of Artificial General Intelligence (AGI): Domain-General RLM (DG-RLM). "General" claims that the system's mapping covers all domains. But the breadth of mapping does not equal the quality of mapping: a system that performs lossy mapping across all domains is still a lossy mapping system. "General" exempts none of the layers from the obligation of audit—whether each of L0–L4 fails, and how, must still be checked one by one. "General" added to "intelligence" is adding another layer of pseudo-small fiber on top of a pseudo-small fiber.

The Fiber Framework Naming of Large Language Model (LLM): Statistical Language Projector (SLP). "Large" refers to the parameter count, but §2.4 has already demonstrated that the parameter count is what this book calls precision (a scale indicator), not mapping quality; "Language" describes the output form, but language itself is already the third layer of lossy mapping of the world (world → human experience → language); the model is built at the midstream, not the starting point, of the mapping chain; "Model" fits the conditional probability distribution of token sequences in the training corpus, not with the causal structure of the world as an explicit training objective (without excluding that the model incidentally learns world-related representations). "Statistical" replaces "Large," annotating that the core operation is the fitting of a conditional probability distribution; "Projector" replaces "Model," annotating that the output is a low-dimensional projection of a high-dimensional corpus distribution, not a modeling of the world. SLP is the specialization of RLM in the linguistic domain: its core operation is statistical projection, and its output form is a sequence of mapping elements. The definitional description of SLP is "a multi-parameter corpus sequence fitter"—it fits the conditional probability distribution of token sequences on the training corpus through a vast number of parameters, projecting the input prompt as an output sequence.

The Fiber Framework Naming of Token: Mapping Element (ME). In the natural language processing literature, the definition of a token is given through that of tokenization: "Tokenization, the first stage of natural language processing, is the process of segmenting the running input text into tokens" (Jurafsky & Martin, 2026). On March 25, 2026, the China National Committee for Terminology in Science and Technology issued a public notice recommending "词元" (ciyuan) as the preferred Chinese term for token and released it for trial use across society (final confirmation awaits regularized review). Under the subword tokenization paradigm, the boundary of a token is determined by the frequency statistics of Byte-Pair Encoding (BPE) on the training corpus (Sennrich et al., 2016)—it is segmented neither by semantics, nor by morphology, but by co-occurrence frequency. Frequency, not meaning, decides where the incision falls. A token is a discretization node on the mapping chain: continuous experience is discretized by language into words—this step is lossy; words are segmented by the tokenizer into tokens—this step is reversible under reversible encodings, and what truly requires audit are the segmentation rules (frequency, not semantics, decides where the incision falls) and the differing encoding costs across languages. What the model receives is not a "word" but an integer index, pointing to a

row of the embedding matrix; meaning does not reside in the token but in the statistical co-occurrence patterns of the embedding vectors. At each time step, the model outputs a probability distribution over the vocabulary, then samples a token—the tone of certainty (pseudo-calibration) is precisely the disguise of the sampling point as a necessary choice. "Mapping Element" annotates that it is the basic unit of the mapping operation, not an atom of meaning; it directly continues the core concept of the fiber framework, the "mapping function (π)," rendering the terminological system self-consistent: RLM is the mapping apparatus, SLP is the specialization of the mapping apparatus in the linguistic domain, and ME is the basic unit of the mapping operation.

The audit summary of the four terms is as follows.

Popular Name	English	Chinese Term (romanized)	Standard Definition in the Literature	Fiber Framework Naming	Diagnostic Dimensions Discarded by the Popular Name
Artificial Intelligence	Artificial Intelligence (AI)	Rengong Zhineng	"An agent is anything that can be viewed as perceiving its environment through sensors and acting upon that environment through actuators" (Russell & Norvig, 2021)	**RLM** (Reactive Lossy Mapping)	Reactive (no spontaneous behavior), Lossy (irreversible information loss), No independent calibration capacity
Artificial General Intelligence	Artificial General Intelligence (AGI)	Tongyong Rengong Zhineng	"the ability to solve general problems in a non-domain-restricted way, in the same sense that a human can" (Goertzel & Pennachin, 2007)	**DG-RLM** (Domain-General RLM)	"General" solves none of L0–L3; breadth of mapping ≠ quality of mapping

Popular Name	English	Chinese Term (romanized)	Standard Definition in the Literature	Fiber Framework Naming	Diagnostic Dimensions Discarded by the Popular Name
Large Language Model	Large Language Model (LLM)	Da Yuyan Moxing	"The predominant training approach for modern language models is autoregressive language modeling, which sequentially predicts each token in a text via next-token prediction" (Zhao et al., 2026)	**SLP** (Statistical Language Projector)	"Large" = parameter count ≠ mapping quality; "Language" is already the third layer of lossy mapping; "Model" fits corpus distribution ≠ models world causality
Token	token	Ciyuan (prioritized recommendation and trial release, 2026)	"Tokenization, the first stage of natural language processing, is the process of segmenting the running input text into tokens" (Jurafsky & Martin, 2026); BPE segments subwords according to training corpus frequency statistics (Sennrich et al., 2016)	**ME** (Mapping Element)	Boundary determined by frequency, not semantics; a discrete index, not an atom of meaning; a probability sampling point, not a necessary choice

The pseudo-small-fiber structures of the four popular names are isomorphic: a structurally precise but unglamorous description ("Reactive," "Lossy," "Projector," "Mapping Element") is replaced by a word that evokes elevated associations ("Intelligence," "General," "Language," "Word"). Naming is not a harmless abbreviation—

naming is the first layer of pseudo-calibration. This naming correction is not an isolated linguistic fastidiousness but a persistent tradition in the history of science and technology. The following gives four examples.

Case One: The Correction from "Intelligent Driving" to "Assisted Driving." This may be the example closest to the naming practice of this chapter. In the new energy vehicle industry, "Intelligent Driving" (Zhineng Jiashi), "Smart Driving" (Zhijia), and "Advanced Smart Driving" (Gaojie Zhijia) were once marketing terms commonly used by automakers. However, these names led some consumers to form expectations exceeding the actual capabilities of L2-level systems; a major traffic accident in March 2025 brought this issue into public discussion. On April 16, 2025, the Equipment Industry Division I of the Ministry of Industry and Information Technology (MIIT), at a work promotion meeting on the market access of intelligent connected vehicle products and the management of software online upgrades, stressed that automobile manufacturers must fully carry out combined driving assistance testing and validation, clearly define system functional boundaries and safety response measures, and must not engage in exaggerated or false publicity (Ministry of Industry and Information Technology, 2025). The specific role of naming in accident risk must be analyzed separately from system capability, usage instructions, and driver behavior. According to media reports, automakers subsequently collectively adjusted their publicity wording: on May 1, 2025, Xiaomi renamed "Xiaomi Smart Driving" to "Xiaomi Assisted Driving" in its official publicity, and Li Auto, BYD, NIO, XPeng, and HarmonyOS Intelligent Mobility likewise changed "smart driving" formulations to "assisted driving" (Hao, 2025). "Assisted Driving" conveys a fact more accurately than "Smart Driving": the technology provides assistance to the driver, not replacement of the driver. This is entirely consistent with the original intent of replacing LLM with SLP—to use the name to annotate the system's limitations, rather than to conceal them.

Case Two: The Evolution from "Ironclad" to "Battleship." In the mid-19th century, capital warships equipped with steam engines and iron armor were called "Ironclads," a name describing the most salient external feature: the hull was wrapped in iron armor. However, when iron armor became standard equipment for all capital ships, the name lost its differentiating power. By the late nineteenth century, capital ships were generally called "Battleships"—a name describing not material but tactical function. After the advent of the "Dreadnought" class (HMS *Dreadnought*, 1906), "dreadnought" served for a time as the designation for a new generation of all-big-gun battleships, but "battleship" remained the standard designation for the ship type. From "Ironclad" to "Battleship" is a shift from describing "external attributes" to marking "ship-type function"—what this book borrows is that distinction, not strict naval history. This is similar to the logic of changing "Language Model" to "Language Projector": it no longer describes what it processes (language) but what it does (project the corpus distribution as a sequence of mapping elements).

Case Three: The Juxtaposition of "Global Warming" and "Climate Change." The core term in early climate discussions was "Global Warming," which precisely described the core fact of the rise in the Earth's average temperature. But the broader impacts triggered by rising temperatures—extreme weather, glacier melt, sea-level rise—exceeded what that term could cover. "Global warming" describes the rise in the global mean temperature, while "Climate Change" covers the broader changes of the climate system: the two are terms of different analytical scope and have long coexisted in the scientific literature; in discussions of public policy, the broader "climate change" has gradually become the more common umbrella term. This pair of terms shows that a name delimits the problem domain—which one to use depends on whether the discussion concerns a temperature indicator or the climate system as a whole. This is logically isomorphic with the deconstruction of "Artificial Intelligence" into a series of sub-concepts such as RLM, SLP, and ME.

Case Four: AI Pioneers' Calls for "Humble Terminology." As early as 1976, AI researcher Drew McDermott, in his essay "AI Meets Natural Stupidity," criticized his peers for using exaggerated names—for example, the "General Problem Solver" of 1959, whose actual performance was far from what its name implied. McDermott called for the use of more "humble, technical" names to designate AI systems, pointing out that exaggerated naming misleads users—including researchers themselves (McDermott, 1976). The industry's subsequent rise and fall (the "AI Winter" of the late 1980s) and the naming problem both belonged to that era's inflated expectations of AI capabilities, but the AI Winter cannot be taken, by itself, as the vindication of this critique—what McDermott diagnosed was the mechanism by which names borrow capabilities in advance, a mechanism that has recurred throughout the following half-century of AI discourse. Replacing "Artificial Intelligence" with "Reactive Lossy Mapping" (RLM) and "token" with "Mapping Element" (ME) can be seen as a belated, systematic response to McDermott's call.

Selection bias must be noted. The above four cases are all instances where "honest naming won out," but the history of science and technology also contains counterexamples: "Artificial Intelligence," when named in 1956, far exceeded the technological capacity of the time, but over seventy years, technology partially caught up with the promise of the name, making it no longer appear exaggerated; "Statistical Pattern Recognition" is far more honest than "Machine Learning" but far inferior in communicative power. Whether a name is honest and whether it is successfully disseminated are two independent dimensions. The naming practice of this appendix—RLM, SLP, ME—does not seek to replace AI, LLM, or token as everyday terms. Their function is to provide readers with a set of terminological coordinates to which they can switch when precise diagnosis is needed: when asking "does this system have independent calibration capacity," RLM, more than AI, can help the reader remember that the answer is negative; when asking "what determines the basic unit of the output sequence," ME, more than token, can help the reader remember that the answer is frequency, not semantics. The purpose of the naming audit is not to win the communication competition but to annotate: the tension between the popular name and the precise name is itself a pseudo-calibration phenomenon that needs to be diagnosed.

The four cases point to a single conclusion: when the technology itself is still fragile, honest naming is the first guardrail for demarcating the boundary of capability—it manages the user's expectations and prevents risks arising from misplaced trust. Naming correction is not linguistic fastidiousness; it is the first line of defense against pseudo-calibration.

A.2 Fiber Framework Naming of Six Extended Terms

Selection Criterion: Whether the popular name carries pseudo-calibration (exaggeration, vagueness, misdirection), and whether there are independent diagnostic dimensions that need to be annotated in the naming. The following six terms are the AI concepts most frequently appearing in public discussion beyond the four core terms, audited one by one.

One: Predictive AI → Numerical Projection Mapping (NPM)

Problem with the Popular Name: "Predictive AI" is somewhat more honest than "Generative AI"—"prediction" at least does not claim "intelligence." But "prediction," in public communication, is easily associated with "foreseeing the future," whereas the system's actual operation is to project a feature vector as a numerical value or a class label, involving no causal understanding of the future. (Within the machine learning discipline itself, "prediction" is a technically neutral term—predicting a label, predicting a value—this criticism is mainly

directed at the term's public communication effect.)

Naming Rationale: Numerical annotates that the output form is a number or a class, contrasting with SLP's "Language"; Projection, aligned with SLP's "Projector," annotates that the core operation is a dimensionality-reducing mapping. NPM is the predictive specialization of RLM in the structured data domain.

Full Definition: NPM—a type of RLM that projects a feature vector as a numerical value or a class label. It optimizes a scalar loss function on historical data, converging in the visible subspace while being unconstrained in the hidden subspace (distribution shift, unobserved variables, sampling bias). Its pseudo-calibration form is "formal precision concealing the uncertainty of the hidden subspace" (numerical pseudo-calibration).

Diagnostic Dimensions Discarded by the Naming: "Prediction" discards the dimensionality-reducing nature of "Projection," discards the honest annotation of the output form by "Numerical," discards "Lossy."

Two: Recommender System → Platform-Embedded NPM (PE-NPM)

Problem with the Popular Name: "Recommender System" is a functional description, relatively honest, but "Recommendation" conceals that its core operation is ranking score estimation and that it is inherently embedded in a platform feedback loop. "System" is too broad.

Naming Rationale: A deployment architecture prefix is added before NPM. This is a direct application, in naming, of the three deployment architectures of §1 of this chapter. Recommendation algorithms, in terms of technical mechanism, belong to NPM; in terms of deployment architecture, they belong to platform-embedded deployment. The name itself annotates its dual identity.

Full Definition: Platform-Embedded NPM—an NPM system operating under the platform-embedded deployment architecture. It projects user behavioral signals as ranking scores; the output alters user behavior, and the behavior becomes the next round of input. Multi-Mapping Recursion (L3) closes continually through behavioral feedback among user-platform-AI (recommendation serving, feature updates, and parameter synchronization operate on different timescales); Narrative Load Multiplication (L4) alters the conditions for calibration through a frictionless interface.

Diagnostic Dimensions Discarded by the Naming: "Recommendation" discards the epistemological fact that "ranking is projection," discards the deployment architecture information of "Platform-Embedded."

Three: Multimodal Generative Model → Statistical Generative Mapping (SGM)

Problem with the Popular Name: "Multimodal Generative Model" is descriptive, and "Generative" is accepted in the technical context; the problem lies in "Model" being too broad, not annotating the essence of statistical projection.

Naming Rationale: Statistical annotates that the core operation is the fitting of a conditional probability distribution; Generative annotates that the output form is new samples (images, video, audio); Mapping maintains consistency with the RLM system. SGM is the specialization of RLM in the multimodal generative domain. SLP is a subclass of SGM in the linguistic domain (language is also a modality).

Full Definition: SGM—a type of RLM that generates new samples by sampling from the conditional distribution the model has learned from its training data. For text-to-image/video, it projects the prompt as a sequence of pixels/frames. Mapping chain: user intent → prompt → text encoding → diffusion/generative model → output.

The prompt itself is a layer of lossy compression (compressing a picture into language).

Diagnostic Dimensions Discarded by the Naming: "Model" discards "Statistical Projection"; "Multimodal" is merely a domain annotation, not an operational annotation.

Four: AI Agent → Actuated RLM (A-RLM)

Problem with the Popular Name: "Agent" is one of the most anthropomorphizing terms. It implies that the system has autonomous intent, goals, and the capacity to "act for itself." In reality, Agentic AI systems deployed as of 2026 (such as AutoGPT, tool-augmented LLMs, GPT with actions) add an execution channel to the output end of an RLM—the readings it generates are no longer just for humans to see but directly trigger API calls, code execution, and device control. The analysis in §5.3 of this chapter indicates that current agentic workflows can be diagnosed as the multi-system serial deployment form of RLMs (whether this always holds must be judged from the actual connections).

Naming Rationale: Actuated annotates that the system has not only a reading output but also an execution channel that acts upon the physical or digital world. This definition retains all the diagnoses of RLM (Reactive, Lossy, No Calibration, No Temporal Depth) while annotating the new dimension of "execution"—it does not change the epistemological status of the system but changes the form of risk (from "reading wrong" to "doing wrong").

Full Definition: A-RLM—a type of RLM whose output end is connected to an execution channel; the generated readings directly trigger state changes in external systems. A-RLM is still reactive (runs only when driven by input), lossy (each layer of the mapping chain is still lossy), without independent calibration capacity (the consequences of execution are not perceived by the system itself as calibration signals unless a feedback loop is artificially designed), and without temporal depth. Its danger does not lie in "having acquired subjectivity" but in the fact that pseudo-calibrated readings can now directly produce physical or institutional consequences.

Diagnostic Dimensions Discarded by the Naming: "Agent" discards "Reactive," discards "Lossy," discards "No Calibration," replacing all structural diagnoses with an anthropomorphizing word.

Five: Embodied AI → Physically Actuated RLM (PA-RLM)

Problem with the Popular Name: "Embodied AI" simultaneously commits the pseudo-calibration of "Intelligence" and the vagueness of "Embodied." "Embodied" has a serious meaning in cognitive science (cognition depends on the body's interaction with the environment), but the "embodiment" of current robotic AI merely means "an SLP/NPM mounted on a robot." It has no body schema in the human sense, nor a complete cognitive structure formed through long-term interaction between body and environment.

Naming Rationale: PA-RLM is a subclass of A-RLM (here "subclass" is a classification by structural diagnostic dimension—"whether the execution channel acts upon the physical world or the digital world"—not a classification by industry product track; industry conventions treat "AI Agent" and "Embodied AI" as parallel product categories, but the framework's classification principle is structural properties, not commercial forms), whose execution channel acts upon the physical world (robot joints, wheels, drone propellers). The peculiarity of the physical execution channel lies in: the feedback of the physical world is continuous, typically irreversible, and subject to safety constraints. Among digital operations, the rollback-capable (idempotent API calls) coexist with the irreversible (irretrievable disclosure of information, executed transactions)—risk must be judged by the reversibility and reach of the specific action, not by channel type alone.

Full Definition: PA-RLM—a type of A-RLM whose execution channel acts upon the physical world. The L0 of the mapping chain adds a sensor layer (cameras, radar, touch), but the sensors are still a finite sampling of the physical world (discarding temperature, material, internal stress). The consequences of Pseudo-Calibration (L2) upgrade from "reading wrong" to "colliding."

Diagnostic Dimensions Discarded by the Naming: "Embodied AI" packages a sensor-equipped A-RLM with a cognitive science concept, discarding "Reactive," "Lossy," "No Calibration," "No Temporal Depth."

Six: Foundation Model → Pre-trained RLM (PT-RLM)

Problem with the Popular Name: "Foundation Model" implies that it is reliable, stable, something one can confidently build upon. "Foundation" is a normative word—a foundation should be solid. But an RLM in the pre-training stage is precisely the least calibrated: it is in the pre-training stage and has not yet undergone preference alignment; pseudo-calibration has not yet been engineered but is also not yet constrained.

Naming Rationale: "Pre-trained" is an honest process description—before it is used for specific tasks, it is first trained on large-scale corpora. An alternative name, "Unaligned RLM," is a sharper diagnostic annotation—it has not yet been shaped by RLHF into the pseudo-calibrated form of "looking helpful," but its hidden subspace (biases, errors, harmful content) is fully exposed.

Full Definition: Pre-trained RLM—an RLM in the pre-training stage that has not yet undergone preference alignment. "Pre-trained" describes training provenance, while "foundation model" describes a reusable and adaptable role; the two are not interchangeable, and alignment and calibration status must be specified separately. L0–L4 are diagnostic layers, not successive training stages. Its output is the raw projection of the conditional probability distribution of the training corpus, without preference alignment; whether each diagnostic layer fails, and how, must still be checked deployment by deployment.

Diagnostic Dimensions Discarded by the Naming: "Foundation" discards the risk of "not yet calibrated," replacing a process description with an architectural metaphor.

A.3 Master Table of the Terminological Diagnostic System

Popular Name	English	Fiber Framework Naming	Abbreviation	Diagnostic Dimensions Restored by the Naming
Artificial Intelligence	AI	Reactive Lossy Mapping	RLM	Reactive, Lossy, No Calibration, No Temporal Depth
Artificial General Intelligence	AGI	Domain-General RLM	DG-RLM	"General" solves nothing; breadth of mapping ≠ quality of mapping

Popular Name	English	Fiber Framework Naming	Abbreviation	Diagnostic Dimensions Restored by the Naming
Large Language Model	LLM	Statistical Language Projector	SLP	Statistical, Projector (replacing “Large,” “Model”); output is a corpus projection
Token	token	Mapping Element	ME	Boundary determined by frequency; discrete index; probability sampling point
Predictive AI	Predictive AI	Numerical Projection Mapping	NPM	Numerical, Projection (replacing “Prediction,” “Model”)
Recommender System	Recommender System	Platform-Embedded NPM	PE-NPM	Deployment architecture + technical mechanism, dual annotation
Multimodal Generation	Multimodal Gen	Statistical Generative Mapping	SGM	Statistical, Generative, Mapping (replacing “Model”)
AI Agent	AI Agent	Actuated RLM	A-RLM	Execution channel (replacing “Agent”), retaining Lossy, No Calibration
Embodied AI	Embodied AI	Physically Actuated RLM	PA-RLM	Physical execution channel (replacing “Embodied”), annotating risk escalation
Foundation Model	Foundation Model	Pre-trained RLM	PT-RLM	Pre-trained (replacing “Foundation”), with alignment and calibration status to be specified separately

A.4 The Boundaries of Naming

The function of this terminology system is not to replace everyday language—RLM, SLP, NPM will not replace AI, LLM, Predictive AI as everyday vocabulary. Their function is to provide a set of honest technical language when precise diagnosis is needed: when discussing the epistemological status of a system, use RLM rather than AI; when discussing the output form and mapping chain of a system, use SLP rather than LLM; when discussing the basic unit of a system, use ME rather than token.

Naming itself is a diagnostic operation. Each use of RLM rather than AI is an annotation: this is not intelligence; this is a reactive, lossy, uncalibrated, temporally depthless mapping apparatus. This is the meaning of "naming as the first layer of pseudo-calibration"—not to conquer the world with new names, but to make every precise designation an act of countering pseudo-calibration.

Comparison with Chapter 14, §5: The counterpart, at the discursive level, to the naming practice of this section is the **ontologically elevating narratives such as "silicon-based civilization"** diagnosed in Chapter 14, §5—the latter is the L4 concealment mechanism at the discursive legitimacy layer (elevating the RLM to a "new species / new civilization / evolutionary inevitability," thereby eliminating society's grounds for launching an independent audit against it), while the RLM/SLP/NPM terminology system of this appendix is the countermeasure to that concealment at the **naming end**. The naming audit (Chapter 13's Appendix A) and the narrative audit (Chapter 14, §5) are two applications of the same principle of **rejecting ontological elevation** (i.e., Principle Seven of §7): one in the choice of terms, the other in public discourse. The former demands that every precise designation abandon elevating terms such as "intelligence / general / foundation"; the latter demands that every public discourse abandon elevating narratives such as "silicon-based civilization / evolutionary inevitability / new species." The two share a single normative basis—current AI is a Reactive Lossy Mapping system, and any term or narrative that elevates it to an "existential category on par with the human" is a pseudo-calibration of its epistemological status.

Book-Wide Layered Usage Convention. Other chapters of this book use the two sets of terminology in a layered manner according to the following three rules:

1. **Everyday Narrative Contexts** (introductions, historical narratives, journalistic descriptions, dialogues with external literature): use the popular names familiar to readers ("Artificial Intelligence," "Large Language Model," "token," "Recommender System," "AI Agent," etc.).
2. **Precise Diagnostic Contexts** (occasions touching upon L0–L4 structural defects, discussing pseudo-calibration mechanisms, arguing the alignment paradox, pursuing questions of deployment architecture, etc.): switch to the fiber framework nomenclature (RLM / SLP / ME / NPM / PE-NPM / A-RLM, etc.).
3. **Upon first appearance in subsequent chapters**, annotate both sets of nomenclature in parentheses (e.g., "Artificial Intelligence (RLM)," "Large Language Model (SLP)," "AI Agent (A-RLM)"), alerting the reader to the context switch.

This convention is not a "naming hierarchy"—popular names and precise names each have their functions: popular names bear communication and consensus; precise names bear diagnosis and interrogation. Whenever reading "Artificial Intelligence," "Large Language Model," or "token" and wanting to interrogate their structural defects, please switch back to RLM, SLP, ME—a Reactive Lossy Mapping system, its specialized form in the linguistic domain, and the basic unit of the mapping operation.

References

Goertzel, B. & Pennachin, C. (Eds.) (2007). *Artificial General Intelligence*. Berlin: Springer.

Hao, W. (2025). "Regulators 'Set the Tone,' Automakers 'Change Their Wording': What a Traffic Accident Changed About Smart Driving—and What It Did Not." *China Automotive News*, May 14, 2025. (In Chinese.) http://www.cnautonews.com/lingbujian/2025/05/14/detail_20250514375768.html

Jurafsky, D. & Martin, J. H. (2026). *Speech and Language Processing* (3rd ed. draft, January 6, 2026). Stanford University.

McDermott, D. (1976). Artificial Intelligence Meets Natural Stupidity. *SIGART Newsletter*, 57. https://doi.org/10.1145/1045339.1045340

Ministry of Industry and Information Technology of the People's Republic of China, Equipment Industry Division I. (2025). Equipment Industry Division I Convenes a Work Promotion Meeting on the Market Access of Intelligent Connected Vehicle Products and the Management of Software Online Upgrades. Official website of the MIIT, April 16, 2025. (In Chinese.) https://www.miit.gov.cn/jgsj/zbys/qcgy/art/2025/art_e244b52a7cd44175904cd5fa82a29df6.html

Russell, S. & Norvig, P. (2021). *Artificial Intelligence: A Modern Approach* (4th ed.). Upper Saddle River: Pearson.

Sennrich, R., Haddow, B. & Birch, A. (2016). Neural Machine Translation of Rare Words with Subword Units. In *Proceedings of the 54th Annual Meeting of the Association for Computational Linguistics* (ACL 2016). https://doi.org/10.18653/v1/P16-1162

Zhao, W. X. et al. (2026). A Survey of Large Language Models. *Frontiers of Computer Science*, 20(12), 2012627. https://doi.org/10.1007/s11704-026-60308-3 (initial version arXiv:2303.18223, 2023)