
S2 all 36 focal pairs: N65536 vs N131072 | page 1/9


N=65536 N=131072

Ploidy


p_misseg x mu_hp




lam_max x mu_hp



p_mis_base x mu_hp




lam_max x p_mis_base




Net live-cell growth rate


p_misseg x mu_hp




lam_max x mu_hp



p_mis_base x mu_hp



lam_max x p_mis_base




Bands: min-max across five scramble repeats, not confidence intervals. Negative estimates are sampling noise.
Independent y scales by panel; shared y scale for both N values within each panel. O2 boundaries: 1% and 3%.


N=65536 N=131072

Ploidy


lam_max x gamma_mu




p_misseg x gamma_mu



p_mis_base x n_O




p_mis_base x O2_crit




Net live-cell growth rate


lam_max x gamma_mu




p_misseg x gamma_mu



p_mis_base x n_O



p_mis_base x O2_crit




Bands: min-max across five scramble repeats, not confidence intervals. Negative estimates are sampling noise.
Independent y scales by panel; shared y scale for both N values within each panel. O2 boundaries: 1% and 3%.


N=65536 N=131072

Ploidy


mu_hp x gamma_mu




p_mis_base x gamma_growth



p_mis_base x gamma_mu




k_o_mis x mu_hp




Net live-cell growth rate


mu_hp x gamma_mu




p_mis_base x gamma_growth



p_mis_base x gamma_mu



k_o_mis x mu_hp




Bands: min-max across five scramble repeats, not confidence intervals. Negative estimates are sampling noise.
Independent y scales by panel; shared y scale for both N values within each panel. O2 boundaries: 1% and 3%.


N=65536 N=131072

Ploidy


p_mis_base x buffer_smax




p_mis_base x buffer_beta



gamma_mu x n_O




gamma_mu x O2_crit




Net live-cell growth rate


p_mis_base x buffer_smax




p_mis_base x buffer_beta



gamma_mu x n_O



gamma_mu x O2_crit




Bands: min-max across five scramble repeats, not confidence intervals. Negative estimates are sampling noise.
Independent y scales by panel; shared y scale for both N values within each panel. O2 boundaries: 1% and 3%.

S2 all 36 focal pairs: N65536 vs N131072 | page 5/9


N=65536 N=131072

Ploidy


p_mis_base x p_misseg




mu_hp x O2_crit



p_mis_base x alpha_o2




p_mis_base x k_o_mis




Net live-cell growth rate


p_mis_base x p_misseg




mu_hp x O2_crit



p_mis_base x alpha_o2



p_mis_base x k_o_mis




Bands: min-max across five scramble repeats, not confidence intervals. Negative estimates are sampling noise.
Independent y scales by panel; shared y scale for both N values within each panel. O2 boundaries: 1% and 3%.


N=65536 N=131072

Ploidy


p_mis_base x buffer_n_exp




p_mis_base x p_wgd



mu_hp x n_O




k_o_mis x gamma_mu




Net live-cell growth rate


p_mis_base x buffer_n_exp




p_mis_base x p_wgd



mu_hp x n_O



k_o_mis x gamma_mu




Bands: min-max across five scramble repeats, not confidence intervals. Negative estimates are sampling noise.
Independent y scales by panel; shared y scale for both N values within each panel. O2 boundaries: 1% and 3%.


N=65536 N=131072

Ploidy


gamma_growth x gamma_mu




buffer_beta x gamma_mu



buffer_beta x mu_hp




gamma_growth x mu_hp




Net live-cell growth rate


gamma_growth x gamma_mu




buffer_beta x gamma_mu




buffer_beta x mu_hp



gamma_growth x mu_hp



Bands: min-max across five scramble repeats, not confidence intervals. Negative estimates are sampling noise.
Independent y scales by panel; shared y scale for both N values within each panel. O2 boundaries: 1% and 3%.




Bands: min-max across five scramble repeats, not confidence intervals. Negative estimates are sampling noise.
Independent y scales by panel; shared y scale for both N values within each panel. O2 boundaries: 1% and 3%.

S2 all 36 focal pairs: N65536 vs N131072 | page 9/9


N=65536 N=131072

Ploidy


alpha_o2 x mu_hp




buffer_smax x gamma_mu



p_wgd x mu_hp




p_wgd x gamma_mu




Net live-cell growth rate


alpha_o2 x mu_hp




buffer_smax x gamma_mu



p_wgd x mu_hp



p_wgd x gamma_mu



Bands: min-max across five scramble repeats, not confidence intervals. Negative estimates are sampling noise.
Independent y scales by panel; shared y scale for both N values within each panel. O2 boundaries: 1% and 3%.