neighborhood10pct/seed113; mean of five repeats; N4096
All estimates retained; gray = undefined; diagnostics in source tables

Dominant mean ploidy

Net live-cell growth rate

lam_max × p_mis_base
lam_max × p_misseg
lam_max × k_o_mis
lam_max × buffer_smax
lam_max × buffer_beta
lam_max × buffer_n_exp
lam_max × p_wgd
lam_max × alpha_o2
lam_max × gamma_growth
lam_max × mu_hp
lam_max × gamma_mu
lam_max × O2_crit
lam_max × n_O
p_mis_base × p_misseg
p_mis_base × k_o_mis
p_mis_base × buffer_smax
p_mis_base × buffer_beta
p_mis_base × buffer_n_exp
p_mis_base × p_wgd
p_mis_base × alpha_o2
p_mis_base × gamma_growth
p_mis_base × mu_hp
p_mis_base × gamma_mu
p_mis_base × O2_crit
p_mis_base × n_O
p_misseg × k_o_mis
p_misseg × buffer_smax
p_misseg × buffer_beta
p_misseg × buffer_n_exp
p_misseg × p_wgd
p_misseg × alpha_o2
p_misseg × gamma_growth
p_misseg × mu_hp
p_misseg × gamma_mu
p_misseg × O2_crit
p_misseg × n_O
k_o_mis × buffer_smax
k_o_mis × buffer_beta
k_o_mis × buffer_n_exp
k_o_mis × p_wgd
k_o_mis × alpha_o2
k_o_mis × gamma_growth
k_o_mis × mu_hp
k_o_mis × gamma_mu
k_o_mis × O2_crit
k_o_mis × n_O
buffer_smax × buffer_beta
buffer_smax × buffer_n_exp
buffer_smax × p_wgd
buffer_smax × alpha_o2
buffer_smax × gamma_growth
buffer_smax × mu_hp
buffer_smax × gamma_mu
buffer_smax × O2_crit
buffer_smax × n_O
buffer_beta × buffer_n_exp
buffer_beta × p_wgd
buffer_beta × alpha_o2
buffer_beta × gamma_growth
buffer_beta × mu_hp
buffer_beta × gamma_mu
buffer_beta × O2_crit
buffer_beta × n_O
buffer_n_exp × p_wgd
buffer_n_exp × alpha_o2
buffer_n_exp × gamma_growth
buffer_n_exp × mu_hp
buffer_n_exp × gamma_mu
buffer_n_exp × O2_crit
buffer_n_exp × n_O
p_wgd × alpha_o2
p_wgd × gamma_growth
p_wgd × mu_hp
p_wgd × gamma_mu
p_wgd × O2_crit
p_wgd × n_O
alpha_o2 × gamma_growth
alpha_o2 × mu_hp
alpha_o2 × gamma_mu
alpha_o2 × O2_crit
alpha_o2 × n_O
gamma_growth × mu_hp
gamma_growth × gamma_mu
gamma_growth × O2_crit
gamma_growth × n_O
mu_hp × gamma_mu
mu_hp × O2_crit
mu_hp × n_O
gamma_mu × O2_crit
gamma_mu × n_O
O2_crit × n_O

0 0.5 1 1.5 2 2.5 3 3.5 4 4.5 5
Oxygen (%)

0 0.5 1 1.5 2 2.5 3 3.5 4 4.5 5
Oxygen (%)

0.000 0.025 0.050 0.075 0.100 0.125 0.150 0.175
S2 (raw estimates; blue = negative sampling estimates)

0.00 0.01 0.02 0.03 0.04 0.05
S2 (raw estimates; blue = negative sampling estimates)