

Diagnostic coverage for displayed sensitivity cells | N4096, five repeats, 201 oxygen points
Global: pass/fail per cell; neighborhoods: fraction of all 500 seeds passing.


A Global full bounds | S1
Dominant mean ploidy




B 500 neighborhoods | S1
Dominant mean ploidy




C Global full bounds | S1
Net live-cell growth rate




D 500 neighborhoods | S1
Net live-cell growth rate




E Global full bounds | ST
Dominant mean ploidy




F 500 neighborhoods | ST
Dominant mean ploidy




G Global full bounds | ST
Net live-cell growth rate




H 500 neighborhoods | ST
Net live-cell growth rate




I Global full bounds | S2: 36 focal pairs
Dominant mean ploidy




J 500 neighborhoods | S2: 36 focal pairs
Dominant mean ploidy



K Global full bounds | S2: 36 focal pairs
Net live-cell growth rate



L 500 neighborhoods | S2: 36 focal pairs
Net live-cell growth rate



Global = five-repeat mean; neighborhoods = median of 500 five-repeat means. No convergence exclusions.
Diagnostic thresholds: repeat range ≤ 0.05 and N2048–N4096 mean change ≤ 0.02.
O_2: $\log_{10}$ above 0.025%; linear from 0 to 0.025% to retain zero. Low: 0–1%; intermediate: >1–<3%; high: 3–5%.