PRODUCT DOSSIER · VERSION 3.0 · NOVEMBER 2026

AIX ALPHA v3.0

The loop-engine AI workspace: chat, Studio, media, connectors, credits and members, in one product.

4	8	3	$0.10
ROUTING TIERS	MODEL PERSONAS	MEDIA MODES	PER CREDIT

Prepared by the BONSAI Division of AIX · Confidential product overview

Figures in this document are generated from the live app configuration.

01 · WHAT AIX ALPHA IS

Overview

AIX Alpha v3.0 is a complete AI workspace built around a loop engine: a set of deterministic protocols that decide how little context, how few tokens and how few model calls each request really needs. Everything the user touches (chat, Studio, tools, connectors, members and analytics) sits on top of that engine, and everything is metered in one unit: credits.

0.0014	$0.10	3	3
SPEND PER CREDIT UNIT	CUSTOMER PRICE / CREDIT	QUALITY MODES	MEDIA MODES

Contents

No.	Section	Covers
01	Overview	Product map and what is new
02	The Loop Engine	Layers that save tokens, now intent aware
03	Models and personas	Nine engines, three modes plus XQ
04	Credits and pricing	Packs, per-model cost, estimator
05	Studio	App builder with a multi-file agent
06	Media and 3D	Image, video, animation, 3D, PDF
07	Chat	Toolbar, voice, GUI-first builds
08	API, chat pages, custom models	Keys, shareable chat pages, bring your own LLM
09	Plug-ins	Tools that work with Ollama and any model
10	Alpha Node and control panel	Ollama on your Mac, analytics, backups
11	Accounts and members	Tokens, owner access, credit grants
12	Interface and mobile	One-line toolbar, Apple-style About
13	Architecture and security	Ways to run it
14	Glossary	Terms used in the product

Product map

CHAT AND STUDIO

Nine personas, voice, notes and intent-aware replies, plus a session-scoped app builder with live preview, a multi-file agent and a smart debugger.

API, CHAT PAGES AND PLUG-INS

OpenAI-compatible keys, shareable chat pages that run on your credits, custom models such as Hugging Face, and plug-ins that work with Ollama.

ALPHA NODE

Ollama on your Mac with a control panel, analytics, daily backups and automatic updates.

CREDITS AND MEMBERS

One metered unit across every feature with estimates before you run anything, pay-as-you-go packs and a users and tokens database.

01 · WHAT CHANGED SINCE REVISION 7

New in revision 8

Revision 8 adds ALPHA XQ, a flagship engine on the newest Qwen model with doubled output limits, makes builds far more reliable, hardens every launcher and fixes billing so that every route (chat, API and direct node) charges the correct rate.

Area	What changed
ALPHA XQ	A ninth persona and a new XQ button beside ECO, BALANCED and THOROUGH. It always runs on the Thorough tier (the newest and largest model on the node), with Qwen thinking switched on, a lower temperature and a method prompt: restate the goal, compare two approaches, answer, then re-check. Builds must be complete with no placeholders.
Qwen 3.8 today, Qwen 4 next	Qwen 4 was announced in September but has not been released: there are no weights, licence or Ollama model yet. Today XQ runs qwen3.8:27b (about 18 GB, the newest model that fits a 32 GB Mac). The launcher checks Ollama for qwen4:27b on every start on Macs with 32 GB or more and switches XQ to it automatically the day it appears; the control panel also lists qwen4:27b as a one-click download. The Qwen 4 architecture preview qwen3.8-flash-next is about 105 GB and needs a 128 GB machine.
Output limits	XQ replies can reach 49,152 tokens, double the 24,576 of Thorough. Other limits: Eco 4,500 (builds up to 18,432), Balanced 12,288 (builds up to 24,576) and Thorough 24,576. The node context window is 65,536 tokens on Macs with 32 GB or more, and the launcher steps it down to 32,768, 16,384 or 8,192 on its own if the model will not load.
Billing	XQ output costs 2.5 times the normal rate on chat, the OpenAI-compatible API (any model name containing xq) and direct-to-node replies; the cost estimate in the app uses the same factor. Searches stay at about 1 credit and need a balance of 2 or more. Sellers receive the full price of marketplace sales (fee 0).
Reliable builds	The node now sends stream headers and a heartbeat at once, cancels the model run when a browser or the cloud disconnects, and restarts a reply with thinking off if hidden reasoning passes 24,000 characters. The cloud forwards heartbeats and thinking progress and reports token-limit truncation so the app continues cut-off builds. The app recovers from a stalled stream after two minutes of silence, keeps what was written and continues; XQ gets four times the normal per-request credit budget; continue and fix passes run without thinking.
Smarter loop	Local checks repair many cut-off or unclosed files at zero tokens, restarted files are detected, and a What the loop did note explains every fix. Replies use structured formatting (headings, bold and bullets), the suggestion chips were removed, and answers follow the selected mode.
Premium websites	Website requests follow a premium rulebook: gradient themes, glass surfaces, glow, modern fonts, centred layouts and richer graphics on the first try. App requests still choose from 18 design directions.
Launchers	AIX MASTER.command, Update Qwen.command and Start AIX Node.command check every file before use and keep backups. The start script keeps the Mac awake (so the app no longer shows the node offline because of sleep), updates an Ollama that is too old for Qwen 3.8, checks free disk space, retries downloads and proves the model loads. The node refreshes its own launchers when it self-updates (node v28).
Cloud fix	A live update briefly removed the database connection from the cloud worker, causing HTTP 500 on the panel tabs and node registration. It was restored from the project configuration and now deploys keep their bindings.
Qwen-Image 2.1 (default images)	Images now default to Qwen-Image 2.1 running on the Mac node through mflux: 1 credit per image, 2.5 credits with higher quality (40 steps) in Thorough and XQ. FLUX.1 (1 credit) and FLUX.2 (3 credits) remain selectable and are the automatic backup at the same price. Install Qwen Image.command installs and self-tests it. Licence: the local weights are non-commercial (Qwen Research License).
Image sizes and JPEG	Settings, a size menu and plain wording ("4K ultra wide", "iPhone screen", "portrait") choose the shape: square, landscape, wide 16:9, 4K UHD, ultra wide 21:9, 4K ultra wide, portrait, 9:16, iPhone, phone wallpaper. The model renders about 1 megapixel at the right shape and larger sizes are enlarged. Every download is now a real JPEG.

Area	What changed
Local video (LTX-2.3)	Video can now run on the Mac node with Lightricks LTX-2.3 (4-bit, Apple MLX): text-to-video or image-to-video with sound, 3 credits per clip, with the free cloud queue as backup. Install Local Video.command installs and tests it; the chat model is unloaded while a clip renders. Expect minutes per clip on a 32 GB Mac. LTX licence: free below USD 10M annual revenue.
Hang and mobile fixes	XQ hidden thinking is capped at 6,000 characters and skipped for builds, so replies start quickly; a double-wrapped model name is prevented. Phones get reliable taps, no input zoom, and a safety net for stuck pop-ups. XQ stays on the Mac node (the Qwen3.8-Max cloud route was removed).

01 · WHAT CHANGED SINCE REVISION 6

New in revision 7

Revision 7 moves the Alpha Node to the Qwen 3.x model line, adds a Model tiers control panel and one-command launchers, builds playable games and theme-specific app designs, fixes live web search, and cuts the price of a search to about one credit.

Area	What changed
Qwen 3.x models	The node moves from Qwen 2.5 to the Qwen 3.x family. A 32 GB Mac runs qwen3.8:27b (about 18 GB) as Thorough, qwen3.5:9b as Balanced and qwen3.5:4b as Eco, with qwen3-vl:8b for images. 64 GB Macs use qwen3.8:27b-q8_0 with qwen3.6:35b-a3b; 16 GB Macs use qwen3.5:9b and smaller. If Ollama is too old for 3.8 the launcher falls back to qwen3.6:27b.
Thinking mode	Qwen 3 models think before they answer, which makes chat slow. Thinking is now off by default and can be switched on in the control panel, with the AIX_THINK setting or per request.
Model tiers panel	The Node and models tab has a new Model tiers and settings section: choose the model for each tier and for vision, turn Thinking on or off and download recommended models. A new /admin/tiers endpoint saves the choice and re-registers with the cloud.
One-command launchers	AIX MASTER.command stops old runs, checks the cloud, installs the node and Node.js, starts the node with its tunnel and waits until the cloud sees the Mac. Update Qwen.command refreshes every launcher and the node from GitHub, resets the model list and starts the Qwen 3.x download.
Node reliability	The node warms its main model so the first reply is not slow, a streaming reply now waits up to 110 seconds before the cloud reports offline, and the node restarts its tunnel on its own.
Games	Game requests are no longer refused. A game build rulebook produces complete canvas games with a game loop, controls, sound and touch input. Six finished cartridges (Asteroids in the Atari vector style, Breakout, Snake, Pong, Space Invaders and Tetris) open instantly at zero tokens, and all six are free in the Market.
Unique app designs	Builds no longer default to one dark glass look. The builder picks one of 18 design directions from the theme of the prompt (for example Warm Organic for a cafe, Phosphor Terminal for a dev tool, Fintech Clean for finance), a random layout type and two signature features, plus an advanced interface checklist. Follow-up edits keep the existing design.
Studio layout	On desktop the live preview sits beside the code in the same message, both panels are the same size and both scroll, and the chat can be scrolled up while an app is being built. Build replies could be up to 8,192 tokens at that time (see revision 8 for the current limits).
Live web search	Search queries are cleaned before they are sent, version questions are split into one search per version, and results that do not match are dropped. The model is told that versions it does not recognise may be newer than its training. A search now costs about 1 credit and needs a balance of 2 or more.

01 · WHAT CHANGED SINCE REVISION 5

New in revision 6

Revision 6 adds hosted storage on the Alpha Node, a paid Enterprise plan, a referral program with abuse protection and a YouTube promo reward, an automatic safety system with strikes and appeals, matching admin tabs, and a sturdier cloud backend.

Area	What changed
Credits explained	The About page now shows that one credit is not one message. A credit is a metered unit of model work: short chats cost a fraction of a credit, long builds and media cost more, and an estimate is shown before every run.
Hosted storage	Each user has a private folder on the node. 5 MB is included for images and site files. A larger plan of N MB costs N credits per 30 days (1 credit = 1 MB), prorated on upgrade and renewed automatically; a lapsed plan drops back to 5 MB, files are kept and new uploads pause. Images are stored once by content hash and served publicly only from their own img folder.
Add images	The Studio Image button adds pictures from a device, a computer or the camera. Uploads are checked against the per-file, per-project and per-session size limits before they leave the browser.
Enterprise plan	$99.99 every 30 days through Stripe adds 1,000 credits to the balance and opens the Company page. Credits carry over every month and never expire. Instead of paying by card, a user can unlock 30 days with 1,000 credits already in the balance, topped up with the $9.99 pack (100 credits per top-up).
Referral program	Every account gets a referral code like AIX-K7M2QP. A new user who enters a code in their first 30 days gets 10 free credits at once. The referrer gets 10 credits only after the new account is 24 hours old and has really used 3 credits, with at most 5 paid referrals every 30 days and 50 in total. Blocked: your own code, a second code, guest accounts, throwaway email addresses, two accounts swapping codes, and anyone on the same device or network as the referrer. More than 3 redemptions of one code in an hour are held for admin review.
YouTube promo	A user submits a YouTube link that promotes AIX Alpha. Nothing is paid automatically. The admin watches the embedded video in the control panel and approves it, which sends 100 credits once, or rejects it with a note. A video can be submitted only once, with 3 waiting and 5 rewarded per account.
Safety and bans	Every message is checked before it reaches the model for threats, requests to harm people, hate, sexually explicit content and heavy abuse. A blocked message is a strike. Three strikes suspend the account; sexual content involving minors suspends it at once. Strikes expire after 90 days, repeats within 10 minutes count once, code and old chat history are never scanned, and AI replies are scanned and logged without counting against the user. Suspended users can send an appeal. Messages about self-harm are never a strike; they are logged without text so the admin can see the volume.
Admin panel	Four new tabs: Storage (every user, plan, folder, largest files), Safety (flags with the message excerpt, accounts near a ban, suspended users and appeals, dismiss, confirm, suspend, unban), Referrals (codes, redemptions and their status, held and revoked, blocked attempts, suspicious networks), Promo videos (player, credits box, approve and reject).
Ten more admin tools	Settings (live kill switches for chat, sign-ups, referrals and Enterprise, a site banner, and live tuning of rewards and limits with no redeploy), Alerts (node offline, spend, safety spikes, appeals, held referrals, open tickets, with optional phone push), Finance (revenue vs model cost, margin, credit liability, who loses money), Audit log, co-admin roles (support and manager tokens), User 360, Fraud radar, Support inbox (users write from the Members page, admins reply), one-user restore from a backup and CSV exports.
Backend	Errors return JSON with a readable message, sign-in and node checks are cached to save database reads, and the cloud runs on the Workers Paid plan so the daily read cap no longer applies.

Money safety. Credits for referrals and videos are written once, with a unique ledger reference per event, so a double click or a retry cannot pay twice. Stripe payments are matched by a signed webhook and the price of the payment link.

01 · WHAT CHANGED SINCE REVISION 4

New in revision 5

Revision 5 adds the Gallery, a second generation of Sites with paid hosting, a longer About page, phone-first layouts for every page, twelve everyday tools, and a Workspace tab in the admin console.

Area	What changed
Gallery	Every image, video and app from your sessions in one place, in grid, list or endless view. Search, sort, rename, tag, select several and delete. Deleting a session removes its items, and orphans can be cleaned up.
Sites v2	Pro settings (branding, splash screen, maintenance mode, go-live and auto-pause times, custom domain), a health check, an AI tune-up, version history and a payment dialog. Seven-day view counts are kept per site.
Hosting billing	Hosting costs 50 credits ($5.00) per 30 days, renewed automatically; sites pause when credits run out. The owner hosts free and sites that already existed get a 30-day free period.
About page	About 3.3: about three times the content, comparison tables, an FAQ and a limits section.
Company	The gap between agent turns now counts from the end of the previous turn, so a 5-second setting really is about 5 seconds. A cost estimate is shown before each run and a warning appears at 80% of the credit limit.
Phone layouts	A More menu with 3 by 4 gradient tiles, Memory and Tasks in the bottom bar, bento layouts for Company, Gallery, Tasks and Memory, a themed Progress panel and the app title in the side drawer.
Admin console	A new Workspace tab shows live stats from every page: chats, Gallery, Sites, Tasks, Memory and Company.

Everyday tools added

UNDO
Deleting a chat, task, memory, Gallery item or site shows an Undo button for seven seconds.

SEARCH EVERYTHING
The command bar also searches chats, apps, tasks, memory, sites and saved prompts. On phones it is the first button in the More menu.

PINNED MESSAGES
Pin any message; a bar at the top of the chat jumps back to it.

PROMPT LIBRARY
Save prompts and insert one by typing /name and a space.

GALLERY TAGS
Tag items and filter the Gallery by tag.

MEMORY OFF SWITCH
Mark a fact so it is never sent to the AI. The Memory page also shows how often each fact was sent.

TASK SNOOZE
Snooze a task by an hour, to this evening, to tomorrow or to next week. Recurring tasks and focus timers were already in revision 4.

RUN LOG EXPORT
Export the Progress steps, chat cost and Company log as a Markdown file.

Known limits. Site views count only openings inside the app. Admin Workspace stats come from the browser they are viewed in. The Company gate is checked in the app, and agents run only while the app is open.

01 · WHAT CHANGED SINCE REVISION 3

New in revision 4

Revision 4 adds file creation with previews, file understanding, workspaces, cloud sync, Turbo builds, 3D downloads and five new chat-window tools. Everything below is live in the app.

Area	What changed
Create files from chat	Ask for a PDF, Word (DOCX), spreadsheet (XLSX), CSV, Markdown, text or ZIP file. It is built on the device from the last answer, costs no credits, downloads at once and shows a preview card in the chat with a Download button.
File understanding	Attach PDF, DOCX, XLSX, text and code files; the text is read on the device and added to the question. PDFs are read up to 60 pages. Scanned PDFs without selectable text cannot be read.
Workspaces	Named workspaces group chats and carry instructions (tone, audience, project facts) that every chat inside them follows. Pick one from the sidebar menu.
Cloud sync	When signed in, chats and workspaces sync across devices through the Worker. Chats merge by id, the newest edit wins, and a deleted chat is deleted everywhere.
Turbo	A toolbar toggle that sends app and website builds to Claude Haiku 5.5 in the cloud instead of the Mac node. Credits are charged with the same formula.
3D downloads	Any 3D model in chat gets STL, OBJ and FBX download buttons. New local shapes: castle, tower, house, tree and rocket.
Rate limit	The Worker allows 20 requests per account per minute (owner exempt); the value is configurable.
Chat bar on phones	The mode selector now sits on its own row with full labels, and the tool buttons wrap beneath it. Turbo has its own icon.

New chat-window tools

BRANCHING
The branch button on any message copies the chat up to that point into a new chat. The original is left unchanged.

CANVAS PANEL
Open any HTML app from a reply in a live side panel next to the chat, or send it on to Studio.

TALK MODE
Hands-free voice conversation: it listens, answers aloud, then listens again. It needs a browser with speech recognition.

COUNCIL
Three viewpoints (analyst, skeptic, builder) answer, then a judge merges them. About four model calls; also available as /council.

MEMORY MAP
A visual map on the Memory page links memories that share a topic.

REMINDERS
Say "every 5 minutes say hello" to get a local reminder in the app. "Stop reminders" clears them.

FOLLOW-UP CHIPS
Three one-tap suggestions appear after each reply, chosen locally from the kind of reply, so they cost no credits.

CAMERA
A camera button attaches a photo straight from the phone camera, for image questions.

AGENT TIMELINE
Type /agent and a goal: it plans the steps, waits for approval, then runs them on a live timeline with Pause and Stop.

INLINE CHARTS
Replies can include bar, line or pie charts drawn in the chat.

SPATIAL VIEW
Every chat as a floating 3D card; drag to turn, zoom, tap to open.

01 · NEXT TO CHATGPT, CLAUDE AND GROK

How AIX Alpha compares

Public list prices checked on 7 November 2026; vendors change plans often, so check each before buying.

	AIX Alpha	ChatGPT	Claude	Grok
How you pay	Credits, pay as you go	Monthly plan	Monthly plan	Monthly plan
Entry price	$9.99 for 100 credits	Free, then $8 to $20 a month	Free, then $20 a month	Free, then about $8 to $30 a month
Top consumer tier	Buy more credits	$100 to $500 a month	$100 or $200 a month	$200 to $300 a month
Cost shown before sending	Yes	No	No	No
Free replies, no model call	Yes	No	No	No
Bring your own model or key	Yes	No	No	No
Run on your own machine	Yes, with the Alpha Node	No	No	No
Shareable chat page, own look	Yes	Share links only	Share links only	Share links only
Depth chosen per reply	Eco, Balanced, Thorough, Auto	Model picker	Model picker	Model picker

Where the others are stronger. ChatGPT, Claude and Grok are full products with their own frontier models, native mobile apps and large tool ecosystems. AIX Alpha is a workspace that routes to Claude Haiku 5.5 in the cloud, your Mac node or a model you bring, so it does not replace their largest models.

01 · WHAT CHANGED SINCE REVISION 2

New in revision 3

Revision 3 covers the API and sharing tools, bring-your-own models, Ollama-compatible plug-ins, a smarter Eco mode, the Alpha Node control panel and a redesigned About page.

Area	What changed
API page	Rebuilt as an even bento grid for phones and desktop, with a three-step setup (create a key, copy the base URL, pick an app), copy buttons and per-app snippets for Cursor, Continue, Open WebUI, LibreChat, TypingMind, Python, JavaScript and curl.
Chat pages	Any API key can power a shareable mini chat with its own name, welcome text, instructions and colour. It has its own link. Visitors spend the owner's credits, limited by a daily cap and a per-visitor hourly cap.
Custom models	Add any OpenAI-compatible model with a preset for Hugging Face, OpenRouter, Groq, Together, OpenAI, Ollama, LM Studio or a custom URL. Calls use the user's own provider key and no AIX credits.
Smarter Eco	A local classifier tells chat from code from app requests. Questions get plain text, date and time questions are answered instantly, and the model is told today's date.
Plug-ins	The Tools and Connect pages are replaced by one Plug-ins page. Tool calling now works with Ollama and any OpenAI-compatible model, and custom MCP servers can be added by URL.
Alpha Node	A new control panel with Analytics, Users, Money, Health and Backups tabs, no-token access on the Mac itself, credit grants, daily backups, automatic updates and a self-healing tunnel.
Studio	Known bugs are auto-fixed without a model call, a full-file fallback was added, and mobile scrolling in Studio chat was fixed.
About page	Redesigned in an Apple-style layout with a large hero, a feature grid and a credits section.

01 · CHANGES SINCE THE FIRST ISSUE

Earlier in revision 2

Revision 2 covers everything added to AIX Alpha v3.0 after the first dossier: GUI-first building, a smarter Studio, media tools, real accounts and the hosted backend.

Area	What changed
Build requests	Any request to build or code an app now designs the full GUI as a runnable HTML file with a live preview, not just code. Code-only replies get a Build GUI preview button.
Studio agent	Studio chat edits, creates and deletes files by protocol, auto-fixes preview errors, and imports whole chat replies. Multi-page apps arrive as separate files with working links.
Preview	The preview no longer reloads when switching tabs, so app state survives. A full-screen mode and a From chat sync button were added.
Media	Image mode (FLUX and FLUX.2), AI video (beta), motion effects for any image, a 3D viewer, and PDF, text and sprite builders. Files are stored on the user's device.
Accounts	Session tokens, an owner account that is never charged, and credits enforced on the server with automatic refunds on failure.
Hosted backend	The site runs on GitHub Pages with a Cloudflare Worker, D1 database and Workers AI.
Interface	One-line toolbar with circular controls and a credit ring, an aligned and grouped activity log, and voice input in every chat box.

02 · WHY REQUESTS COST LESS

The Loop Engine

Every request passes through the same pipeline. Most steps are plain code that costs nothing; the model is called only when it is needed, with the smallest prompt that can still do the job.



Layer	What it does	Saves
Reflex	Answers greetings, date and time questions, simple math and fixed commands with no model call.	Whole request
Intent	A local check decides whether the user is chatting, asking for code or asking for an app, so questions get plain answers and builds get a full GUI. Today's date is added to every prompt.	Wrong-format replies
Router	Classifies each request into NANO, MICRO, STANDARD or DEEP and sets token budgets and thinking depth.	Over-provisioning
Context diet	Sends a compact prompt core, code stubs instead of full files, a rolling digest, notes and a stepped history window.	Input tokens
Response cache	Identical requests reuse a stored answer within the session.	Repeat calls
Generate	One bounded call with a strict output cap per tier.	Output tokens
Verify	Deterministic checks: truncation, broken code fences, HTML or script tag balance, valid JSON, word and bullet limits, repetition.	Judge calls
Continue / refine	If output was cut off the engine appends only the missing tail; if a check fails it repairs just that part.	Full retries
Judge (optional)	A low-cost LLM review used only in Thorough mode.	Wasted quality spend
Ledger and caps	Every call is converted to credits and tested against per-chat, per-day and per-request caps.	Runaway spend

Routing tiers

Tier	Typical request	Typical in / out tokens
NANO	Greeting, yes/no, lookup handled by reflex or minimal prompt	Under 100 / under 60
MICRO	Short answers, small edits, quick questions	260 / 120
STANDARD	Normal chat, explanations, medium builds	520 / 450
DEEP	Reasoning, multi-file apps, audits, long writing	900 / 2600

Minimal-edit rule. When changing existing work, AIX Alpha produces SEARCH/REPLACE patches rather than rewriting whole files. A full rewrite only happens when the user asks for one, which keeps output tokens, and credits, low.

03 · NINE ENGINES, ONE WORKSPACE

Models and personas

All personas run on the same efficient engine. They differ in prompt core size, thinking depth and output style, which is what moves the credit cost. Prompt cores are measured in tokens.

Persona	Best for	Thinking	Style	Core tok
AIX-ALPHA-V3	Everyday answers, apps and edits at the lowest cost	LOW	Concise	138
ALPHA XQ	Flagship quality: hardest builds and reasoning on the newest model	HIGH	Detailed	128
AIX-ALPHA-QUANTUM-V1.0	Hard multi-step reasoning and decisions under uncertainty	HIGH	Detailed	143
AIX-ALPHA-LE-V1.0	Quick facts and short answers with zero filler	LOW	Very concise	56
AIX Code Architect	Full-stack code and multi-file apps	HIGH	Detailed (code)	64
Executive Strategist	Decision memos, risks and trade-offs	LOW	Standard	45
STEM Tutor	Step-by-step explanations and learning	LOW	Detailed	41
Security Auditor	Code and architecture audits	HIGH	Detailed	56
Creative Storyteller	Creative writing, hooks and copy	LOW	Detailed	30

Quality modes

Mode	Refine passes	Output scale	Cap scale	Use when
Eco	1	0.85x	0.85x	Fast, lowest credit use
Balanced	2	1.0x	1.0x	Default for daily work
Thorough	3	1.3x	1.5x	Higher stakes; adds judge pass

Thinking level

LOW personas keep reasoning short and answer directly. HIGH personas (Quantum, Code Architect, Security Auditor) reserve a larger reasoning budget on DEEP requests, which is why their DEEP cost is higher in the next section.

04 · PAY AS YOU GO, NO TIES

Credits and pricing


One credit costs $0.10. Credits are bought in packs, never as a subscription, and every feature draws from the same balance, including Studio.

$10	$5	$100	0
100 CREDITS · STARTER	50 CREDITS · TOP-UP	1,000 CREDITS · ENTERPRISE	MONTHLY OR YEARLY TIES

Pack	Price	Credits	Per credit	Notes
Starter	$10	100	$0.10	One-time buy-in that opens your account.
Pay as you go	$5	50	$0.10	Top up in 50-credit packs whenever you run low.
Enterprise	$100	1,000	$0.10	Bulk 1,000-credit pack with no monthly or yearly commitment.

Cost per request by tier

Credits per single request on the default engine in Balanced mode, typical versus maximum (cap), with thinking off. Dollar values use $0.10 per credit.



Per-model cost, Balanced mode (credits per request, typical)

Model	MICRO	STANDARD	DEEP	DEEP + thinking
AIX-ALPHA-V3	0.051	0.170	0.85	0.93
ALPHA XQ	0.140	0.474	2.45	2.62
AIX-ALPHA-QUANTUM-V1.0	0.065	0.219	1.13	1.21
AIX-ALPHA-LE-V1.0	0.039	0.140	0.70	0.78
AIX Code Architect	0.061	0.221	1.17	1.25
Executive Strategist	0.051	0.188	0.98	1.06
STEM Tutor	0.057	0.211	1.12	1.20
Security Auditor	0.058	0.212	1.12	1.20
Creative Storyteller	0.059	0.219	1.17	1.25

Cost by mode (default engine)

Mode multiplies output length and the number of refine passes. Each figure is credits per typical request at that tier.

Mode	MICRO	STANDARD	DEEP	Thinking on · DEEP
Eco	0.046	0.150	0.73	0.81
Balanced	0.051	0.170	0.85	0.93
Thorough	0.062	0.211	1.09	1.17

What a pack really buys

Average credits per request depend on how a person works. The spend estimator in the About page uses these mixes of MICRO, STANDARD and DEEP requests on the default engine.

Usage profile	Mix (M / S / D)	Eco	Balanced	Thorough	Requests per $10 (Balanced)
Light chat	70 / 25 / 5	0.11	0.12	0.15	827
Balanced	50 / 35 / 15	0.18	0.21	0.27	470
Builder	20 / 40 / 40	0.36	0.42	0.53	239

No surprises. The credit estimate for the selected persona, mode and thinking setting is shown before a request runs, and again as a live meter while Studio builds. Caps stop any single request, chat or day from exceeding its limit.

Media and tool pricing

Action	Credits	Dollars	Notes
Image · FLUX.1 schnell	1	$0.10	Fast. Free for the owner account.
Image · FLUX.2 dev	3	$0.30	Higher quality. Free for the owner account.
Video · animate an attached image	3	$0.30	Beta. Runs on a shared free GPU queue and can be slow or busy.
Video · from a text prompt	about 4	$0.40	Makes an image first, then animates it.
Live web search	about 1	$0.10	Per search, at most 3 per reply. Needs 2+ credits.
Image animation (zoom, pan, drift)	0	$0.00	Rendered on your device to a WebM clip.

Failed media calls cost nothing. Credits are deducted on the server before a media call and refunded automatically if the model errors, so a failed image or clip never uses credits.

Where credits are spent

CHAT REPLIES

Billed by the tier the router picked, plus any refine or continue pass.

STUDIO BUILDS AND EDITS

Generation, patches, debugger runs and visual edits all draw from the same balance and are logged in the Studio activity timeline.

TOOL AND CONNECTOR CALLS

Model time to choose and summarise a tool call. External services bill separately under their own accounts.


FREE ACTIONS

Reflex answers, cache hits, previews, history restore, exports and the users.md download use no credits.

05 · BUILD, PREVIEW, DEBUG, ITERATE

Studio

Studio is a full app builder inside the workspace. Each chat session owns its own projects, files and Studio conversation, so nothing leaks between sessions, and the Studio chat on the right keeps the complete activity trail.



PER-SESSION APPS AND CHATS

Apps and the Studio conversation are saved with the session. Start a new session and you get a blank project; return to an old one and everything is as you left it.

GENERATE FROM CHAT

Code in a chat reply offers Edit in Studio or Preview in Studio when you are in that session, so ideas move straight into a build.

LIVE BUILD LOG

Step-by-step activity like a modern agent: what it is doing, which file, what changed, and a streaming preview while it works.

MINIMAL EDITS

Changes arrive as SEARCH/REPLACE patches. Only the touched lines change; the rest of the file is never regenerated unless you ask.

VERSION HISTORY AND UNDO

Every change is snapshotted. Step back to any earlier preview or restore it without spending credits.

VISUAL EDIT MODE

Click an element in the preview and describe the change. The selection is sent as precise context so edits stay small.

DEVICE MODES

Desktop, tablet and phone frames for checking responsive behaviour before you ship.

LINT AND STATIC CHECKS

Catches unclosed tags, broken scripts and common mistakes before the preview even loads.

Smart debugger

When a preview misbehaves, the debugger reads the captured console output, runs static checks, and proposes a minimal patch. Previews that call outside services are automatically given a fetch shim with realistic sample API data, so a weather app, a store or a dashboard renders with real-looking content instead of an empty page even inside the sandboxed preview.

Step	What happens	Cost
Capture	Console errors, warnings and failed requests are collected from the preview.	Free
Diagnose	Static lint plus the captured errors are summarised into a short brief.	Free
Patch	The model returns a SEARCH/REPLACE patch for only the failing code.	MICRO or STANDARD
Verify	Preview reloads; if errors remain the loop repeats within the mode's refine limit.	Per pass

05 · MULTI-FILE, SMARTER, SAME ENGINE

Studio agent

Studio chat now runs on the same loop engine as the main chat, but speaks a file protocol so it can change a whole app at once. It reads the file tree, the open file and any preview errors, then replies with operations the app applies and snapshots.

Operation	What the model returns	Result
EDIT path	SEARCH/REPLACE blocks with verbatim context	Only the matched lines change
FILE path	A complete file in a code fence	Creates a new file or replaces one
DELETE path	No body	Removes the file; the last version stays in History
SUMMARY	One sentence	Shown in the Studio chat

AUTO-FIX

After a change the preview is checked. If it throws runtime errors the agent makes one automatic repair pass without undoing your request.

MULTI-PAGE APPS

Replies name each file in its code fence, such as html:about.html, css:style.css or json:data.json, and Studio imports every one into the file tree with working links.

CHAT TO STUDIO

Edit in Studio and Preview in Studio import the whole reply. The GUI becomes the preview page; backend code lands beside it as server.py or backend.js.

FROM CHAT SYNC

A From chat button loads the newest reply on demand, and finished build replies sync into the session project automatically, with History kept.

PREVIEW STAYS PUT

The preview no longer reloads when you switch tabs, so app state survives. Reload is explicit, and a full-screen mode is one tap away.

SAME TECHNOLOGY AS CHAT

Studio generation uses the same router, verification and credit ledger as chat, so estimates and caps behave identically.

05 · READY TO START

Studio presets

The Sites area ships with presets that load a complete multi-file project into Studio in one click.

Preset	Description	Files
Multi-Page Web & TSX App	Linked multi-page application with navigation router, numbers.html sub-page, and interactive React TSX component	5
Quantum SaaS Web Platform	Ultra-modern monochromatic SaaS application with Tailwind CSS, animated metrics, interactive pricing, and dark interface	4
Minimalist Portfolio & Studio	Clean Apple-style portfolio showcase with responsive bento gallery, project drawer, and contact form	2
HTML5 Canvas Retro Arcade	Full 60fps HTML5 Canvas space dodge game with physics loop, keyboard controls, and score tracking	3

Studio and credits

Studio spend is counted against the same balance as chat. A running estimate is displayed in the Studio header, each activity entry shows what it used, and the Progress panel summarises the total for the session.

> Why it stays cheap. Context diet sends stubs of unchanged files, patches replace regeneration, and the preview, lint and history features that make iteration fast are all free of model cost.

06 · IMAGES, VIDEO, ANIMATION, FILES

Media and 3D

Media tools live beside the chat box and inside Studio. Typing a request such as create an image of a hummingbird returns the picture right in the conversation, and toggles make every message an image or a clip.

IMAGE MODE

An IMAGE toggle turns each message into an image. A picker chooses FLUX.1 (1 credit) or FLUX.2 (3 credits). Sign-in is required; the owner account is free.

VIDEO MODE

A VIDEO toggle makes short clips from a prompt or an attached image using open video models on a shared free GPU queue. Beta: it can take minutes or be busy.

ANIMATE AN IMAGE

Runway-style motion on any image: zoom, pan and drift with aspect ratios, rendered on your device to a WebM clip at no credit cost.

3D VIEWER AND BUILDERS

STL, OBJ and FBX files preview in a three.js viewer with stylized materials, and a model can be exported as STL.

PDF AND TEXT FILES

Studio builds text and PDF documents and previews them, with a one-click download.

SPRITES AND ART

Sprite sheets and images are generated with a credit estimate shown first.

Where media is stored

Generated images and clips are stored on the user's own device in the browser database and shown as thumbnails in the session, so they do not take space in project files or the shared database.

> Capacity note. Image generation runs on Cloudflare Workers AI. The free allowance is 10,000 units per day for the whole account, shared by every user; past that, images fail until the daily reset unless the account is on the Workers Paid plan (about $0.011 per 1,000 units).

07 · EVERYTHING AROUND A REPLY

Chat

Chat is the front door. It supports persona selection, quality modes, thinking toggle and the estimates for each, with a layout that is full width on desktop and fits mobile screens.

MESSAGE TOOLBAR
Hover any message to reveal icons at the top right: copy, edit and resend, add to chat (to keep typing from it), share, and remove.

ATTACHMENTS
Add files and images. Large files are reduced to stubs and a digest before any model call.

PERSONAS
Switch between nine engines per chat; the credit estimate updates immediately.

GUI-FIRST BUILDS
Asking to build or code an app always produces a complete interface as a self-contained HTML file with live preview, and a Build GUI preview button turns any script into one.

IMAGE AND VIDEO TOGGLES
IMAGE and VIDEO sit in the toolbar beside WEB, so a message can become a picture or a clip without leaving the chat.

NOTES
Pinned notes are included in the compact prompt, so context persists without resending whole conversations.

VOICE
Live dictation in every chat box, main chat and Studio chat: permission prompt, text that appears as you speak, and a red recording state. Works when AIX Alpha is opened directly in Chrome, Edge or Safari; embedded previews block the microphone and a dialog links to the site.

SHARE
Share a single response as text or a link-ready block, without exposing the whole session.

INTENT AWARE
Eco and the other modes tell a plain question from a request for code or an app. Questions get natural language, and builds get a full interface.

Message actions

Action	Behaviour
Copy	Copies the response or message text to the clipboard.
Edit and resend	Loads the message back into the composer; resending branches from that point.
Add to chat	Appends the message to the composer so you can extend or edit before sending.
Share	Opens the share sheet for that one message.
Remove	Deletes the message from the session view and from the context sent to the model, which also reduces future cost.

08 · USE AIX ANYWHERE, SHARE IT, OR SWAP THE MODEL

API, chat pages, custom models

The API page turns an account into an OpenAI-compatible service. Create keys, point any app at the base URL and every call is billed to the key's account. The same page creates shareable chat pages and connects models that are not built in.

KEYS AND USAGE

Up to ten keys per account. Live cards show balance and spend for 24 hours, 7 days, 30 days and all time, plus a daily chart, engine split and recent calls.

THREE-STEP SETUP

Create a key, copy the base URL, pick an app. Each app has a ready snippet with a copy button and a link to its docs.

CHAT PAGES

A mini version of Alpha with its own link. Set the name, welcome text, instructions, colour and model. Up to ten pages per account.

VISITOR LIMITS

Visitors need no account and spend the owner's credits, so each page has a daily cap and a per-visitor hourly cap. Pausing a page or revoking its key stops it at once.

CUSTOM MODELS

Bring any OpenAI-compatible model. The chosen model answers chats in the browser with the user's own provider key, so no AIX credits are used.

SAME PRICE EVERYWHERE

About 71 credits per million input tokens and 357 per million output tokens on both the node and the cloud. ALPHA XQ output is billed at 2.5 times that rate because its hidden thinking tokens are not shown.

App setup presets

App	How to connect
Cursor	Settings, Models: add an OpenAI key, override the base URL, add the model aix-alpha.
Continue	config.yaml entry with provider openai, apiBase and apiKey.
Open WebUI	Admin Settings, Connections, add an OpenAI connection with the base URL and key.
LibreChat	Custom endpoint in librechat.yaml with the base URL and key.
TypingMind	Add a custom model with the endpoint, model id and an Authorization header.
Python, JavaScript, curl	Official OpenAI SDKs or a plain HTTP call to the chat completions route.

Custom model presets

Provider	Base URL	Notes
Hugging Face	router.huggingface.co/v1	Token with the Inference Providers permission; any chat model id.
OpenRouter	openrouter.ai/api/v1	One key for many models.
Groq	api.groq.com/openai/v1	Very fast open models.
Together AI	api.together.xyz/v1	Open models.
OpenAI	api.openai.com/v1	The user's own OpenAI key.
Ollama, LM Studio	localhost:11434/v1, localhost:1234/v1	Local servers; start Ollama with OLLAMA_ORIGINS=*. No key needed.
Custom URL	any OpenAI-compatible /v1	vLLM, llama.cpp, LiteLLM or your own.

09 · TOOLS THAT WORK WITH OLLAMA AND ANY MODEL

Plug-ins

The Plug-ins page replaces the old Tools and Connect pages. Turn a plug-in on, then ask in chat, for example weather in Tokyo. Tool calling works on every engine: the model writes a tool call, AIX runs it and hands back the result, so models without built-in tool support, including Ollama, can use plug-ins.



Plug-in	What it does	Key needed
Date and time	Current date and time, any time zone.	No
Calculator	Exact arithmetic and common math functions.	No
Weather	Current conditions and a three-day forecast for any city (Open-Meteo).	No
Wikipedia	Searches and returns the summary of the best article.	No
Read web pages	Fetches a public page as clean text.	No
GitHub	Search repositories, list issues, read files.	Optional token
Webhook	Posts a message to Slack, Discord or any webhook. Always asks first.	Webhook URL

Custom MCP servers

Paste the HTTP URL of an MCP server and an optional token. AIX connects, lists the tools and lets the model use them. Every call asks the user first. The server must allow browser requests, and servers that require a sign-in flow are not supported yet.

Claude connectors

PayPal, Gmail and Claude Docs remain available when the app is opened from its claude.ai link. They run on Claude's own model and are listed at the bottom of the Plug-ins page.

> Safe by default. Plug-ins only attach when the message matches them, write actions ask for confirmation, and each tool result is trimmed before it goes back to the model.

10 · OLLAMA ON YOUR OWN MAC

Alpha Node and control panel

The Alpha Node is a small Node.js program for a Mac Studio or any computer running Ollama. It serves ECO and BALANCED replies from local models, registers itself with the cloud every 60 seconds, and includes a control panel for running the whole service.

LOCAL REPLIES
Ollama is proxied with the same OpenAI-compatible interface. Replies cost the same credits but run on your hardware.

OPEN NODE PANEL
A launcher opens the control panel on the Mac itself with no token, replaces any stale copy and re-points the login item.

SELF-HEALING TUNNEL
The node now starts and supervises its own Cloudflare tunnel, restarts it if it drops and registers with the cloud the moment the address is known, so the cloud never shows a false offline.

AUTO-UPDATE
The node checks GitHub and updates itself when a newer version is released.

DAILY BACKUPS
Accounts, credits, usage and keys are backed up every 24 hours as compact files; the last fourteen are kept.

CREDIT GRANTS
Give any user credits from the Users tab. Each grant is logged.

Control panel tabs

Tab	Shows
Overview	Live health, credits, requests and node status.
Analytics	Growth charts for users, usage and revenue.
Live requests	A rolling log of requests as they happen.
API and Users	Keys, usage per user and a detail view with grants.
Tasks and Money	Scheduled jobs and purchases.
Health and Backups	System checks and the backup list with a Back up now button.
Node and models	The Ollama models available, the cloud connection, and Model tiers and settings: pick the Eco, Balanced, Thorough and Vision model from the installed ones, switch Thinking mode, and download recommended Qwen 3.x models in one click. Changes reach the cloud within seconds.

11 · TOKENS, BALANCES, BILLING

Accounts and members

The Members page is where credits are bought and balances are managed. It shows each pack, what is included and a breakdown of how credits are spent per model and mode. Payment links are Stripe-ready, so checkout can be switched on by pasting links into configuration.

PAY AS YOU GO
Starter $10 for 100 credits, top-ups $5 for 50, and Enterprise $100 for 1,000. No monthly or yearly commitment at any size.

USERS AND TOKENS DATABASE
Stores members, their credit balance and total tokens used. Totals are shown in tokens and credits, not prices.

USERS.MD EXPORT
One click downloads a readable markdown file of members and usage, ready for records or review.

STRIPE-READY
Pack buttons carry placeholder payment links. When live links are added, purchases update the balance.

ANALYTICS
Usage by model, mode and day, with credits and tokens; use it to tune caps and choose a default mode.

CAPS
Per-request, per-chat and per-day limits, configurable, so spend can never run away.

Sign-in and access

Item	How it works
Account	Created with a username and password; the server issues a session token that starts with aix_ and is sent with every request.
Owner access	Accounts whose email is on the owner list are not charged for chat, images or video and can manage members.
Credits	Every paying request is checked against the balance on the server. A user at zero is stopped before any model call.
Free allowance	New accounts start at 0 credits unless a signup grant is configured.
Credit grants	The owner can add credits to any user from the control panel. Every grant is logged.
Billing	Stripe payment links are supported; credits are granted by the owner until the Stripe webhook is added.

Data collected per member

Field	Description
Member	Display name or identifier
Credits	Remaining balance
Tokens	Total input and output tokens used on the platform
Last active	Most recent request time
Plan	Last pack purchased

12 · DESIGNED TO FEEL PROFESSIONAL

Interface and mobile

The interface is branded AIX ALPHA throughout. The logo lives in the left sidebar, navigation tabs are centred and scale to fit across the top, and every page uses the full available width.

LEFT SIDEBAR

Logo, sessions, quick navigation and typography reused on the About page.

CENTRED TOP TABS

Chat, Studio, Plug-ins, API, Sites, Analytics, Members and About scale to fit the header.

PROGRESS PANEL

A running view of steps, plan and results for long tasks, similar to modern agent consoles.

ACTIVITY TIMELINE

Steps are grouped into Understand, Prepare, Generate and Verify. Each group shows its step count and time; numbered sub-steps sit underneath with times aligned in one column, and finished replies collapse into a summary.

ONE-LINE TOOLBAR

Mode, eval, image, video, web and credits sit on a single line at every width. Controls become circular icons on phones, and a ring shows credits used in the chat.

MOBILE FIRST

Pages reflow for phones; composer, tabs and Studio panels stack neatly at 390 px.

ABOUT PAGE

An Apple-style overview with a large hero, a feature grid, deployment options and a credits section.

13 · THREE WAYS TO RUN IT

Architecture and security

	Artifact build	Site and Worker	Server build
Format	One HTML file, shared as an artifact	Single-page site on GitHub Pages plus a Cloudflare Worker	Express API plus React and Vite front-end
Model access	Built-in sampling through the host	Worker calls the Anthropic API with a stored secret	Anthropic API using your key
Data	Artifact database for usage and members	Cloudflare D1: users, sessions, credits, usage	Your own storage
Media	Through the Worker when configured	Workers AI for images; open video models for clips	Your own provider
Best for	Fast sharing and trials	Public product with accounts and billing	Self-hosting and full control

Worker configuration

Setting	Purpose
`DB (D1 binding)`	Users, sessions, credits and usage rows
`AI (Workers AI binding)`	FLUX and FLUX.2 image generation
`ANTHROPIC_API_KEY (secret)`	Model access for chat and Studio
`ADMIN_TOKEN (secret)`	Owner-only management calls
`OWNER_EMAILS / SIGNUP_CREDITS`	Accounts never charged; credits granted to new accounts
`ALLOWED_ORIGINS / HF_TOKEN`	Sites that may call the Worker; optional video queue priority

Server build configuration

Setting	Purpose
`ANTHROPIC_API_KEY`	Model access
`AIX_SESSION_MAX_USD / AIX_DAILY_MAX_USD`	Per-session and per-day ceilings
`AIX_MCP_TOKEN`	Bearer token protecting the MCP endpoint

Security and data handling

SECRETS
Keys stay in Worker secrets or server environment variables and are never sent to the browser. A key shared in public should be rotated at once.

SANDBOXED PREVIEWS
Studio previews run in an isolated frame with a restricted network; outside calls use sample data in the artifact build.

SPEND CONTROL
Per-request, per-session and daily caps in credits and USD.

WRITE ACTIONS
Connector actions that change data are marked and require an explicit request.

14 · TERMS USED IN THE PRODUCT

Glossary

Term	Meaning
Credit	The billing unit; one credit costs $0.10 for customers.
Loop engine	The pipeline of protocols that keeps each request small and verified.
Tier	Routing class (NANO, MICRO, STANDARD, DEEP) that sets token budgets.
Context diet	Techniques that shrink the prompt: cores, stubs, digest, notes, windowing.
Refine pass	A targeted repair of a failed check, limited by mode.
Patch	A SEARCH/REPLACE edit that changes only the lines that need to change.
Persona	A named configuration of prompt core, thinking depth and style.
MCP	Model Context Protocol; the standard for connecting tools and services.
Cap	A configured limit on spend per request, chat or day.
Reflex	A rule-based answer that uses no model call.
Studio agent	The Studio chat mode that edits, creates and deletes project files through a file protocol.
Named fence	A code fence whose label carries a file name, such as html:about.html.
Chat page	A shareable mini chat with its own link that runs on one of the owner's API keys.
Plug-in	A tool the model can call, such as weather or GitHub, that works with any engine.
Intent	The local decision between a plain question, a code request and an app request.
Alpha Node	The Ollama-based service on your Mac that serves local replies and a control panel.
Custom model	An OpenAI-compatible model added with the user's own key, for example from Hugging Face.
FLUX	Open image models: FLUX.1 schnell (fast) and FLUX.2 dev (higher quality).
Neuron	Cloudflare's billing unit for Workers AI; the free plan allows 10,000 per day.
Session token	The aix_ token a signed-in browser sends to prove which account is calling.

Summary. AIX Alpha v3.0 combines a token-saving loop engine, nine personas, a GUI-first chat, a multi-file Studio agent, image, video and 3D tools, plug-and-play connectors and a simple pay-as-you-go credit model, from $10 for 100 credits to $100 for 1,000, with no subscriptions.