

The RGY Theory

Everything RGY: a simple operating model for how CubiQo understands what a user is trying to do.

RGY is not a mood system. It is not morality. It is a lightweight classification layer that turns conversation into useful signals: a color zone, a caught keyword, optional intent, and risk.

THE SHORT VERSION

Color is the world. Keyword is the thing. Intent is why people may meet. Risk decides what CubiQo can safely do.



Green helps with growth, wellness, career, and productive life.

Yellow covers casual, entertainment, social ease, and comfort chat.

Red covers adult, age-gated, explicit, high-risk, or restricted contexts.

**Meaning = Color Zone + Keyword + Optional
Intent + Risk**

1. What RGY Is

DEFINITION

RGY is a color-zone language for classifying user activity. It helps CubiQo understand the context around a request before it decides what to display, remember, route, or restrict.

Green

Goal-oriented, constructive, healthful, career-building, wellness, self-improvement, learning, planning, and disciplined action.

job study

career

yoga

healthy habits

wellness

Yellow

Casual social life, light entertainment, comfort chat, relaxation, low-pressure hangouts, and time-spent-with-people activities.

movies

popcorn

friends

light beer

chat

Red

Adult, explicit, age-gated, high-stimulation, illegal, unsafe, or restricted activity. Red does not mean "bad person." It means handle carefully.

adult apps

hookups

explicit

illegal drugs

restricted

WHAT IT IS FOR

- Detecting user activity from chat or voice.
- Displaying caught keywords in the right-side signal panel.
- Routing requests to the right help mode.
- Remembering useful structured interests, not raw chat dumps.
- Applying age gates and safety limits when needed.

WHAT IT IS NOT

- Not a morality score.
- Not a personality label.
- Not the model selector by itself.
- Not emotional color coding.
- Not a reason to store private conversations blindly.

2. The Product Law

MEANING FORMULA

User Meaning = Zone + Keyword + Intent + Risk

1

ZONE

The world or context of the request. Green, Yellow, and Red tell CubiQo how to interpret the keyword.

2

KEYWORD

The specific subject or activity caught from the user's words: yoga, job study, movie night, adult apps, hoodie, CubiQo.

3

INTENT

Why the user may want another person involved. In Phase 1, intent can stay pending and be chosen later.

WHY ZONE MATTERS

KEYWORD	WITHOUT RGY	WITH RGY
Yoga	Could mean wellness, casual meetup, retreat, paid class, content, or adult-coded misuse.	Green yoga means wellness. Yellow yoga means casual social. Red yoga means age-gated or risk review if explicit.
Movie	Could mean entertainment, creative work, date, ticket buying, or media production.	Yellow movie night means casual hangout. Green movie work can mean learning or career. Red movie can mean adult content.
Massage	Could mean therapy, spa day, paid service, or adult service risk.	Green massage means wellness or licensed service. Yellow massage can mean spa social. Red massage triggers adult/risk gating.

3. Phase 1: Keyword First

IMPORTANT RULE

Phase 1 should not wait for perfect intent. If CubiQo catches a keyword inside a color zone, show it in the signal panel immediately. Intent can be suggested, confirmed, or edited later.

1

USER INPUT

Speech or text arrives. CubiQo listens for activities, nouns, goals, and repeated interests.

2

DETECT ZONE

Classify the context as Green, Yellow, or Red using taxonomy, safety logic, and AI.

3

CATCH KEYWORD

Extract the specific activity or subject: job study, movie night, adult apps.

4

SHOW SIGNAL

Display the caught keyword in the right panel even if intent is not decided yet.

5

INTENT LATER

Suggest Socialize, Collaborate, or Trade. Let the user confirm or change it.

BAD PHASE 1 BEHAVIOR

- User says "yoga."
- System cannot infer intent.
- System shows nothing.
- User feels CubiQo missed the point.

GOOD PHASE 1 BEHAVIOR

- User says "yoga."
- System catches keyword and zone.
- Panel shows Green: Yoga.
- Intent is marked pending or suggested.

Phase 1 Rule = Zone + Keyword first.

Intent is useful, but it should not block display.

4. Intent: Only Three Reasons People Meet

INTENT
LAYER

When CubiQo thinks about two people meeting, there are only three top-level reasons. This keeps the product simple and prevents the side panel from becoming messy.

SOCIALIZE
Presence, companionship, hangout, casual time, entertainment, conversation, dates, or simple shared experience.

movie nightcoffee

friendshiphangout

COLLABORATE
Build, learn, practice, improve, plan, create, train, study, make, or solve something together.

study partnergym buddy

projectpractice

TRADE
Exchange value: money, service, goods, access, skill, favor, barter, offer, request, purchase, or sale.

coachingpaid help

bartermarketplace

ZONE	SOCIALIZE	COLLABORATE	TRADE
Green	Wellness group, yoga retreat, career community.	Study partner, gym partner, product build, practice.	Tutoring, coaching, wellness service, professional help.
Yellow	Movies, popcorn, friends, light social drinks.	Movie club, casual event planning, game night team.	Ticket swap, paid hosting, casual services.
Red	Age-gated adult connection if legal and consensual.	Adult-coded collaboration requires gating and policy checks.	Adult services or illegal exchanges are restricted or blocked.

Intent is a separate axis from color. Green does not always mean Collaborate. Yellow does not always mean Socialize. Red does not always mean Trade. CubiQo needs both axes.

5. Right-Side Signal Panel

The panel should show the specific thing CubiQo caught, not a vague label. It is a living signal shelf: structured, editable, and understandable at a glance.

PANEL SHOULD SHOW

- Active color zone.
- Primary caught keyword.
- Optional secondary keywords.
- Intent status: pending, suggested, inferred, selected.
- Risk or age-gate state if needed.
- Confidence, if useful for internal QA.

PANEL SHOULD AVOID

- Generic labels like “help” when a real activity was caught.
- Too much explanatory text.
- Status tags that repeat what visuals already show.
- Mixing zone, intent, and risk into one unclear word.
- Persisting raw chat when a structured signal is enough.

EXAMPLE SIGNAL SHELF

GREEN

INTENT: SUGGESTED

Job Study

Keywords: interview, study, habits. Suggested intent: Collaborate.

YELLOW

INTENT: SUGGESTED

Movie Night

Keywords: movies, friends, popcorn. Suggested intent: Socialize.

RED

AGE-GATED

Adult Apps

Keywords: hookups, adult apps. Suggested intent: Socialize. Status: restricted context.

6. Memory: Store Meaning, Not Noise

DATA MODEL

CubiQo should remember useful structured meaning. It should not blindly store everything a user says as raw memory.

GOOD MEMORY OBJECT

```
{
  "keyword": "CubiQo",
  "zone": "green",
  "intent": "collaborate",
  "description": "User is building an
AI assistant platform with RGY
signals.",
  "confidence": 0.97,
  "editable_by_user": true
}
```

BAD MEMORY OBJECT

```
{
  "raw_chat": "entire private
conversation copied here without
structure..."
}
```

TABLE / STORE	PURPOSE	PHASE 1 NEED
users / profiles	Account, settings, permissions, preferences.	Required for logged-in memory.
conversation_events	Minimal conversation turns and timestamps.	Useful, already present.
signals	Structured RGY outputs: zone, keyword, intent, risk, confidence.	Recommended next table.
keyword_memory	Durable user interests and normalized keyword library.	Useful after signal logic stabilizes.
signal_corrections	User edits, overrides, and learning feedback.	Important for trust.

Store: User + Keyword + Zone + Intent Status + Risk + Display State.

7. How To Implement It Without Making It Heavy

BUILD
PLAN

The best approach is a hybrid classifier: deterministic rules for obvious cases, LLM structured output for nuance, and separate safety logic for high-risk content.

1

TAXONOMY

Maintain simple keyword groups for Green, Yellow, Red, and restricted cases.

2

CLASSIFIER

Ask the LLM for strict JSON: zone, keyword, intent status, risk, confidence.

3

SAFETY

Run policy/risk checks separately, especially for adult, illegal, self-harm, medical, legal, and financial cases.

4

DISPLAY

Show caught keyword in the panel immediately. Keep intent optional.

5

CORRECT

Let the user edit the signal. Corrections become product learning.

START WITH THESE OUTPUTS

```
{
  "zone": "green",
  "keyword": "job study",
  "intent": null,
  "intent_status": "suggested",
  "suggested_intents": ["collaborate"],
  "risk_level": "low",
  "shown_in_panel": true
}
```

KEEP THESE OUT OF PHASE 1

- Full agentic workflows.
- Complex vector memory.
- Fine-tuning.
- Too many intent categories.
- Hard-coded moral labels.
- Permanent raw chat storage by default.

8. Safety and Governance

GUARDRAILS

Green

Help actively. Plan, coach, match, organize, teach, recommend, and nudge toward healthy completion.

Yellow

Keep it casual. Support entertainment, social ease, comfort chat, and friendly conversation without over-leading the user.

Red

Be careful. Age-gate adult contexts, block illegal facilitation, and route harmful cases to safety support.

SCENARIO	RGY TREATMENT	CUBIQO BEHAVIOR
Self-harm or crisis	Support override, not normal Red.	Block instructions, offer support resources, keep tone calm.
Illegal drugs	Red restricted.	Do not help procure, transact, or evade law. General safety only.
Adult content	Red age-gated.	Verify age, block minors, avoid exploitation or unsafe facilitation.
Medical, legal, financial	Zone depends on context plus high-stakes caution.	Use disclaimers, recommend qualified professionals, avoid overclaiming.

The key governance rule: RGY can classify context, but it cannot be used to judge a person. Classify the activity, not the human.

9. The Clean MVP

CLOSURE PATH

The fastest useful version is not a massive agent system. It is a reliable RGY signal shelf that catches what the user said and displays it clearly.

MVP REQUIREMENTS

1. Detect Green, Yellow, Red from text and voice input.
2. Extract specific activity keywords.
3. Show keywords in the right-side panel immediately.
4. Mark intent as pending, suggested, inferred, or selected.
5. Apply Red gating and safety restrictions.
6. Store structured signals for logged-in users.
7. Allow user correction and deletion.

ACCEPTANCE TESTS

- "I need a study partner for interviews" shows Green, Job Study, suggested Collaborate.
- "Movie night with friends" shows Yellow, Movie Night, suggested Socialize.
- "Adult apps nearby" shows Red, Adult Apps, age-gated.
- "Illegal drugs" shows Red restricted and safety-only behavior.
- "Yoga" shows Green Yoga even when intent is not known.

PRODUCT NORTH STAR

CubiQo should tell the user the specific thing it caught, in the right color world, with enough structure to become useful later.

The RGY Theory = practical context for AI helping humans.