

Lecture in a Minute

Games

Lecture in a Minute

Games

Nash Equilibrium

Lecture in a Minute

Games

- Nash Equilibrium

- Zero Sum Two Person Games

- Mixed Strategies.

- Checking Equilibrium.

- Best Response.

- Statement of Duality Theorem.

Lecture in a Minute

Games

- Nash Equilibrium

- Zero Sum Two Person Games

- Mixed Strategies.

- Checking Equilibrium.

- Best Response.

- Statement of Duality Theorem.

- Generality of Linear Program.

Lecture in a Minute

Games

- Nash Equilibrium

- Zero Sum Two Person Games

- Mixed Strategies.

- Checking Equilibrium.

- Best Response.

- Statement of Duality Theorem.

Generality of Linear Program.

- Any circuit can be implemented by linear program!

- Any polynomial time algorithm

 - \implies a poly sized linear program.

Strategic Games.

N players.

Strategic Games.

N players.

Each player has strategy set. $\{S_1, \dots, S_N\}$.

Strategic Games.

N players.

Each player has strategy set. $\{S_1, \dots, S_N\}$.

Vector valued payoff function: $u(s_1, \dots, s_n)$ (e.g., $\in \mathbb{R}^N$).

Strategic Games.

N players.

Each player has strategy set. $\{S_1, \dots, S_N\}$.

Vector valued payoff function: $u(s_1, \dots, s_n)$ (e.g., $\in \mathbb{R}^N$).

Example:

Strategic Games.

N players.

Each player has strategy set. $\{S_1, \dots, S_N\}$.

Vector valued payoff function: $u(s_1, \dots, s_n)$ (e.g., $\in \mathbb{R}^N$).

Example:

2 players

Strategic Games.

N players.

Each player has strategy set. $\{S_1, \dots, S_N\}$.

Vector valued payoff function: $u(s_1, \dots, s_n)$ (e.g., $\in \mathbb{R}^N$).

Example:

2 players

Player 1: { **D**efect, **C**ooperate }.

Player 2: { **D**efect, **C**ooperate }.

Strategic Games.

N players.

Each player has strategy set. $\{S_1, \dots, S_N\}$.

Vector valued payoff function: $u(s_1, \dots, s_n)$ (e.g., $\in \mathbb{R}^N$).

Example:

2 players

Player 1: { **D**efect, **C**ooperate }.

Player 2: { **D**efect, **C**ooperate }.

Payoff:

Strategic Games.

N players.

Each player has strategy set. $\{S_1, \dots, S_N\}$.

Vector valued payoff function: $u(s_1, \dots, s_n)$ (e.g., $\in \mathbb{R}^N$).

Example:

2 players

Player 1: { **D**efect, **C**ooperate }.

Player 2: { **D**efect, **C**ooperate }.

Payoff:

	C	D
C	(3,3)	(0,5)
D	(5,0)	(1,1)

Famous because?

	C	D
C	(3,3)	(0,5)
D	(5,0)	(.1,1)

What is the best thing for the players to do?

Famous because?

	C	D
C	(3,3)	(0,5)
D	(5,0)	(1,1)

What is the best thing for the players to do?

Both cooperate. Payoff (3,3).

Famous because?

	C	D
C	(3,3)	(0,5)
D	(5,0)	(1,1)

What is the best thing for the players to do?

Both cooperate. Payoff (3,3).

If player 1 wants to do better, what does she do?

Famous because?

	C	D
C	(3,3)	(0,5)
D	(5,0)	(1,1)

What is the best thing for the players to do?

Both cooperate. Payoff (3,3).

If player 1 wants to do better, what does she do?

Defects! Payoff (5,0)

Famous because?

	C	D
C	(3,3)	(0,5)
D	(5,0)	(.1,.1)

What is the best thing for the players to do?

Both cooperate. Payoff (3,3).

If player 1 wants to do better, what does she do?

Defects! Payoff (5,0)

What does player 2 do now?

Famous because?

	C	D
C	(3,3)	(0,5)
D	(5,0)	(.1,.1)

What is the best thing for the players to do?

Both cooperate. Payoff (3,3).

If player 1 wants to do better, what does she do?

Defects! Payoff (5,0)

What does player 2 do now?

Defects! Payoff (.1,.1).

Famous because?

	C	D
C	(3,3)	(0,5)
D	(5,0)	(.1,.1)

What is the best thing for the players to do?

Both cooperate. Payoff (3,3).

If player 1 wants to do better, what does she do?

Defects! Payoff (5,0)

What does player 2 do now?

Defects! Payoff (.1,.1).

Stable now!

Famous because?

	C	D
C	(3,3)	(0,5)
D	(5,0)	(.1,.1)

What is the best thing for the players to do?

Both cooperate. Payoff (3,3).

If player 1 wants to do better, what does she do?

Defects! Payoff (5,0)

What does player 2 do now?

Defects! Payoff (.1,.1).

Stable now!

Nash Equilibrium:

Famous because?

	C	D
C	(3,3)	(0,5)
D	(5,0)	(.1,.1)

What is the best thing for the players to do?

Both cooperate. Payoff (3,3).

If player 1 wants to do better, what does she do?

Defects! Payoff (5,0)

What does player 2 do now?

Defects! Payoff (.1, .1).

Stable now!

Nash Equilibrium:

neither player has incentive to change strategy.

Two person zero sum games.

$m \times n$ payoff matrix A .

Two person zero sum games.

$m \times n$ payoff matrix A .

$a_{i,j}$ - payoff if row plays i and column plays j

Two person zero sum games.

$m \times n$ payoff matrix A .

$a_{i,j}$ - payoff if row plays i and column plays j

Row mixed strategy: $x = (x_1, \dots, x_m)$.

Two person zero sum games.

$m \times n$ payoff matrix A .

$a_{i,j}$ - payoff if row plays i and column plays j

Row mixed strategy: $x = (x_1, \dots, x_m)$.

Column mixed strategy: $y = (y_1, \dots, y_n)$.

Two person zero sum games.

$m \times n$ payoff matrix A .

$a_{i,j}$ - payoff if row plays i and column plays j

Row mixed strategy: $x = (x_1, \dots, x_m)$.

Column mixed strategy: $y = (y_1, \dots, y_n)$.

Payoff for strategy pair (x, y) :

Two person zero sum games.

$m \times n$ payoff matrix A .

$a_{i,j}$ - payoff if row plays i and column plays j

Row mixed strategy: $x = (x_1, \dots, x_m)$.

Column mixed strategy: $y = (y_1, \dots, y_n)$.

Payoff for strategy pair (x, y) :

$$p(x, y) = x^t A y$$

That is,

$$\sum_{i,j} (x_i y_j) \cdot a_{i,j}$$

Two person zero sum games.

$m \times n$ payoff matrix A .

$a_{i,j}$ - payoff if row plays i and column plays j

Row mixed strategy: $x = (x_1, \dots, x_m)$.

Column mixed strategy: $y = (y_1, \dots, y_n)$.

Payoff for strategy pair (x, y) :

$$p(x, y) = x^t A y$$

That is,

$$\sum_{i,j} (x_i y_j) \cdot a_{i,j} = \sum_i x_i \left(\sum_j a_{i,j} y_j \right)$$

Two person zero sum games.

$m \times n$ payoff matrix A .

$a_{i,j}$ - payoff if row plays i and column plays j

Row mixed strategy: $x = (x_1, \dots, x_m)$.

Column mixed strategy: $y = (y_1, \dots, y_n)$.

Payoff for strategy pair (x, y) :

$$p(x, y) = x^t A y$$

That is,

$$\sum_{i,j} (x_i y_j) \cdot a_{i,j} = \sum_i x_i \left(\sum_j a_{i,j} y_j \right) = \sum_i \sum_j x_i a_{i,j} y_j$$

Two person zero sum games.

$m \times n$ payoff matrix A .

$a_{i,j}$ - payoff if row plays i and column plays j

Row mixed strategy: $x = (x_1, \dots, x_m)$.

Column mixed strategy: $y = (y_1, \dots, y_n)$.

Payoff for strategy pair (x, y) :

$$p(x, y) = x^t A y$$

That is,

$$\sum_{i,j} (x_i y_j) \cdot a_{i,j} = \sum_i x_i \left(\sum_j a_{i,j} y_j \right) = \sum_i \sum_j x_i a_{i,j} y_j = \sum_j \left(\sum_i x_i a_{i,j} \right) y_j.$$

Two person zero sum games.

$m \times n$ payoff matrix A .

$a_{i,j}$ - payoff if row plays i and column plays j

Row mixed strategy: $x = (x_1, \dots, x_m)$.

Column mixed strategy: $y = (y_1, \dots, y_n)$.

Payoff for strategy pair (x, y) :

$$p(x, y) = x^t A y$$

That is,

$$\sum_{i,j} (x_i y_j) \cdot a_{i,j} = \sum_i x_i \left(\sum_j a_{i,j} y_j \right) = \sum_i \sum_j x_i a_{i,j} y_j = \sum_j \left(\sum_i x_i a_{i,j} \right) y_j.$$

Row maximizes, column minimizes

Two person zero sum games.

$m \times n$ payoff matrix A .

$a_{i,j}$ - payoff if row plays i and column plays j

Row mixed strategy: $x = (x_1, \dots, x_m)$.

Column mixed strategy: $y = (y_1, \dots, y_n)$.

Payoff for strategy pair (x, y) :

$$p(x, y) = x^t A y$$

That is,

$$\sum_{i,j} (x_i y_j) \cdot a_{i,j} = \sum_i x_i \left(\sum_j a_{i,j} y_j \right) = \sum_i \sum_j x_i a_{i,j} y_j = \sum_j \left(\sum_i x_i a_{i,j} \right) y_j.$$

Row maximizes, column minimizes

Equilibrium pair: (x^*, y^*) ?

Two person zero sum games.

$m \times n$ payoff matrix A .

$a_{i,j}$ - payoff if row plays i and column plays j

Row mixed strategy: $x = (x_1, \dots, x_m)$.

Column mixed strategy: $y = (y_1, \dots, y_n)$.

Payoff for strategy pair (x, y) :

$$p(x, y) = x^t A y$$

That is,

$$\sum_{i,j} (x_i y_j) \cdot a_{i,j} = \sum_i x_i \left(\sum_j a_{i,j} y_j \right) = \sum_i \sum_j x_i a_{i,j} y_j = \sum_j \left(\sum_i x_i a_{i,j} \right) y_j.$$

Row maximizes, column minimizes

Equilibrium pair: (x^*, y^*) ?

$$(x^*)^t A y^* = \min_y (x^*)^t A y = \max_x x^t A y^*.$$

Two person zero sum games.

$m \times n$ payoff matrix A .

$a_{i,j}$ - payoff if row plays i and column plays j

Row mixed strategy: $x = (x_1, \dots, x_m)$.

Column mixed strategy: $y = (y_1, \dots, y_n)$.

Payoff for strategy pair (x, y) :

$$p(x, y) = x^t A y$$

That is,

$$\sum_{i,j} (x_i y_j) \cdot a_{i,j} = \sum_i x_i \left(\sum_j a_{i,j} y_j \right) = \sum_i \sum_j x_i a_{i,j} y_j = \sum_j \left(\sum_i x_i a_{i,j} \right) y_j.$$

Row maximizes, column minimizes

Equilibrium pair: (x^*, y^*) ?

$$(x^*)^t A y^* = \min_y (x^*)^t A y = \max_x x^t A y^*.$$

(No better column strategy,

Two person zero sum games.

$m \times n$ payoff matrix A .

$a_{i,j}$ - payoff if row plays i and column plays j

Row mixed strategy: $x = (x_1, \dots, x_m)$.

Column mixed strategy: $y = (y_1, \dots, y_n)$.

Payoff for strategy pair (x, y) :

$$p(x, y) = x^t A y$$

That is,

$$\sum_{i,j} (x_i y_j) \cdot a_{i,j} = \sum_i x_i \left(\sum_j a_{i,j} y_j \right) = \sum_i \sum_j x_i a_{i,j} y_j = \sum_j \left(\sum_i x_i a_{i,j} \right) y_j.$$

Row maximizes, column minimizes

Equilibrium pair: (x^*, y^*) ?

$$(x^*)^t A y^* = \min_y (x^*)^t A y = \max_x x^t A y^*.$$

(No better column strategy, no better row strategy.)

Zero Sum Games. $R = \min_y \max_x (x^t A y).$

Zero Sum Games.

$$R = \min_y \max_x (x^t A y).$$

$$C = \max_x \min_y (x^t A y).$$

Zero Sum Games. $R = \min_y \max_x (x^t A y).$
 $C = \max_x \min_y (x^t A y).$

Weak Duality: $R \geq C.$

Proof: Better to go second.



Zero Sum Games. $R = \min_y \max_x (x^t A y).$
 $C = \max_x \min_y (x^t A y).$

Weak Duality: $R \geq C.$

Proof: Better to go second.



Note:

In situation R . y announces “Defense”. x plays “Offense.”

In situation C . x announces “Defense”. y plays “Offense.”

Zero Sum Games. $R = \min_y \max_x (x^t A y).$
 $C = \max_x \min_y (x^t A y).$

Weak Duality: $R \geq C.$

Proof: Better to go second. □

Note:

In situation R . y announces “Defense”. x plays “Offense.”

In situation C . x announces “Defense”. y plays “Offense.”

Or: if $R > C$, then Column player can play y_R as y_C and do better.

Zero Sum Games. $R = \min_y \max_x (x^t A y).$
 $C = \max_x \min_y (x^t A y).$

Weak Duality: $R \geq C.$

Proof: Better to go second. □

Note:

In situation R . y announces “Defense”. x plays “Offense.”

In situation C . x announces “Defense”. y plays “Offense.”

Or: if $R > C$, then Column player can play y_R as y_C and do better.

At Equilibrium (x^*, y^*) , payoff v :

Zero Sum Games. $R = \min_y \max_x (x^t A y)$.
 $C = \max_x \min_y (x^t A y)$.

Weak Duality: $R \geq C$.

Proof: Better to go second. □

Note:

In situation R . y announces “Defense”. x plays “Offense.”

In situation C . x announces “Defense”. y plays “Offense.”

Or: if $R > C$, then Column player can play y_R as y_C and do better.

At Equilibrium (x^*, y^*) , payoff v :

row payoffs $(A y^*)$ all $\leq v$

Zero Sum Games. $R = \min_y \max_x (x^t A y).$
 $C = \max_x \min_y (x^t A y).$

Weak Duality: $R \geq C.$

Proof: Better to go second.



Note:

In situation R . y announces “Defense”. x plays “Offense.”

In situation C . x announces “Defense”. y plays “Offense.”

Or: if $R > C$, then Column player can play y_R as y_C and do better.

At Equilibrium (x^*, y^*) , payoff v :

row payoffs (Ay^*) all $\leq v \implies R \leq v.$

Zero Sum Games. $R = \min_y \max_x (x^t A y).$
 $C = \max_x \min_y (x^t A y).$

Weak Duality: $R \geq C.$

Proof: Better to go second. □

Note:

In situation R . y announces “Defense”. x plays “Offense.”

In situation C . x announces “Defense”. y plays “Offense.”

Or: if $R > C$, then Column player can play y_R as y_C and do better.

At Equilibrium (x^*, y^*) , payoff v :

row payoffs $(A y^*)$ all $\leq v \implies R \leq v.$

column payoffs $((x^*)^t A)$ all $\geq v$

Zero Sum Games. $R = \min_y \max_x (x^t A y).$
 $C = \max_x \min_y (x^t A y).$

Weak Duality: $R \geq C.$

Proof: Better to go second. □

Note:

In situation R . y announces “Defense”. x plays “Offense.”

In situation C . x announces “Defense”. y plays “Offense.”

Or: if $R > C$, then Column player can play y_R as y_C and do better.

At Equilibrium (x^*, y^*) , payoff v :

row payoffs $(A y^*)$ all $\leq v \implies R \leq v.$

column payoffs $((x^*)^t A)$ all $\geq v \implies v \leq C.$

Zero Sum Games. $R = \min_y \max_x (x^t A y).$
 $C = \max_x \min_y (x^t A y).$

Weak Duality: $R \geq C.$

Proof: Better to go second.



Note:

In situation R . y announces “Defense”. x plays “Offense.”

In situation C . x announces “Defense”. y plays “Offense.”

Or: if $R > C$, then Column player can play y_R as y_C and do better.

At Equilibrium (x^*, y^*) , payoff v :

row payoffs (Ay^*) all $\leq v \implies R \leq v.$

column payoffs $((x^*)^t A)$ all $\geq v \implies v \leq C.$

$\implies R \leq v \leq C$

Zero Sum Games. $R = \min_y \max_x (x^t A y).$
 $C = \max_x \min_y (x^t A y).$

Weak Duality: $R \geq C.$

Proof: Better to go second. □

Note:

In situation R . y announces “Defense”. x plays “Offense.”

In situation C . x announces “Defense”. y plays “Offense.”

Or: if $R > C$, then Column player can play y_R as y_C and do better.

At Equilibrium (x^*, y^*) , payoff v :

row payoffs $(A y^*)$ all $\leq v \implies R \leq v.$

column payoffs $((x^*)^t A)$ all $\geq v \implies v \leq C.$

$$\implies R \leq v \leq C$$

Equilibrium $\implies R = C!$

Zero Sum Games. $R = \min_y \max_x (x^t A y).$
 $C = \max_x \min_y (x^t A y).$

Weak Duality: $R \geq C.$

Proof: Better to go second. □

Note:

In situation R . y announces “Defense”. x plays “Offense.”

In situation C . x announces “Defense”. y plays “Offense.”

Or: if $R > C$, then Column player can play y_R as y_C and do better.

At Equilibrium (x^*, y^*) , payoff v :

row payoffs $(A y^*)$ all $\leq v \implies R \leq v.$

column payoffs $((x^*)^t A)$ all $\geq v \implies v \leq C.$
 $\implies R \leq v \leq C$

Equilibrium $\implies R = C!$

Strong Duality: There is an equilibrium point!

Zero Sum Games. $R = \min_y \max_x (x^t A y).$
 $C = \max_x \min_y (x^t A y).$

Weak Duality: $R \geq C.$

Proof: Better to go second. □

Note:

In situation R . y announces “Defense”. x plays “Offense.”

In situation C . x announces “Defense”. y plays “Offense.”

Or: if $R > C$, then Column player can play y_R as y_C and do better.

At Equilibrium (x^*, y^*) , payoff v :

row payoffs $(A y^*)$ all $\leq v \implies R \leq v.$

column payoffs $((x^*)^t A)$ all $\geq v \implies v \leq C.$

$$\implies R \leq v \leq C$$

Equilibrium $\implies R = C!$

Strong Duality: There is an equilibrium point! and $R = C!$

Zero Sum Games.

$$R = \min_y \max_x (x^t A y).$$

$$C = \max_x \min_y (x^t A y).$$

Weak Duality: $R \geq C$.

Proof: Better to go second.



Note:

In situation R . y announces “Defense”. x plays “Offense.”

In situation C . x announces “Defense”. y plays “Offense.”

Or: if $R > C$, then Column player can play y_R as y_C and do better.

At Equilibrium (x^*, y^*) , payoff v :

row payoffs $(A y^*)$ all $\leq v \implies R \leq v$.

column payoffs $((x^*)^t A)$ all $\geq v \implies v \leq C$.

$$\implies R \leq v \leq C$$

Equilibrium $\implies R = C$!

Strong Duality: There is an equilibrium point! and $R = C$!

Doesn't matter who plays first!

Roshambo Example.

		R	P	S
R		0	-1	1
P		1	0	-1
S		-1	1	0

How do you play?

Roshambo Example.

		R	P	S
R	$\frac{.33}{3}$	0	-1	1
P	$\frac{.33}{3}$	1	0	-1
S	$\frac{.33}{3}$	-1	1	0

How do you play?

Player 1: play each strategy with equal probability.

Roshambo Example.

		R	P	S
		$\frac{.33}{}$	$\frac{.33}{}$	$\frac{.33}{}$
R	$\frac{.33}{}$	0	-1	1
P	$\frac{.33}{}$	1	0	-1
S	$\frac{.33}{}$	-1	1	0

How do you play?

Player 1: play each strategy with equal probability.

Player 2: play each strategy with equal probability.

Roshambo Example.

		R	P	S
		$\frac{.33}{}$	$\frac{.33}{}$	$\frac{.33}{}$
R	$\frac{.33}{}$	0	-1	1
P	$\frac{.33}{}$	1	0	-1
S	$\frac{.33}{}$	-1	1	0

How do you play?

Player 1: play each strategy with equal probability.

Player 2: play each strategy with equal probability.

Roshambo Example.

		R	P	S
		$\frac{1}{3}$	$\frac{1}{3}$	$\frac{1}{3}$
R	$\frac{1}{3}$	0	-1	1
P	$\frac{1}{3}$	1	0	-1
S	$\frac{1}{3}$	-1	1	0

How do you play?

Player 1: play each strategy with equal probability.

Player 2: play each strategy with equal probability.

Definitions.

Roshambo Example.

		R	P	S
		$\frac{1}{3}$	$\frac{1}{3}$	$\frac{1}{3}$
R	$\frac{1}{3}$	0	-1	1
P	$\frac{1}{3}$	1	0	-1
S	$\frac{1}{3}$	-1	1	0

How do you play?

Player 1: play each strategy with equal probability.

Player 2: play each strategy with equal probability.

Definitions.

Mixed strategies: Each player plays distribution over strategies.

Roshambo Example.

		R	P	S
		$.3\overline{3}$	$.3\overline{3}$	$.3\overline{3}$
R	$.3\overline{3}$	0	-1	1
P	$.3\overline{3}$	1	0	-1
S	$.3\overline{3}$	-1	1	0

How do you play?

Player 1: play each strategy with equal probability.

Player 2: play each strategy with equal probability.

Definitions.

Mixed strategies: Each player plays distribution over strategies.

Pure strategies: Each player plays single strategy.

Playing the boss...

Row has extra strategy: Cheat.

Playing the boss...

Row has extra strategy: Cheat.

Ties with rock and scissors, beats paper. (Scissors, or no rock!)

Playing the boss...

Row has extra strategy: Cheat.

Ties with rock and scissors, beats paper. (Scissors, or no rock!)

Payoff matrix:

Rock is strategy 1, Paper is 2, Scissors is 3,
and Cheat is 4 (for row.)

Playing the boss...

Row has extra strategy: Cheat.

Ties with rock and scissors, beats paper. (Scissors, or no rock!)

Payoff matrix:

Rock is strategy 1, Paper is 2, Scissors is 3,
and Cheat is 4 (for row.)

$$A = \begin{bmatrix} 0 & -1 & 1 \\ 1 & 0 & -1 \\ -1 & 1 & 0 \\ 0 & 0 & 1 \end{bmatrix}$$

Note: column knows row cheats.

Playing the boss...

Row has extra strategy: Cheat.

Ties with rock and scissors, beats paper. (Scissors, or no rock!)

Payoff matrix:

Rock is strategy 1, Paper is 2, Scissors is 3,
and Cheat is 4 (for row.)

$$A = \begin{bmatrix} 0 & -1 & 1 \\ 1 & 0 & -1 \\ -1 & 1 & 0 \\ 0 & 0 & 1 \end{bmatrix}$$

Note: column knows row cheats.

Why play?

Playing the boss...

Row has extra strategy: Cheat.

Ties with rock and scissors, beats paper. (Scissors, or no rock!)

Payoff matrix:

Rock is strategy 1, Paper is 2, Scissors is 3,
and Cheat is 4 (for row.)

$$A = \begin{bmatrix} 0 & -1 & 1 \\ 1 & 0 & -1 \\ -1 & 1 & 0 \\ 0 & 0 & 1 \end{bmatrix}$$

Note: column knows row cheats.

Why play?

Row is column's advisor.

Playing the boss...

Row has extra strategy: Cheat.

Ties with rock and scissors, beats paper. (Scissors, or no rock!)

Payoff matrix:

Rock is strategy 1, Paper is 2, Scissors is 3,
and Cheat is 4 (for row.)

$$A = \begin{bmatrix} 0 & -1 & 1 \\ 1 & 0 & -1 \\ -1 & 1 & 0 \\ 0 & 0 & 1 \end{bmatrix}$$

Note: column knows row cheats.

Why play?

Row is column's advisor.

... boss.

Equilibrium.

Equilibrium pair: (x^*, y^*) ?

Equilibrium.

Equilibrium pair: (x^*, y^*) ?

$$p(x, y) = (x^*)^T A y^* = \min_y (x^*)^T A y = \max_x x^T A y^*.$$

(No better column strategy, no better row strategy.)

¹ $A^{(i)}$ is i th row.

Equilibrium.

Equilibrium pair: (x^*, y^*) ?

$$p(x, y) = (x^*)^T A y^* = \min_y (x^*)^T A y = \max_x x^T A y^*.$$

(No better column strategy, no better row strategy.)

No row is better:

$$\max_i A^{(i)} \cdot y^* = (x^*)^T A y^*.^1$$

¹ $A^{(i)}$ is i th row.

Equilibrium.

Equilibrium pair: (x^*, y^*) ?

$$p(x, y) = (x^*)^T A y^* = \min_y (x^*)^T A y = \max_x x^T A y^*.$$

(No better column strategy, no better row strategy.)

No row is better:

$$\max_i A^{(i)} \cdot y^* = (x^*)^T A y^*.^1$$

No column is better:

$$\min_j (A^T)^{(j)} \cdot x^* = (x^*)^T A y^*.$$

¹ $A^{(i)}$ is i th row.

Equilibrium: play the boss...

$$A = \begin{bmatrix} 0 & -1 & 1 \\ 1 & 0 & -1 \\ -1 & 1 & 0 \\ 0 & 0 & 1 \end{bmatrix}$$

Equilibrium:

Equilibrium: play the boss...

$$A = \begin{bmatrix} 0 & -1 & 1 \\ 1 & 0 & -1 \\ -1 & 1 & 0 \\ 0 & 0 & 1 \end{bmatrix}$$

Equilibrium: Row: $(0, \frac{1}{3}, \frac{1}{6}, \frac{1}{2})$.

Equilibrium: play the boss...

$$A = \begin{bmatrix} 0 & -1 & 1 \\ 1 & 0 & -1 \\ -1 & 1 & 0 \\ 0 & 0 & 1 \end{bmatrix}$$

Equilibrium: Row: $(0, \frac{1}{3}, \frac{1}{6}, \frac{1}{2})$. Column: $(\frac{1}{3}, \frac{1}{2}, \frac{1}{6})$.

Equilibrium: play the boss...

$$A = \begin{bmatrix} 0 & -1 & 1 \\ 1 & 0 & -1 \\ -1 & 1 & 0 \\ 0 & 0 & 1 \end{bmatrix}$$

Equilibrium: Row: $(0, \frac{1}{3}, \frac{1}{6}, \frac{1}{2})$. Column: $(\frac{1}{3}, \frac{1}{2}, \frac{1}{6})$.

Payoff?

Equilibrium: play the boss...

$$A = \begin{bmatrix} 0 & -1 & 1 \\ 1 & 0 & -1 \\ -1 & 1 & 0 \\ 0 & 0 & 1 \end{bmatrix}$$

Equilibrium: Row: $(0, \frac{1}{3}, \frac{1}{6}, \frac{1}{2})$. Column: $(\frac{1}{3}, \frac{1}{2}, \frac{1}{6})$.

Payoff? Remember: weighted average of pure strategies.

Equilibrium: play the boss...

$$A = \begin{bmatrix} 0 & -1 & 1 \\ 1 & 0 & -1 \\ -1 & 1 & 0 \\ 0 & 0 & 1 \end{bmatrix}$$

Equilibrium: Row: $(0, \frac{1}{3}, \frac{1}{6}, \frac{1}{2})$. Column: $(\frac{1}{3}, \frac{1}{2}, \frac{1}{6})$.

Payoff? Remember: weighted average of pure strategies.

Row Player.

Equilibrium: play the boss...

$$A = \begin{bmatrix} 0 & -1 & 1 \\ 1 & 0 & -1 \\ -1 & 1 & 0 \\ 0 & 0 & 1 \end{bmatrix}$$

Equilibrium: Row: $(0, \frac{1}{3}, \frac{1}{6}, \frac{1}{2})$. Column: $(\frac{1}{3}, \frac{1}{2}, \frac{1}{6})$.

Payoff? Remember: weighted average of pure strategies.

Row Player.

Strategy 1: $\frac{1}{3} \times 0 + \frac{1}{2} \times -1 + \frac{1}{6} \times 1$

Equilibrium: play the boss...

$$A = \begin{bmatrix} 0 & -1 & 1 \\ 1 & 0 & -1 \\ -1 & 1 & 0 \\ 0 & 0 & 1 \end{bmatrix}$$

Equilibrium: Row: $(0, \frac{1}{3}, \frac{1}{6}, \frac{1}{2})$. Column: $(\frac{1}{3}, \frac{1}{2}, \frac{1}{6})$.

Payoff? Remember: weighted average of pure strategies.

Row Player.

$$\text{Strategy 1: } \frac{1}{3} \times 0 + \frac{1}{2} \times -1 + \frac{1}{6} \times 1 = -\frac{1}{3}$$

Equilibrium: play the boss...

$$A = \begin{bmatrix} 0 & -1 & 1 \\ 1 & 0 & -1 \\ -1 & 1 & 0 \\ 0 & 0 & 1 \end{bmatrix}$$

Equilibrium: Row: $(0, \frac{1}{3}, \frac{1}{6}, \frac{1}{2})$. Column: $(\frac{1}{3}, \frac{1}{2}, \frac{1}{6})$.

Payoff? Remember: weighted average of pure strategies.

Row Player.

$$\text{Strategy 1: } \frac{1}{3} \times 0 + \frac{1}{2} \times -1 + \frac{1}{6} \times 1 = -\frac{1}{3}$$

$$\text{Strategy 2: } \frac{1}{3} \times 1 + \frac{1}{2} \times 0 + \frac{1}{6} \times -1$$

Equilibrium: play the boss...

$$A = \begin{bmatrix} 0 & -1 & 1 \\ 1 & 0 & -1 \\ -1 & 1 & 0 \\ 0 & 0 & 1 \end{bmatrix}$$

Equilibrium: Row: $(0, \frac{1}{3}, \frac{1}{6}, \frac{1}{2})$. Column: $(\frac{1}{3}, \frac{1}{2}, \frac{1}{6})$.

Payoff? Remember: weighted average of pure strategies.

Row Player.

$$\text{Strategy 1: } \frac{1}{3} \times 0 + \frac{1}{2} \times -1 + \frac{1}{6} \times 1 = -\frac{1}{3}$$

$$\text{Strategy 2: } \frac{1}{3} \times 1 + \frac{1}{2} \times 0 + \frac{1}{6} \times -1 = \frac{1}{6}$$

Equilibrium: play the boss...

$$A = \begin{bmatrix} 0 & -1 & 1 \\ 1 & 0 & -1 \\ -1 & 1 & 0 \\ 0 & 0 & 1 \end{bmatrix}$$

Equilibrium: Row: $(0, \frac{1}{3}, \frac{1}{6}, \frac{1}{2})$. Column: $(\frac{1}{3}, \frac{1}{2}, \frac{1}{6})$.

Payoff? Remember: weighted average of pure strategies.

Row Player.

$$\text{Strategy 1: } \frac{1}{3} \times 0 + \frac{1}{2} \times -1 + \frac{1}{6} \times 1 = -\frac{1}{3}$$

$$\text{Strategy 2: } \frac{1}{3} \times 1 + \frac{1}{2} \times 0 + \frac{1}{6} \times -1 = \frac{1}{6}$$

$$\text{Strategy 3: } \frac{1}{3} \times -1 + \frac{1}{2} \times 1 + \frac{1}{6} \times 0$$

Equilibrium: play the boss...

$$A = \begin{bmatrix} 0 & -1 & 1 \\ 1 & 0 & -1 \\ -1 & 1 & 0 \\ 0 & 0 & 1 \end{bmatrix}$$

Equilibrium: Row: $(0, \frac{1}{3}, \frac{1}{6}, \frac{1}{2})$. Column: $(\frac{1}{3}, \frac{1}{2}, \frac{1}{6})$.

Payoff? Remember: weighted average of pure strategies.

Row Player.

$$\text{Strategy 1: } \frac{1}{3} \times 0 + \frac{1}{2} \times -1 + \frac{1}{6} \times 1 = -\frac{1}{3}$$

$$\text{Strategy 2: } \frac{1}{3} \times 1 + \frac{1}{2} \times 0 + \frac{1}{6} \times -1 = \frac{1}{6}$$

$$\text{Strategy 3: } \frac{1}{3} \times -1 + \frac{1}{2} \times 1 + \frac{1}{6} \times 0 = \frac{1}{6}$$

Equilibrium: play the boss...

$$A = \begin{bmatrix} 0 & -1 & 1 \\ 1 & 0 & -1 \\ -1 & 1 & 0 \\ 0 & 0 & 1 \end{bmatrix}$$

Equilibrium: Row: $(0, \frac{1}{3}, \frac{1}{6}, \frac{1}{2})$. Column: $(\frac{1}{3}, \frac{1}{2}, \frac{1}{6})$.

Payoff? Remember: weighted average of pure strategies.

Row Player.

$$\text{Strategy 1: } \frac{1}{3} \times 0 + \frac{1}{2} \times -1 + \frac{1}{6} \times 1 = -\frac{1}{3}$$

$$\text{Strategy 2: } \frac{1}{3} \times 1 + \frac{1}{2} \times 0 + \frac{1}{6} \times -1 = \frac{1}{6}$$

$$\text{Strategy 3: } \frac{1}{3} \times -1 + \frac{1}{2} \times 1 + \frac{1}{6} \times 0 = \frac{1}{6}$$

$$\text{Strategy 4: } \frac{1}{3} \times 0 + \frac{1}{2} \times 0 + \frac{1}{6} \times 1$$

Equilibrium: play the boss...

$$A = \begin{bmatrix} 0 & -1 & 1 \\ 1 & 0 & -1 \\ -1 & 1 & 0 \\ 0 & 0 & 1 \end{bmatrix}$$

Equilibrium: Row: $(0, \frac{1}{3}, \frac{1}{6}, \frac{1}{2})$. Column: $(\frac{1}{3}, \frac{1}{2}, \frac{1}{6})$.

Payoff? Remember: weighted average of pure strategies.

Row Player.

$$\text{Strategy 1: } \frac{1}{3} \times 0 + \frac{1}{2} \times -1 + \frac{1}{6} \times 1 = -\frac{1}{3}$$

$$\text{Strategy 2: } \frac{1}{3} \times 1 + \frac{1}{2} \times 0 + \frac{1}{6} \times -1 = \frac{1}{6}$$

$$\text{Strategy 3: } \frac{1}{3} \times -1 + \frac{1}{2} \times 1 + \frac{1}{6} \times 0 = \frac{1}{6}$$

$$\text{Strategy 4: } \frac{1}{3} \times 0 + \frac{1}{2} \times 0 + \frac{1}{6} \times 1 = \frac{1}{6}$$

Equilibrium: play the boss...

$$A = \begin{bmatrix} 0 & -1 & 1 \\ 1 & 0 & -1 \\ -1 & 1 & 0 \\ 0 & 0 & 1 \end{bmatrix}$$

Equilibrium: Row: $(0, \frac{1}{3}, \frac{1}{6}, \frac{1}{2})$. Column: $(\frac{1}{3}, \frac{1}{2}, \frac{1}{6})$.

Payoff? Remember: weighted average of pure strategies.

Row Player.

$$\text{Strategy 1: } \frac{1}{3} \times 0 + \frac{1}{2} \times -1 + \frac{1}{6} \times 1 = -\frac{1}{3}$$

$$\text{Strategy 2: } \frac{1}{3} \times 1 + \frac{1}{2} \times 0 + \frac{1}{6} \times -1 = \frac{1}{6}$$

$$\text{Strategy 3: } \frac{1}{3} \times -1 + \frac{1}{2} \times 1 + \frac{1}{6} \times 0 = \frac{1}{6}$$

$$\text{Strategy 4: } \frac{1}{3} \times 0 + \frac{1}{2} \times 0 + \frac{1}{6} \times 1 = \frac{1}{6}$$

Equilibrium: play the boss...

$$A = \begin{bmatrix} 0 & -1 & 1 \\ 1 & 0 & -1 \\ -1 & 1 & 0 \\ 0 & 0 & 1 \end{bmatrix}$$

Equilibrium: Row: $(0, \frac{1}{3}, \frac{1}{6}, \frac{1}{2})$. Column: $(\frac{1}{3}, \frac{1}{2}, \frac{1}{6})$.

Payoff? Remember: weighted average of pure strategies.

Row Player.

$$\text{Strategy 1: } \frac{1}{3} \times 0 + \frac{1}{2} \times -1 + \frac{1}{6} \times 1 = -\frac{1}{3}$$

$$\text{Strategy 2: } \frac{1}{3} \times 1 + \frac{1}{2} \times 0 + \frac{1}{6} \times -1 = \frac{1}{6}$$

$$\text{Strategy 3: } \frac{1}{3} \times -1 + \frac{1}{2} \times 1 + \frac{1}{6} \times 0 = \frac{1}{6}$$

$$\text{Strategy 4: } \frac{1}{3} \times 0 + \frac{1}{2} \times 0 + \frac{1}{6} \times 1 = \frac{1}{6}$$

$$\text{Payoff is } 0 \times -\frac{1}{3} + \frac{1}{3} \times \left(\frac{1}{6}\right) + \frac{1}{6} \times \left(\frac{1}{6}\right) + \frac{1}{2} \times \left(\frac{1}{6}\right)$$

Equilibrium: play the boss...

$$A = \begin{bmatrix} 0 & -1 & 1 \\ 1 & 0 & -1 \\ -1 & 1 & 0 \\ 0 & 0 & 1 \end{bmatrix}$$

Equilibrium: Row: $(0, \frac{1}{3}, \frac{1}{6}, \frac{1}{2})$. Column: $(\frac{1}{3}, \frac{1}{2}, \frac{1}{6})$.

Payoff? Remember: weighted average of pure strategies.

Row Player.

$$\text{Strategy 1: } \frac{1}{3} \times 0 + \frac{1}{2} \times -1 + \frac{1}{6} \times 1 = -\frac{1}{3}$$

$$\text{Strategy 2: } \frac{1}{3} \times 1 + \frac{1}{2} \times 0 + \frac{1}{6} \times -1 = \frac{1}{6}$$

$$\text{Strategy 3: } \frac{1}{3} \times -1 + \frac{1}{2} \times 1 + \frac{1}{6} \times 0 = \frac{1}{6}$$

$$\text{Strategy 4: } \frac{1}{3} \times 0 + \frac{1}{2} \times 0 + \frac{1}{6} \times 1 = \frac{1}{6}$$

$$\text{Payoff is } 0 \times -\frac{1}{3} + \frac{1}{3} \times (\frac{1}{6}) + \frac{1}{6} \times (\frac{1}{6}) + \frac{1}{2} \times (\frac{1}{6}) = \frac{1}{6}$$

Equilibrium: play the boss...

$$A = \begin{bmatrix} 0 & -1 & 1 \\ 1 & 0 & -1 \\ -1 & 1 & 0 \\ 0 & 0 & 1 \end{bmatrix}$$

Equilibrium: Row: $(0, \frac{1}{3}, \frac{1}{6}, \frac{1}{2})$. Column: $(\frac{1}{3}, \frac{1}{2}, \frac{1}{6})$.

Payoff? Remember: weighted average of pure strategies.

Row Player.

$$\text{Strategy 1: } \frac{1}{3} \times 0 + \frac{1}{2} \times -1 + \frac{1}{6} \times 1 = -\frac{1}{3}$$

$$\text{Strategy 2: } \frac{1}{3} \times 1 + \frac{1}{2} \times 0 + \frac{1}{6} \times -1 = \frac{1}{6}$$

$$\text{Strategy 3: } \frac{1}{3} \times -1 + \frac{1}{2} \times 1 + \frac{1}{6} \times 0 = \frac{1}{6}$$

$$\text{Strategy 4: } \frac{1}{3} \times 0 + \frac{1}{2} \times 0 + \frac{1}{6} \times 1 = \frac{1}{6}$$

$$\text{Payoff is } 0 \times -\frac{1}{3} + \frac{1}{3} \times (\frac{1}{6}) + \frac{1}{6} \times (\frac{1}{6}) + \frac{1}{2} \times (\frac{1}{6}) = \frac{1}{6}$$

Column player: every column payoff is $\frac{1}{6}$.

Equilibrium: play the boss...

$$A = \begin{bmatrix} 0 & -1 & 1 \\ 1 & 0 & -1 \\ -1 & 1 & 0 \\ 0 & 0 & 1 \end{bmatrix}$$

Equilibrium: Row: $(0, \frac{1}{3}, \frac{1}{6}, \frac{1}{2})$. Column: $(\frac{1}{3}, \frac{1}{2}, \frac{1}{6})$.

Payoff? Remember: weighted average of pure strategies.

Row Player.

$$\text{Strategy 1: } \frac{1}{3} \times 0 + \frac{1}{2} \times -1 + \frac{1}{6} \times 1 = -\frac{1}{3}$$

$$\text{Strategy 2: } \frac{1}{3} \times 1 + \frac{1}{2} \times 0 + \frac{1}{6} \times -1 = \frac{1}{6}$$

$$\text{Strategy 3: } \frac{1}{3} \times -1 + \frac{1}{2} \times 1 + \frac{1}{6} \times 0 = \frac{1}{6}$$

$$\text{Strategy 4: } \frac{1}{3} \times 0 + \frac{1}{2} \times 0 + \frac{1}{6} \times 1 = \frac{1}{6}$$

$$\text{Payoff is } 0 \times -\frac{1}{3} + \frac{1}{3} \times (\frac{1}{6}) + \frac{1}{6} \times (\frac{1}{6}) + \frac{1}{2} \times (\frac{1}{6}) = \frac{1}{6}$$

Column player: every column payoff is $\frac{1}{6}$.

Both only play optimal strategies!

Equilibrium: play the boss...

$$A = \begin{bmatrix} 0 & -1 & 1 \\ 1 & 0 & -1 \\ -1 & 1 & 0 \\ 0 & 0 & 1 \end{bmatrix}$$

Equilibrium: Row: $(0, \frac{1}{3}, \frac{1}{6}, \frac{1}{2})$. Column: $(\frac{1}{3}, \frac{1}{2}, \frac{1}{6})$.

Payoff? Remember: weighted average of pure strategies.

Row Player.

$$\text{Strategy 1: } \frac{1}{3} \times 0 + \frac{1}{2} \times -1 + \frac{1}{6} \times 1 = -\frac{1}{3}$$

$$\text{Strategy 2: } \frac{1}{3} \times 1 + \frac{1}{2} \times 0 + \frac{1}{6} \times -1 = \frac{1}{6}$$

$$\text{Strategy 3: } \frac{1}{3} \times -1 + \frac{1}{2} \times 1 + \frac{1}{6} \times 0 = \frac{1}{6}$$

$$\text{Strategy 4: } \frac{1}{3} \times 0 + \frac{1}{2} \times 0 + \frac{1}{6} \times 1 = \frac{1}{6}$$

$$\text{Payoff is } 0 \times -\frac{1}{3} + \frac{1}{3} \times (\frac{1}{6}) + \frac{1}{6} \times (\frac{1}{6}) + \frac{1}{2} \times (\frac{1}{6}) = \frac{1}{6}$$

Column player: every column payoff is $\frac{1}{6}$.

Both only play optimal strategies! Complementary slackness.

Equilibrium: play the boss...

$$A = \begin{bmatrix} 0 & -1 & 1 \\ 1 & 0 & -1 \\ -1 & 1 & 0 \\ 0 & 0 & 1 \end{bmatrix}$$

Equilibrium: Row: $(0, \frac{1}{3}, \frac{1}{6}, \frac{1}{2})$. Column: $(\frac{1}{3}, \frac{1}{2}, \frac{1}{6})$.

Payoff? Remember: weighted average of pure strategies.

Row Player.

$$\text{Strategy 1: } \frac{1}{3} \times 0 + \frac{1}{2} \times -1 + \frac{1}{6} \times 1 = -\frac{1}{3}$$

$$\text{Strategy 2: } \frac{1}{3} \times 1 + \frac{1}{2} \times 0 + \frac{1}{6} \times -1 = \frac{1}{6}$$

$$\text{Strategy 3: } \frac{1}{3} \times -1 + \frac{1}{2} \times 1 + \frac{1}{6} \times 0 = \frac{1}{6}$$

$$\text{Strategy 4: } \frac{1}{3} \times 0 + \frac{1}{2} \times 0 + \frac{1}{6} \times 1 = \frac{1}{6}$$

$$\text{Payoff is } 0 \times -\frac{1}{3} + \frac{1}{3} \times (\frac{1}{6}) + \frac{1}{6} \times (\frac{1}{6}) + \frac{1}{2} \times (\frac{1}{6}) = \frac{1}{6}$$

Column player: every column payoff is $\frac{1}{6}$.

Both only play optimal strategies! Complementary slackness.

Why play more than one?

Equilibrium: play the boss...

$$A = \begin{bmatrix} 0 & -1 & 1 \\ 1 & 0 & -1 \\ -1 & 1 & 0 \\ 0 & 0 & 1 \end{bmatrix}$$

Equilibrium: Row: $(0, \frac{1}{3}, \frac{1}{6}, \frac{1}{2})$. Column: $(\frac{1}{3}, \frac{1}{2}, \frac{1}{6})$.

Payoff? Remember: weighted average of pure strategies.

Row Player.

$$\text{Strategy 1: } \frac{1}{3} \times 0 + \frac{1}{2} \times -1 + \frac{1}{6} \times 1 = -\frac{1}{3}$$

$$\text{Strategy 2: } \frac{1}{3} \times 1 + \frac{1}{2} \times 0 + \frac{1}{6} \times -1 = \frac{1}{6}$$

$$\text{Strategy 3: } \frac{1}{3} \times -1 + \frac{1}{2} \times 1 + \frac{1}{6} \times 0 = \frac{1}{6}$$

$$\text{Strategy 4: } \frac{1}{3} \times 0 + \frac{1}{2} \times 0 + \frac{1}{6} \times 1 = \frac{1}{6}$$

$$\text{Payoff is } 0 \times -\frac{1}{3} + \frac{1}{3} \times (\frac{1}{6}) + \frac{1}{6} \times (\frac{1}{6}) + \frac{1}{2} \times (\frac{1}{6}) = \frac{1}{6}$$

Column player: every column payoff is $\frac{1}{6}$.

Both only play optimal strategies! Complementary slackness.

Why play more than one? Limit opponent payoff!

Equilibrium: always?

Equilibrium pair: (x^*, y^*) ?

$$p(x, y) = (x^*)^T A y^* = \min_y (x^*)^T A y = \max_x x^T A y^*.$$

Equilibrium: always?

Equilibrium pair: (x^*, y^*) ?

$$p(x, y) = (x^*)^T A y^* = \min_y (x^*)^T A y = \max_x x^T A y^*.$$

Does an equilibrium pair:, (x^*, y^*) , exist?

Equilibrium value is unique.

Zero sum game:

Equilibrium value is unique.

Zero sum game: $m \times n$ matrix A

Equilibrium value is unique.

Zero sum game: $m \times n$ matrix A

row maximizes

Equilibrium value is unique.

Zero sum game: $m \times n$ matrix A

row maximizes strategy: m -dimensional vector x

Equilibrium value is unique.

Zero sum game: $m \times n$ matrix A

row maximizes strategy: m -dimensional vector x

... probability distribution over rows.

Equilibrium value is unique.

Zero sum game: $m \times n$ matrix A

row maximizes strategy: m -dimensional vector x
... probability distribution over rows.

column minimizes.

Equilibrium value is unique.

Zero sum game: $m \times n$ matrix A

row maximizes strategy: m -dimensional vector x

... probability distribution over rows.

column minimizes. strategy: vector n -dimensional vector y

... probability distribution over columns.

Equilibrium value is unique.

Zero sum game: $m \times n$ matrix A

row maximizes strategy: m -dimensional vector x

... probability distribution over rows.

column minimizes. strategy: vector n -dimensional vector y

... probability distribution over columns.

Payoff (x, y) : $x^T A y$.

Equilibrium value is unique.

Zero sum game: $m \times n$ matrix A

row maximizes strategy: m -dimensional vector x

... probability distribution over rows.

column minimizes. strategy: vector n -dimensional vector y

... probability distribution over columns.

Payoff (x, y) : $x^T A y$.

Nash equilibrium (x^*, y^*) :

Equilibrium value is unique.

Zero sum game: $m \times n$ matrix A

row maximizes strategy: m -dimensional vector x

... probability distribution over rows.

column minimizes. strategy: vector n -dimensional vector y

... probability distribution over columns.

Payoff (x, y) : $x^T A y$.

Nash equilibrium (x^*, y^*) :

neither player has better response against others.

Equilibrium value is unique.

Zero sum game: $m \times n$ matrix A

row maximizes strategy: m -dimensional vector x

... probability distribution over rows.

column minimizes. strategy: vector n -dimensional vector y

... probability distribution over columns.

Payoff (x, y) : $x^T A y$.

Nash equilibrium (x^*, y^*) :

neither player has better response against others.

If there is an equilibrium: no disadvantage in announcing strategy!

Equilibrium value is unique.

Zero sum game: $m \times n$ matrix A

row maximizes strategy: m -dimensional vector x

... probability distribution over rows.

column minimizes. strategy: vector n -dimensional vector y

... probability distribution over columns.

Payoff (x, y) : $x^T A y$.

Nash equilibrium (x^*, y^*) :

neither player has better response against others.

If there is an equilibrium: no disadvantage in announcing strategy!

All equilibrium points all have same payoff.

Equilibrium value is unique.

Zero sum game: $m \times n$ matrix A

row maximizes strategy: m -dimensional vector x
... probability distribution over rows.

column minimizes. strategy: vector n -dimensional vector y
... probability distribution over columns.

Payoff (x, y) : $x^T A y$.

Nash equilibrium (x^*, y^*) :

neither player has better response against others.

If there is an equilibrium: no disadvantage in announcing strategy!

All equilibrium points all have same payoff.

Why? Assume equilibriums: $x_1^T A y_1 > x_2^T A y_2$.

Equilibrium value is unique.

Zero sum game: $m \times n$ matrix A

row maximizes strategy: m -dimensional vector x
... probability distribution over rows.

column minimizes. strategy: vector n -dimensional vector y
... probability distribution over columns.

Payoff (x, y) : $x^T A y$.

Nash equilibrium (x^*, y^*) :

neither player has better response against others.

If there is an equilibrium: no disadvantage in announcing strategy!

All equilibrium points all have same payoff.

Why? Assume equilibriums: $x_1^T A y_1 > x_2^T A y_2$.

Equilibrium value is unique.

Zero sum game: $m \times n$ matrix A

row maximizes strategy: m -dimensional vector x
... probability distribution over rows.

column minimizes. strategy: vector n -dimensional vector y
... probability distribution over columns.

Payoff (x, y) : $x^T A y$.

Nash equilibrium (x^*, y^*) :

neither player has better response against others.

If there is an equilibrium: no disadvantage in announcing strategy!

All equilibrium points all have same payoff.

Why? Assume equilibriums: $x_1^T A y_1 > x_2^T A y_2$.

$$\implies \max_i (A y_1)_i > \max_i (A y_2)_i$$

Equilibrium value is unique.

Zero sum game: $m \times n$ matrix A

row maximizes strategy: m -dimensional vector x
... probability distribution over rows.

column minimizes. strategy: vector n -dimensional vector y
... probability distribution over columns.

Payoff (x, y) : $x^T A y$.

Nash equilibrium (x^*, y^*) :

neither player has better response against others.

If there is an equilibrium: no disadvantage in announcing strategy!

All equilibrium points all have same payoff.

Why? Assume equilibriums: $x_1^T A y_1 > x_2^T A y_2$.

$\implies \max_i (A y_1)_i > \max_i (A y_2)_i$ x_i zero on non-best row of $(A y_1)$

Equilibrium value is unique.

Zero sum game: $m \times n$ matrix A

row maximizes strategy: m -dimensional vector x
... probability distribution over rows.

column minimizes. strategy: vector n -dimensional vector y
... probability distribution over columns.

Payoff (x, y) : $x^T A y$.

Nash equilibrium (x^*, y^*) :

neither player has better response against others.

If there is an equilibrium: no disadvantage in announcing strategy!

All equilibrium points all have same payoff.

Why? Assume equilibriums: $x_1^T A y_1 > x_2^T A y_2$.

$\implies \max_i (A y_1)_i > \max_i (A y_2)_i$ x_i zero on non-best row of $(A y_1)$
Best row is worse under y_2 .

Equilibrium value is unique.

Zero sum game: $m \times n$ matrix A

row maximizes strategy: m -dimensional vector x
... probability distribution over rows.

column minimizes. strategy: vector n -dimensional vector y
... probability distribution over columns.

Payoff (x, y) : $x^T A y$.

Nash equilibrium (x^*, y^*) :

neither player has better response against others.

If there is an equilibrium: no disadvantage in announcing strategy!

All equilibrium points all have same payoff.

Why? Assume equilibriums: $x_1^T A y_1 > x_2^T A y_2$.

$\implies \max_i (A y_1)_i > \max_i (A y_2)_i$ x_i zero on non-best row of $(A y_1)$

Best row is worse under y_2 .

\implies Column player strategy y_2 is better than y_1

Equilibrium value is unique.

Zero sum game: $m \times n$ matrix A

row maximizes strategy: m -dimensional vector x
... probability distribution over rows.

column minimizes. strategy: vector n -dimensional vector y
... probability distribution over columns.

Payoff (x, y) : $x^T A y$.

Nash equilibrium (x^*, y^*) :

neither player has better response against others.

If there is an equilibrium: no disadvantage in announcing strategy!

All equilibrium points all have same payoff.

Why? Assume equilibriums: $x_1^T A y_1 > x_2^T A y_2$.

$\implies \max_i (A y_1)_i > \max_i (A y_2)_i$ x_i zero on non-best row of $(A y_1)$

Best row is worse under y_2 .

\implies Column player strategy y_2 is better than y_1

Equilibrium value is unique.

Zero sum game: $m \times n$ matrix A

row maximizes strategy: m -dimensional vector x
... probability distribution over rows.

column minimizes. strategy: vector n -dimensional vector y
... probability distribution over columns.

Payoff (x, y) : $x^T A y$.

Nash equilibrium (x^*, y^*) :

neither player has better response against others.

If there is an equilibrium: no disadvantage in announcing strategy!

All equilibrium points all have same payoff.

Why? Assume equilibriums: $x_1^T A y_1 > x_2^T A y_2$.

$\implies \max_i (A y_1)_i > \max_i (A y_2)_i$ x_i zero on non-best row of $(A y_1)$

Best row is worse under y_2 .

\implies Column player strategy y_2 is better than y_1

x_1, y_1 is not equilibrium.

Equilibrium value is unique.

Zero sum game: $m \times n$ matrix A

row maximizes strategy: m -dimensional vector x
... probability distribution over rows.

column minimizes. strategy: vector n -dimensional vector y
... probability distribution over columns.

Payoff (x, y) : $x^T A y$.

Nash equilibrium (x^*, y^*) :

neither player has better response against others.

If there is an equilibrium: no disadvantage in announcing strategy!

All equilibrium points all have same payoff.

Why? Assume equilibriums: $x_1^T A y_1 > x_2^T A y_2$.

$\implies \max_i (A y_1)_i > \max_i (A y_2)_i$ x_i zero on non-best row of $(A y_1)$

Best row is worse under y_2 .

\implies Column player strategy y_2 is better than y_1

x_1, y_1 is not equilibrium. Contradiction.

Zero Sum games and Linear Programs.

Matrix A , rows a_i , columns, $a^{(j)}$.

Zero Sum games and Linear Programs.

Matrix A , rows a_i , columns, $a^{(i)}$.

Row player minimizes C .

$$C = \max z$$

$$\forall i \quad a^{(i)} \cdot x \geq z$$

$$\sum_i x_i = 1$$

$$x_i \geq 0$$

Zero Sum games and Linear Programs.

Matrix A , rows a_i , columns, $a^{(i)}$.

Row player minimizes C .

$$C = \max z$$

$$\forall i \quad a^{(i)} \cdot x \geq z$$

$$\sum_i x_i = 1$$

$$x_i \geq 0$$

Column player maximizes R .

$$R = \min z$$

$$\forall i \quad a_i \cdot y \leq z$$

$$\sum_i y_i = 1$$

$$y_i \geq 0$$

Zero Sum games and Linear Programs.

Matrix A , rows a_i , columns, $a^{(i)}$.

Row player minimizes C .

$$C = \max z$$

$$\forall i \quad a^{(i)} \cdot x \geq z$$

$$\sum_i x_i = 1$$

$$x_i \geq 0$$

Column player maximizes R .

$$R = \min z$$

$$\forall i \quad a_i \cdot y \leq z$$

$$\sum_i y_i = 1$$

$$y_i \geq 0$$

Zero-Sum Games also equivalent to linear programs. Not completely easy.

Zero Sum games and Linear Programs.

Matrix A , rows a_i , columns, $a^{(i)}$.

Row player minimizes C .

$$C = \max z$$

$$\forall i \quad a^{(i)} \cdot x \geq z$$

$$\sum_i x_i = 1$$

$$x_i \geq 0$$

Column player maximizes R .

$$R = \min z$$

$$\forall i \quad a_i \cdot y \leq z$$

$$\sum_i y_i = 1$$

$$y_i \geq 0$$

Zero-Sum Games also equivalent to linear programs. Not completely easy.

(Adler, recently.)

Quest for Polynomial time.

Dantzig (1947), Kantorovich (1939).

Quest for Polynomial time.

Dantzig (1947), Kantorovich (1939).

Khachiyan (1979): Ellipsoid method.

Quest for Polynomial time.

Dantzig (1947), Kantorovich (1939).

Khachiyan (1979): Ellipsoid method. Impractical ..

Quest for Polynomial time.

Dantzig (1947), Kantorovich (1939).

Khachiyan (1979): Ellipsoid method. Impractical ..so far.

Quest for Polynomial time.

Dantzig (1947), Kantorovich (1939).

Khachiyan (1979): Ellipsoid method. Impractical ..so far.

Karmarkar (at Berkeley): Interior point methods.

Quest for Polynomial time.

Dantzig (1947), Kantorovich (1939).

Khachiyan (1979): Ellipsoid method. Impractical ..so far.

Karmarkar (at Berkeley): Interior point methods.

Fast in practice.

Quest for Polynomial time.

Dantzig (1947), Kantorovich (1939).

Khachiyan (1979): Ellipsoid method. Impractical ..so far.

Karmarkar (at Berkeley): Interior point methods.
Fast in practice.

Best codes are based on simplex, interior point.

Quest for Polynomial time.

Dantzig (1947), Kantorovich (1939).

Khachiyan (1979): Ellipsoid method. Impractical ..so far.

Karmarkar (at Berkeley): Interior point methods.
Fast in practice.

Best codes are based on simplex, interior point.

Depends on problem.

Quest for Polynomial time.

Dantzig (1947), Kantorovich (1939).

Khachiyan (1979): Ellipsoid method. Impractical ..so far.

Karmarkar (at Berkeley): Interior point methods.

Fast in practice.

Best codes are based on simplex, interior point.

Depends on problem.

Kelner, Spielman: Simplex is polynomial on smooth problems.

Quest for Polynomial time.

Dantzig (1947), Kantorovich (1939).

Khachiyan (1979): Ellipsoid method. Impractical ..so far.

Karmarkar (at Berkeley): Interior point methods.
Fast in practice.

Best codes are based on simplex, interior point.

Depends on problem.

Kelner, Spielman: Simplex is polynomial on smooth problems.
Explains performance in practice.

Generality of Linear Programming.

Linear program solves many problems.

Generality of Linear Programming.

Linear program solves many problems.

How applicable is it?

Generality of Linear Programming.

Linear program solves many problems.

How applicable is it?

So applicable that ...

Generality of Linear Programming.

Linear program solves many problems.

How applicable is it?

So applicable that ...INSERT JOKE HERE...

Circuit Evaluation.

Circuit Evaluation:

Circuit Evaluation.

Circuit Evaluation:

Given: DAG of boolean gates:

Circuit Evaluation.

Circuit Evaluation:

Given: DAG of boolean gates:

two input **AND/OR**.

Circuit Evaluation.

Circuit Evaluation:

Given: DAG of boolean gates:

two input **AND/OR**.

One input **NOT**.

Circuit Evaluation.

Circuit Evaluation:

Given: DAG of boolean gates:

two input **AND/OR**.

One input **NOT**.

TRUE/FALSE inputs.

Circuit Evaluation.

Circuit Evaluation:

Given: DAG of boolean gates:

two input **AND/OR**.

One input **NOT**.

TRUE/FALSE inputs.

Problem: What is the output of a specified Output Gate?

Circuit Evaluation.

Circuit Evaluation:


Given: DAG of boolean gates:

two input **AND/OR**.

One input **NOT**.

TRUE/FALSE inputs.

Problem: What is the output of a specified Output Gate?



Circuit Evaluation.

Circuit Evaluation:


Given: DAG of boolean gates:

two input **AND/OR**.

One input **NOT**.

TRUE/FALSE inputs.

Problem: What is the output of a specified Output Gate?



No really!

Circuit Evaluation.

Circuit Evaluation:


Given: DAG of boolean gates:

two input **AND/OR**.

One input **NOT**.

TRUE/FALSE inputs.

Problem: What is the output of a specified Output Gate?



No really! What is the value of the output?

Translation to linear program.

Variable for gate g : x_g .

Translation to linear program.

Variable for gate g : x_g .

Constraints:

Translation to linear program.

Variable for gate g : x_g .

Constraints:

$$0 \leq x_g \leq 1$$

Translation to linear program.

Variable for gate g : x_g .

Constraints:

$$0 \leq x_g \leq 1$$

Gate g is true gate: $x_g = 1$.

Translation to linear program.

Variable for gate g : x_g .

Constraints:

$$0 \leq x_g \leq 1$$

Gate g is true gate: $x_g = 1$.

Gate g is false gate: $x_g = 0$.

Translation to linear program.


Variable for gate g : x_g .

Constraints:

$$0 \leq x_g \leq 1$$

Gate g is true gate: $x_g = 1$.

Gate g is false gate: $x_g = 0$.



Translation to linear program.


Variable for gate g : x_g .

Constraints:

$$0 \leq x_g \leq 1$$

Gate g is true gate: $x_g = 1$.

Gate g is false gate: $x_g = 0$.



Translation to linear program.

Variable for gate g : x_g .


Constraints:

$$0 \leq x_g \leq 1$$

Gate g is true gate: $x_g = 1$.

Gate g is false gate: $x_g = 0$.

$$x_g \geq x_h$$



Translation to linear program.

Variable for gate g : x_g .

Constraints:


$$0 \leq x_g \leq 1$$

Gate g is true gate: $x_g = 1$.

Gate g is false gate: $x_g = 0$.

$$x_g \geq x_h$$

$$x_g \geq x_{h'}$$



Translation to linear program.

Variable for gate g : x_g .

Constraints:

$$0 \leq x_g \leq 1$$


Gate g is true gate: $x_g = 1$.

Gate g is false gate: $x_g = 0$.

$$x_g \geq x_h$$

$$x_g \geq x_{h'}$$

$$x_g \leq x_h + x_{h'}$$



Translation to linear program.

Variable for gate g : x_g .

Constraints:

$$0 \leq x_g \leq 1$$


Gate g is true gate: $x_g = 1$.

Gate g is false gate: $x_g = 0$.

$$x_g \geq x_h$$

$$x_g \geq x_{h'}$$

$$x_g \leq x_h + x_{h'}$$



For \wedge gate:

$$x_g \leq x_h, \quad x_g \leq x_{h'}$$

Translation to linear program.

Variable for gate g : x_g .

Constraints:

$$0 \leq x_g \leq 1$$


Gate g is true gate: $x_g = 1$.

Gate g is false gate: $x_g = 0$.

$$x_g \geq x_h$$

$$x_g \geq x_{h'}$$

$$x_g \leq x_h + x_{h'}$$



For \wedge gate:

$$x_g \leq x_h, \quad x_g \leq x_{h'} \qquad x_g \geq x_h + x_{h'} - 1$$

Translation to linear program.

Variable for gate g : x_g .

Constraints:

$$0 \leq x_g \leq 1$$


Gate g is true gate: $x_g = 1$.

Gate g is false gate: $x_g = 0$.

$$x_g \geq x_h$$

$$x_g \geq x_{h'}$$

$$x_g \leq x_h + x_{h'}$$



For \wedge gate:

$$x_g \leq x_h, \quad x_g \leq x_{h'} \qquad x_g \geq x_h + x_{h'} - 1$$

For \neg gate: $x_g = 1 - x_h$.

Translation to linear program.

Variable for gate g : x_g .

Constraints:

$$0 \leq x_g \leq 1$$


Gate g is true gate: $x_g = 1$.

Gate g is false gate: $x_g = 0$.

$$x_g \geq x_h$$

$$x_g \geq x_{h'}$$

$$x_g \leq x_h + x_{h'}$$



For \wedge gate:

$$x_g \leq x_h, \quad x_g \leq x_{h'} \qquad x_g \geq x_h + x_{h'} - 1$$

For \neg gate: $x_g = 1 - x_h$.

x_o is 1 if and only if the circuit evaluates to true.

The circuit value problem is completely general!

The circuit value problem is completely general!

A computer program can be unfolded into a circuit.

The circuit value problem is completely general!

A computer program can be unfolded into a circuit.

Each level is the circuit for a computer.

The circuit value problem is completely general!

A computer program can be unfolded into a circuit.

Each level is the circuit for a computer.

The number of levels is the number of steps.

The circuit value problem is completely general!

A computer program can be unfolded into a circuit.

Each level is the circuit for a computer.

The number of levels is the number of steps.

\implies circuit value problems model computation.

The circuit value problem is completely general!

A computer program can be unfolded into a circuit.

Each level is the circuit for a computer.

The number of levels is the number of steps.

⇒ circuit value problems model computation.

⇒ linear programs can model any polynomial time problem!

The circuit value problem is completely general!

A computer program can be unfolded into a circuit.

Each level is the circuit for a computer.

The number of levels is the number of steps.

⇒ circuit value problems model computation.

⇒ linear programs can model any polynomial time problem!

Warning: existence proof, not generally efficient.

The circuit value problem is completely general!

A computer program can be unfolded into a circuit.

Each level is the circuit for a computer.

The number of levels is the number of steps.

⇒ circuit value problems model computation.

⇒ linear programs can model any polynomial time problem!

Warning: existence proof, not generally efficient.

Next: NP completeness..more reductions.

Lecture in a Minute

Games

Lecture in a Minute

Games

Nash Equilibrium

Lecture in a Minute

Games

- Nash Equilibrium

- Zero Sum Two Person Games

- Mixed Strategies.

- Checking Equilibrium.

- Best Response.

- Statement of Duality Theorem.

Lecture in a Minute

Games

- Nash Equilibrium

- Zero Sum Two Person Games

- Mixed Strategies.

- Checking Equilibrium.

- Best Response.

- Statement of Duality Theorem.

- Generality of Linear Program.

Lecture in a Minute

Games

- Nash Equilibrium

- Zero Sum Two Person Games

- Mixed Strategies.

- Checking Equilibrium.

- Best Response.

- Statement of Duality Theorem.

Generality of Linear Program.

- Any circuit can be implemented by linear program!

- Any polynomial time algorithm

 - \implies a poly sized linear program.