1. Docker file.
   The Dockerfile inside the analytics/ directory defines the container image for the Coworking application. It uses python:3.9-slim, installs the required dependencies, copies the application source code, exposes port 5153, and starts the service with python app.py.



2. Docker Image.
   The Amazon ECR repository coworking-analytics contains the Docker images for the application. The Images tab shows successfully pushed image tags, confirming that the application image was stored in ECR and is available for deployment.



3. Screenshot of AWS code build pipeline.
   The AWS CodeBuild screenshot confirms that the coworking-analytics-build project completed successfully. The build logs show that the application source files and Dockerfile were detected correctly, confirming that the build pipeline was able to process the project source.

coworking-analytics-build:2c206b4f-3f10-4270-a049-b077819adb4f

Stop build | Debug build | Retry build

Build status

Status	Initiator	Build ARN	Resolved source version
Succeeded	voclabs/user4950323=e385a6b2-826b-41d1-ae9b-563f929a8a90	arn:aws:codebuild:us-east-1:422749391306:build/coworking-analytics-build:2c206b4f-3f10-4270-a049-b077819adb4f	b2121a624bf73fb67d7b8e9af49a74cc52feed21
Start time	**End time**	**Build number**	
Mar 29, 2026 5:55 PM (UTC+8:00)	Mar 29, 2026 5:57 PM (UTC+8:00)	17	

Build logs | Phase details | Reports | Environment variables | Build details | Resource utilization

Showing the last 752 lines of the build log. View entire log

Tail logs

No previous logs

```
[Container] 2026/03/29 09:56:09.629687 Running on CodeBuild On-demand
[Container] 2026/03/29 09:56:09.629705 Waiting for agent ping
[Container] 2026/03/29 09:56:09.831097 Waiting for DOWNLOAD_SOURCE
[Container] 2026/03/29 09:56:11.703151 Phase is DOWNLOAD_SOURCE
[Container] 2026/03/29 09:56:11.705538 CODEBUILD_SRC_DIR=/codebuild/output/src1510019892/src/github.com/thedebuggerrr/cd12355-microservices-aws-kubernetes-project-starter
[Container] 2026/03/29 09:56:11.706213 YAML location is /codebuild/output/src1510019892/src/github.com/thedebuggerrr/cd12355-microservices-aws-kubernetes-project-starter/buildspec.yaml
[Container] 2026/03/29 09:56:11.708386 Setting HTTP client timeout to higher timeout for Github and GitHub Enterprise sources
[Container] 2026/03/29 09:56:11.708535 Processing environment variables
[Container] 2026/03/29 09:56:11.917376 No runtime version selected in buildspec.
[Container] 2026/03/29 09:56:11.948971 Moving to directory /codebuild/output/src1510019892/src/github.com/thedebuggerrr/cd12355-microservices-aws-kubernetes-project-starter
[Container] 2026/03/29 09:56:11.949070 Cache is not defined in the buildspec
[Container] 2026/03/29 09:56:11.993405 Skip cache due to: no paths specified to be cached
[Container] 2026/03/29 09:56:11.993953 Registering with agent
[Container] 2026/03/29 09:56:12.029731 Phases found in YAML: 3
[Container] 2026/03/29 09:56:12.029752  PRE_BUILD: 2 commands
[Container] 2026/03/29 09:56:12.029757  BUILD: 5 commands
[Container] 2026/03/29 09:56:12.029761  POST_BUILD: 2 commands
[Container] 2026/03/29 09:56:12.030037 Phase complete: DOWNLOAD_SOURCE State: SUCCEEDED
[Container] 2026/03/29 09:56:12.030051 Phase context status code:  Message:
[Container] 2026/03/29 09:56:12.139917 Entering phase INSTALL
[Container] 2026/03/29 09:56:12.177142 Phase complete: INSTALL State: SUCCEEDED
[Container] 2026/03/29 09:56:12.177159 Phase context status code:  Message:
[Container] 2026/03/29 09:56:12.215124 Entering phase PRE_BUILD
[Container] 2026/03/29 09:56:12.260382 Running command echo Logging in to Amazon ECR...
Logging in to Amazon ECR...

[Container] 2026/03/29 09:56:12.268138 Running command aws ecr get-login-password --region us-east-1 | docker login --username AWS --password-stdin $AWS_ACCOUNT_ID.dkr.ecr.us-east-1.amazonaws.com

WARNING! Your credentials are stored unencrypted in '/root/.docker/config.json'.
Configure a credential helper to remove this warning. See
https://docs.docker.com/go/credential-store/

Login Succeeded

[Container] 2026/03/29 09:56:25.198080 Phase complete: PRE_BUILD State: SUCCEEDED
[Container] 2026/03/29 09:56:25.198095 Phase context status code:  Message:
[Container] 2026/03/29 09:56:25.235362 Entering phase BUILD
[Container] 2026/03/29 09:56:25.236442 Running command echo Build started on `date`
Build started on Sun Mar 29 09:56:25 AM UTC 2026

[Container] 2026/03/29 09:56:25.245043 Running command ls -la
total 24
drwxr-xr-x 8 root root  195 Mar 29 09:56 .
```

aws | Search [Alt+S] | United States (N. Virginia) | c0w1827515t1613551740 (4227-4939-1306) | voclabs/user4950323=e385a6b2-826b-41d1-ae9b-...

Developer Tools > CodeBuild > Build projects > coworking-analytics-build > coworking-analytics-build:2c206b4f-3f10-4270-a049-b077819adb4f

```
drwxr-xr-x 2 root root   50 Mar 29 09:56 deployment-local
-rw-r--r-- 1 root root 6148 Mar 29 09:56 .DS_Store
drwxr-xr-x 7 root root  161 Mar 29 09:56 .git
drwxr-xr-x 3 root root   23 Mar 29 09:56 .github
-rw-r--r-- 1 root root 3089 Mar 29 09:56 LICENSE.txt
-rw-r--r-- 1 root root 1994 Mar 29 09:56 README.md

[Container] 2026/03/29 09:56:25.324536 Running command ls -la analytics
total 16
drwxr-xr-x 2 root root   98 Mar 29 09:56 .
drwxr-xr-x 8 root root  195 Mar 29 09:56 ..
-rw-r--r-- 1 root root 1948 Mar 29 09:56 app.py
-rw-r--r-- 1 root root  506 Mar 29 09:56 config.py
-rw-r--r-- 1 root root  274 Mar 29 09:56 Dockerfile
-rw-r--r-- 1 root root    0 Mar 29 09:56 __init__.py
-rw-r--r-- 1 root root   99 Mar 29 09:56 requirements.txt
```

```
[Container] 2026/03/29 09:56:25.335779 Running command docker build -t coworking-analytics:$CODEBUILD_BUILD_NUMBER -f analytics/Dockerfile ./analytics
#0 building with "default" instance using docker driver

#1 [internal] load build definition from Dockerfile
#1 transferring dockerfile: 313B done
#1 DONE 0.0s

#2 [internal] load metadata for docker.io/library/python:3.9-slim
#2 DONE 0.4s

#3 [internal] load .dockerignore
#3 transferring context: 2B done
#3 DONE 0.0s

#4 [internal] load build context
#4 transferring context: 3.02kB done
#4 DONE 0.0s

#5 [1/6] FROM docker.io/library/python:3.9-slim@sha256:2d97f6910b16bd338d3060f261f53f144965f755599aab1acda1e13cf1731b1b
#5 resolve docker.io/library/python:3.9-slim@sha256:2d97f6910b16bd338d3060f261f53f144965f755599aab1acda1e13cf1731b1b 0.0s done
#5 sha256:38513bd7256313495cdd83b3b0915a633cfa475dc2a07072ab2c8d191020ca5d 0B / 29.78MB 0.1s
#5 sha256:b3ec39b36ae8c03a3e09854de4ec4aa08381dfed84a9daa075048c2e3df3881d 1.29MB / 1.29MB 0.1s done
#5 sha256:fc74430849022d13b0d44b8969a953f842f59c6e9d1a0c2c83d710affa286c08 7.34MB / 13.88MB 0.1s
#5 sha256:2d97f6910b16bd338d3060f261f53f144965f755599aab1acda1e13cf1731b1b 10.36kB / 10.36kB done
#5 sha256:dad5b29e3506c35e0fd222736f4d4ef25d21b219acdd73f7bb41d59996ca8e0d 1.74kB / 1.74kB done
#5 sha256:085da638e1b8a449514c3fda83ff50a3bffae4418b050cfacd87e5722071f497 5.40kB / 5.40kB done
#5 sha256:38513bd7256313495cdd83b3b0915a633cfa475dc2a07072ab2c8d191020ca5d 13.63MB / 29.78MB 0.2s
```

Search [Alt+S] United States (N. Virginia) c0w182 voclabs

Developer Tools > CodeBuild > Build projects > coworking-analytics-build > coworking-analytics-build:2c206b4f-3f10-4270-a049-b077819adb4f

```
#5 extracting sha256:b3ec39b36ae8c03a3e09854de4ec4aa08381dfed84a9daa075048c2e3df3881d
#5 extracting sha256:b3ec39b36ae8c03a3e09854de4ec4aa08381dfed84a9daa075048c2e3df3881d 0.1s done
#5 extracting sha256:fc74430849022d13b0d44b8969a953f842f59c6e9d1a0c2c83d710affa286c08
#5 extracting sha256:fc74430849022d13b0d44b8969a953f842f59c6e9d1a0c2c83d710affa286c08 0.7s done
#5 extracting sha256:ea56f685404adf81680322f152d2cfec62115b30dda481c2c450078315beb508
#5 extracting sha256:ea56f685404adf81680322f152d2cfec62115b30dda481c2c450078315beb508 done
#5 DONE 2.8s

#6 [2/6] WORKDIR /app
#6 DONE 0.6s

#7 [3/6] RUN apt-get update -y &&     apt-get install -y build-essential libpq-dev &&     rm -rf /var/lib/apt/lists/*
#7 0.612 Get:1 http://deb.debian.org/debian trixie InRelease [140 kB]
#7 0.631 Get:2 http://deb.debian.org/debian trixie-updates InRelease [47.3 kB]
#7 0.632 Get:3 http://deb.debian.org/debian-security trixie-security InRelease [43.4 kB]
#7 0.660 Get:4 http://deb.debian.org/debian trixie/main amd64 Packages [9671 kB]
#7 0.724 Get:5 http://deb.debian.org/debian trixie-updates/main amd64 Packages [5412 B]
#7 0.724 Get:6 http://deb.debian.org/debian-security trixie-security/main amd64 Packages [114 kB]
#7 1.663 Fetched 10.0 MB in 1s (9449 kB/s)
#7 1.663 Reading package lists...
#7 2.325 Reading package lists...
#7 3.042 Building dependency tree...
#7 3.248 Reading state information...
#7 3.435 The following additional packages will be installed:
#7 3.435   binutils binutils-common binutils-x86-64-linux-gnu bzip2 cpp cpp-14
#7 3.435   cpp-14-x86-64-linux-gnu cpp-x86-64-linux-gnu dpkg dpkg-dev fakeroot g++
#7 3.435   g++-14 g++-14-x86-64-linux-gnu g++-x86-64-linux-gnu gcc gcc-14
#7 3.435   gcc-14-x86-64-linux-gnu gcc-x86-64-linux-gnu krb5-locales
#7 3.435   libalgorithm-diff-perl libalgorithm-diff-xs-perl libalgorithm-merge-perl
#7 3.436   libasan8 libatomic1 libbinutils libc-bin libc-dev-bin libc6 libc6-dev
#7 3.436   libcc1-0 libcom-err2 libcrypt-dev libctf-nobfd0 libctf0 libdpkg-perl
#7 3.436   libfakeroot libfile-fcntllock-perl libgcc-14-dev libgdbm-compat4t64 libgomp1
#7 3.436   libgprofng0 libgssapi-krb5-2 libhwasan0 libisl23 libitm1 libjansson4
#7 3.436   libk5crypto3 libkeyutils1 libkrb5-3 libkrb5support0 libldap-common libldap2
#7 3.436   liblocale-gettext-perl liblsan0 libmpc3 libmpfr6 libperl5.40 libpq5
#7 3.437   libquadmath0 libsasl2-2 libsasl2-modules libsasl2-modules-db libsframe1
```

```
#11 exporting to image
#11 exporting layers
#11 exporting layers 3.0s done
#11 writing image sha256:7874ebf2df7bc9c34fb0e6f85eca9c4495ce30c0193c789bb71554258098dda7 done
#11 naming to docker.io/library/coworking-analytics:17 done
#11 DONE 3.0s

[Container] 2026/03/29 09:57:01.432388 Running command docker tag coworking-analytics:$CODEBUILD_BUILD_NUMBER $AWS_ACCOUNT_ID.dkr.ecr.us-east-1.amazonaws.com/coworking-analytics:$CODEBUILD_BUILD_NUMBER

[Container] 2026/03/29 09:57:01.459120 Phase complete: BUILD State: SUCCEEDED
[Container] 2026/03/29 09:57:01.459134 Phase context status code:  Message:
[Container] 2026/03/29 09:57:01.509677 Entering phase POST_BUILD
[Container] 2026/03/29 09:57:01.511011 Running command echo Build completed on `date`
Build completed on Sun Mar 29 09:57:01 AM UTC 2026

[Container] 2026/03/29 09:57:01.520255 Running command docker push $AWS_ACCOUNT_ID.dkr.ecr.us-east-1.amazonaws.com/coworking-analytics:$CODEBUILD_BUILD_NUMBER
The push refers to repository [422749391306.dkr.ecr.us-east-1.amazonaws.com/coworking-analytics]
ec37e492bb6e: Preparing
897c4d6b7852: Preparing
2ec480950fe7: Preparing
a193dde93c6a: Preparing
acce20d25d95: Preparing
c8f6b54339a8: Preparing
298992e09a03: Preparing
4f237755fbae: Preparing
d7c97cb6f1fe: Preparing
c8f6b54339a8: Waiting
298992e09a03: Waiting
4f237755fbae: Waiting
d7c97cb6f1fe: Waiting
ec37e492bb6e: Pushed
2ec480950fe7: Pushed
```

CloudShell Feedback © 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferen

```
298992e09a03: Layer already exists
4f237755fbae: Layer already exists
897c4d6b7852: Pushed
d7c97cb6f1fe: Pushed
a193dde93c6a: Pushed
17: digest: sha256:547c1665f9716f26d37d928dba4b16545d7541acf298572b66f5621321e1a389 size: 2206

[Container] 2026/03/29 09:57:23.430514 Phase complete: POST_BUILD State: SUCCEEDED
[Container] 2026/03/29 09:57:23.430529 Phase context status code:  Message:
[Container] 2026/03/29 09:57:23.503647 Set report auto-discover timeout to 5 seconds
[Container] 2026/03/29 09:57:23.503680 Expanding base directory path:  .
[Container] 2026/03/29 09:57:23.509776 Assembling file list
[Container] 2026/03/29 09:57:23.509788 Expanding .
[Container] 2026/03/29 09:57:23.516336 Expanding file paths for base directory .
[Container] 2026/03/29 09:57:23.516364 Assembling file list
[Container] 2026/03/29 09:57:23.516368 Expanding **/*
[Container] 2026/03/29 09:57:23.522959 No matching auto-discover report paths found
[Container] 2026/03/29 09:57:23.522975 Report auto-discover file discovery took 0.019328 seconds
[Container] 2026/03/29 09:57:23.522986 Phase complete: UPLOAD_ARTIFACTS State: SUCCEEDED
[Container] 2026/03/29 09:57:23.522990 Phase context status code:  Message:
```

coworking-analytics-build:2c206b4f-3f10-4270-a049-b077819adb4f

Stop build | Debug build | Retry build

Build status

Status	Initiator	Build ARN	Resolved source version
Succeeded	voclabs/user4950323=e385a6b2-826b-41d1-ae9b-563f929a8a90	arn:aws:codebuild:us-east-1:422749391306:build/coworking-analytics-build:2c206b4f-3f10-4270-a049-b077819adb4f	b2121a624bf73fb67d7b8e9af49a74cc52feed21

aws | Search [Alt+S] | United States (N. Virginia) | c0w1827515t1613551740 (4227-4939-1306) voclabs/user4950323=e385a6b2-826b-41d1-ae9b-...

Developer Tools > CodeBuild > Build projects > coworking-analytics-build > coworking-analytics-build:2c206b4f-3f10-4270-a049-b077819adb4f

Build logs | Phase details | Reports | Environment variables | Build details | Resource utilization

Name	Status	Context	Duration	Start time	End time
SUBMITTED	Succeeded	-	<1 sec	Mar 29, 2026 5:55 PM (UTC+8:00)	Mar 29, 2026 5:55 PM (UTC+8:00)
QUEUED	Succeeded	-	<1 sec	Mar 29, 2026 5:55 PM (UTC+8:00)	Mar 29, 2026 5:56 PM (UTC+8:00)
PROVISIONING	Succeeded	-	9 secs	Mar 29, 2026 5:56 PM (UTC+8:00)	Mar 29, 2026 5:56 PM (UTC+8:00)
DOWNLOAD_SOURCE	Succeeded	-	2 secs	Mar 29, 2026 5:56 PM (UTC+8:00)	Mar 29, 2026 5:56 PM (UTC+8:00)
INSTALL	Succeeded	-	<1 sec	Mar 29, 2026 5:56 PM (UTC+8:00)	Mar 29, 2026 5:56 PM (UTC+8:00)
PRE_BUILD	Succeeded	-	13 secs	Mar 29, 2026 5:56 PM (UTC+8:00)	Mar 29, 2026 5:56 PM (UTC+8:00)
BUILD	Succeeded	-	36 secs	Mar 29, 2026 5:56 PM (UTC+8:00)	Mar 29, 2026 5:57 PM (UTC+8:00)
POST_BUILD	Succeeded	-	21 secs	Mar 29, 2026 5:57 PM (UTC+8:00)	Mar 29, 2026 5:57 PM (UTC+8:00)
UPLOAD_ARTIFACTS	Succeeded	-	<1 sec	Mar 29, 2026 5:57 PM (UTC+8:00)	Mar 29, 2026 5:57 PM (UTC+8:00)
FINALIZING	Succeeded	-	<1 sec	Mar 29, 2026 5:57 PM (UTC+8:00)	Mar 29, 2026 5:57 PM (UTC+8:00)
COMPLETED	Succeeded	-	-	Mar 29, 2026 5:57 PM (UTC+8:00)	-

4. Screenshot of AWS ECR repository for application repository.
   The Amazon ECR repository coworking-analytics shows multiple successfully pushed Docker images under the Images tab, confirming that the application container image was stored in ECR.



5. Screenshot of kubectl get svc.
   The kubectl get svc output confirms that the Kubernetes services were created successfully, including the Coworking application service and the PostgreSQL database service. The output shows the external LoadBalancer for the application and the internal ClusterIP services for both the application and database.



```
PS C:\Users\erika.mae.p.dizon\Documents\Native_AWS_Microservices> kubectl get svc
NAME                TYPE           CLUSTER-IP       EXTERNAL-IP                                                                  PORT(S)        AGE
coworking           LoadBalancer   10.100.175.220   a050776aa629044cba18f40d4b0582fc-1637300564.us-east-1.elb.amazonaws.com   5153:30906/TCP   3h5m
coworking-service   ClusterIP      10.100.116.153   <none>                                                                       5153/TCP       3h52m
kubernetes          ClusterIP      10.100.0.1       <none>                                                                       443/TCP        14h
postgresql-service  ClusterIP      10.100.119.186   <none>                                                                       5432/TCP       14h
PS C:\Users\erika.mae.p.dizon\Documents\Native_AWS_Microservices>
```

6. Kubect get nodes.
   The EKS worker nodes were checked in **Amazon EKS** → **my-cluster** → **Compute**, and the related EC2 instances were verified to be running. Since the cluster nodes were not available, the EC2 worker instances were rebooted. After rebooting, kubectl get nodes confirmed that both worker nodes returned in the **Ready** state.



After the checking the node- group in the cluster , and try to run this.

```
PS C:\Users\erika.mae.p.dizon\Documents\Native_AWS_Microservices\cd12355-microservices-aws-kubernetes-project-starter> kubectl get nodes 2>$null
NAME                                       STATUS   ROLES    AGE   VERSION
ip-192-168-23-99.ec2.internal              Ready    <none>   15m   v1.35.2-eks-f69f56f
ip-192-168-41-66.ec2.internal              Ready    <none>   15m   v1.35.2-eks-f69f56f
PS C:\Users\erika.mae.p.dizon\Documents\Native_AWS_Microservices\cd12355-microservices-aws-kubernetes-project-starter>
```

7. kubectl get pods.
   Sometimes the AWS lab session expires, which can cause terminal commands such as kubectl or aws to stop working correctly. Before running commands again, make sure the AWS lab session is active in the AWS Console and verify that the required resources are still running. In Amazon EKS, open **my-cluster** → **Compute** and confirm that the node group and EC2 worker nodes are in a healthy running state. If needed, refresh the AWS session credentials first, then rerun the terminal commands.

```
PS C:\Users\erika.mae.p.dizon\Documents\Native_AWS_Microservices\cd12355-microservices-aws-kubernetes-project-starter> kubectl get pods
NAME                          READY   STATUS    RESTARTS   AGE
coworking-7f4c46dcc8-pjqx2    1/1     Running   0          127m
postgresql-66cb897f7f-s6kts   1/1     Running   0          127m
PS C:\Users\erika.mae.p.dizon\Documents\Native_AWS_Microservices\cd12355-microservices-aws-kubernetes-project-starter>
```

8. kubectl describe svc postgresql -service.
   The output confirms that the Kubernetes database service was created successfully in the **default** namespace with service type **ClusterIP**. The service is configured to expose port **5432/TCP**, which is the default PostgreSQL database port. The output also shows an active **endpoint** (192.168.38.155:5432), confirming that the service is correctly connected to the running PostgreSQL pod inside the cluster.

```
PS C:\Users\erika.mae.p.dizon\Documents\Native_AWS_Microservices\cd12355-microservices-aws-kubernetes-project-starter> kubectl describe svc postgresql-service 2
>$null
Name:              postgresql-service
Namespace:         default
Labels:            <none>
Annotations:       <none>
Selector:          app=postgresql
Type:              ClusterIP
IP Family Policy:  SingleStack
IP Families:       IPv4
IP:                10.100.119.186
IPs:               10.100.119.186
Port:              <unset>  5432/TCP
TargetPort:        5432/TCP
Endpoints:         192.168.38.155:5432
Session Affinity:  None
Events:            <none>
PS C:\Users\erika.mae.p.dizon\Documents\Native_AWS_Microservices\cd12355-microservices-aws-kubernetes-project-starter>
```

9. kubectl describe deployment coworking.
   The kubectl describe deployment coworking output confirms that the Coworking application deployment was successfully created in Kubernetes. The deployment is available, the replica is running, and the application container is configured correctly.

```
Events:            <none>
PS C:\Users\erika.mae.p.dizon\Documents\Native_AWS_Microservices\cd12355-microservices-aws-kubernetes-project-starter> kubectl describe deployment coworking
Name:                   coworking
Namespace:              default
CreationTimestamp:      Sat, 28 Mar 2026 19:37:05 +0800
Labels:                 <none>
Annotations:            deployment.kubernetes.io/revision: 6
Selector:               service=coworking
Replicas:               1 desired | 1 updated | 1 total | 1 available | 0 unavailable
StrategyType:           RollingUpdate
MinReadySeconds:        0
RollingUpdateStrategy:  25% max unavailable, 25% max surge
Pod Template:
  Labels:       service=coworking
  Annotations:  kubectl.kubernetes.io/restartedAt: 2026-03-29T08:37:25+08:00
  Containers:
   coworking:
    Image:      422749391306.dkr.ecr.us-east-1.amazonaws.com/coworking-analytics:13
    Port:       5153/TCP
    Host Port:  0/TCP
    Environment Variables from:
      coworking-config  ConfigMap  Optional: false
    Environment:
      DB_PASSWORD:  <set to the key 'DB_PASSWORD' in secret 'coworking-secret'>  Optional: false
    Mounts:         <none>
  Volumes:          <none>
Conditions:
  Type           Status  Reason
  ----           ------  ------
  Progressing    True    NewReplicaSetAvailable
  Available      True    MinimumReplicasAvailable
OldReplicaSets:  <none>
NewReplicaSet:   coworking-6dc5cbc896 (1/1 replicas created)
Events:          <none>
PS C:\Users\erika.mae.p.dizon\Documents\Native_AWS_Microservices\cd12355-microservices-aws-kubernetes-project-starter>
```

10. All Kubernetes config files used for deployment (ie YAML files) stored in a directory called deployments/.
    All Kubernetes YAML files used for deployment were placed inside the deployments/ directory, including the Coworking application deployment, service, ConfigMap, Secret, and PostgreSQL deployment configuration.



11. CLoudwatch.
    CloudWatch Container Insights logs were checked in /aws/containerinsights/my-cluster/application. The coworking log stream showed repeated log entries every 30 seconds, including INFO in app: {'2026-03-29': 3}, confirming that the application is running normally and successfully reading data from PostgreSQL.