
# Acquire


## **Importing**


Importing a pre-made batch

#### > (root)

- 1. Right click and select Import > Compressed Archive.
- 2. Set the Import Path property to the Grooper ACE Architect Volume II Begin.zip file.
- 3. Press Execute.









## Creating an empty test batch

- > Batch Processing / Batches / Test
- 1. Right click and select Add > Batch....
- 2. Name it Invoices.







# Scanning

## Creating a Scanner Profile


- Global Resources / Scanner Profiles
- 1. Right click and select Add > Scanner Profile....
- 2. Name it Invoices Source Scan







## Configuring the Scanner Profile


- > Global Resources / Scanner Profiles / Invoices Source Scan
- 1. Change the following properties:




2. In the File System Import Settings window, change the following property values:












## Testing the Scanner Profile


#### > Global Resources > Scanner Profiles

- 1. From the Scanner Profile dropdown select the Invoices Source Scan profile.
- 2. From the batch dropdown select the Invoices batch.
- 3. Press Scan.









# Playground

- 1. Edit the patterns for each of the Data Formats:
  - Acme/Standard/Express

```
Value Pattern
[0-9]{6,16}
```

• Enid

```
Value Pattern

([A-Z]{3})/([@Number]{8})

Output Format
```

Spartan

Value Pattern

## ([A-Z]{2})([@Number]{2})-([@Number]{6})

Output Format

Acme/Standard/Express		Enid	
Value Pattern	[0-9]{6,16}	Value Pattern	([A-Z]{3})/([@Number]{8})
Look Ahead Pattern		Look Ahead Pattern	
Look Behind Pattern		Look Behind Pattern	
Output Format		Output Format	{1}{2:Number}

Spartan	
Value Pattern	([A-Z]{2})([@Number]{2})-([@Number]{6})
Look Ahead Pattern	
Look Behind Pattern	
Output Format	{1}{2:Number}-{3}

Data Format	Acme/Standard/ Express	Enid	Spartan
Value Pattern	[0-9]{6,16}	([A-Z]{3})/([@Number] {8})	([A-Z]{2})([@Number]{2})- ([@Number]{6})
Look Ahead Pattern			
Look Behind Pattern			
Output Format		{1}{2:Number}	{1}{2:Number}-{3}

Edit the patterns for each of the Data Formats:

• Acme

Make sure to enable Tab Marking

```
Value Pattern

([@Number.]{3,12})

Look Ahead Pattern Look Behind Pattern Output Format
```

• Enid

```
Value Pattern

([@Number.]{3,12})

Look Ahead Pattern Look Behind Pattern Output Format
```

Express

```
Value Pattern

([@Number.]{3,12})

Look Ahead Pattern Output Format
```

Standard

```
Value Pattern

([@Number.]{3,12})

Look Ahead Pattern Output Format
```

- 1. Create two child Data Formats of the Spartan Data Type:
  - a. Freight
  - b. Value 1
- 2. Edit the Value Patterns for each of the Data Formats:

Freight
freight
Value 1

	Zone 1	Zone 2
Left	-4	-1
Тор	-0.02	-0.25
Right	0.35	0.375
Bottom	0.1	0.05

- 1. Click to edit the Context Zones property
- 2. In the Context Zones window, delete one of the zones
- 3. Edit the dimensions of the remaining zone:

	Zone
Left	-2.4
Тор	-0.2
Right	0.25
Bottom	0.1

- 4. Click OK to close the Context Zones window
- 5. In the Output section, set the Minimum Confidence property to 90%
- 6. In the properties panel, set the ESP™ Extraction Overrides > Override Extractor property to True
- 7. Expand Extractor and set the Extractor > Type property to Reference
- 8. Set the Referenced Extractor property to the Invoices (local resources) > Overrides > [Enid] Sales Tax Field Class

Section	Default Value	New Value
General		
IP Profile	-	OCR Cleanup
Bound Region Processing	Disabled	Enabled
Synthesis Options		
Synthesis Options	Segment End Ratio	125%
Synthesis Options	Segment Reprocessing Threshold	90%
Iterative Processing	OCR Iterations	2
Iterative Processing	Enable Cell Validation	True
Iterative Processing	Rows	1
Iterative Processing	Columns	4
Iterative Processing	Skip First Column	True
Results Filtering	Minimum Character Confidence	20%
Results Filtering	Eliminate Isolated Symbols	True
Document Structure	Orientation	None
Document Structure	Perform Sectioning	True
Processing Options	Reject Questionable Lines	True
Processing Options	Reject Questionable Characters	([@Number.]{3,12})

Section	Default Value	New Value
General		
IP Profile	-	OCR Cleanup
Bound Region Processing	Disabled	Enabled
Synthesis Options		
Segment End Ratio		125%
Segment Reprocessing Threshold		90%
Iterative Processing		
OCR Iterations		2
Enable Cell Validation		True
Rows		1
Columns		4
Skip First Column		True
Results Filtering		
Minimum Character Confidence		20%
Eliminate Isolated Symbols		True
Document Structure		
Orientation		None
Perform Sectioning		True
Processing Options		
Reject Questionable Lines		True
Reject Questionable Characters		True

```
([@Number.]{3,12})
{1}
020-0027[^\n]*?\n[^\r]*?
WS.FREIGHT[00]231[^\n]+\n
[^\n]+\n
[^\t]+\t
[^\t]+\t
```

#### OCR Cleanup

Property Location	Default Value	New Value
General		
→ Item Type	Content Category	Document Type
→ Item Names		Acme Enid Express Spartan Standard