

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	09-07-2026 11:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	09-07-2026 11:30:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	180 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Ministry Of Power
विभाग का नाम/Department Name	Power Grid Corporation Of India Limited
संगठन का नाम/Organisation Name	Power Grid Corporation Of India Limited
कार्यालय का नाम/Office Name	Corporate Office Gurgaon
शिकायत निवारण के संपर्क विवरण/ Contact details of Grievance redressal	debarshi.b@powergrid.in
कुल मात्रा/Total Quantity	80
वस्तु श्रेणी /Item Category	Heavy duty longspan storage System (Q3) (PAC Only)
एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है/MSE Relaxation for Years of Experience and Turnover	No
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है /Startup Relaxation for Years of Experience and Turnover	No
विक्रेता से मांगे गए दस्तावेज़/Document required from seller	OEM Authorization Certificate,Additional Doc 1 (Requested in ATC),Additional Doc 2 (Requested in ATC),Additional Doc 3 (Requested in ATC),Additional Doc 4 (Requested in ATC),Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेन् है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	No

बिड विवरण/Bid Details	
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	3
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	10
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	3
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	No
बिड का प्रकार/Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	Heavy duty longspan storage System
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	4 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
Payment Timelines	Payments shall be made to the Seller within 30 days of issue of consignee receipt-cum-acceptance certificate (CRAC) and on-line submission of bills (This is in supersession of 10 days time as provided in clause 12 of GeM GTC)
मूल्यांकन पद्धति/Evaluation Method	Total value wise evaluation
मध्यस्थता खंड/Arbitration Clause	Yes (Arbitration clause document) as per DoE OM No.F.1/2/2024-PPD dated 03.06.2024 Arbitration should not be routinely included in contracts
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईएमडी राशि/EMD Amount	91000

ईपीबीजी विवरण /ePBG Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईपीबीजी प्रतिशत (%) /ePBG Percentage(%)	5.00
ईपीबीजी की आवश्यक अवधि (माह) /Duration of ePBG required (Months).	18

(a). जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित कैटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज प्रस्तुत करने है। एमएसई कैटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।/EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b).ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

(c).ईएमडी और संपादन जमानत राशि लाभार्थी के पक्ष में होनी चाहिए। / Earnest Money Deposit (EMD) shall also be accepted by the buyer in the form of a surety bond.

लाभार्थी /Beneficiary :

Power Grid Corporation of India Limited
General Manager, Regional Procurement Cell, North Eastern Region Transmission System; Dongtiah, Lower Nongrah, Lalapang, Shillong - 793006 (Meghalaya) , POWER GRID Corporation OF INDIA Limited, Ministry of Power
(Power Grid Corporation Of India Limited)

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई के लिए आरक्षित / Reserved for Make In India products

एमआईआई के लिए आरक्षित / Reserved for Make In India products	Yes
---	-----

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं/सेवा प्रदाता को खरीद में प्राथमिकता, यदि उनका मूल्य $L1+X\%$ / Purchase Preference to MSE OEMs/ Service Provider available upto price within $L1+X\%$	15
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माता/सेवा प्रदाता को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Percentage of Bid quantity/amount for MSE OEMs/ Service Provider Purchase preference	25

ट्रेड्स भुगतान संबंधी विवरण/TReDS Payment Details

This Bid provides for Trade Receivables Discounting System (TReDS) as Preferred mode of payment. For MSME sellers, payments may be processed through a TReDS exchange in which the Buyer is registered, subject to applicable policy and regulatory guidelines. Accordingly, sellers intending to avail payment through TReDS are required to be registered with at least one TReDS exchange in which the buyer is registered.

मध्यस्थता खंड के समावेश को मंजूरी देने वाले सक्षम प्राधिकारी का विवरण:/Details of the Competent Authority approval for PAC

Competent Authority Approval document for PAC : [View Document](#)

सक्षम प्राधिकारी का नाम/Name of Competent Authority	As per POWERGRID
सक्षम प्राधिकारी का पद/Designation of Competent Authority	As per POWERGRID
सक्षम प्राधिकारी का कार्यालय/विभाग/प्रभाग/Office / Department / Division of Competent Authority	As per POWERGRID
सीए अनुमोदन संख्या/CA Approval Number	As per POWERGRID
सक्षम प्राधिकारी अनुमोदन तिथि/Competent Authority Approval Date	2026-04-01 00:00:00
सक्षम प्राधिकारी द्वारा प्रदान की गई स्वीकृति का संक्षिप्त विवरण/Brief Description of the Approval Granted by Competent Authority	Competent authority has approved in line with POWERGRID rate contract with M/s Godrej

1. Bid reserved for Make In India products: : Procurement under this bid is reserved for purchase from Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. However, eligible micro and small enterprises will be allowed to participate. The minimum local content to qualify as a class 1 local supplier is denoted in the bid document. All bidders must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which the bid is liable to be rejected. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020 . In case Buyer has selected Purchase preference to Micro and Small Enterprises clause in the bid, the same will get precedence over this clause.

2. **Purchase preference to Micro and Small Enterprises (MSEs):** Purchase preference will be given to MSEs having valid Udyam Certificate and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service, and Buyer will decide eligibility for purchase preference based on documentary evidence submitted in case of product bids, whereas in case of services the eligibility is automatically validated. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

3. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

Heavy Duty Longspan Storage System (30 pieces) (Under PAC)

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

Make	godrejstoragesolutions
Model	godrejheavydutyshelving2300x800x2500main

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	Unit type (based on vertical load bearing supports)	Main unit having four numbers upright without Catwalk
	Type of Row (unit bay having the accessibility)	Single faced (SF) Row - accessibility on one side
	Total load bearing capacity of each level	1000.0 - 5000.0 Or higher (kilogram)
	Number of tiers in the system	Single Tier
	Provision of Working Aisle (user to directly access the unit)	No
	Provision of Cross Aisle (user to connect to the different Working Aisle)	No
	Provision of Cat walk with Railing	No
	Provision of Stairs with railing (to connect with cat walk)	No
	Provision of Upright Guard	No
	Storage unit/Upright Height from ground	2500.0 (millimeter)
	Storage unit Depth	800.0 (millimeter)
	Storage unit Width	2300.0 (millimeter)
	Supplier to perform Installation and Commissioning of Storage system as per Design and Layout plan provided by the Buyer (excluding any type of Civil Work)	Yes
UPRIGHT FRAME	Upright frame made up of	Hot rolled medium and high tensile structural steel conforming to IS : 2062 - E 350 /equivalent (generally for 355 MPa yield stress)
	Thickness of Upright frame material (+/- 5%)	1.5 - 4.0 Or higher (millimeter)
	Upright sections	90 mm X 70 mm
BASEPLATE	Baseplate made up of	Hot rolled medium and high tensile structural steel conforming to IS : 2062 - E 350 /equivalent (generally for 355 MPa yield stress)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
BEAM DETAILS	Panel made up of	Cold reduced low carbon steel conforming to IS : 513 - 2008 as amended up to date (generally for 210/255/310 MPa yield stress)
	Side cladding	No side cladding
	Cladding material	No cladding
CERTIFICATION	Availability of Test Report from Designated AHSP/NABL/ILAC accredited or central government lab to proof conformity of the relevant products to the specification	No
	Test reports to be furnished to buyer on demand, if claimed to be available - NA if test report is not available	Yes

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ujjwal Kumar Gupta	783369,POWERGRID CORPORATION OF INDIA LIMITED, 400/ 220KV BONGAIGAON S/S, Vill - Fukagaon, PO - Salakati, Dt- Kokrajhar, BTAD Assam - 783369	30	90

Heavy Duty Longspan Storage System (30 pieces) (Under PAC)

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

Make	godrejstoragesolutions
Model	godrejheavydutystoragesystem

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
---------------------	-------------------------------------	---

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	Unit type (based on vertical load bearing supports)	Add-on unit having two numbers upright without Catwalk
	Type of Row (unit bay having the accessibility)	Single faced (SF) Row - accessibility on one side
	Total load bearing capacity of each level	800.0 - 5000.0 Or higher (kilogram)
	Number of tiers in the system	Single Tier
	Provision of Working Aisle (user to directly access the unit)	Yes
	Provision of Cross Aisle (user to connect to the different Working Aisle)	No
	Provision of Cat walk with Railing	No
	Provision of Stairs with railing (to connect with cat walk)	No
	Provision of Upright Guard	No
	Storage unit/Upright Height from ground	2500.0 (millimeter)
	Storage unit Depth	800.0 (millimeter)
	Storage unit Width	2300.0 (millimeter)
	Supplier to perform Installation and Commissioning of Storage system as per Design and Layout plan provided by the Buyer (excluding any type of Civil Work)	Yes
UPRIGHT FRAME	Upright frame made up of	Hot rolled steel flat conforming to IS : 5986 - Fe 510 / equivalent (generally for 355 MPa yield stress)
	Thickness of Upright frame material (+/- 5%)	2.0 - 4.0 Or higher (millimeter)
	Upright sections	70 mm X 65 mm
BASEPLATE	Baseplate made up of	Hot rolled medium and high tensile structural steel conforming to IS : 2062 - E 250 /equivalent (generally for 255 MPa yield stress)
BEAM DETAILS	Panel made up of	Hot rolled medium and high tensile structural steel conforming to IS : 2062 - E 250 /equivalent (generally for 255 MPa yield stress)
	Side cladding	No side cladding
	Cladding material	No cladding

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
CERTIFICATION	Availability of Test Report from Designated AHSP/NABL/ILAC accredited or central government lab to proof conformity of the relevant products to the specification	No
	Test reports to be furnished to buyer on demand, if claimed to be available - NA if test report is not available	N.A

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ujjwal Kumar Gupta	783369,POWERGRID CORPORATION OF INDIA LIMITED, 400/ 220KV BONGAIGAON S/S, Vill - Fukagaon, PO - Salakati, Dt- Kokrajhar, BTAD Assam - 783369	30	90

Heavy Duty Longspan Storage System (2 pieces) (Under PAC)

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

Make	godrejstoragesolutions
Model	heavydutylongspanstoragesystem

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	Unit type (based on vertical load bearing supports)	Add-on unit having two numbers upright without Catwalk
	Type of Row (unit bay having the accessibility)	Single faced (SF) Row - accessibility on one side
	Total load bearing capacity of each level	500.0 - 5000.0 Or higher (kilogram)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Number of tiers in the system	Single Tier
	Provision of Working Aisle (user to directly access the unit)	No
	Provision of Cross Aisle (user to connect to the different Working Aisle)	No
	Provision of Cat walk with Railing	No
	Provision of Stairs with railing (to connect with cat walk)	No
	Provision of Upright Guard	No
	Storage unit/Upright Height from ground	2500.0 (millimeter)
	Storage unit Depth	800.0 (millimeter)
	Storage unit Width	1400.0 (millimeter)
	Supplier to perform Installation and Commissioning of Storage system as per Design and Layout plan provided by the Buyer (excluding any type of Civil Work)	Yes
UPRIGHT FRAME	Upright frame made up of	Hot rolled medium and high tensile structural steel conforming to IS : 2062 – E 350 /equivalent (generally for 355 MPa yield stress)
	Thickness of Upright frame material (+/- 5%)	1.5 - 4.0 Or higher (millimeter)
	Upright sections	90 mm X 70 mm
BASEPLATE	Baseplate made up of	Hot rolled medium and high tensile structural steel conforming to IS : 2062 – E 250 /equivalent (generally for 255 MPa yield stress)
BEAM DETAILS	Panel made up of	Cold reduced low carbon steel conforming to IS : 513 – 2008 as amended up to date (generally for 210/255/310 MPa yield stress)
	Side cladding	No side cladding
	Cladding material	No cladding
CERTIFICATION	Availability of Test Report from Designated AHSP/NABL/ILAC accredited or central government lab to proof conformity of the relevant products to the specification	No

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Test reports to be furnished to buyer on demand, if claimed to be available - NA if test report is not available	N.A

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ujjwal Kumar Gupta	783369, POWERGRID CORPORATION OF INDIA LIMITED, 400/ 220KV BONGAIGAON S/S, Vill - Fukagaon, PO - Salakati, Dt- Kokrajhar, BTAD Assam - 783369	2	90

Heavy Duty Longspan Storage System (3 pieces) (Under PAC)

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

Make	godrejstoragesolutions
Model	godrejheavydutylongspanshelvingsystem

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	Unit type (based on vertical load bearing supports)	Add-on unit having two numbers upright with Catwalk, Main unit having four numbers upright without Catwalk
	Type of Row (unit bay having the accessibility)	Single faced (SF) Row - accessibility on one side
	Total load bearing capacity of each level	1000.0 - 5000.0 Or higher (kilogram)
	Number of tiers in the system	Single Tier
	Provision of Working Aisle (user to directly access the unit)	Yes

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Provision of Cross Aisle (user to connect to the different Working Aisle)	No
	Provision of Cat walk with Railing	No
	Provision of Stairs with railing (to connect with cat walk)	No
	Provision of Upright Guard	No
	Storage unit/Upright Height from ground	3000.0 (millimeter)
	Storage unit Depth	800.0 (millimeter)
	Storage unit Width	2300.0 (millimeter)
	Supplier to perform Installation and Commissioning of Storage system as per Design and Layout plan provided by the Buyer (excluding any type of Civil Work)	Yes
UPRIGHT FRAME	Upright frame made up of	Hot rolled steel flat conforming to IS : 5986 – Fe 510 / equivalent (generally for 355 MPa yield stress)
	Thickness of Upright frame material (+/- 5%)	1.5 - 4.0 Or higher (millimeter)
	Upright sections	90 mm X 70 mm
BASEPLATE	Baseplate made up of	Hot rolled medium and high tensile structural steel conforming to IS : 2062 – E 250 /equivalent (generally for 255 MPa yield stress)
BEAM DETAILS	Panel made up of	Cold reduced low carbon steel conforming to IS : 513 – 2008 as amended up to date (generally for 210/255/310 MPa yield stress)
	Side cladding	No side cladding
	Cladding material	No cladding
CERTIFICATION	Availability of Test Report from Designated AHSP/NABL/ILAC accredited or central government lab to proof conformity of the relevant products to the specification	No
	Test reports to be furnished to buyer on demand, if claimed to be available - NA if test report is not available	No

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ujjwal Kumar Gupta	783369,POWERGRID CORPORATION OF INDIA LIMITED, 400/ 220KV BONGAIGAON S/S, Vill - Fukagaon, PO - Salakati, Dt- Kokrajhar, BTAD Assam - 783369	3	90

Heavy Duty Longspan Storage System (15 pieces) (Under PAC)

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

Make	godrejstoragesolutions
Model	godrejheavydutylongspanshelvingsystem

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	Unit type (based on vertical load bearing supports)	Add-on unit having two numbers upright without Catwalk
	Type of Row (unit bay having the accessibility)	Single faced (SF) Row - accessibility on one side
	Total load bearing capacity of each level	1000.0 - 5000.0 Or higher (kilogram)
	Number of tiers in the system	Single Tier
	Provision of Working Aisle (user to directly access the unit)	Yes
	Provision of Cross Aisle (user to connect to the different Working Aisle)	No
	Provision of Cat walk with Railing	No
	Provision of Stairs with railing (to connect with cat walk)	No
	Provision of Upright Guard	No

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Storage unit/Upright Height from ground	3000.0 (millimeter)
	Storage unit Depth	800.0 (millimeter)
	Storage unit Width	2300.0 (millimeter)
	Supplier to perform Installation and Commissioning of Storage system as per Design and Layout plan provided by the Buyer (excluding any type of Civil Work)	Yes
UPRIGHT FRAME	Upright frame made up of	Hot rolled steel flat conforming to IS : 5986 – Fe 510 / equivalent (generally for 355 MPa yield stress)
	Thickness of Upright frame material (+/- 5%)	1.5 - 4.0 Or higher (millimeter)
	Upright sections	90 mm X 70 mm
BASEPLATE	Baseplate made up of	Hot rolled medium and high tensile structural steel conforming to IS : 2062 – E 250 /equivalent (generally for 255 MPa yield stress)
BEAM DETAILS	Panel made up of	Cold reduced low carbon steel conforming to IS : 513 – 2008 as amended up to date (generally for 210/255/310 MPa yield stress)
	Side cladding	No side cladding
	Cladding material	No cladding
CERTIFICATION	Availability of Test Report from Designated AHSP/NABL/ILAC accredited or central government lab to proof conformity of the relevant products to the specification	No
	Test reports to be furnished to buyer on demand, if claimed to be available - NA if test report is not available	N.A

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ujjwal Kumar Gupta	783369,POWERGRID CORPORATION OF INDIA LIMITED, 400/ 220KV BONGAIGAON S/S, Vill - Fukagaon, PO - Salakati, Dt- Kokrajhar, BTAD Assam - 783369	15	90

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

OUR REF NO. NER/RPC/ 9002-0255

Subject: Procurement of Godrej heavy duty shelving system for O&M Store-I, O&M Store-II, GIS Store, ERS Store, Regional Store, Testing Lab, Maintenance Room at 400/220/33 kV Bongaigaon Substation

- A. Scope of Work: The scope of work under this contract shall be Procurement of Godrej heavy duty shelving system for O&M Store-I, O&M Store-II, GIS Store, ERS Store, Regional Store, Testing Lab, Maintenance Room at 400/220/33 kV Bongaigaon Substation.
- B. This tender has been reserved only for Godrej Make products under PAC. Bidders offering any product made of other brand or in case of bidder's failure to provide OEM authorization certificate from M/s Godrej & Boyce Mfg. Co. Ltd. shall not be considered for award.
- C. It is the Employer's (POWERGRID's) policy that requires the bidder to sign a declaration along with its bid about abiding by a 'Code of Integrity for Public Procurement'. All bidders are required to submit the same as a part of their technical bid. This policy is detailed in the bidding documents.
- D. Bid Specific Additional Terms and Conditions (ATC), Bid Forms and Qualification Requirements (Shortlisting Criteria) against this tender package is enclosed as "Buyer uploaded ATC document" to this bid document.

Bidder shall ensure to submit an acceptable Bid Security/EMD, mandatorily submit all documents in support of Qualification Requirements and all the Bid Forms duly filled, signed, completed and submit the same as a part of their technical bid.
- E. Bidder shall comply with all terms and conditions as detailed in the bidding documents. Bids not conforming to this requirement are liable to be rejected.
- F. Bidders may note that the Owner (POWERGRID) has uploaded its 'Works &

Procurement Policy and Procedure': Vol-I & Vol-II to POWERGRID's website. Those bidders who wish to peruse the same may visit www.powergrid.in. However, it shall be noted that no other party, including the Bidder/ Contractor, shall derive any right from this 'Works & Procurement Policy and Procedure' documents or have any claim on the Owner on the basis of the same. The respective rights of Owner and Bidders/ Contractors shall be governed by the bidding documents/ contracts signed between the Owner and the Contractor for the package. The provisions of bidding documents shall always prevail over that of 'Works & Procurement Policy and Procedure' documents.

- G. If a bid is not substantially responsive, it will be rejected by POWERGRID, and may not subsequently be made responsive by the Bidder by correction of the nonconformity. POWERGRID's determination of a bid's responsiveness is to be based on the contents of the bid itself without recourse to extrinsic evidence.

2. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file](#).

अस्वीकरण/Disclaimer

The Additional Terms and Conditions (ATC) have been incorporated by the Buyer after approval of their Competent Authority. The Buyer is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any restriction arising in the bidding process due to these ATCs and including the modification of technical specifications and / or terms and conditions governing the bid. All representations / grievances pertaining to the ATC clauses shall be raised with the buyer organization directly and not with GeM. If any of the clause(s) is/are incorporated by the Buyer regarding the following, the bid & resultant contract shall be treated as null & void. Further, GeM reserves the right, at its sole discretion, to cancel the bid forthwith, without issuance of any prior notice or intimation :-

1. Publishing Custom / BOQ bids for items for which regular GeM categories are available (unless such Custom / BOQ item is bunched with the major regular product Category Item).
2. Mandating procurement of / from specific Brand / Make / Model / Manufacturer / Dealer except in case of Single Bid / Proprietary Article Certificate (PAC) Buying.
3. Inclusion of disqualification criteria related to suspension of seller / service provider, where such suspension period has already expired.
4. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
5. Publishing bids on GeM for procurement of works.
6. Procurement of Goods by creating a Service bid on GeM & vice-versa.
7. Seeking sample with bid or approval of samples during bid evaluation process. However, trial / sample, as the case may be, shall be permitted in cases where trial / sample are allowed as per approved and published procurement policy of the Buyers' controlling Ministry / Department / State / Public Sector Enterprises Headquarters. If there is any violation of trial / sample clause with regard to approved policy of the Buyers' Ministry / Department / State / Public Sector Enterprises Headquarters, then this is to be determined and redressed by the concerned Buyer Organisation only.
8. Seeking experience from specific organization / department / institute only or from foreign / export experience.
9. Creating bid for items from incorrect categories.
10. Reference of conditions published on any external site or reference to external documents/clauses.
11. Asking for any Tender fee / Bid Participation fee, as the case may be.
12. Buyer added ATC Clauses which are in contravention of clauses defined in bid detail section, including specifications, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by the applicable GeM GTC.

13. Any ATC clause in contravention with GeM GTC Clause 4 (xiii) (h) will be invalid. In case of multiple L1 bidders against a service bid, the buyer shall place the Contract by selection of a bidder amongst the L-1 bidders through a Random Algorithm executed by GeM system.
14. In a category based bid, adding additional items, through buyer added, additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogues or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

This Bid is governed by the General Terms and Conditions, conditions stipulated in Bid and Service Level Agreement specific to the Service, as the case may be, as provided in the Marketplace.

However, in case of Service, if any condition specified in General Terms and Conditions is contradicted by the conditions stipulated in Service Level Agreement specific to said Service, then it will over-ride the conditions in the General Terms and Conditions.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्यवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---