

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	14-07-2026 11:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	14-07-2026 11:30:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	90 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Ministry Of Home Affairs
विभाग का नाम/Department Name	Central Armed Police Forces
संगठन का नाम/Organisation Name	Assam Rifles
कार्यालय का नाम/Office Name	Hq Dgar
शिकायत निवारण के संपर्क विवरण/ Contact details of Grievance redressal	vikria.956f@gov.in
कुल मात्रा/Total Quantity	1376
वस्तु श्रेणी /Item Category	Flexible wire copper TC , PVC copper wire 1.5Sqmm SC , Thread tape , PVC Gutka assorted size , Butt Hinge steel 3inch , Butt Hinge steel 4inch , GI Nipple 15mm , GI Nipple 20mm , GI Nipple 25mm , GI Nipple 40mm , GI Socket 25mm , GI Tee 15mm , GI Tee 25mm , GI Tee 20mm , GI Elbow 15mm , GI Elbow 20mm , GI Elbow 25mm , Stop cock 15mm , GI Gate Valve 15mm , GI Gate Valve 20mm , GI Gate Valve 25mm , Socket CPVC 32mm , Elbow CPVC 32mm , Union CPVC 32mm , R Socket CPVC 32x25mm , R Socket CPVC 32x20mm , R Socket CPVC 32x15 mm , CPVC Tee 32mm , CPVC Tee 25mm , CPVC Tee 20mm , Reducer Elbow female 20x15mm , Elbow CPVC 15mm , Socket CPVC 15mm , Union CPVC 15mm , CPVC Tee 15mm , CPVC Tee Female 15mm , PVC Float Valve 15mm , PVC Float Valve 20mm , PVC Float Valve 25mm , GI Union 15mm , GI Union 20mm , GI Union 25mm , GI Union 40mm , GI Union 32mm , GI Socket 15mm , GI Socket 20mm , GI Reducer socket 15x20mm , GI Reducer socket 20x25mm , GI Reducer socket 15x25mm , GI Reducer socket 32x40mm , GI Reducer socket 40x50mm , GI Reducer socket 25x15mm , GI Reducer Elbow 20x25mm , GI Reducer Elbow 15x25mm , GI Reducer Elbow 15x20mm , Bib cock CP 15mm

बिड विवरण/Bid Details	
GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS	Flexible wire copper TC , PVC copper wire 1.5 Sqmm SC, Thread tape, PVC Gutka assorted size, Butt Hinge steel 3", Butt Hinge steel 4", GI Nipple 2 & 3 15 mm, GI Nipple 2 & 3 20 mm, GI Nipple 2 & 3 25 mm, GI Nipple 2 & 3 40 mm, GI Socket 25 mm, GI Tee 15 mm, GI Tee 25 mm , GI Tee 20 mm , GI Elbow 15 mm , GI Elbow 20 mm , GI Elbow 25 mm , Stop cock 15 mm, GI Gate Valve 15 mm , GI Gate Valve 20 mm , GI Gate Valve 25 mm , Socket CPVC 32 mm, Elbow CPVC 32mm, Union CPVC 32 mm, R Socket CPVC 32 x 25 mm, R Socket CPVC 32 x 20 mm, R Socket CPVC 32 x 15 mm, CPVC Tee 32 mm, CPVC Tee 25 mm, CPVC Tee 20 mm, Reducer Elbow female 20x15, Elbow CPVC 15 mm, Socket CPVC 15 mm, Union CPVC 15 mm, CPVC Tee 15 mm, CPVC Tee Female 15 mm, PVC Float Valve 15 mm, PVC Float Valve 20 mm , PVC Float Valve 25 mm , GI Union 15 mm , GI Union 20 mm , GI Union 25 mm , GI Union 40 mm , GI Union 32 mm , GI Socket 15 mm , GI Socket 20 mm , GI Reducer socket 15x20, GI Reducer socket 20x25, GI Reducer socket 15x25, GI Reducer socket 32x40, GI Reducer socket 40x50, GI Reducer socket 25x15, GI Reducer Elbow 20x25, GI Reducer Elbow 15x25, GI Reducer Elbow 15x20, Bib cock CP 15 mm
	Searched String: Flexible wire copper TC Enamelled Round Copper Wire Conforming To IS 13730 (Part 0/Sec 1) (V2), PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Polyester Enamelled Round Copper Wire, Class 155 Conforming To IS 13730 (Part 3), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Copper Jumper, Copper Wire Rods for Electrical Applications (V2) ISI Marked to IS 12444, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Enamelled Round Copper Wire as per IS 13730 (Part 0 / Sec 1), Assembly Of Tubular Lug & Flexible Copper Conductor (BHEL), Zinc Coated EDM Wire (V2) Searched String: PVC copper wire 1.5 Sqmm SC Enamelled Round Copper Wire Conforming To IS 13730 (Part 0/Sec 1) (V2), PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Enamelled Round Copper Wire as per IS 13730 (Part 0 / Sec 1), Winding Wires for Submersible Motors (HR PVC Insulated Wires) Conforming to IS 8783 (Part 4/Sec 1), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694, shoes school pvc boys girls Searched String: Thread tape Thread Sealant Tape, Permeable Nonwoven Surgical Adhesive Tape Conforming to IS 16948,

बिड विवरण / Bid Details	Polytetrafluoroethylene (PTFE) Thread Sealing Tape, Unsintered PTFE Teflon tape for Thread Sealing Applications
	Conforming to IS 14643 (V2), Elastic Surgical Adhesive Tapes (V2), Thread sealant, Nylon Thread, Silk Thread, Twine Thread, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781 Searched String: PVC Gutka assorted size Rain Jacket (With Integrated Hood And Trouser) as per IAFS specification, Swiss Gym Ball, shoes school pvc boys girls, PVC COATED CANOPY TENT STRUCTURE, Shoes Leather Oxford DMS as per Defence Specification, Boot Ankle Textile Jungle Boot Direct Moulded Pu Sole In Pairs as per FDDI specification, coat combat disruptive detachable lining, Cricket gloves, single texture white rubberized waterproof nylon fabric rain capes with attached hood, Thermal Gloves as per Defence specification Searched String: Butt Hinge steel 3" Steel Butt Hinges as per IS 1341, Waiting Area / Airport Terminal / Public Place / Reception area Chair or Seat (V2), Stainless Steel Butt Hinges as per IS 12817, Theft Proof Rifle Racks, Non - Ferrous Metal Butt Hinges as per IS 205, Laboratory Drying Oven, Butt-Weld Pipe Fittings, Heavy Duty Storage Racks, Round Steel Short Link Chains (Electric Butt Welded), Grade L 3 (Part 1) (V2) as per IS 2429, Allen Bolt Searched String: Butt Hinge steel 4" Steel Butt Hinges as per IS 1341, Stainless Steel Butt Hinges as per IS 12817, Theft Proof Rifle Racks, Non - Ferrous Metal Butt Hinges as per IS 205, Shaker Incubator, Butt-Weld Pipe Fittings, Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, Round Steel Short Link Chains (Electric Butt Welded), Grade L 3 (Part 1) (V2) as per IS 2429, Steel components (Deepwell Hand Pumps Components) as per IS 15500 (Part 4), Shoe Shining Machine Searched String: GI Nipple 2& 3 15 mm Automotive Vehicles - Pneumatic Tyres for 2 and 3 Wheeled Motor Vehicles, Quadricycles and E-Rickshaw / E-Carts as per IS 15627, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), PNEUMATIC TYRES FOR TWO AND THREE-WHEELED MOTOR VEHICLES, QUADRICYCLES AND E-RICKSHAW/E-CARTS marked to IS 15627, Running Nipples, Close Taper Nipples and Barrel Nipples confirming to IS 1239 (Part 2), Mild Steel Sheet, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Health Supplements, Nutraceuticals and Food for Special Dietary Use (V2), Chlorinated Polyvinyl Chloride (CPVC) Pipes for Potable Hot and Cold Water Distribution Supplies (V2) as per IS 15778, Health Supplements, Nutraceuticals and Food for Special Dietary Use, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694 Searched String: GI Nipple 2 & 3 20 mm Mild Steel Sheet, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), HDMI Switcher,

बिड विवरण / Bid Details	Running Nipples, Close Taper Nipples and Barrel Nipples confirming to IS 1239 (Part 2), Health Supplements, Nutraceuticals and Food for Special Dietary Use (V2), Health Supplements, Nutraceuticals and Food for Special Dietary Use, Chlorinated Polyvinyl Chloride (CPVC) Pipes For Portable Hot and Cold Water Distribution Supplies (V3) conforming to IS 15778, Parallel Bar - Outdoor Gym Equipment, Chlorinated Polyvinyl Chloride (CPVC) Pipes for Potable Hot and Cold Water Distribution Supplies (V2) as per IS 15778, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694
	Searched String: GI Nipple 2 & 3 25 mm MTT (3-(4,5-Dimethylthiazol-2-yl)-2,5-Diphenyltetrazolium Bromide), XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Health Supplements, Nutraceuticals and Food for Special Dietary Use (V2), Parallel Bar - Outdoor Gym Equipment, Health Supplements, Nutraceuticals and Food for Special Dietary Use, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), Endotracheal Tube - Sterile (Single Use), Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694 Searched String: GI Nipple 2 & 3 40 mm Health Supplements, Nutraceuticals and Food for Special Dietary Use (V2), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Health Supplements, Nutraceuticals and Food for Special Dietary Use, Running Nipples, Close Taper Nipples and Barrel Nipples confirming to IS 1239 (Part 2), XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Chlorinated Polyvinyl Chloride (CPVC) Pipes For Portable Hot and Cold Water Distribution Supplies (V3) conforming to IS 15778, Parallel Bar - Outdoor Gym Equipment, Chlorinated Polyvinyl Chloride (CPVC) Pipes for Potable Hot and Cold Water Distribution Supplies (V2) as per IS 15778, Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings) Searched String: GI Socket 25 mm Secure Socket Layer (SSL) Certificate, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), Parallel Bar - Outdoor Gym Equipment, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Cast Iron Bench, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Endotracheal Tube - Sterile (Single Use), Sterile Hypodermic Needles for Single use (V2), PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2) Searched String: GI Tee 15 mm

विड विवरण / Bid Details	Broth Media, Commercial PPR Pipes Fittings as per IS 15801, Elbows, Tees and Crosses, Equal confirming to IS 1239 (Part 2), Mild Steel Sheet, Parallel Bar - Outdoor Gym Equipment, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694 Searched String: GI Tee 25 mm Broth Media, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Elbows, Tees and Crosses, Equal confirming to IS 1239 (Part 2), Parallel Bar - Outdoor Gym Equipment, Commercial PPR Pipes Fittings as per IS 15801, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Cast Iron Bench, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Endotracheal Tube - Sterile (Single Use), Sterile Hypodermic Needles for Single use (V2) Searched String: GI Tee 20 mm Broth Media, Parallel Bar - Outdoor Gym Equipment, Mild Steel Sheet, Elbows, Tees and Crosses, Equal confirming to IS 1239 (Part 2), Geographic Information System (GIS) Software (V2), LED Batten, Memory Card Reader (V2), Commercial PPR Pipes Fittings as per IS 15801, Endotracheal Tube - Sterile (Single Use), Grain Storage Bin (V2) Searched String: GI Elbow 15 mm Commercial PPR Pipes Fittings as per IS 15801, Mild Steel Sheet, Elbows, Tees and Crosses, Equal confirming to IS 1239 (Part 2), Parallel Bar - Outdoor Gym Equipment, Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694 Searched String: GI Elbow 20 mm Mild Steel Sheet, Parallel Bar - Outdoor Gym Equipment, Geographic Information System (GIS) Software (V2), Elbows, Tees and Crosses, Equal confirming to IS 1239 (Part 2), Memory Card Reader (V2), LED Batten, Commercial PPR Pipes Fittings as per IS 15801, Endotracheal Tube - Sterile (Single Use), Grain Storage Bin (V2), Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781 Searched String: GI Elbow 25 mm
-------------------------	--

बिड विवरण / Bid Details	XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Elbows, Tees and Crosses, Equal
	confirming to IS 1239 (Part 2), Parallel Bar - Outdoor Gym Equipment, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Cast Iron Bench, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Endotracheal Tube - Sterile (Single Use), Sterile Hypodermic Needles for Single use (V2), PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), Grain Storage Bin (V2) Searched String: Stop cock 15 mm PTMT Tap Fitting, Mild Steel Sheet, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, PLASTIC BIB TAPS, PILLAR TAPS, ANGLE VALVES & STOP VALVES FOR HOT & COLD WATER SERVICES Conforming to IS 9763, Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931, Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, rubber bands Searched String: GI Gate Valve 15 mm Knife Edge Gate Valve, Gun Metal Gate Valves - BHEL, Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, Parallel Bar - Outdoor Gym Equipment, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Sluice Valve For Water Works Purposes (50 To 1200 Mm Size) (V2) As Per Is 14846, Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931, Gate, Globe And Check Valves For Water Work Purposes-IS:778, Stationary Valve Regulated Lead Acid Batteries (V3) Conforming To IS 15549 Searched String: GI Gate Valve 20 mm Knife Edge Gate Valve, Parallel Bar - Outdoor Gym Equipment, Gun Metal Gate Valves - BHEL, Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Sluice Valve For Water Works Purposes (50 To 1200 Mm Size) (V2) As Per Is 14846, LED Batten, Gate, Globe And Check Valves For Water Work Purposes-IS:778, Mild Steel Sheet Searched String: GI Gate Valve 25 mm Knife Edge Gate Valve, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Gun Metal Gate Valves - BHEL, Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, Parallel Bar - Outdoor Gym Equipment, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Sluice Valve For Water Works Purposes (50 To 1200 Mm Size) (V2) As Per Is 14846, Cast Iron Bench, Gate, Globe And Check Valves

बिड विवरण / Bid Details	For Water Work Purposes-IS:778
	Searched String: Socket CPVC 32 mm rubber bands, Chlorinated Polyvinyl Chloride (CPVC) Pipes for Potable Hot and Cold Water Distribution Supplies (V2) as per IS 15778, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Socket Unions conforming to IS 1239 (Part 2), Laboratory Glass Adapters, CHLORINATED POLYVINYL CHLORIDE (CPVC) FITTINGS FOR POTABLE HOT AND COLD WATER DISTRIBUTION SUPPLIES Conforming to IS 17546, Waste Fittings for Washbasin and Sinks as per IS 2963, Commercial PPR Pipes Fittings as per IS 15801, Drilling Machine Bench Type / Pillar Type as per IS 2425, Unplasticized PVC Pipes for Water Supply conforming to IS 4985 Searched String: Elbow CPVC 32mm CPVC Ball Valve, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), CPVC Industrial Pipe, CPVC Industrial Pipe Fittings, Schedule 80, Heat Elbow Wrap, Elbow Pipe Fitting, Elbow and forearm CPM, Dry Erase Writing Boards (V3), Elbow and Forearm CPM (V2), Shoulder CPM (V2) Searched String: Union CPVC 32 mm rubber bands, Chlorinated Polyvinyl Chloride (CPVC) Pipes for Potable Hot and Cold Water Distribution Supplies (V2) as per IS 15778, Waste Fittings for Washbasin and Sinks as per IS 2963, Commercial PPR Pipes Fittings as per IS 15801, Drilling Machine Bench Type / Pillar Type as per IS 2425, Chlorinated Polyvinyl Chloride (CPVC) Pipes For Portable Hot and Cold Water Distribution Supplies (V3) conforming to IS 15778, Polyethylene Pipes for Water Supply, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, Flexible Drain Hoses for Wash Basins/ Sinks, Binder Clips (V3) Conforming to IS 8231 Searched String: R Socket CPVC 32 x 25 mm Parallel Bar - Outdoor Gym Equipment, Multipurpose or General Test Tubes (V2) as per IS 2618, Dry Erase Writing Boards (V3), Chlorinated Polyvinyl Chloride (CPVC) Pipes for Potable Hot and Cold Water Distribution Supplies (V2) as per IS 15778, Cast Iron Bench, Sterile Hypodermic Needles for Single use (V2), rubber bands, Pin Up Notice Board (V2), Aerial Bunched Cable For Working Voltage Upto and Including 1.1 kV Marked To IS 14255, Bunk Beds conforming to IS 17636 Searched String: R Socket CPVC 32 x 20 mm Dry Erase Writing Boards (V3), Multipurpose or General Test Tubes (V2) as per IS 2618, rubber bands, Chlorinated Polyvinyl Chloride (CPVC) Pipes for Potable Hot and Cold Water Distribution Supplies (V2) as per IS 15778, Pin Up Notice Board (V2), CHLORINATED POLYVINYL CHLORIDE (CPVC) FITTINGS FOR POTABLE HOT AND COLD WATER DISTRIBUTION SUPPLIES Conforming to IS 17546, Theft Proof Rifle Racks, Bunk Beds conforming to IS 17636, Chlorinated Polyvinyl Chloride (CPVC) Pipes For Portable Hot and Cold Water Distribution Supplies (V3) conforming to IS 15778, Combination Board (V2)

बिड विवरण / Bid Details	Searched String: R Socket CPVC 32 x 15 mm
GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS	Dry Erase Writing Boards (V3), Multipurpose or General Test Tubes (V2) as per IS 2618, rubber bands, Chlorinated Polyvinyl Chloride (CPVC) Pipes for Potable Hot and Cold Water Distribution Supplies (V2) as per IS 15778, Pin Up Notice Board (V2), Bunk Beds conforming to IS 17636, Medical Centrifuge, Chlorinated Polyvinyl Chloride (CPVC) Pipes For Portable Hot and Cold Water Distribution Supplies (V3) conforming to IS 15778, Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Combination Board (V2)
	Searched String: CPVC Tee 32 mm rubber bands, Elbows, Tees and Crosses, Equal confirming to IS 1239 (Part 2), Waste Fittings for Washbasin and Sinks as per IS 2963, Chlorinated Polyvinyl Chloride (CPVC) Pipes for Potable Hot and Cold Water Distribution Supplies (V2) as per IS 15778, Commercial PPR Pipes Fittings as per IS 15801, Drilling Machine Bench Type / Pillar Type as per IS 2425, Chlorinated Polyvinyl Chloride (CPVC) Pipes For Portable Hot and Cold Water Distribution Supplies (V3) conforming to IS 15778, Polyethylene Pipes for Water Supply, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, Flexible Drain Hoses for Wash Basins/ Sinks
	Searched String: CPVC Tee 25 mm XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Elbows, Tees and Crosses, Equal confirming to IS 1239 (Part 2), Parallel Bar - Outdoor Gym Equipment, CPVC Industrial Pipe Fittings, Schedule 80, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Cast Iron Bench, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Endotracheal Tube - Sterile (Single Use), Sterile Hypodermic Needles for Single use (V2), PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2)
	Searched String: CPVC Tee 20 mm Mild Steel Sheet, LED Batten, Memory Card Reader (V2), CPVC Industrial Pipe Fittings, Schedule 80, Endotracheal Tube - Sterile (Single Use), Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Centrifuge Tubes (V3), Drilling Machine Bench Type / Pillar Type as per IS 2425, Stapler Pin / Staples (V2), Theft Proof Rifle Racks
	Searched String: Reducer Elbow female 20x15 Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), Wrought carbon Steel And Alloy Steel Pipe Fitting for Moderate And High Temperature Service, Commercial PPR Pipes Fittings as per IS 15801, Elbows, Round, Male and Female, Equal as confirming to IS 1239 (Part 2), Elbows Reducing confirming to IS 1239 (Part 2) Searched String: Elbow CPVC 15 mm Chlorinated Polyvinyl Chloride (CPVC) Pipes for Potable Hot

बिड विवरण / Bid Details	and Cold Water Distribution Supplies (V2) as per IS 15778, Chlorinated Polyvinyl Chloride (CPVC) Pipes For Portable Hot and Cold Water Distribution Supplies (V3) conforming to IS 15778, CPVC Industrial Pipe Fittings, Schedule 80, Commercial PPR Pipes Fittings as per IS 15801, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Mild Steel Sheet, Elbows, Tees and Crosses, Equal confirming to IS 1239 (Part 2), Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694
	Searched String: Socket CPVC 15 mm Chlorinated Polyvinyl Chloride (CPVC) Pipes for Potable Hot and Cold Water Distribution Supplies (V2) as per IS 15778, Switched Socket-Outlets without Interlock for Fixed Installations ISI Marked to IS 15787, Chlorinated Polyvinyl Chloride (CPVC) Pipes For Portable Hot and Cold Water Distribution Supplies (V3) conforming to IS 15778, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Mild Steel Sheet, CHLORINATED POLYVINYL CHLORIDE (CPVC) FITTINGS FOR POTABLE HOT AND COLD WATER DISTRIBUTION SUPPLIES Conforming to IS 17546, Commercial PPR Pipes Fittings as per IS 15801, Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694 Searched String: Union CPVC 15 mm Chlorinated Polyvinyl Chloride (CPVC) Pipes for Potable Hot and Cold Water Distribution Supplies (V2) as per IS 15778, Chlorinated Polyvinyl Chloride (CPVC) Pipes For Portable Hot and Cold Water Distribution Supplies (V3) conforming to IS 15778, Mild Steel Sheet, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, CPVC Industrial Pipe Fittings, Schedule 80, Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694 Searched String: CPVC Tee 15 mm Chlorinated Polyvinyl Chloride (CPVC) Pipes for Potable Hot and Cold Water Distribution Supplies (V2) as per IS 15778, Chlorinated Polyvinyl Chloride (CPVC) Pipes For Portable Hot and Cold Water Distribution Supplies (V3) conforming to IS 15778, Elbows, Tees and Crosses, Equal confirming to IS 1239 (Part 2), Commercial PPR Pipes Fittings as per IS 15801, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Mild Steel Sheet, CPVC Industrial Pipe Fittings, Schedule 80, Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, XLPE Cable for Working Voltage up to and Including 1.1 KV

बिड विवरण / Bid Details	Marked To IS 7098 (Part 1), PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694
	Searched String: CPVC Tee Female 15 mm Chlorinated Polyvinyl Chloride (CPVC) Pipes for Potable Hot and Cold Water Distribution Supplies (V2) as per IS 15778, Chlorinated Polyvinyl Chloride (CPVC) Pipes For Portable Hot and Cold Water Distribution Supplies (V3) conforming to IS 15778, Commercial PPR Pipes Fittings as per IS 15801, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), Mild Steel Sheet, Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694 Searched String: PVC Float Valve 15 mm Water Fittings - Copper Alloy Float Valves (Horizontal Plunger Type) as per IS: 1703, Sluice Valve For Water Works Purposes (50 To 1200 Mm Size) (V2) As Per Is 14846, PVC Insulated (Heavy Duty) Electric Cables (V2) ISI Marked to IS 1554 (Part 2), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Stationary Valve Regulated Lead Acid Batteries (V3) Conforming To IS 15549, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Mild Steel Sheet, Handpump Sub-Assemblies (Deepwell Hand Pumps Components) Conforming IS 15500 (Part 3) Searched String: PVC Float Valve 20 mm Water Fittings - Copper Alloy Float Valves (Horizontal Plunger Type) as per IS: 1703, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Sluice Valve For Water Works Purposes (50 To 1200 Mm Size) (V2) As Per Is 14846, Mild Steel Sheet, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Plastics Bib Taps Pillar Taps Angle Valves and Stop Valves as per IS 9763:2000 (Latest), PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Memory Card Reader (V2), PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694 Searched String: PVC Float Valve 25 mm Water Fittings - Copper Alloy Float Valves (Horizontal Plunger Type) as per IS: 1703, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Sluice Valve For Water Works Purposes (50 To 1200 Mm

बिड विवरण / Bid Details	Size) (V2) As Per Is 14846, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), Parallel Bar - Outdoor Gym Equipment, Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694
	Searched String: GI Union 15 mm Mild Steel Sheet, Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), Parallel Bar - Outdoor Gym Equipment, Commercial PPR Pipes Fittings as per IS 15801, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, rubber bands Searched String: GI Union 20 mm Mild Steel Sheet, Parallel Bar - Outdoor Gym Equipment, Geographic Information System (GIS) Software (V2), Commercial PPR Pipes Fittings as per IS 15801, Memory Card Reader (V2), LED Batten, Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), Endotracheal Tube - Sterile (Single Use), Grain Storage Bin (V2), Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781 Searched String: GI Union 25 mm XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Commercial PPR Pipes Fittings as per IS 15801, Parallel Bar - Outdoor Gym Equipment, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Cast Iron Bench, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Endotracheal Tube - Sterile (Single Use), Sterile Hypodermic Needles for Single use (V2), PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), Grain Storage Bin (V2) Searched String: GI Union 40 mm Parallel Bar - Outdoor Gym Equipment, Commercial PPR Pipes Fittings as per IS 15801, Insect Killer, Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, GI Grating (in Number), Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, Grain Storage Bin (V2), Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, LED Batten

बिड विवरण/Bid Details	Searched String: GI Union 32 mm
	Parallel Bar - Outdoor Gym Equipment, Commercial PPR Pipes Fittings as per IS 15801, rubber bands, Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), Grain Storage Bin (V2), GI Grating (in MT), Waste Fittings for Washbasin and Sinks as per IS 2963, Drilling Machine Bench Type / Pillar Type as per IS 2425, Polyethylene Pipes for Water Supply, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778 Searched String: GI Socket 15 mm Switched Socket-Outlets without Interlock for Fixed Installations ISI Marked to IS 15787, Mild Steel Sheet, Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), Commercial PPR Pipes Fittings as per IS 15801, Parallel Bar - Outdoor Gym Equipment, Socket Unions confirming to IS 1239 (Part 2), Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, CHLORINATED POLYVINYL CHLORIDE (CPVC) FITTINGS FOR POTABLE HOT AND COLD WATER DISTRIBUTION SUPPLIES Conforming to IS 17546, Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1) Searched String: GI Socket 20 mm Mild Steel Sheet, Parallel Bar - Outdoor Gym Equipment, Geographic Information System (GIS) Software (V2), Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), Memory Card Reader (V2), LED Batten, Socket Unions confirming to IS 1239 (Part 2), Endotracheal Tube - Sterile (Single Use), CHLORINATED POLYVINYL CHLORIDE (CPVC) FITTINGS FOR POTABLE HOT AND COLD WATER DISTRIBUTION SUPPLIES Conforming to IS 17546, Commercial PPR Pipes Fittings as per IS 15801 Searched String: GI Reducer socket 15x20 PVC Reducer Socket, Parallel Bar - Outdoor Gym Equipment, Injection Moulded PVC Socket Fittings with Solvent Cement Joints for Water Supplies conforming to IS 7834 (Part 1), CHLORINATED POLYVINYL CHLORIDE (CPVC) FITTINGS FOR POTABLE HOT AND COLD WATER DISTRIBUTION SUPPLIES Conforming to IS 17546, Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), Grain Storage Bin (V2), Commercial PPR Pipes Fittings as per IS 15801, Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, GI Grating (in Number) Searched String: GI Reducer socket 20x25 PVC Reducer Socket, Parallel Bar - Outdoor Gym Equipment, Injection Moulded PVC Socket Fittings with Solvent Cement Joints for Water Supplies conforming to IS 7834 (Part 1), CHLORINATED POLYVINYL CHLORIDE (CPVC) FITTINGS FOR POTABLE HOT AND COLD WATER DISTRIBUTION SUPPLIES Conforming to IS 17546, Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), GI Grating (in Number), Commercial PPR Pipes Fittings as per IS 15801, Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, Grain Storage Bin (V2), Hexagonal Socket Head Cap Screw

बिड विवरण/Bid Details	Searched String: GI Reducer socket 15x25
	PVC Reducer Socket, Parallel Bar - Outdoor Gym Equipment, Injection Moulded PVC Socket Fittings with Solvent Cement Joints for Water Supplies conforming to IS 7834 (Part 1), CHLORINATED POLYVINYL CHLORIDE (CPVC) FITTINGS FOR POTABLE HOT AND COLD WATER DISTRIBUTION SUPPLIES Conforming to IS 17546, Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), GI Grating (in Number), Commercial PPR Pipes Fittings as per IS 15801, Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, Grain Storage Bin (V2), Hexagonal Socket Head Cap Screw Searched String: GI Reducer socket 32x40 PVC Reducer Socket, Parallel Bar - Outdoor Gym Equipment, Injection Moulded PVC Socket Fittings with Solvent Cement Joints for Water Supplies conforming to IS 7834 (Part 1), CHLORINATED POLYVINYL CHLORIDE (CPVC) FITTINGS FOR POTABLE HOT AND COLD WATER DISTRIBUTION SUPPLIES Conforming to IS 17546, Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), Insect Killer, Commercial PPR Pipes Fittings as per IS 15801, Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, Laboratory Glass Adapters, GI Grating (in Number) Searched String: GI Reducer socket 40x50 PVC Reducer Socket, Parallel Bar - Outdoor Gym Equipment, Injection Moulded PVC Socket Fittings with Solvent Cement Joints for Water Supplies conforming to IS 7834 (Part 1), CHLORINATED POLYVINYL CHLORIDE (CPVC) FITTINGS FOR POTABLE HOT AND COLD WATER DISTRIBUTION SUPPLIES Conforming to IS 17546, Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), Insect Killer, Commercial PPR Pipes Fittings as per IS 15801, Rigid GI Pipe (BHEL), Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, Grain Storage Bin (V2) Searched String: GI Reducer socket 25x15 PVC Reducer Socket, Parallel Bar - Outdoor Gym Equipment, Injection Moulded PVC Socket Fittings with Solvent Cement Joints for Water Supplies conforming to IS 7834 (Part 1), CHLORINATED POLYVINYL CHLORIDE (CPVC) FITTINGS FOR POTABLE HOT AND COLD WATER DISTRIBUTION SUPPLIES Conforming to IS 17546, Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), GI Grating (in Number), Commercial PPR Pipes Fittings as per IS 15801, Elbows Reducing confirming to IS 1239 (Part 2), Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, Grain Storage Bin (V2) Searched String: GI Reducer Elbow 20x25 Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), Parallel Bar - Outdoor Gym Equipment, Commercial PPR Pipes Fittings as per IS 15801, CHLORINATED POLYVINYL CHLORIDE (CPVC) FITTINGS FOR POTABLE HOT AND COLD WATER DISTRIBUTION SUPPLIES Conforming to IS 17546, GI Grating (in Number), Grain Storage Bin (V2) Searched String: GI Reducer Elbow 15x25

बिड विवरण / Bid Details	Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), Parallel Bar - Outdoor
	Gym Equipment, Commercial PPR Pipes Fittings as per IS 15801, Wrought carbon Steel And Alloy Steel Pipe Fitting for Moderate And High Temperature Service, CHLORINATED POLYVINYL CHLORIDE (CPVC) FITTINGS FOR POTABLE HOT AND COLD WATER DISTRIBUTION SUPPLIES Conforming to IS 17546, GI Grating (in Number), Grain Storage Bin (V2) Searched String: GI Reducer Elbow 15x20 Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), Parallel Bar - Outdoor Gym Equipment, Commercial PPR Pipes Fittings as per IS 15801, Wrought carbon Steel And Alloy Steel Pipe Fitting for Moderate And High Temperature Service, CHLORINATED POLYVINYL CHLORIDE (CPVC) FITTINGS FOR POTABLE HOT AND COLD WATER DISTRIBUTION SUPPLIES Conforming to IS 17546, Grain Storage Bin (V2), GI Grating (in Number) Searched String: Bib cock CP 15 mm PTMT Tap Fitting, Chlorinated Polyvinyl Chloride (CPVC) Pipes For Portable Hot and Cold Water Distribution Supplies (V3) conforming to IS 15778, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Mild Steel Sheet, Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931, Chlorinated Polyvinyl Chloride (CPVC) Pipes for Potable Hot and Cold Water Distribution Supplies (V2) as per IS 15778, Plastics Bib Taps Pillar Taps Angle Valves and Stop Valves as per IS 9763:2000 (Latest), Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	Chandelier
बीओक्यू शीर्षक / BOQ Title	MISC ITEMS
बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का) / Minimum Average Annual Turnover of the bidder (For 3 Years)	1 Lakh (s)
मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का) / OEM Average Turnover (Last 3 Years)	4 Lakh (s)
उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष / Years of Past Experience Required for same/similar service	3 Year (s)
एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / MSE Relaxation for Years of Experience and Turnover	No
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / Startup Relaxation for Years of Experience and Turnover	No

बिड विवरण/Bid Details	
विक्रेता से मांगे गए दस्तावेज़/Document required from seller	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	1
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	3
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	1
विगत प्रदर्शन /Past Performance	50 %
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	No
बिड का प्रकार/Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	Flexible wire copper TC
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
अनुमानित बिड मूल्य / Estimated Bid Value	200000
मूल्यांकन पद्धति/Evaluation Method	Total value wise evaluation
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

आवश्यकता/Required	No
-------------------	----

ईपीबीजी विवरण /ePBG Detail

आवश्यकता/Required	No
-------------------	----

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई खरीद वरीयता/MII Purchase Preference

एमआईआई खरीद वरीयता/MII Purchase Preference	No
--	----

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं/सेवा प्रदाता को खरीद में प्राथमिकता, यदि उनका मूल्य $L1+X\%$ / Purchase Preference to MSE OEMs/ Service Provider available upto price within $L1+X\%$	15
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माता/सेवा प्रदाता को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Percentage of Bid quantity/amount for MSE OEMs/ Service Provider Purchase preference	25

1. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

2. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.

3. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

4. **Purchase preference to Micro and Small Enterprises (MSEs):** Purchase preference will be given to MSEs having valid Udyam Certificate and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service, and Buyer will decide eligibility for purchase preference based on documentary evidence submitted in case of product bids, whereas in case of services the eligibility is automatically validated. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within $L-1+ 15\%$ (Selected

by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

5. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

6. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 50% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

Flexible Wire Copper TC

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषेती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषेती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajat Yadav	784102,41 ASSAM RIFLES District Sonitpur State Assam PIN- 784102	30	20

PVC Copper Wire 1.5Sqmm SC

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajat Yadav	784102,41 ASSAM RIFLES District Sonitpur State Assam PIN- 784102	10	20

Thread Tape

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajat Yadav	784102,41 ASSAM RIFLES District Sonitpur State Assam PIN- 784102	50	20

PVC Gutka Assorted Size

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajat Yadav	784102,41 ASSAM RIFLES District Sonitpur State Assam PIN- 784102	20	20

Butt Hinge Steel 3inch

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajat Yadav	784102,41 ASSAM RIFLES District Sonitpur State Assam PIN- 784102	100	20

Butt Hinge Steel 4inch

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajat Yadav	784102,41 ASSAM RIFLES District Sonitpur State Assam PIN- 784102	100	20

GI Nipple 15mm

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajat Yadav	784102,41 ASSAM RIFLES District Sonitpur State Assam PIN- 784102	50	20

GI Nipple 20mm

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajat Yadav	784102,41 ASSAM RIFLES District Sonitpur State Assam PIN- 784102	50	20

GI Nipple 25mm

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajat Yadav	784102,41 ASSAM RIFLES District Sonitpur State Assam PIN- 784102	50	20

GI Nipple 40mm

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajat Yadav	784102,41 ASSAM RIFLES District Sonitpur State Assam PIN- 784102	30	20

GI Socket 25mm

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajat Yadav	784102,41 ASSAM RIFLES District Sonitpur State Assam PIN- 784102	50	20

GI Tee 15mm

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajat Yadav	784102,41 ASSAM RIFLES District Sonitpur State Assam PIN- 784102	30	20

GI Tee 25mm

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajat Yadav	784102,41 ASSAM RIFLES District Sonitpur State Assam PIN- 784102	30	20

GI Tee 20mm

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajat Yadav	784102,41 ASSAM RIFLES District Sonitpur State Assam PIN- 784102	30	20

GI Elbow 15mm

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajat Yadav	784102,41 ASSAM RIFLES District Sonitpur State Assam PIN- 784102	30	20

GI Elbow 20mm

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajat Yadav	784102,41 ASSAM RIFLES District Sonitpur State Assam PIN- 784102	30	20

GI Elbow 25mm

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajat Yadav	784102,41 ASSAM RIFLES District Sonitpur State Assam PIN- 784102	30	20

Stop Cock 15mm

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajat Yadav	784102,41 ASSAM RIFLES District Sonitpur State Assam PIN- 784102	10	20

GI Gate Valve 15mm

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajat Yadav	784102,41 ASSAM RIFLES District Sonitpur State Assam PIN- 784102	8	20

GI Gate Valve 20mm

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajat Yadav	784102,41 ASSAM RIFLES District Sonitpur State Assam PIN- 784102	5	20

GI Gate Valve 25mm

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajat Yadav	784102,41 ASSAM RIFLES District Sonitpur State Assam PIN- 784102	5	20

Socket CPVC 32mm

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajat Yadav	784102,41 ASSAM RIFLES District Sonitpur State Assam PIN- 784102	30	20

Elbow CPVC 32mm

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajat Yadav	784102,41 ASSAM RIFLES District Sonitpur State Assam PIN- 784102	30	20

Union CPVC 32mm

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajat Yadav	784102,41 ASSAM RIFLES District Sonitpur State Assam PIN- 784102	20	20

R Socket CPVC 32x25mm

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajat Yadav	784102,41 ASSAM RIFLES District Sonitpur State Assam PIN- 784102	5	20

R Socket CPVC 32x20mm

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajat Yadav	784102,41 ASSAM RIFLES District Sonitpur State Assam PIN- 784102	5	20

R Socket CPVC 32x15 Mm

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajat Yadav	784102,41 ASSAM RIFLES District Sonitpur State Assam PIN- 784102	5	20

CPVC Tee 32mm

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajat Yadav	784102,41 ASSAM RIFLES District Sonitpur State Assam PIN- 784102	10	20

CPVC Tee 25mm

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajat Yadav	784102,41 ASSAM RIFLES District Sonitpur State Assam PIN- 784102	10	20

CPVC Tee 20mm

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajat Yadav	784102,41 ASSAM RIFLES District Sonitpur State Assam PIN- 784102	10	20

Reducer Elbow Female 20x15mm

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajat Yadav	784102,41 ASSAM RIFLES District Sonitpur State Assam PIN- 784102	20	20

Elbow CPVC 15mm

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajat Yadav	784102,41 ASSAM RIFLES District Sonitpur State Assam PIN- 784102	30	20

Socket CPVC 15mm

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajat Yadav	784102,41 ASSAM RIFLES District Sonitpur State Assam PIN- 784102	25	20

Union CPVC 15mm

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajat Yadav	784102,41 ASSAM RIFLES District Sonitpur State Assam PIN- 784102	15	20

CPVC Tee 15mm

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajat Yadav	784102,41 ASSAM RIFLES District Sonitpur State Assam PIN- 784102	15	20

CPVC Tee Female 15mm

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajat Yadav	784102,41 ASSAM RIFLES District Sonitpur State Assam PIN- 784102	18	20

PVC Float Valve 15mm

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajat Yadav	784102,41 ASSAM RIFLES District Sonitpur State Assam PIN- 784102	10	20

PVC Float Valve 20mm

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajat Yadav	784102,41 ASSAM RIFLES District Sonitpur State Assam PIN- 784102	10	20

PVC Float Valve 25mm

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajat Yadav	784102,41 ASSAM RIFLES District Sonitpur State Assam PIN- 784102	10	20

GI Union 15mm

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajat Yadav	784102,41 ASSAM RIFLES District Sonitpur State Assam PIN- 784102	30	20

GI Union 20mm

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajat Yadav	784102,41 ASSAM RIFLES District Sonitpur State Assam PIN- 784102	30	20

GI Union 25mm

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajat Yadav	784102,41 ASSAM RIFLES District Sonitpur State Assam PIN- 784102	10	20

GI Union 40mm

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajat Yadav	784102,41 ASSAM RIFLES District Sonitpur State Assam PIN- 784102	10	20

GI Union 32mm

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajat Yadav	784102,41 ASSAM RIFLES District Sonitpur State Assam PIN- 784102	10	20

GI Socket 15mm

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajat Yadav	784102,41 ASSAM RIFLES District Sonitpur State Assam PIN- 784102	50	20

GI Socket 20mm

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajat Yadav	784102,41 ASSAM RIFLES District Sonitpur State Assam PIN- 784102	20	20

GI Reducer Socket 15x20mm

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajat Yadav	784102,41 ASSAM RIFLES District Sonitpur State Assam PIN- 784102	20	20

GI Reducer Socket 20x25mm

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajat Yadav	784102,41 ASSAM RIFLES District Sonitpur State Assam PIN- 784102	20	20

GI Reducer Socket 15x25mm

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajat Yadav	784102,41 ASSAM RIFLES District Sonitpur State Assam PIN- 784102	20	20

GI Reducer Socket 32x40mm

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajat Yadav	784102,41 ASSAM RIFLES District Sonitpur State Assam PIN- 784102	20	20

GI Reducer Socket 40x50mm

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajat Yadav	784102,41 ASSAM RIFLES District Sonitpur State Assam PIN- 784102	20	20

GI Reducer Socket 25x15mm

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajat Yadav	784102,41 ASSAM RIFLES District Sonitpur State Assam PIN- 784102	20	20

GI Reducer Elbow 20x25mm

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajat Yadav	784102,41 ASSAM RIFLES District Sonitpur State Assam PIN- 784102	20	20

GI Reducer Elbow 15x25mm

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajat Yadav	784102,41 ASSAM RIFLES District Sonitpur State Assam PIN- 784102	20	20

GI Reducer Elbow 15x20mm

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajat Yadav	784102,41 ASSAM RIFLES District Sonitpur State Assam PIN- 784102	20	20

Bib Cock CP 15mm

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajat Yadav	784102,41 ASSAM RIFLES District Sonitpur State Assam PIN- 784102	10	20

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. Generic

Supplier shall ensure that the Invoice is raised in the name of Consignee with GSTIN of Consignee only.

3. Generic

While generating invoice in GeM portal, the seller must upload scanned copy of GST invoice and the screenshot of GST portal confirming payment of GST.

4. Sample Clause

After award of contract – Successful Bidder shall have to get advance sample approved from buyer before bulk manufacturing / starting bulk supplies. Successful Bidder shall submit

1
samples for Buyer's approval, within 5 days of award of contract. Buyer shall, as per contract specifications framework, either approve the advance sample or will provide complete list of modification required in the sample within 5 days of receipt of advance sample. Seller shall be required to ensure supply as per approved sample with modifications as communicated by Buyer. If there is delay from buyer side in approval of advance sample – the delivery period shall be refixed without LD for the period of delay in sample approval. In case, the sample is found to have major deviations / not conforming to the Contract specifications, the buyer at its discretion may call for fresh samples for approval before allowing bulk supplies or may terminate the contract after notifying the deviations to the seller. Unless otherwise provided in the contract, all samples required for test shall be supplied by the contractor free of cost. Where under the contract, the contractor is required to submit an advance sample, any expenses incurred by the contractor on or in connection with the production of stores in bulk, before the sample has been approved unconditionally shall be borne by the Seller and he shall not claim any compensation in the event of such sample being found unacceptable by the Buyer / Consignee.

5. Certificates

ISO 9001: The bidder or the OEM of the offered products must have ISO 9001 certification.

6. Turnover

OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product

during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria. In case of bunch bids, the OEM of CATEGORY RELATED TO primary product having highest bid value should meet this criterion.

7. Warranty

Warranty period of the supplied products shall be 1 years from the date of final acceptance of goods or after completion of installation, commissioning & testing of goods (if included in the scope of supply), at consignee location. OEM Warranty certificates must be submitted by Successful Bidder at the time of delivery of Goods. The seller should guarantee the rectification of goods in case of any break down during the guarantee period. Seller should have well established Installation, Commissioning, Training, Troubleshooting and Maintenance Service group in INDIA for attending the after sales service. Details of Service Centres near consignee destinations are to be uploaded along with the bid.

8. Turnover

Bidder Turn Over Criteria: The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

अस्वीकरण/Disclaimer

The Additional Terms and Conditions (ATC) have been incorporated by the Buyer after approval of their Competent Authority. The Buyer, is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any restriction arising in the bidding process due to these ATCs and including the modification of technical specifications and / or terms and conditions governing the bid. All representations / grievances pertaining to the ATC clauses shall be raised with the buyer organization directly and not with GeM. If any of the clause(s) is/are incorporated by the Buyer regarding the following, the bid & resultant contract shall be treated as null & void. Further, GeM reserves the right, at its sole discretion, to cancel the bid forthwith, without issuance of any prior notice or intimation :-

1. Publishing Custom / BOQ bids for items for which regular GeM categories are available (unless such Custom / BOQ item is bunched with the major regular product Category Item).
2. Mandating procurement of / from specific Brand / Make / Model / Manufacturer / Dealer except in case of Single Bid / Proprietary Article Certificate (PAC) Buying.
3. Inclusion of disqualification criteria related to suspension of seller / service provider, where such suspension period has already expired.
4. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
5. Publishing bids on GeM for procurement of works.
6. Procurement of Goods by creating a Service bid on GeM & vice-versa.
7. Seeking sample with bid or approval of samples during bid evaluation process. However, trial / sample, as the case may be, shall be permitted in cases where trial / sample are allowed as per approved and published procurement policy of the Buyers' controlling Ministry / Department / State / Public Sector Enterprises Headquarters. If there is any violation of trial / sample clause with regard to approved policy of the Buyers' Ministry / Department / State / Public Sector Enterprises Headquarters, then this is to be determined and redressed by the concerned Buyer Organisation only.
8. Seeking experience from specific organization / department / institute only or from foreign / export experience.
9. Creating bid for items from incorrect categories.
10. Reference of conditions published on any external site or reference to external documents/clauses.
11. Asking for any Tender fee / Bid Participation fee, as the case may be.

12. Buyer added ATC Clauses which are in contravention of clauses defined in bid detail section, including specifications, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by the applicable GeM GTC.
13. Any ATC clause in contravention with GeM GTC Clause 4 (xiii) (h) will be invalid. In case of multiple L1 bidders against a service bid, the buyer shall place the Contract by selection of a bidder amongst the L-1 bidders through a Random Algorithm executed by GeM system.
14. In a category based bid, adding additional items, through buyer added, additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogues or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

This Bid is governed by the General Terms and Conditions, conditions stipulated in Bid and Service Level Agreement specific to the Service, as the case may be, as provided in the Marketplace.

However, in case of Service, if any condition specified in General Terms and Conditions is contradicted by the conditions stipulated in Service Level Agreement specific to said Service, then it will over-ride the conditions in the General Terms and Conditions.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्यवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---