

बिड दस्तावेज़ / Bid Document

बिड विवरण / Bid Details	
बिड बंद होने की तारीख/समय / Bid End Date/Time	14-07-2026 17:00:00
बिड खुलने की तारीख/समय / Bid Opening Date/Time	14-07-2026 17:30:00
बिड पेशकश वैधता (बंद होने की तारीख से) / Bid Offer Validity (From End Date)	120 (Days)
मंत्रालय/राज्य का नाम / Ministry/State Name	Gujarat
विभाग का नाम / Department Name	Energy And Petro Chemicals Department Gujarat
संगठन का नाम / Organisation Name	Gujarat State Electricity Corporation Limited (gsecl) Vadodara
कार्यालय का नाम / Office Name	Gsecl Corpotate Office
शिकायत निवारण के संपर्क विवरण / Contact details of Grievance redressal	HOD Email id : Buyer Email id: wtps.ee.tech.gsecl@gebmail.com
कुल मात्रा / Total Quantity	55
वस्तु श्रेणी / Item Category	SS.WORK TABLE WITH TWO UNDER SHELF FOR SIDE TABLE , SS WORK TABLE WITH SINK CABINET TYPE FRONT SIDE ONE No DOOR and TWO UNDERSHELF MIDDLE PARTITION , SS CHAPATI ROLLING TABLE WITH ONE UNDERSHELF , SS HOT BAIN MAIRIE SERVICE COUNTER WITH RAILING , SS PLATE COUNTER WITH TWO UNDERSHELF 3 SIDE COVERING , SS WORK TOP 2 DOOR UNDER CABINET SERVICE COUNTER , SS EXHAUST HOOD WALL TYPE , SS OIL GREASE FILTER MADE BY 22 GUAGE SS WITH OIL CONTAINER and COVER , GI DUCTING FOR AIR SYSTEM , EXHAUST AIR SYSTEM 960 RPM III PHASE MOTOR , GAS PIPE LINE FOR KITCHEN. , MS GAS BANK FOR 4 CYLINDER BANK , SS 3HP MOTOR GRAVY PULVERZER SINGLE PHASE , S.S. DINING TABLE , DOUGH KNEADER , SS.TWO BURNER GAS RANGE WITH ONE UNDER SHELF. , MIXER GRINDER , POTATO PEELER
GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS	SS.WORK TABLE WITH TWO UNDER SHELF FOR SIDE TABLE
GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS	Dharapathy With Tilttable Steel Table (Ayurvedic Treatment Table) For Panchakarma, Stainless Steel Worktable With Undershelf, Indian National Flag for Table with Stand, Work Benches, Modular Extendable Conference Table (V2), High-end Office Furniture Set (V2), Desk and Bench Set for Classroom/Training Area, Tableware Made of Melamine Plastics as per IS 9220, Modular Table / Meeting Table / Centre Table (V2), Computer Table (V3)

बिड विवरण/Bid Details	
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	- Place Mats - Centre and Dining Table - AC Duct Mountable Air Decontamination System - Domestic Electric Food Mixers (Liquidizers and Grinders) (V2) ISI Marked To IS 4250
बीओक्यू शीर्षक / BOQ Title	Supply of various equipment for Power House Canteen
एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है/ MSE Relaxation for Years of Experience and Turnover	No
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / Startup Relaxation for Years of Experience and Turnover	No
विक्रेता से मांगे गए दस्तावेज़/ Document required from seller	Certificate (Requested in ATC),Additional Doc 1 (Requested in ATC),Additional Doc 2 (Requested in ATC),Additional Doc 3 (Requested in ATC),Additional Doc 4 (Requested in ATC),Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेजों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/ Do you want to show documents uploaded by bidders to all bidders participated in bid?	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	3
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	7
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	3
बिड से रिवर्स नीलामी सक्रिय किया/ Bid to RA enabled	No
बिड का प्रकार/ Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/ Primary product category	SS.WORK TABLE WITH TWO UNDER SHELF FOR SIDE TABLE
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय / Time allowed for Technical Clarifications during technical evaluation	3 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/ Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
मूल्यांकन पद्धति/ Evaluation Method	Total value wise evaluation

बिड विवरण/Bid Details	
वित्तीय दस्तावेज की आवश्यकता है / Financial Document Required	Yes
मध्यस्थता खंड/ Arbitration Clause	No
सुलह खंड/ Mediation Clause	No

ईएमडी विवरण/EMD Detail

एडवाइजरी बैंक/Advisory Bank	Bank Of Baroda
ईएमडी राशि/EMD Amount	92235

ईपीबीजी विवरण /ePBG Detail

एडवाइजरी बैंक/Advisory Bank	Bank Of Baroda
ईपीबीजी प्रतिशत (%) /ePBG Percentage(%)	5.00
ईपीबीजी की आवश्यक अवधि (माह) /Duration of ePBG required (Months).	6

(a). जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित केटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज प्रस्तुत करने हैं। एमएसई केटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।/EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b).ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

(c).ईएमडी और संपादन जमानत राशि लाभार्थी के पक्ष में होनी चाहिए। / Earnest Money Deposit (EMD) shall also be accepted by the buyer in the form of a surety bond.

लाभार्थी /Beneficiary :

E.E

Wanakbori Thermal Power Station, Ta: Galteshwar, Dist: Kheda -388239
(Darpankumar Patel)

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	No
---	----

एमआईआई खरीद वरीयता/MII Purchase Preference

एमआईआई खरीद वरीयता/MII Purchase Preference	No
--	----

1. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

एक्सेल में अपलोड किए जाने की आवश्यकता /Excel Upload Required :

Party must fill & upload this price break up on GeM Portal - [1782189182.xlsx](#)

SS.WORK TABLE WITH TWO UNDER SHELF FOR SIDE TABLE

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Manojkumar	388239,CHIEF ENGINEER, GUJARAT STATE ELECTRICITY CORPORATION LIMITED WANAKBORI THERMAL POWER STATION - 388239, TALUKA: GALTESHWAR, DISTRICT: KHEDA	4	90

SS WORK TABLE WITH SINK CABINET TYPE FRONT SIDE ONE No DOOR And TWO UNDERSHELF MIDDLE PARTITION

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Manojkumar	388239,CHIEF ENGINEER, GUJARAT STATE ELECTRICITY CORPORATION LIMITED WANAKBORI THERMAL POWER STATION - 388239, TALUKA: GALTESHWAR, DISTRICT: KHEDA	1	90

SS CHAPATI ROLLING TABLE WITH ONE UNDERSHELF

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Manojkumar	388239,CHIEF ENGINEER, GUJARAT STATE ELECTRICITY CORPORATION LIMITED WANAKBORI THERMAL POWER STATION - 388239, TALUKA: GALTESHWAR, DISTRICT: KHEDA	2	90

SS HOT BAIN MAIRIE SERVICE COUNTER WITH RAILING

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Manojkumar	388239,CHIEF ENGINEER, GUJARAT STATE ELECTRICITY CORPORATION LIMITED WANAKBORI THERMAL POWER STATION - 388239, TALUKA: GALTESHWAR, DISTRICT: KHEDA	1	90

SS HOT BAIN MAIRIE SERVICE COUNTER WITH RAILING

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Manojkumar	388239,CHIEF ENGINEER, GUJARAT STATE ELECTRICITY CORPORATION LIMITED WANAKBORI THERMAL POWER STATION - 388239, TALUKA: GALTESHWAR, DISTRICT: KHEDA	1	90

SS PLATE COUNTER WITH TWO UNDERSHELF 3 SIDE COVERING

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
-------------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेशिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेशिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Manojkumar	388239,CHIEF ENGINEER, GUJARAT STATE ELECTRICITY CORPORATION LIMITED WANAKBORI THERMAL POWER STATION - 388239, TALUKA: GALTESHWAR, DISTRICT: KHEDA	1	90

SS PLATE COUNTER WITH TWO UNDERSHELF 3 SIDE COVERING**तकनीकी विशिष्टियाँ /Technical Specifications****Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेशिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेशिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Manojkumar	388239,CHIEF ENGINEER, GUJARAT STATE ELECTRICITY CORPORATION LIMITED WANAKBORI THERMAL POWER STATION - 388239, TALUKA: GALTESHWAR, DISTRICT: KHEDA	2	90

SS WORK TOP 2 DOOR UNDER CABINET SERVICE COUNTER**तकनीकी विशिष्टियाँ /Technical Specifications**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Manojkumar	388239,CHIEF ENGINEER, GUJARAT STATE ELECTRICITY CORPORATION LIMITED WANAKBORI THERMAL POWER STATION - 388239, TALUKA: GALTESHWAR, DISTRICT: KHEDA	3	90

SS EXHAUST HOOD WALL TYPE

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Manojkumar	388239,CHIEF ENGINEER, GUJARAT STATE ELECTRICITY CORPORATION LIMITED WANAKBORI THERMAL POWER STATION - 388239, TALUKA: GALTESHWAR, DISTRICT: KHEDA	4	90

SS OIL GREASE FILTER MADE BY 22 GUAGE SS WITH OIL CONTAINER And COVER

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Manojkumar	388239,CHIEF ENGINEER, GUJARAT STATE ELECTRICITY CORPORATION LIMITED WANAKBORI THERMAL POWER STATION - 388239, TALUKA: GALTESHWAR, DISTRICT: KHEDA	12	90

GI DUCTING FOR AIR SYSTEM

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Manojkumar	388239,CHIEF ENGINEER, GUJARAT STATE ELECTRICITY CORPORATION LIMITED WANAKBORI THERMAL POWER STATION - 388239, TALUKA: GALTESHWAR, DISTRICT: KHEDA	1	90

EXHAUST AIR SYSTEM 960 RPM III PHASE MOTOR

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Manojkumar	388239,CHIEF ENGINEER, GUJARAT STATE ELECTRICITY CORPORATION LIMITED WANAKBORI THERMAL POWER STATION - 388239, TALUKA: GALTESHWAR, DISTRICT: KHEDA	1	90

GAS PIPE LINE FOR KITCHEN.

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Manojkumar	388239,CHIEF ENGINEER, GUJARAT STATE ELECTRICITY CORPORATION LIMITED WANAKBORI THERMAL POWER STATION - 388239, TALUKA: GALTESHWAR, DISTRICT: KHEDA	1	90

MS GAS BANK FOR 4 CYLINDER BANK**तकनीकी विशिष्टियाँ /Technical Specifications**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Manojkumar	388239,CHIEF ENGINEER, GUJARAT STATE ELECTRICITY CORPORATION LIMITED WANAKBORI THERMAL POWER STATION - 388239, TALUKA: GALTESHWAR, DISTRICT: KHEDA	1	90

SS 3HP MOTOR GRAVY PULVERZER SINGLE PHASE**तकनीकी विशिष्टियाँ /Technical Specifications**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Manojkumar	388239,CHIEF ENGINEER, GUJARAT STATE ELECTRICITY CORPORATION LIMITED WANAKBORI THERMAL POWER STATION - 388239, TALUKA: GALTESHWAR, DISTRICT: KHEDA	1	90

S.S. DINING TABLE

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Manojkumar	388239,CHIEF ENGINEER, GUJARAT STATE ELECTRICITY CORPORATION LIMITED WANAKBORI THERMAL POWER STATION - 388239, TALUKA: GALTESHWAR, DISTRICT: KHEDA	12	90

DOUGH KNEADER

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
-------------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेशिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेशिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Manojkumar	388239,CHIEF ENGINEER, GUJARAT STATE ELECTRICITY CORPORATION LIMITED WANAKBORI THERMAL POWER STATION - 388239, TALUKA: GALTESHWAR, DISTRICT: KHEDA	1	90

SS.TWO BURNER GAS RANGE WITH ONE UNDER SHELF.**तकनीकी विशिष्टियाँ /Technical Specifications****Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेशिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेशिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Manojkumar	388239,CHIEF ENGINEER, GUJARAT STATE ELECTRICITY CORPORATION LIMITED WANAKBORI THERMAL POWER STATION - 388239, TALUKA: GALTESHWAR, DISTRICT: KHEDA	3	90

MIXER GRINDER**तकनीकी विशिष्टियाँ /Technical Specifications**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Manojkumar	388239,CHIEF ENGINEER, GUJARAT STATE ELECTRICITY CORPORATION LIMITED WANAKBORI THERMAL POWER STATION - 388239, TALUKA: GALTESHWAR, DISTRICT: KHEDA	2	90

POTATO PEELER

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Manojkumar	388239,CHIEF ENGINEER, GUJARAT STATE ELECTRICITY CORPORATION LIMITED WANAKBORI THERMAL POWER STATION - 388239, TALUKA: GALTESHWAR, DISTRICT: KHEDA	1	90

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

TECHNICAL BID

Subject: Supply of various equipment for Power House Canteen

Reference No.:- WTPS/S/TECH/RFQ-76422/HR

Sr. No	Description of materials	HSN CODE	GST Rate With Cess If Any IN %	Quantity Required	UOM
1	SS.WORK TABLE WITH TWO UNDER SHELF FOR SIDE TABLE			4	Numbers
2	SS WORK TABLE WITH SINK CABINET TYPE FRONT SIDE ONE No DOOR & TWO UNDER SHELF MIDDLE PARTITION			1	Number
3	SS CHAPATI ROLLING TABLE WITH ONE UNDERSHELF			2	Number
4	SS HOT BAIN MAIRIE SERVICE COUNTER WITH RAILING			1	Number
5	SS HOT BAIN MAIRIE SERVICE COUNTER WITH RAILING			1	Number
6	SS PLATE COUNTER WITH TWO UNDERSHELF 3 SIDE COVERING			1	Number

7	SS PLATE COUNTER WITH TWO UNDERSH ELF 3 SIDE COVERING			2	Numbe r
8	SS WORK TOP 2 DOOR UNDER CABINET S ERVICE COUNTER			3	Numbe r
9	SS EXHAUST HOOD WALL TYPE			4	Numbe rs
10	SS OIL GREASE FILTER MADE BY 22 GUAG E SS WITH OIL CONTAINER & COVER			12	Numbe r
11	GI DUCTING FOR AIR SYSTEM			1	Lot
12	EXHAUST AIR SYSTEM 960 RPM III PHASE MOTOR			1	Set
13	GAS PIPE LINE FOR KITCHEN.			1	Lot
14	MS GAS BANK FOR 4 CYLINDER BANK			1	Numbe rs
15	SS 3HP MOTOR GRAVY PULVERZER SINGL E PHASE			1	Numbe r
16	S.S. DINING TABLE			12	Numbe rs
17	DOUGH KNEADER			1	Numbe r
18	SS.TWO BURNER GAS RANGE WITH ONE U NDER SHELF.			3	Numbe rs
19	MIXER GRINDER			2	Numbe r
20	POTATO PEELER			1	Numbe r

Note:

The Overall L1 will be considered including all Items

All bidders are requested to take note that this tender will be evaluated for overall lowest bidder considering total amount for full tender quantity of all items together.

v Technical specifications:

For item No-1 SS.WORK TABLE WITH TWO UNDER SHELF FOR SIDE TABLE is to be fabricated and supplied as per below mentioned specification

TOP: - MADE BY 16 GAUGE SS 304 SHEET NON-MAGNETIC,

UNDER SHELF SHEET:-1 NO MADE BY 18 GAUGE SS-304 NON-MAGNETIC

ANGLE FRAME:- SS.202 MADE BY 16 GAUGE 30X30X3 MM

LEGS:- MADE BY 16 GAUGE SS 304 PIPE NON- MAGNETIC 37 X 37 MM SQUARE PIPE WITH 4 NO ADJUSTABLE HEIGHT NYLON BULLET OVERALL SIZE-500 X 600 X 850+100 flashback

For item No-2 SS WORK TABLE WITH SINK CABINET TYPE FRONT SIDE ONE No DOOR & TWO UNDERSHELF MIDDLE PARTITION is to be fabricated and supplied as per below mentioned specification

TOP:- MADE BY 16 GAUGE SS 304 SHEET NON-MAGNETIC

SINK:- MADE BY 16 GAUGE SS 304 SHEET NON-MAGNETIC WITH 37 MM ROUND BRASS WASTE CUPLING SINK SIZE 400 X 400 X 250 DEEP

UNDERSHELF:- MADE BY 18 GAUGE TWO NO UNDERSHELF S.S.304 NON- MAGNETIC

DOOR: - MADE BY 19 GAUGE SS 304 NON- MAGNETIC SHEET ONE NO HANDLE SIDE PANEL:- MADE BY 19 GAUGE S. S. 304 SHEET NON-MAGNETIC

ANGLE FRAME:-S.S.202 MADE BY 16 GAUGE 30X30X3MM THICK

LEGS:- MADE BY 16 GAUGE SS 304 NON- MAGNETIC 37 X 37 MM SQUARE PIPE WITH 4 NO HEIGHT ADJUSTABLE NYLON BULLET

OVERALL SIZE-1200X600 X 800+100flashback

For item No-3 SS CHAPATI ROLLING TABLE WITH ONE UNDERSHELF is to be fabricated and supplied as per below mentioned specification

TOP:- MADE BY 16 GAUGE SS 304 SHEET NON-MAGNETIC

UNDER SHELF SHEET:-1 NO MADE BY 18 GAUGE SS. 304 SHEET NON-MAGNETIC

DRAWER:-MADE BY 19 GAUGE S.S.304 1 NO.WITH HANDLE & CHANNEL PATTI

ANGLE FRAME:- SS.202 MADE BY 16 GAUGE 30 X 30 X 3 MM

LEGS:- MADE BY 16 GAUGE SS 304 PIPE NON- MAGNETIC 37 X 37 MM SQUARE PIPE WITH 4 NO.HEIGHT ADJUSTABLE NYLON BULLET OVERALL SIZE-1500X750X850+1500 flashback

For item No-4 SS HOT BAIN MAIRIE SERVICE COUNTER WITH RAILING is to be fabricated and supplied as per below mentioned specification

TOP:-MADE BY 16 GAUGE S.S. 304 NON-MAGNETIC

GASTRON PAN:- S.S.-4 NO.. one BY one 15 Ltr . GASTRON PAN WITH COVER & HANDL

E 2 NO.PAN 10 KG. GASTRON PAN FOR NORMAL NOT HOT.

RAILING:-S.S.16 GAUGE 25 MM ROUND RAILING ON BOTTOM TRAY MADE BY 18 GAUGE S.S.304 RAILING TRAY.

UNIT BODY:-MADE BY 18 GAUGE S.S.DOUBLE BODY UNIT WITH GLASS WOOL INSULATION. 1.NO. WATER TANK S.S.304

UNDERSHELF:- MADE BY 18 GAUGE S.S.304

SIDE PANEL:-MADE BY 19 GAUGE S.S.304

ELECTRICAL:-3KW WATER EMERSION HEATER SINGLE PHASE / THERMOSTED / ROTARY SWITCH & 3 MTR.BLACK WIRE SINGLE PHASE OR 2 NO LAMP 1 NO.GREEN & 1 NO.RED

ANGLE FRAME:-MADE BY 202 16 GAUGE 30 X 30

COVERING:- 3 SIDE COVERING S.S.304 NON-MAGNETIC MADE BY 19 GAUGE WATER TANK INSIDE WATER INLET-OUTLET SYSTEM / BOTH SIDE ELECTRIC PANEL S.S.304

OPEN DOOR:- BOTTOM SIDE 18 GAUGE 3 NO. OPENABLE DOOR. S.S. 304 NON MAGNETIC.

WHEEL:-4 NO. 5INCH DIA ROUND ON WHEEL 2 NO.FREE & 2 NO.LOCKABLE WHEEL

OVERALL SIZE-1850X625+300X925

For item No-5- SS HOT BAIN MAIRIE SERVICE COUNTER WITH RAILING is to be fabricated and supplied as per below mentioned specification

TOP:-MADE BY 16 GAUGE S.S. 304 NON-MAGNETIC

GASTRON PAN:- S.S.-4 NO. HOT AND 2 NO NORMAL GASTRON PAN WITH COVER & HANDLE 5 NO.PAN

RAILING:-S.S.16 GAUGE 25 MM ROUND RAILING ON BOTTOM TRAY MADE BY 18 GAUGE S.S.304 RAILING TRAY.

UNIT BODY:-MADE BY 18 GAUGE S.S.DOUBLE BODY UNIT WITH GLASS WOOL INSULATION. 1.NO. WATER TANK S.S.304

UNDERSHELF:- MADE BY 18 GAUGE S.S.304

SIDE PANEL:-MADE BY 19 GAUGE S.S.304

ELECTRICAL:-3KW WATER EMERSION HEATER SINGLE PHASE / THERMOSTED / ROTARY SWITCH & 3 MTR.BLACK WIRE SINGLE PHASE OR 2 NO LAMP 1 NO.GREEN & 1 NO.RED

ANGLE FRAME:-MADE BY 202 16 GAUGE 30 X 30

COVERING:- 3 SIDE COVERING S.S.304 NON-MAGNETIC MADE BY 19 GAUGE WATER TANK INSIDE WATER INLET-OUTLET SYSTEM / BOTH SIDE ELECTRIC PANEL S.S.304

OPEN DOOR:- BOTTOM SIDE 18 GAUGE 3 NO. OPENABLE DOOR. S.S. 304 NON MAGNETIC.

WHEEL:-4 NO. 5INCH DIA ROUND ON WHEEL 2 NO.FREE & 2 NO.LOCKABLE WHEEL

OVERALL SIZE-1200X500+300X850

For item No-6- SS PLATE COUNTER WITH TWO UNDERSHELF 3 SIDE COVERING is to be fabricated and supplied as per below mentioned specification

TOP:- MADE BY 16 GAUGE S.S.304 NON-MAGNETIC

UNDERSHELF:-2 NO.UNDERSHELF MADE BY 19 GAUGE S.S.304 NON-MAGNETIC

SIDE COVERING:-3 SIDE COVERING MADE BY 19 GAUGE S.S.304 NON-MAGNETIC

ANGLE FRAME:- MADE BY 202 16 GAUGE 30 X 30 X 3 MM

RAILING:-S.S.16 GAUGE 25 MM ROUND RAILING ON BOTTOM TRAY MADE BY 18 GAUGE S.S.304 RAILING TRAY.

OPEN DOOR:- BOTTOM SIDE 18 GAUGE 2 NO. OPENABLE DOOR. S.S. 304 NON MAGNETIC.

WHEEL:-4 NO. 5INCH DIA ROUND ON WHEEL 2 NO.FREE & 2 NO.LOCKABLE WHEEL

OVERALL SIZE-900X625+300X925

For item No-7- SS PLATE COUNTER WITH TWO UNDERSHELF 3 SIDE COVERING is to be fabricated and supplied as per below mentioned specification

TOP:- MADE BY 16 GAUGE S.S.304 NON-MAGNETIC

UNDERSHELF:-2 NO.UNDERSHELF MADE BY 19 GAUGE S.S.304 NON-MAGNETIC

SIDE COVERING:-3 SIDE COVERING MADE BY 19 GAUGE S.S.304 NON-MAGNETIC

ANGLE FRAME:- MADE BY 202 16 GAUGE 30 X 30 X 3 MM

RAILING:-S.S.16 GAUGE 25 MM ROUND RAILING ON BOTTOM TRAY MADE BY 18 GAUGE S.S.304 RAILING TRAY.

WHEEL:-4 NO. 5INCH DIA ROUND ON WHEEL 2 NO.FREE & 2 NO.LOCKABLE WHEEL

OVERALL SIZE-500X500+300X850

For item No-8- SS WORK TOP 2 DOOR UNDER CABINET SERVICE COUNTER is to be fabricated and supplied as per below mentioned specification

TOP:- MADE BY 16 GAUGE S.S.304 non-magnetic

UNDERSHELF:-2 NO.UNDERSHELF MADE BY 19 GAUGE S.S.304 NON-MAGNETIC

SIDE COVERING:-3 SIDE COVERING MADE BY 19 GAUGE S.S.304 NON- MAGNETIC

ANGLE FRAME:- MADE BY 202 16 GAUGE 30 X 30 X 3 MM

2 NO SLIDING DOOR:- MADE BY 18 GAUGE S.S.304 2 NOS

S.S. LEGS :- MADE BY 16 GAUGE S.S. 304 SQUARE PIPE 37X37 mm.

NYLON BULLETS:- 37 MM. SQR. NYLON HEIGHT ADJUSTABLE BULLETS 4 NOS.

OVERALL SIZE-1500X700X850+150 flashback

For item No-9- SS EXHAUST HOOD WALL TYPE 2 PARTS is to be fabricated and supplied as per below mentioned specification

HOOD:- made by 19 SWG SS. 304 quality non-magnetic hood for 1 parts, include installation & fitting with 2 no. LED light

OVERALL SIZE-1500 X 900 X 500

For item No-10- SS OIL GREASE FILTER MADE BY 22 GAUGE SS WITH OIL CONTAINER & COVER is to be fabricated and supplied as per below mentioned specification

With oil container & cover

OVERALL SIZE-500 X 500 X 50

For item No-11- GI DUCTING FOR AIR SYSTEM is to be fabricated and supplied as per below mentioned specification

GI ducting made by 22 gauge GI sheet complete installation & fitting connected for hood air system with high HP 3 phase blower motor connection with bend reducer/ offset spots/collar/packing & nut bolts with M.S. frame with connection for exhaust hood blower motor connection and installation complete unit for work the side. approx. GI ducting 940 sq. feet

For item No-12- EXHAUST AIR SYSTEM 960 RPM III PHASE MOTOR 5 HP is to be fabricated and supplied as per below mentioned specification

Exhaust blower motor with .5 HP III phase Hindustan make 960 RPM motor with Crompton starter III phase complete installation & fitting

For item No-13- GAS PIPE LINE FOR KITCHEN is to be fabricated and supplied as per below mentioned specification

4 one manifold (1SET=4 POINTS), manifold valve-heavy duty,

2 feet cylinder pipe, non-return valve, ½ inch ½ inch adaptor, 0*15 PSI regulator, main line valve-heavy, manifold clamp 1 INCH pipe line clamp ½ inch, brass ½ union set 2, 3/8 point NC valve, 5 Feet. Suraksha burner pipe, RV burner assembly 3 NO., G 8 burner hard quality 1, G 11 burner qty 8, MS burner stand qty 4, B.P.T. PIPE QTY 6, gas pipe line needle valve qty 3, needle control valve for brass qty 14, manifold lamp qty 2, pilot lamp burner qty 4, MS gas pipe line for seamless 120 feet, copper pigtail 18 inch qty 10, ½ inch MSE brass socket. M/s Tata and Asian C class pipe with colour, testing and fitting charges included, 0* 10 kg pressure gauge with NC valve.

For item No-14- MS GAS BANK FOR 4 CYLINDER BANK is to be fabricated and supplied as per below mentioned specification

M.S.jali gas bank 3 SIDE M.S.jali covering front side 2 NO openable door bottom side MS 3 MM THK MS patti legs side support & M.S. angle frame 35 X 35X 3MM THK with red oxide color on top M.S. sheet for top side

OVERALL SIZE-1200 X 700 X 1350

For item No-15 - SS GRAVY Pulverizer SINGLE PHASE MACHINE is to be fabricated and supplied as per below mentioned specification

SS HOP:- MADE BY 16 GAUGE 304 non magnetic

HOP CAPACITY 5kg. with wooden maser

GRAVY CUTTER:- SS 304 25mm thick cutter + 4 nos different type gravy jail SS 304

S.S. LEGS :- MADE BY 16 GAUGE S.S. 304 SQUARE PIPE 37X37 mm

NYLON BULLETS: -37 MM. SQR.

NYLON HIGHT ADJUSTABLE BULLETS 4 NOS.

ELECTRIC MOTOR 3HP SINGLE PHASE:- MADE BY CROMPTON GREAVES MOTOR+11/2 M, 3 MM WIRE.

For item No-16- SS 6 SEATER FOLDING DINING TABLE is to be fabricated and supplied as per below mentioned specification

TOP:- Made By 16 GAUGE S.S.304 non-magnetic

ANGLE FRAME:- MADE BY 202 16 GAUGE 30 X 30 X 3 MM Framework for bottom sheet.

S.S. Sheet:- Made by 21 Gauge S.S. round 10 inch dia sheet Folding type

S.S. LEGS: - MADE BY 16 GAUGE S.S. 304 PIPE 30X30 mm

Folding sheet pipe with stand and height adjustable nylon bullets

1800X750X750 Ht. Sht. Ht. 300

For item No-17- SS DOUGH KNEADER 25 KG CPACITY is to be fabricated and supplied as per below mentioned specification

SS 25 kg bowl dough kneader 202 quality

1 HP 1440 RPM single phase motor with belt and backside motor stand with round arms for kneading machine top side gear machine with greasing

MS heavy duty plate stand Crompton greaves motor+11/2 M, 3 MM wire.

For item No-18- SS TWO BURNER GAS RANGE WITH ONE UNDER SHELF is to be fabricated and supplied as per below mentioned specification

TOP: - Made by 16 gauge SS 304 sheet non-magnetic

SIDE PANEL: - Made by 18 gauge SS 304 sheet non- magnetic

UNDER SHELF SHEET: - 1 NO made by 18 GAUGE SS. 304 non-magnetic

BURNER:- G 11 two gas burner with 3 no copper pigtail pipe, 3 no needle control valve, 1 no pilot lamp with gas pipe, 2 no. casting jali heavy duty

ANGLE FRAME:-SS.202 made by 16 gauge 30 X 30MM X 3 MM

LEGS: - Made by 16 gauge SS 304 pipe non-magnetic 2 Nos. SS. dust tray with handle 37 X 37 mm square pipe with 4 no adjustable height Nylon bullet

OVERALL SIZE:-1200X600X750+200 FLASH BACK

For item No-19- SS HEAVY DUTY INDUSTRIAL MIXER is to be fabricated and supplied as per below mentioned specification

Single phase 1.5 HP MOTOR, complete bodies SS 202 on/off switch one meter single phase and 3 pin top

For item No-20- SS POTATO PEELER MACHINE 5 KG CAPACITY is to be fabricated and supplied as per below mentioned specification

SS body 202 with emery stone for potato peeling ,with round drum potato openable door, inlet/ outlet water system 1 NO SS cover heavy duty 14 gauge SS stand 1 HP 1440 RPM single phase motor Crompton greaves

Terms and Conditions:

1. The bidder quoting this tender should have their own manufacturing unit/ workshop for kitchen equipment and should be the manufacturer of the Kitchen Equipment's as per above requirements and should specify the address/details of their workshop in the technical bid and no traders are allowed for this tender as the items are to be manufactured, fabricated and customized as per our requirement and service for any defect during the warranty period is to be provided by the supplier.
2. All kitchen Equipment supplied should have One Year Warranty from date of supply. Loading, unloading, transport and installation of the items as per the specification at GSECL WTPS Canteen should be done by the supplier and the system should be handed over in working condition, with user manual if any with sufficient training for operation and maintenance of the equipment's to the canteen staff using the equipment.
3. The supplier has to manufacture the above items as per specification mentioned with all SS TOP made by 16 gauge SS 304 nonmagnetic sheet, all Under Shelf / Middle shelf / Under shelf / 3 side Covering / Door / side Panel made by 18 gauge SS 304 nonmagnetic sheet . The Angle Framework of 30 mm x 30mm x16 Gauge Thick SS 202 Quality, all Type Legs Square / round made by 16 SWG SS 304. All equipment should be Mat Finish. The Exhaust Hood SS 18 SWG SS 304 / Grease Oil Book type filter made by 21 SWG SS 304. All the Electrical Parts of Standard Quality. The Gas Burner should be of Standard Make. All electrical equipment's and electrical part(s) of the equipment's shall be of reputed make with I

SI mark.

4. The items as per above at Sr. No 1 to 20 SS steel grade, finishing , size and in no case any deviation for whatsoever reason will be allowed. The supplier must provide individual drawings of all the kitchen equipment at Sr. No 1 to 20 being provided by him with the Technical Bid as per our specification with details otherwise you will be disqualified from the further tender process without assigning any reason or further correspondence.
5. The items as per above at Sr. No -1 to 20 should be manufactured, fabricated from fresh stainless steel sheet material the supplier should submit report from Government approved material testing laboratory for all items used in the manufacturing of Stainless Steel items.
6. The items as per above at Sr. No -1 to 20 are to be supplied together as per specification, quantity mentioned in the supply order and also to be installed by the supplier at GSECL-WTPS Power house canteen for ready to use condition within the delivery period.
7. The items as per above at Sr. No- 1 to 20 are to be supplied in total as per size, specification, quantity mentioned in the supply order Test certificate for confirming the SS grade fresh material from Government .approved Laboratory to be submitted by the supplier along with the delivery of the materials at GSECL WTPS and the requisite fee will be borne by the supplier.
8. The rates for the items at Sr. 1 to 20 should be inclusive of such charges required to install the equipment's at GSECL-WTPS Canteen and shall be supplied with complete required attachments in all respects and should be installed by the supplier in ready-to-use condition at our location with including all accessories fittings etc. No extra charges beyond the quoted rate/s shall be paid in case of any defect etc for which frequent visit is required.
9. The supplier should, with prior intimation, visit the site at GSECL-WTPS canteen on any working day during office hours and contact HR Department and inspect the location requirements as per the size, dimensions mentioned for clarity of installation of the kitchen equipment. The necessary demolishing of the existing civil structures if required and finishing work will be done by GSECL WTPS civil department as and when the equipment is ready after which the installation of the equipment's is to be done in kitchen as per drawing submitted for the equipment. The required electrical wiring as per capacity requirement of the equipment for supply point will be provided by GSECL-WTPS electrical department.
10. Before dispatch of all the items as above at Sr. No 1 to 20 within the delivery period on receipt of intimation from the supplier GSECL-WTPS will depute its

representatives for inspection of the items manufactured at the factory/ site of the supplier, to check the details of specification as per drawing submitted, grade of SS items and then the items will be sent by supplier with prior intimation to GSECL-WTPS within the delivery period.

11. In case of damage of any items at Sr. 1 to 20 during transport, installation, commissioning work the supplier must provide free replacement of the items as per specification at his own risk and cost within the delivery period for which no extra payment will be made for whatsoever reason.
12. The supplier has to provide all the total items at Sr. 1 to 20 mentioned in the LOI together as per the quantity, details, specification, brand mentioned in the supply order issued and no case any deviation from the specification, SS Quality, size etc will be allowed for whatsoever reason. The Supplier shall supply and provide all the above items in good condition as per specification in supply order in such packing to prevent their damage or deterioration due to whatsoever reason during transit to final destination at WTPS. No items damaged in transit due to whatsoever reason will be accepted.
13. The above item at Sr. 1 to 20 is to be supplied at GSECL, Wanakbori Thermal Power Station (WTPS), District- Kheda 388239, Gujarat. The above items as per specification and quantity are to be supplied within time limit at our store department of GSECL-WTPS and should be unloaded at our location during office hours.

NOTE- Looking to the co-related items in supply overall lowest offer will be considered for placement of order

3. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file.](#)

अस्वीकरण/Disclaimer

The Additional Terms and Conditions (ATC) have been incorporated by the Buyer after approval of their Competent Authority. The Buyer, is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any restriction arising in the bidding process due to these ATCs and including the modification of technical specifications and / or terms and conditions governing the bid. All representations / grievances pertaining to the ATC clauses shall be raised with the buyer organization directly and not with GeM. If any of the clause(s) is/are incorporated by the Buyer regarding the following, the bid & resultant contract shall be treated as null & void. Further, GeM reserves the right, at its sole discretion, to cancel the bid forthwith, without issuance of any prior notice or intimation :-

1. Publishing Custom / BOQ bids for items for which regular GeM categories are available (unless such Custom / BOQ item is bunched with the major regular product Category Item).
2. Mandating procurement of / from specific Brand / Make / Model / Manufacturer / Dealer except in case of Single Bid / Proprietary Article Certificate (PAC) Buying.
3. Inclusion of disqualification criteria related to suspension of seller / service provider, where such

suspension period has already expired.

4. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
5. Publishing bids on GeM for procurement of works.
6. Procurement of Goods by creating a Service bid on GeM & vice-versa.
7. Seeking sample with bid or approval of samples during bid evaluation process. However, trial / sample, as the case may be, shall be permitted in cases where trial / sample are allowed as per approved and published procurement policy of the Buyers' controlling Ministry / Department / State / Public Sector Enterprises Headquarters. If there is any violation of trial / sample clause with regard to approved policy of the Buyers' Ministry / Department / State / Public Sector Enterprises Headquarters, then this is to be determined and redressed by the concerned Buyer Organisation only.
8. Seeking experience from specific organization / department / institute only or from foreign / export experience.
9. Creating bid for items from incorrect categories.
10. Reference of conditions published on any external site or reference to external documents/clauses.
11. Asking for any Tender fee / Bid Participation fee, as the case may be.
12. Buyer added ATC Clauses which are in contravention of clauses defined in bid detail section, including specifications, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by the applicable GeM GTC.
13. Any ATC clause in contravention with GeM GTC Clause 4 (xiii) (h) will be invalid. In case of multiple L1 bidders against a service bid, the buyer shall place the Contract by selection of a bidder amongst the L-1 bidders through a Random Algorithm executed by GeM system.
14. In a category based bid, adding additional items, through buyer added, additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogues or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

This Bid is governed by the General Terms and Conditions, conditions stipulated in Bid and Service Level Agreement specific to the Service, as the case may be, as provided in the Marketplace.

However, in case of Service, if any condition specified in General Terms and Conditions is contradicted by the conditions stipulated in Service Level Agreement specific to said Service, then it will over-ride the conditions in the General Terms and Conditions.

यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---