

**बिड दस्तावेज़ / Bid Document**

| बिड विवरण/Bid Details                                                                                                                                                                                                     |                                                                                                                                                                                                                                                                                                                                               |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| बिड बंद होने की तारीख/समय /Bid End Date/Time                                                                                                                                                                              | 09-07-2026 15:00:00                                                                                                                                                                                                                                                                                                                           |
| बिड खुलने की तारीख/समय /Bid Opening Date/Time                                                                                                                                                                             | 09-07-2026 15:30:00                                                                                                                                                                                                                                                                                                                           |
| बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)                                                                                                                                                 | 180 (Days)                                                                                                                                                                                                                                                                                                                                    |
| मंत्रालय/राज्य का नाम/Ministry/State Name                                                                                                                                                                                 | Gujarat                                                                                                                                                                                                                                                                                                                                       |
| विभाग का नाम/Department Name                                                                                                                                                                                              | Energy And Petro Chemicals Department Gujarat                                                                                                                                                                                                                                                                                                 |
| संगठन का नाम/Organisation Name                                                                                                                                                                                            | Gujarat State Electricity Corporation Limited (gsecl) Vadodara                                                                                                                                                                                                                                                                                |
| कार्यालय का नाम/Office Name                                                                                                                                                                                               | Gsecl Corpotate Office                                                                                                                                                                                                                                                                                                                        |
| शिकायत निवारण के संपर्क विवरण/ Contact details of Grievance redressal                                                                                                                                                     | HOD Email id :<br>Buyer Email id: de2spl.pncutps@gebmail.com                                                                                                                                                                                                                                                                                  |
| कुल मात्रा/Total Quantity                                                                                                                                                                                                 | 1                                                                                                                                                                                                                                                                                                                                             |
| वस्तु श्रेणी /Item Category                                                                                                                                                                                               | Leakage Current Meter / Analyser for Surge Arrester (Q2)                                                                                                                                                                                                                                                                                      |
| एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है/MSE Relaxation for Years of Experience and Turnover                                                                                                      | No                                                                                                                                                                                                                                                                                                                                            |
| स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है /Startup Relaxation for Years of Experience and Turnover                                                                                               | No                                                                                                                                                                                                                                                                                                                                            |
| विक्रेता से मांगे गए दस्तावेज़/Document required from seller                                                                                                                                                              | Additional Doc 1 (Requested in ATC),Additional Doc 2 (Requested in ATC),Additional Doc 3 (Requested in ATC),Additional Doc 4 (Requested in ATC)<br>*In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer |
| क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/Do you want to show documents uploaded by bidders to all bidders participated in bid? | No                                                                                                                                                                                                                                                                                                                                            |
| बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या / Minimum number of bids required to disable automatic bid extension                                                                                  | 3                                                                                                                                                                                                                                                                                                                                             |

| बिड विवरण/Bid Details                                                                                                                                                                |                                                                                                                                                                |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------|
| दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / <b>Number of days for which Bid would be auto-extended</b>                                                           | 7                                                                                                                                                              |
| ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / <b>Number of Auto Extension count</b>                                                                                                 | 1                                                                                                                                                              |
| बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled                                                                                                                                   | Yes                                                                                                                                                            |
| रिवर्स नीलामी योग्यता नियम/RA Qualification Rule                                                                                                                                     | H1-Highest Priced Bid Elimination                                                                                                                              |
| बिड का प्रकार/Type of Bid                                                                                                                                                            | Two Packet Bid                                                                                                                                                 |
| तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation                                                    | 3 Days                                                                                                                                                         |
| निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM) | No                                                                                                                                                             |
| मूल्यांकन पद्धति/Evaluation Method                                                                                                                                                   | Total value wise evaluation                                                                                                                                    |
| मध्यस्थता खंड/Arbitration Clause                                                                                                                                                     | Yes ( <a href="#">Arbitration clause document</a> ) as per DoE OM No.F.1/2/2024-PPD dated 03.06.2024 Arbitration should not be routinely included in contracts |
| सुलह खंड/Mediation Clause                                                                                                                                                            | No                                                                                                                                                             |

#### ईएमडी विवरण/EMD Detail

|                             |                |
|-----------------------------|----------------|
| एडवाइजरी बैंक/Advisory Bank | Bank Of Baroda |
| ईएमडी राशि/EMD Amount       | 31500          |

#### ईपीबीजी विवरण /ePBG Detail

|                                                                   |                |
|-------------------------------------------------------------------|----------------|
| एडवाइजरी बैंक/Advisory Bank                                       | Bank Of Baroda |
| ईपीबीजी प्रतिशत (%) /ePBG Percentage(%)                           | 5.00           |
| ईपीबीजी की आवश्यक अवधि (माह) /Duration of ePBG required (Months). | 5              |

(a). जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित कैटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज प्रस्तुत करने हैं। एमएसई कैटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।/EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b).ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be

in favour of Beneficiary, wherever it is applicable.

(c).ईएमडी और संपादन जमानत राशि लाभार्थी के पक्ष में होनी चाहिए। / Earnest Money Deposit (EMD) shall also be accepted by the buyer in the form of a surety bond.

**लाभार्थी /Beneficiary :**

Chief Engineer Gen

Ukai Thermal Power Station, Ukai Dam, Taluka: Ukai, Dist.- Tapi, Gujarat – 394680

(Gsecl)

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

**एमएसई खरीद वरीयता/MSE Purchase Preference**

|                                           |    |
|-------------------------------------------|----|
| एमएसई खरीद वरीयता/MSE Purchase Preference | No |
|-------------------------------------------|----|

**एमआईआई खरीद वरीयता/MII Purchase Preference**

|                                            |    |
|--------------------------------------------|----|
| एमआईआई खरीद वरीयता/MII Purchase Preference | No |
|--------------------------------------------|----|

1. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

2. Reverse Auction would be conducted amongst all the technically qualified bidders except the Highest quoting bidder. The technically qualified Highest Quoting bidder will not be allowed to participate in RA. However, H-1 will also be allowed to participate in RA in following cases:

- If number of technically qualified bidders are only 2 or 3.
- If Buyer has chosen to split the bid amongst N sellers, and H1 bid is coming within N.
- In case Primary product of only one OEM is left in contention for participation in RA on elimination of H-1.
- If L-1 is non-MSE and H-1 is eligible MSE and H-1 price is coming within price band of 15% of Non-MSE L-1
- If L-1 is non-MII and H-1 is eligible MII and H-1 price is coming within price band of 20% of Non-MII L-1

**एक्सेल में अपलोड किए जाने की आवश्यकता /Excel Upload Required :**

ET-6323 Price breakup sheet - [1780051149.xlsx](#)

**Leakage Current Meter / Analyser For Surge Arrester ( 1 pieces )**

**तकनीकी विशिष्टियाँ /Technical Specifications**

\* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

| विवरण/Specification      | विशिष्टि का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|--------------------------|-------------------------------------|-----------------------------------------------------------------|
| Technical Specifications | <b>Memory</b>                       | Storage capacity of 1000 results                                |
|                          | <b>Field Probe Current Range</b>    | 10 µA to 1 mA                                                   |
|                          | <b>Total Leakage Current Range</b>  | 100 µA to 10 mA                                                 |

| विवरण/Specification    | विशिष्टि का नाम /Specification Name         | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|------------------------|---------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                        | <b>Internal Battery - Main Unit</b>         | 11.1 V / 2200mAh Internal Rechargeable battery                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|                        | <b>Display</b>                              | 4 line x 20 character large backlit LCD with large font                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|                        | <b>Resistive Leakage Current Range</b>      | 1 $\mu$ A to 10 mA                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|                        | <b>Wireless Clamp on CT and Field Probe</b> | No                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|                        | <b>Internal Battery - Field Probe Unit</b>  | 11.1 V / 1150 mAh Rechargeable Battery                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|                        | <b>Internal Battery - CT Unit</b>           | 11.1 V / 1150 mAh Rechargeable Battery                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| Additional Information | <b>Accessories</b>                          | Specially designed low noise, Clamp-on CT, Field probe with coaxial cable to compensate for harmonics in system voltage, Current probe with cables and built in temperature sensor, Telescope rod of fiber glass for mounting the field probe at the base of the LA, Transport case for housing all the accessories and transportation, Earthing wire for the main instrument, THERMAL PAPER ROLL (10 no.), Field probe mounting bracket for installation, Test Lead Set, suitable for testing EHV class Surge Arresters, External instrument battery charger, SADATA PC Downloading & Analysis Software on CD, Data cable (USB and RJ 45) for connection of the kit to a PC, Large size low noise Clamp on CT, Field PT Accessories for measurement with Voltage Peak Method, Power Cable, Wired Clamp on CT and Field Probe (No Wireless), Calibration Probe |
| Warranty/Service       | <b>Warranty</b>                             | 1, 2, 3 Or higher <b>(year)</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address                                 | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---------------|---------------------------------------------------------|---------------------------------------------|------------------|------------------------------|
| 1             | Pallavkumar Maganbhai Solanki                           | 394680,GSECL UKAI TPS, UKAI DAM, DIST: TAPI | 1                | 90                           |

**क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions**

**1. Generic**

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original

delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be  $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$ , subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

## 2. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

Material must be supply as per Schedule-B and Technical specification mentioned in buyer added ATC, further Buyer (GSECL ) Added ATC shall be final in all Tender Terms & condition.

## 3. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file.](#)

## अस्वीकरण/Disclaimer

The Additional Terms and Conditions (ATC) have been incorporated by the Buyer after approval of their Competent Authority. The Buyer, is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any restriction arising in the bidding process due to these ATCs and including the modification of technical specifications and / or terms and conditions governing the bid. All representations / grievances pertaining to the ATC clauses shall be raised with the buyer organization directly and not with GeM. If any of the clause(s) is/are incorporated by the Buyer regarding the following, the bid & resultant contract shall be treated as null & void. Further, GeM reserves the right, at its sole discretion, to cancel the bid forthwith, without issuance of any prior notice or intimation :-

1. Publishing Custom / BOQ bids for items for which regular GeM categories are available (unless such Custom / BOQ item is bunched with the major regular product Category Item).
2. Mandating procurement of / from specific Brand / Make / Model / Manufacturer / Dealer except in case of Single Bid / Proprietary Article Certificate (PAC) Buying.
3. Inclusion of disqualification criteria related to suspension of seller / service provider, where such suspension period has already expired.
4. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
5. Publishing bids on GeM for procurement of works.
6. Procurement of Goods by creating a Service bid on GeM & vice-versa.
7. Seeking sample with bid or approval of samples during bid evaluation process. However, trial / sample, as the case may be, shall be permitted in cases where trial / sample are allowed as per approved and published procurement policy of the Buyers' controlling Ministry / Department / State / Public Sector Enterprises Headquarters. If there is any violation of trial / sample clause with regard to approved policy of the Buyers' Ministry / Department / State / Public Sector Enterprises Headquarters, then this is to be determined and redressed by the concerned Buyer Organisation only.
8. Seeking experience from specific organization / department / institute only or from foreign / export experience.
9. Creating bid for items from incorrect categories.
10. Reference of conditions published on any external site or reference to external documents/clauses.
11. Asking for any Tender fee / Bid Participation fee, as the case may be.
12. Buyer added ATC Clauses which are in contravention of clauses defined in bid detail section, including specifications, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by the applicable GeM GTC.
13. Any ATC clause in contravention with GeM GTC Clause 4 (xiii) (h) will be invalid. In case of multiple L1 bidders against a service bid, the buyer shall place the Contract by selection of a bidder amongst the L-1

bidders through a Random Algorithm executed by GeM system.

14. In a category based bid, adding additional items, through buyer added, additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogues or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

**All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.**

**For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.**

**The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:**

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

**All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.**

**This Bid is governed by the General Terms and Conditions, conditions stipulated in Bid and Service Level Agreement specific to the Service, as the case may be, as provided in the Marketplace.**

**However, in case of Service, if any condition specified in General Terms and Conditions is contradicted by the conditions stipulated in Service Level Agreement specific to said Service, then it will over-ride the conditions in the General Terms and Conditions.**

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

**---धन्यवाद/Thank You---**