

बिड दस्तावेज़ / Bid Document

बिड विवरण / Bid Details	
बिड बंद होने की तारीख/समय / Bid End Date/Time	22-07-2026 15:00:00
बिड खुलने की तारीख/समय / Bid Opening Date/Time	22-07-2026 15:30:00
बिड पेशकश वैधता (बंद होने की तारीख से) / Bid Offer Validity (From End Date)	180 (Days)
मंत्रालय/राज्य का नाम / Ministry/State Name	Gujarat
विभाग का नाम / Department Name	Energy And Petro Chemicals Department Gujarat
संगठन का नाम / Organisation Name	Gujarat State Electricity Corporation Limited (gsecl) Vadodara
कार्यालय का नाम / Office Name	Gsecl Corpotate Office
शिकायत निवारण के संपर्क विवरण / Contact details of Grievance redressal	HOD Email id : Buyer Email id: de1spl.pncutps@gebmail.com
कुल मात्रा / Total Quantity	3696

बिड विवरण/Bid Details

वस्तु श्रेणी /Item Category

CS Seamless Pipe ASTM A106 Gr B 1 Inch Sch 80 XS , CS
 Seamless Pipe ASTM A106 Gr B 1.5 Inch Sch 80 , CS
 Seamless Pipe ASTM A106 Gr B 2 Inch Sch 80 XS , CS
 Seamless Pipe ASTM A106 Gr B 2.5 Inch Sch 80 , CS
 Seamless Pipe ASTM A106 Gr B 3 Inch Sch 40 STD , CS
 Seamless Pipe ASTM A106 Gr B 4 Inch Sch 80 , CS Seamless
 Pipe ASTM A106 Gr B 6 Inch Sch 80 , CS Seamless Pipe
 ASTM A106 Gr B 8 Inch Sch 80 , MS Seamless Pipe ASTM
 A333 Gr 6 15 NB Sch 40 , MS Seamless Pipe 25 NB Sch 80 ,
 MS Seamless Pipe ASTM A333 Gr 6 40 NB Sch 40 , MS
 Seamless Pipe ASTM A333 Gr 6 50 NB Sch 40 , MS Seamless
 Pipe ASTM A333 Gr 6 65 NB Sch 40 , MS Seamless Pipe
 ASTM A333 Gr 6 80 NB Sch 40 , MS Seamless Pipe ASTM
 A333 Gr 6 150 NB Sch 40 , MS Seamless Pipe ASTM A333 Gr
 6 200 NB Sch 40 , MS Seamless Pipe ASTM A333 Gr 6 250
 NB Sch 40 , MS Pipe 12 Inch 300 NB , CS Flange 100 NB OD
 254 mm PCD 201 mm , CS Flange 150 NB OD 280 mm PCD
 244 mm , MS Flange ANSI B16.5 25 NB , MS Flange ANSI
 B16.5 40 NB , MS Flange ANSI B16.5 50 NB , MS Flange 65
 mm PCD 139.5 mm , MS Flange ANSI B16.5 100 NB , MS
 Flange ANSI ASME B16.5 Class 150 150 NB , MS Flange ANSI
 ASME B16.5 Class 150 250 NB , MS ERW Bend 90 Deg LR 40
 NB , MS ERW Bend 90 Deg LR 50 NB , MS ERW Bend 90 Deg
 LR 65 NB , MS ERW Bend 90 Deg LR 80 NB , MS ERW Bend
 90 Deg LR 100 NB , MS ERW Bend 90 Deg LR 150 NB , MS
 ERW Bend 90 Deg LR 200 NB , CS Equal Tee SA234 Gr WPB
 1 Inch Sch 40 , CS Equal Tee SA234 Gr WPB 2 Inch Sch 40 ,
 CS Equal Tee SA234 Gr WPB 3 Inch Sch 40 , CS Equal Tee
 SA234 Gr WPB 4 Inch Sch 40 , CS Equal Tee 6 Inch , CS
 Equal Tee 8 Inch , Forged CS Female Equal Tee SW 15 mm ,
 CS Reducer ASTM A106 Gr B 6 Inch x 3 Inch Sch 80 , CS
 Reducer ASTM A106 Gr B 8 Inch x 3.5 Inch Sch 80 , CS
 Seamless Bend 90 Deg ASTM A106 Gr B 15 NB , CS
 Seamless Bend 90 Deg ASTM A106 Gr B 25 NB , CS
 Seamless Bend 90 Deg ASTM A106 Gr B 50 NB , CS
 Seamless Bend 90 Deg ASTM A106 Gr B 65 NB , CS
 Seamless Bend 90 Deg ASTM A106 Gr B 80 NB , CS
 Seamless Bend 90 Deg ASTM A106 Gr B 100 NB , CS
 Seamless Bend 90 Deg ASTM A106 Gr B 150 NB , CS
 Seamless Bend 90 Deg ASTM A106 Gr B 200 NB , Forged CS
 Female Equal Elbow SW 15 mm , CS Seamless LR Bend 90
 Deg SA106 Gr B 25 mm , Forged CS Female Equal Elbow SW
 25 mm , Forged CS Elbow 1.5 Inch , CS Seamless LR Bend
 90 Deg SA106 Gr B 50 mm , Forged CS Female Equal Elbow
 SW 50 mm , CS Seamless LR Bend ASTM A106 Gr B ASA
 B16.9 4 Inch , CS Seamless LR Bend ASTM A106 Gr B ASA
 B16.9 6 Inch , CS Seamless LR Bend ASTM A106 Gr B ASA
 B16.9 8 Inch , Alloy Steel Pipe SA335 Gr P22 T22 IBR
 Approved 34 x 18 mm , ASS LR Bend 90Deg SA335 P22 IBR
 APRVED OD 33 mm T 9.09 mm

बिड विवरण/Bid Details	
GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS	CS Seamless Pipe ASTM A106 Gr B 1 Inch Sch 80 XS, CS Seamless Pipe ASTM A106 Gr B 1.5 Inch Sch 80, CS Seamless Pipe ASTM A106 Gr B 2 Inch Sch 80 XS, CS Seamless Pipe ASTM A106 Gr B 2.5 Inch Sch 80, CS Seamless Pipe ASTM A106 Gr B 3 Inch Sch 40 STD, CS Seamless Pipe ASTM A106 Gr B 4 Inch Sch 80, CS Seamless Pipe ASTM A106 Gr B 6 Inch Sch 80, CS Seamless Pipe ASTM A106 Gr B 8 Inch Sch 80, MS Seamless Pipe ASTM A333 Gr 6 15 NB Sch 40, MS Seamless Pipe 25 NB Sch 80, MS Seamless Pipe ASTM A333 Gr 6 40 NB Sch 40, MS Seamless Pipe ASTM A333 Gr 6 50 NB Sch 40, MS Seamless Pipe ASTM A333 Gr 6 65 NB Sch 40, MS Seamless Pipe ASTM A333 Gr 6 80 NB Sch 40, MS Seamless Pipe ASTM A333 Gr 6 150 NB Sch 40, MS Seamless Pipe ASTM A333 Gr 6 200 NB Sch 40, MS Seamless Pipe ASTM A333 Gr 6 250 NB Sch 40, MS Pipe 12 Inch 300 NB, CS Flange 100 NB OD 254 mm PCD 201 mm, CS Flange 150 NB OD 280 mm PCD 244 mm, MS Flange ANSI B16.5 25 NB, MS Flange ANSI B16.5 40 NB, MS Flange ANSI B16.5 50 NB, MS Flange 65 mm PCD 139.5 mm, MS Flange ANSI B16.5 100 NB, MS Flange ANSI ASME B16.5 Class 150 150 NB, MS Flange ANSI ASME B16.5 Class 150 250 NB, MS ERW Bend 90 Deg LR 40 NB, MS ERW Bend 90 Deg LR 50 NB, MS ERW Bend 90 Deg LR 65 NB, MS ERW Bend 90 Deg LR 80 NB, MS ERW Bend 90 Deg LR 100 NB, MS ERW Bend 90 Deg LR 150 NB, MS ERW Bend 90 Deg LR 200 NB, CS Equal Tee SA234 Gr WPB 1 Inch Sch 40, CS Equal Tee SA234 Gr WPB 2 Inch Sch 40, CS Equal Tee SA234 Gr WPB 3 Inch Sch 40, CS Equal Tee SA234 Gr WPB 4 Inch Sch 40, CS Equal Tee 6 Inch, CS Equal Tee 8 Inch, Forged CS Female Equal Tee SW 15 mm, CS Reducer ASTM A106 Gr B 6 Inch x 3 Inch Sch 80, CS Reducer ASTM A106 Gr B 8 Inch x 3.5 Inch Sch 80, CS Seamless Bend 90 Deg ASTM A106 Gr B 15 NB, CS Seamless Bend 90 Deg ASTM A106 Gr B 25 NB, CS Seamless Bend 90 Deg ASTM A106 Gr B 50 NB, CS Seamless Bend 90 Deg ASTM A106 Gr B 65 NB, CS Seamless Bend 90 Deg ASTM A106 Gr B 80 NB, CS Seamless Bend 90 Deg ASTM A106 Gr B 100 NB, CS Seamless Bend 90 Deg ASTM A106 Gr B 150 NB, CS Seamless Bend 90 Deg ASTM A106 Gr B 200 NB, Forged CS Female Equal Elbow SW 15 mm, CS Seamless LR Bend 90 Deg SA106 Gr B 25 mm, Forged CS Female Equal Elbow SW 25 mm, Forged CS Elbow 1.5 Inch, CS Seamless LR Bend 90 Deg SA106 Gr B 50 mm, Forged CS Female Equal Elbow SW 50 mm, CS Seamless Bend 90 Deg ASTM A106 Gr B 80 NB, CS Seamless LR Bend ASTM A106 Gr B ASA B16.9 4 Inch, CS Seamless LR Bend ASTM A106 Gr B ASA B16.9 6 Inch, CS Seamless LR Bend ASTM A106 Gr B ASA B16.9 8 Inch, Alloy Steel Pipe SA335 Gr P22 T22 IBR Approved 34 x 18 mm, ASS LR Bend 90Deg SA335 P22 IBR APRVED OD 33 mm T 9.09 mm Searched String: CS Seamless Pipe ASTM A106 Gr B 1 Inch Sch 80 XS Category not available on GeM for the text string uploaded by the buyer Searched String: CS Seamless Pipe ASTM A106 Gr B 1.5 Inch Sch 80 Category not available on GeM for the text string uploaded by the buyer

विड विवरण / Bid Details	Searched String: CS Seamless Pipe ASTM A106 Gr B 2 Inch Sch 80 XS
	Category not available on GeM for the text string uploaded by the buyer Searched String: CS Seamless Pipe ASTM A106 Gr B 2.5 Inch Sch 80 Category not available on GeM for the text string uploaded by the buyer Searched String: CS Seamless Pipe ASTM A106 Gr B 3 Inch Sch 40 STD Category not available on GeM for the text string uploaded by the buyer Searched String: CS Seamless Pipe ASTM A106 Gr B 4 Inch Sch 80 Butt-Weld Pipe Fittings Searched String: CS Seamless Pipe ASTM A106 Gr B 6 Inch Sch 80 Butt-Weld Pipe Fittings Searched String: CS Seamless Pipe ASTM A106 Gr B 8 Inch Sch 80 Category not available on GeM for the text string uploaded by the buyer Searched String: MS Seamless Pipe ASTM A333 Gr 6 15 NB Sch 40 Category not available on GeM for the text string uploaded by the buyer Searched String: MS Seamless Pipe 25 NB Sch 80 CPVC Industrial Pipe Fittings, Schedule 80, Parallel Bar - Outdoor Gym Equipment, Wild - Life Cages, Commercial UPVC Fittings, Copper Nickel Pipe, Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), Polyethylene Pipes for Water Supply Searched String: MS Seamless Pipe ASTM A333 Gr 6 40 NB Sch 40 Polyethylene Pipes for Water Supply conforming to IS 4984, Unplsticized PVC Pipes for Water Supply conforming to IS 4985 Searched String: MS Seamless Pipe ASTM A333 Gr 6 50 NB Sch 40 Category not available on GeM for the text string uploaded by the buyer Searched String: MS Seamless Pipe ASTM A333 Gr 6 65 NB Sch 40 Category not available on GeM for the text string uploaded by the buyer Searched String: MS Seamless Pipe ASTM A333 Gr 6 80 NB Sch 40

विड विवरण/Bid Details	Category not available on GeM for the text string uploaded by the buyer
	Searched String: MS Seamless Pipe ASTM A333 Gr 6 150 NB Sch 40 Category not available on GeM for the text string uploaded by the buyer Searched String: MS Seamless Pipe ASTM A333 Gr 6 200 NB Sch 40 Category not available on GeM for the text string uploaded by the buyer Searched String: MS Seamless Pipe ASTM A333 Gr 6 250 NB Sch 40 Category not available on GeM for the text string uploaded by the buyer Searched String: MS Pipe 12 Inch 300 NB Connector Pipes for Washbasins/ Sinks/ Geyser, Rigid GI Pipe (BHEL), CPVC Industrial Pipe Fittings, Schedule 80 Searched String: CS Flange 100 NB OD 254 mm PCD 201 mm Category not available on GeM for the text string uploaded by the buyer Searched String: CS Flange 150 NB OD 280 mm PCD 244 mm Category not available on GeM for the text string uploaded by the buyer Searched String: MS Flange ANSI B16.5 25 NB Stainless Steel ANSI B16.5 Flange, Permeable Nonwoven Surgical Adhesive Tape Conforming to IS 16948, Wild - Life Cages, Elastic Surgical Adhesive Tapes (V2), Endotracheal Tube - Sterile (Single Use), Examination Cum Dressing Table with Drainage 0 Searched String: MS Flange ANSI B16.5 40 NB Stainless Steel ANSI B16.5 Flange, Wild - Life Cages Searched String: MS Flange ANSI B16.5 50 NB Stainless Steel ANSI B16.5 Flange, Wild - Life Cages Searched String: MS Flange 65 mm PCD 139.5 mm patient care mattresses, Wild - Life Cages, Endotracheal Tube - Sterile (Single Use), Bone Screw (V2), Pedicle Screw (V2), Disposable Tracheostomy Tube (V2), Grain Storage Bin (V2), Non Sparking Ring Slugging Spanners (V2) Searched String: MS Flange ANSI B16.5 100 NB Stainless Steel ANSI B16.5 Flange, Urine Collection Bag - Sterile (Single Use), Wild - Life Cages Searched String: MS Flange ANSI ASME B16.5 Class 150 150 NB

विड विवरण / Bid Details	Category not available on GeM for the text string uploaded by the buyer
GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS	Searched String: MS Flange ANSI ASME B16.5 Class 150 250 NB
	Category not available on GeM for the text string uploaded by the buyer
	Searched String: MS ERW Bend 90 Deg LR 40 NB
	Category not available on GeM for the text string uploaded by the buyer
	Searched String: MS ERW Bend 90 Deg LR 50 NB
	Category not available on GeM for the text string uploaded by the buyer
	Searched String: MS ERW Bend 90 Deg LR 65 NB
	Category not available on GeM for the text string uploaded by the buyer
	Searched String: MS ERW Bend 90 Deg LR 80 NB
	Category not available on GeM for the text string uploaded by the buyer
	Searched String: MS ERW Bend 90 Deg LR 100 NB
	Category not available on GeM for the text string uploaded by the buyer
	Searched String: MS ERW Bend 90 Deg LR 150 NB
	Category not available on GeM for the text string uploaded by the buyer
	Searched String: MS ERW Bend 90 Deg LR 200 NB
	Category not available on GeM for the text string uploaded by the buyer
	Searched String: CS Equal Tee SA234 Gr WPB 1 Inch Sch 40
	Category not available on GeM for the text string uploaded by the buyer
	Searched String: CS Equal Tee SA234 Gr WPB 2 Inch Sch 40
	Category not available on GeM for the text string uploaded by the buyer
	Searched String: CS Equal Tee SA234 Gr WPB 3 Inch Sch 40
	Category not available on GeM for the text string uploaded by the buyer
	Searched String: CS Equal Tee SA234 Gr WPB 4 Inch Sch 40
	Category not available on GeM for the text string uploaded by the buyer
	Searched String: CS Equal Tee SA234 Gr WPB 6 Inch
	Category not available on GeM for the text string uploaded by the buyer
	Searched String: CS Equal Tee 6 Inch

विड विवरण/Bid Details	Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), COLLET CHUCK, Elbows, Tees and Crosses, Equal confirming to IS 1239 (Part 2), CPVC Industrial Pipe Fittings, Schedule 80, Elbows, Tees and Crosses, Male, Equal confirming to IS 1239 (Part 2), Mayo Scissors, Elbow, Tees and Crosses, Side Outlet, Equal confirming to IS 1239 (Part 2), Wrought carbon Steel And Alloy Steel Pipe Fitting for Moderate And High Temperature Service, Twin Elbows and Sweep Tees, Male, Equal confirming to IS 1239 (Part 2), General Purpose Hand Gloves (V2)
	Searched String: CS Equal Tee 8 Inch Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), General Purpose Hand Gloves (V2), Elbows, Tees and Crosses, Equal confirming to IS 1239 (Part 2), Wrought carbon Steel And Alloy Steel Pipe Fitting for Moderate And High Temperature Service, Elbows, Tees and Crosses, Male, Equal confirming to IS 1239 (Part 2), Waist / Lumbar Traction Belt, Elbow, Tees and Crosses, Side Outlet, Equal confirming to IS 1239 (Part 2), Commercial PPR Pipes Fittings as per IS 15801, Twin Elbows and Sweep Tees, Male, Equal confirming to IS 1239 (Part 2), Sponge Holding Forcep Searched String: Forged CS Female Equal Tee SW 15 mm Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), Elbows, Tees and Crosses, Equal confirming to IS 1239 (Part 2), Commercial PPR Pipes Fittings as per IS 15801 Searched String: CS Reducer ASTM A106 Gr B 6 Inch x 3 Inch Sch 80 CPVC Industrial Pipe Fittings, Schedule 80 Searched String: CS Reducer ASTM A106 Gr B 8 Inch x 3.5 Inch Sch 80 Category not available on GeM for the text string uploaded by the buyer Searched String: CS Seamless Bend 90 Deg ASTM A106 Gr B 15 NB Category not available on GeM for the text string uploaded by the buyer Searched String: CS Seamless Bend 90 Deg ASTM A106 Gr B 25 NB Category not available on GeM for the text string uploaded by the buyer Searched String: CS Seamless Bend 90 Deg ASTM A106 Gr B 50 NB Category not available on GeM for the text string uploaded by the buyer Searched String: CS Seamless Bend 90 Deg ASTM A106 Gr B 65 NB Category not available on GeM for the text string uploaded by the buyer

विड विवरण/Bid Details	Searched String: CS Seamless Bend 90 Deg ASTM A106 Gr B 80 NB
	Category not available on GeM for the text string uploaded by the buyer Searched String: CS Seamless Bend 90 Deg ASTM A106 Gr B 100 NB Category not available on GeM for the text string uploaded by the buyer Searched String: CS Seamless Bend 90 Deg ASTM A106 Gr B 150 NB Category not available on GeM for the text string uploaded by the buyer Searched String: CS Seamless Bend 90 Deg ASTM A106 Gr B 200 NB Category not available on GeM for the text string uploaded by the buyer Searched String: Forged CS Female Equal Elbow SW 15 mm Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), Elbow, Equal, 135 Degrees conforming to IS 1239 (Part 2), Commercial PPR Pipes Fittings as per IS 15801, Elbows, Tees and Crosses, Equal conforming to IS 1239 (Part 2) Searched String: CS Seamless LR Bend 90 Deg SA106 Gr B 25 mm Category not available on GeM for the text string uploaded by the buyer Searched String: Forged CS Female Equal Elbow SW 25 mm Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), Commercial PPR Pipes Fittings as per IS 15801, Elbows, Tees and Crosses, Equal conforming to IS 1239 (Part 2), Elbow, Equal, 135 Degrees conforming to IS 1239 (Part 2) Searched String: Forged CS Elbow 1.5 Inch Wrought carbon Steel And Alloy Steel Pipe Fitting for Moderate And High Temperature Service, Blind flange, Elbow Pipe Fitting, CPVC Industrial Pipe Fittings, Schedule 80, Triple Purpose Nozzle as per IS 2871, Malleable Cast Iron Pipe Fittings (V2) as per IS 1879, PVC gitti, Stainless Steel ANSI B16.5 Flange, Digital Temperature Indicator Searched String: CS Seamless LR Bend 90 Deg SA106 Gr B 50 mm Category not available on GeM for the text string uploaded by the buyer Searched String: Forged CS Female Equal Elbow SW 50 mm Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), Elbows, Tees and Crosses,

बिड विवरण / Bid Details	Equal conforming to IS 1239 (Part 2), Elbow, Equal, 135 Degrees conforming to IS 1239 (Part 2)
	Searched String: CS Seamless Bend 90 Deg ASTM A106 Gr B 80 NB Category not available on GeM for the text string uploaded by the buyer Searched String: CS Seamless LR Bend ASTM A106 Gr B ASA B16.9 4 Inch Category not available on GeM for the text string uploaded by the buyer Searched String: CS Seamless LR Bend ASTM A106 Gr B ASA B16.9 6 Inch Category not available on GeM for the text string uploaded by the buyer Searched String: CS Seamless LR Bend ASTM A106 Gr B ASA B16.9 8 Inch Category not available on GeM for the text string uploaded by the buyer Searched String: Alloy Steel Pipe SA335 Gr P22 T22 IBR Approved 34 x 18 mm Seamless Ferritic Alloy - Steel Pipe for High - Temperature Service Searched String: ASS LR Bend 90Deg SA335 P22 IBR APRVED OD 33 mm T 9.09 mm Category not available on GeM for the text string uploaded by the buyer
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	• Steel Pipes for Water and Sewage as per IS 3589 • Carbon Steel Coated Line Pipes • Alloy Steel Round Bars (BHEL)
बीओक्यू शीर्षक / BOQ Title	ET 6325 Carbon steel Mild Steel Alloy Steel pipes and its Fittings
एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / MSE Relaxation for Years of Experience and Turnover	No
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / Startup Relaxation for Years of Experience and Turnover	No
विक्रेता से मांगे गए दस्तावेज़ / Document required from seller	Additional Doc 1 (Requested in ATC), Additional Doc 2 (Requested in ATC), Additional Doc 3 (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है / Do you want to show documents uploaded by bidders to all bidders participated in bid?	No

बिड विवरण/Bid Details	
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	3
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	7
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	1
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	Yes
रिवर्स नीलामी योग्यता नियम/RA Qualification Rule	H1-Highest Priced Bid Elimination
बिड का प्रकार/Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	CS Seamless Pipe ASTM A106 Gr B 1 Inch Sch 80 XS
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	3 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
अनुमानित बिड मूल्य / Estimated Bid Value	4432091.42
मूल्यांकन पद्धति/Evaluation Method	Item wise evaluation
वित्तीय दस्तावेज की आवश्यकता है / Financial Document Required	Yes
मध्यस्थता खंड/Arbitration Clause	Yes (Arbitration clause document) as per DoE OM No.F.1/2/2024-PPD dated 03.06.2024 Arbitration should not be routinely included in contracts
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

आवश्यकता/Required	No
-------------------	----

ईपीबीजी विवरण /ePBG Detail

एडवाइजरी बैंक/Advisory Bank	Bank Of Baroda
ईपीबीजी प्रतिशत (%) /ePBG Percentage(%)	5.00
ईपीबीजी की आवश्यक अवधि (माह) /Duration of ePBG required (Months).	5

(a) ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

लाभार्थी /Beneficiary :

CHIEF ENGINEER

Gsecl Ukai Thermal Power Station, Ukai Dam, Taluka: Ukai, Dist.- Tapi, Gujarat – 394680

(Gsecl)

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	No
---	----

एमआईआई खरीद वरीयता/MII Purchase Preference

एमआईआई खरीद वरीयता/MII Purchase Preference	No
--	----

1. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

2. Reverse Auction would be conducted amongst all the technically qualified bidders except the Highest quoting bidder. The technically qualified Highest Quoting bidder will not be allowed to participate in RA. However, H-1 will also be allowed to participate in RA in following cases:

- If number of technically qualified bidders are only 2 or 3.
- If Buyer has chosen to split the bid amongst N sellers, and H1 bid is coming within N.
- In case Primary product of only one OEM is left in contention for participation in RA on elimination of H-1.
- If L-1 is non-MSE and H-1 is eligible MSE and H-1 price is coming within price band of 15% of Non-MSE L-1
- If L-1 is non-MII and H-1 is eligible MII and H-1 price is coming within price band of 20% of Non-MII L-1

एक्सेल में अपलोड किए जाने की आवश्यकता /Excel Upload Required :

ET-6325 Price Break up - [1780740582.xlsx](#)

मूल्यांकन विधि(मदवार मूल्यांकन विधि) / Evaluation Method (Item Wise Evaluation Method)

Contract will be awarded schedule wise and the determination of L1 will be done separately for each schedule. The details of item-consignee combination covered under each schedule are as under:

मूल्यांकन अनुसूचियां / Evaluation Schedules	अनुमानित मूल्य / Estimated Value	वस्तु/श्रेणी / Item/Category	मात्रा / Quantity
Schedule 1	51000	Cs Seamless Pipe Astm A106 Gr B 1 Inch Sch 80 Xs	150
Schedule 2	41850	Cs Seamless Pipe Astm A106 Gr B 1.5 Inch Sch 80	90

Schedule 3	218160	Cs Seamless Pipe Astm A106 Gr B 2 Inch Sch 80 Xs	360
Schedule 4	443520	Cs Seamless Pipe Astm A106 Gr B 2.5 Inch Sch 80	480
Schedule 5	140560.5	Cs Seamless Pipe Astm A106 Gr B 3 Inch Sch 40 Std	150
Schedule 6	379680	Cs Seamless Pipe Astm A106 Gr B 4 Inch Sch 80	210
Schedule 7	732883.2	Cs Seamless Pipe Astm A106 Gr B 6 Inch Sch 80	210
Schedule 8	636000	Cs Seamless Pipe Astm A106 Gr B 8 Inch Sch 80	120
Schedule 9	13560	Ms Seamless Pipe Astm A333 Gr 6 15 Nb Sch 40	60
Schedule 10	30060	Ms Seamless Pipe 25 Nb Sch 80	90
Schedule 11	23100	Ms Seamless Pipe Astm A333 Gr 6 40 Nb Sch 40	60
Schedule 12	42120	Ms Seamless Pipe Astm A333 Gr 6 50 Nb Sch 40	90
Schedule 13	44520	Ms Seamless Pipe Astm A333 Gr 6 65 Nb Sch 40	60
Schedule 14	34956	Ms Seamless Pipe Astm A333 Gr 6 80 Nb Sch 40	36
Schedule 15	218700	Ms Seamless Pipe Astm A333 Gr 6 150 Nb Sch 40	90
Schedule 16	131760	Ms Seamless Pipe Astm A333 Gr 6 200 Nb Sch 40	36
Schedule 17	311160	Ms Seamless Pipe Astm A333 Gr 6 250 Nb Sch 40	60
Schedule 18	168171.12	Ms Pipe 12 Inch 300 Nb	36
Schedule 19	22080	Cs Flange 100 Nb Od 254 Mm Pcd 201 Mm	40
Schedule 20	36000	Cs Flange 150 Nb Od 280 Mm Pcd 244 Mm	50
Schedule 21	3756.94	Ms Flange Ansi B16.5 25 Nb	30
Schedule 22	4747.62	Ms Flange Ansi B16.5 40 Nb	30
Schedule 23	3750	Ms Flange Ansi B16.5 50 Nb	30
Schedule 24	8700	Ms Flange 65 Mm Pcd 139.5 Mm	30
Schedule 25	11520	Ms Flange Ansi B16.5 100 Nb	40
Schedule 26	26400	Ms Flange Ansi Asme B16.5 Class 150 150 Nb	40
Schedule 27	12348	Ms Flange Ansi Asme B16.5 Class 150 250 Nb	12
Schedule 28	1200	Ms Erw Bend 90 Deg Lr 40 Nb	24
Schedule 29	1440	Ms Erw Bend 90 Deg Lr 50 Nb	24

Schedule 30	2760	Ms Erw Bend 90 Deg Lr 65 Nb	24
Schedule 31	4650	Ms Erw Bend 90 Deg Lr 80 Nb	30
Schedule 32	9360	Ms Erw Bend 90 Deg Lr 100 Nb	36
Schedule 33	19800	Ms Erw Bend 90 Deg Lr 150 Nb	36
Schedule 34	45120	Ms Erw Bend 90 Deg Lr 200 Nb	24
Schedule 35	6150	Cs Equal Tee Sa234 Gr Wpb 1 Inch Sch 40	30
Schedule 36	9450	Cs Equal Tee Sa234 Gr Wpb 2 Inch Sch 40	30
Schedule 37	11152.37	Cs Equal Tee Sa234 Gr Wpb 3 Inch Sch 40	30
Schedule 38	22940.85	Cs Equal Tee Sa234 Gr Wpb 4 Inch Sch 40	36
Schedule 39	44180.85	Cs Equal Tee 6 Inch	36
Schedule 40	74340	Cs Equal Tee 8 Inch	30
Schedule 41	1881.6	Forged Cs Female Equal Tee Sw 15 Mm	30
Schedule 42	7320	Cs Reducer Astm A106 Gr B 6 Inch X 3 Inch Sch 80	12
Schedule 43	7350	Cs Reducer Astm A106 Gr B 8 Inch X 3.5 Inch Sch 80	6
Schedule 44	672	Cs Seamless Bend 90 Deg Astm A106 Gr B 15 Nb	24
Schedule 45	2520	Cs Seamless Bend 90 Deg Astm A106 Gr B 25 Nb	24
Schedule 46	3840	Cs Seamless Bend 90 Deg Astm A106 Gr B 50 Nb	24
Schedule 47	7344	Cs Seamless Bend 90 Deg Astm A106 Gr B 65 Nb	36
Schedule 48	11340	Cs Seamless Bend 90 Deg Astm A106 Gr B 80 Nb	36
Schedule 49	11152.37	Cs Seamless Bend 90 Deg Astm A106 Gr B 100 Nb	30
Schedule 50	28500	Cs Seamless Bend 90 Deg Astm A106 Gr B 150 Nb	30
Schedule 51	55500	Cs Seamless Bend 90 Deg Astm A106 Gr B 200 Nb	30
Schedule 52	1680	Forged Cs Female Equal Elbow Sw 15 Mm	24
Schedule 53	1776	Cs Seamless Lr Bend 90 Deg Sa106 Gr B 25 Mm	24
Schedule 54	2448	Forged Cs Female Equal Elbow Sw 25 Mm	24
Schedule 55	3792	Forged Cs Elbow 1.5 Inch	24
Schedule 56	5310	Cs Seamless Lr Bend 90 Deg Sa106 Gr B 50 Mm	30
Schedule 57	14760	Forged Cs Female Equal Elbow Sw 50 Mm	30

Schedule 58	9450	Cs Seamless Bend 90 Deg Astm A106 Gr B 80 Nb	30
Schedule 59	24660	Cs Seamless Lr Bend Astm A106 Gr B Asa B16.9 4 Inch	36
Schedule 60	36108	Cs Seamless Lr Bend Astm A106 Gr B Asa B16.9 6 Inch	36
Schedule 61	44800	Cs Seamless Lr Bend Astm A106 Gr B Asa B16.9 8 Inch	20
Schedule 62	92340	Alloy Steel Pipe Sa335 Gr P22 T22 lbr Approved 34 X 18 Mm	36
Schedule 63	13940	Ass Lr Bend 90deg Sa335 P22 lbr Aprved Od 33 Mm T 9.09 Mm	20

CS Seamless Pipe ASTM A106 Gr B 1 Inch Sch 80 XS

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pallavkumar Maganbhai Solanki	394680,GSECL UKAI TPS, UKAI DAM, DIST: TAPI	150	90

CS Seamless Pipe ASTM A106 Gr B 1.5 Inch Sch 80

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषीती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषीती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pallavkumar Maganbhai Solanki	394680,GSECL UKAI TPS, UKAI DAM, DIST: TAPI	90	90

CS Seamless Pipe ASTM A106 Gr B 2 Inch Sch 80 XS

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषीती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषीती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pallavkumar Maganbhai Solanki	394680,GSECL UKAI TPS, UKAI DAM, DIST: TAPI	360	90

CS Seamless Pipe ASTM A106 Gr B 2.5 Inch Sch 80

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषीती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pallavkumar Maganbhai Solanki	394680,GSECL UKAI TPS, UKAI DAM, DIST: TAPI	480	90

CS Seamless Pipe ASTM A106 Gr B 3 Inch Sch 40 STD

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pallavkumar Maganbhai Solanki	394680,GSECL UKAI TPS, UKAI DAM, DIST: TAPI	150	90

CS Seamless Pipe ASTM A106 Gr B 4 Inch Sch 80

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pallavkumar Maganbhai Solanki	394680,GSECL UKAI TPS, UKAI DAM, DIST: TAPI	210	90

CS Seamless Pipe ASTM A106 Gr B 6 Inch Sch 80

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pallavkumar Maganbhai Solanki	394680,GSECL UKAI TPS, UKAI DAM, DIST: TAPI	210	90

CS Seamless Pipe ASTM A106 Gr B 8 Inch Sch 80

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pallavkumar Maganbhai Solanki	394680,GSECL UKAI TPS, UKAI DAM, DIST: TAPI	120	90

MS Seamless Pipe ASTM A333 Gr 6 15 NB Sch 40

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pallavkumar Maganbhai Solanki	394680,GSECL UKAI TPS, UKAI DAM, DIST: TAPI	60	90

MS Seamless Pipe 25 NB Sch 80

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pallavkumar Maganbhai Solanki	394680,GSECL UKAI TPS, UKAI DAM, DIST: TAPI	90	90

MS Seamless Pipe ASTM A333 Gr 6 40 NB Sch 40

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pallavkumar Maganbhai Solanki	394680,GSECL UKAI TPS, UKAI DAM, DIST: TAPI	60	90

MS Seamless Pipe ASTM A333 Gr 6 50 NB Sch 40

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pallavkumar Maganbhai Solanki	394680,GSECL UKAI TPS, UKAI DAM, DIST: TAPI	90	90

MS Seamless Pipe ASTM A333 Gr 6 65 NB Sch 40

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pallavkumar Maganbhai Solanki	394680,GSECL UKAI TPS, UKAI DAM, DIST: TAPI	60	90

MS Seamless Pipe ASTM A333 Gr 6 80 NB Sch 40

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pallavkumar Maganbhai Solanki	394680,GSECL UKAI TPS, UKAI DAM, DIST: TAPI	36	90

MS Seamless Pipe ASTM A333 Gr 6 150 NB Sch 40

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pallavkumar Maganbhai Solanki	394680,GSECL UKAI TPS, UKAI DAM, DIST: TAPI	90	90

MS Seamless Pipe ASTM A333 Gr 6 200 NB Sch 40

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pallavkumar Maganbhai Solanki	394680,GSECL UKAI TPS, UKAI DAM, DIST: TAPI	36	90

MS Seamless Pipe ASTM A333 Gr 6 250 NB Sch 40

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pallavkumar Maganbhai Solanki	394680,GSECL UKAI TPS, UKAI DAM, DIST: TAPI	60	90

MS Pipe 12 Inch 300 NB

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pallavkumar Maganbhai Solanki	394680,GSECL UKAI TPS, UKAI DAM, DIST: TAPI	36	90

CS Flange 100 NB OD 254 Mm PCD 201 Mm

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pallavkumar Maganbhai Solanki	394680,GSECL UKAI TPS, UKAI DAM, DIST: TAPI	40	90

CS Flange 150 NB OD 280 Mm PCD 244 Mm

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pallavkumar Maganbhai Solanki	394680,GSECL UKAI TPS, UKAI DAM, DIST: TAPI	50	90

MS Flange ANSI B16.5 25 NB

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pallavkumar Maganbhai Solanki	394680,GSECL UKAI TPS, UKAI DAM, DIST: TAPI	30	90

MS Flange ANSI B16.5 40 NB

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pallavkumar Maganbhai Solanki	394680,GSECL UKAI TPS, UKAI DAM, DIST: TAPI	30	90

MS Flange ANSI B16.5 50 NB

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pallavkumar Maganbhai Solanki	394680,GSECL UKAI TPS, UKAI DAM, DIST: TAPI	30	90

MS Flange 65 Mm PCD 139.5 Mm

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pallavkumar Maganbhai Solanki	394680,GSECL UKAI TPS, UKAI DAM, DIST: TAPI	30	90

MS Flange ANSI B16.5 100 NB

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pallavkumar Maganbhai Solanki	394680,GSECL UKAI TPS, UKAI DAM, DIST: TAPI	40	90

MS Flange ANSI ASME B16.5 Class 150 150 NB

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pallavkumar Maganbhai Solanki	394680,GSECL UKAI TPS, UKAI DAM, DIST: TAPI	40	90

MS Flange ANSI ASME B16.5 Class 150 250 NB

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pallavkumar Maganbhai Solanki	394680,GSECL UKAI TPS, UKAI DAM, DIST: TAPI	12	90

MS ERW Bend 90 Deg LR 40 NB

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pallavkumar Maganbhai Solanki	394680,GSECL UKAI TPS, UKAI DAM, DIST: TAPI	24	90

MS ERW Bend 90 Deg LR 50 NB

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pallavkumar Maganbhai Solanki	394680,GSECL UKAI TPS, UKAI DAM, DIST: TAPI	24	90

MS ERW Bend 90 Deg LR 65 NB

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pallavkumar Maganbhai Solanki	394680,GSECL UKAI TPS, UKAI DAM, DIST: TAPI	24	90

MS ERW Bend 90 Deg LR 80 NB

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pallavkumar Maganbhai Solanki	394680,GSECL UKAI TPS, UKAI DAM, DIST: TAPI	30	90

MS ERW Bend 90 Deg LR 100 NB

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pallavkumar Maganbhai Solanki	394680,GSECL UKAI TPS, UKAI DAM, DIST: TAPI	36	90

MS ERW Bend 90 Deg LR 150 NB

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pallavkumar Maganbhai Solanki	394680,GSECL UKAI TPS, UKAI DAM, DIST: TAPI	36	90

MS ERW Bend 90 Deg LR 200 NB

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pallavkumar Maganbhai Solanki	394680,GSECL UKAI TPS, UKAI DAM, DIST: TAPI	24	90

CS Equal Tee SA234 Gr WPB 1 Inch Sch 40

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pallavkumar Maganbhai Solanki	394680,GSECL UKAI TPS, UKAI DAM, DIST: TAPI	30	90

CS Equal Tee SA234 Gr WPB 2 Inch Sch 40

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pallavkumar Maganbhai Solanki	394680,GSECL UKAI TPS, UKAI DAM, DIST: TAPI	30	90

CS Equal Tee SA234 Gr WPB 3 Inch Sch 40

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pallavkumar Maganbhai Solanki	394680,GSECL UKAI TPS, UKAI DAM, DIST: TAPI	30	90

CS Equal Tee SA234 Gr WPB 4 Inch Sch 40

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pallavkumar Maganbhai Solanki	394680,GSECL UKAI TPS, UKAI DAM, DIST: TAPI	36	90

CS Equal Tee 6 Inch

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pallavkumar Maganbhai Solanki	394680,GSECL UKAI TPS, UKAI DAM, DIST: TAPI	36	90

CS Equal Tee 8 Inch

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pallavkumar Maganbhai Solanki	394680,GSECL UKAI TPS, UKAI DAM, DIST: TAPI	30	90

Forged CS Female Equal Tee SW 15 Mm

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pallavkumar Maganbhai Solanki	394680,GSECL UKAI TPS, UKAI DAM, DIST: TAPI	30	90

CS Reducer ASTM A106 Gr B 6 Inch X 3 Inch Sch 80

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pallavkumar Maganbhai Solanki	394680,GSECL UKAI TPS, UKAI DAM, DIST: TAPI	12	90

CS Reducer ASTM A106 Gr B 8 Inch X 3.5 Inch Sch 80

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pallavkumar Maganbhai Solanki	394680,GSECL UKAI TPS, UKAI DAM, DIST: TAPI	6	90

CS Seamless Bend 90 Deg ASTM A106 Gr B 15 NB

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pallavkumar Maganbhai Solanki	394680,GSECL UKAI TPS, UKAI DAM, DIST: TAPI	24	90

CS Seamless Bend 90 Deg ASTM A106 Gr B 25 NB

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pallavkumar Maganbhai Solanki	394680,GSECL UKAI TPS, UKAI DAM, DIST: TAPI	24	90

CS Seamless Bend 90 Deg ASTM A106 Gr B 50 NB

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pallavkumar Maganbhai Solanki	394680,GSECL UKAI TPS, UKAI DAM, DIST: TAPI	24	90

CS Seamless Bend 90 Deg ASTM A106 Gr B 65 NB

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pallavkumar Maganbhai Solanki	394680,GSECL UKAI TPS, UKAI DAM, DIST: TAPI	36	90

CS Seamless Bend 90 Deg ASTM A106 Gr B 80 NB

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pallavkumar Maganbhai Solanki	394680,GSECL UKAI TPS, UKAI DAM, DIST: TAPI	36	90

CS Seamless Bend 90 Deg ASTM A106 Gr B 100 NB

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pallavkumar Maganbhai Solanki	394680,GSECL UKAI TPS, UKAI DAM, DIST: TAPI	30	90

CS Seamless Bend 90 Deg ASTM A106 Gr B 150 NB

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pallavkumar Maganbhai Solanki	394680,GSECL UKAI TPS, UKAI DAM, DIST: TAPI	30	90

CS Seamless Bend 90 Deg ASTM A106 Gr B 200 NB

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pallavkumar Maganbhai Solanki	394680,GSECL UKAI TPS, UKAI DAM, DIST: TAPI	30	90

Forged CS Female Equal Elbow SW 15 Mm

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pallavkumar Maganbhai Solanki	394680,GSECL UKAI TPS, UKAI DAM, DIST: TAPI	24	90

CS Seamless LR Bend 90 Deg SA106 Gr B 25 Mm

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pallavkumar Maganbhai Solanki	394680,GSECL UKAI TPS, UKAI DAM, DIST: TAPI	24	90

Forged CS Female Equal Elbow SW 25 Mm

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pallavkumar Maganbhai Solanki	394680,GSECL UKAI TPS, UKAI DAM, DIST: TAPI	24	90

Forged CS Elbow 1.5 Inch

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pallavkumar Maganbhai Solanki	394680,GSECL UKAI TPS, UKAI DAM, DIST: TAPI	24	90

CS Seamless LR Bend 90 Deg SA106 Gr B 50 Mm

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pallavkumar Maganbhai Solanki	394680,GSECL UKAI TPS, UKAI DAM, DIST: TAPI	30	90

Forged CS Female Equal Elbow SW 50 Mm

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pallavkumar Maganbhai Solanki	394680,GSECL UKAI TPS, UKAI DAM, DIST: TAPI	30	90

CS Seamless Bend 90 Deg ASTM A106 Gr B 80 NB

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pallavkumar Maganbhai Solanki	394680,GSECL UKAI TPS, UKAI DAM, DIST: TAPI	30	90

CS Seamless LR Bend ASTM A106 Gr B ASA B16.9 4 Inch

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pallavkumar Maganbhai Solanki	394680,GSECL UKAI TPS, UKAI DAM, DIST: TAPI	36	90

CS Seamless LR Bend ASTM A106 Gr B ASA B16.9 6 Inch

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pallavkumar Maganbhai Solanki	394680,GSECL UKAI TPS, UKAI DAM, DIST: TAPI	36	90

CS Seamless LR Bend ASTM A106 Gr B ASA B16.9 8 Inch

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pallavkumar Maganbhai Solanki	394680,GSECL UKAI TPS, UKAI DAM, DIST: TAPI	20	90

Alloy Steel Pipe SA335 Gr P22 T22 IBR Approved 34 X 18 Mm

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pallavkumar Maganbhai Solanki	394680,GSECL UKAI TPS, UKAI DAM, DIST: TAPI	36	90

ASS LR Bend 90Deg SA335 P22 IBR APRVED OD 33 Mm T 9.09 Mm

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pallavkumar Maganbhai Solanki	394680,GSECL UKAI TPS, UKAI DAM, DIST: TAPI	20	90

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file.](#)

3. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

Material must be supply as per Schedule-B and Technical specification mentioned in buyer added ATC, further Buyer (GSECL) Added ATC shall be final in all Tender Terms & condition.

अस्वीकरण/Disclaimer

The Additional Terms and Conditions (ATC) have been incorporated by the Buyer after approval of their Competent Authority. The Buyer, is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any restriction arising in the bidding process due to these ATCs and including the modification of technical specifications and / or terms and conditions governing the bid. All representations / grievances pertaining to the ATC clauses shall be raised with the buyer organization directly and not with GeM. If any of the clause(s) is/are incorporated by the Buyer regarding the following, the bid & resultant contract shall be treated as null & void. Further, GeM reserves the right, at its sole discretion, to cancel the bid forthwith, without issuance of any prior notice or intimation :-

1. Publishing Custom / BOQ bids for items for which regular GeM categories are available (unless such Custom / BOQ item is bunched with the major regular product Category Item).
2. Mandating procurement of / from specific Brand / Make / Model / Manufacturer / Dealer except in case of Single Bid / Proprietary Article Certificate (PAC) Buying.
3. Inclusion of disqualification criteria related to suspension of seller / service provider, where such suspension period has already expired.
4. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
5. Publishing bids on GeM for procurement of works.
6. Procurement of Goods by creating a Service bid on GeM & vice-versa.
7. Seeking sample with bid or approval of samples during bid evaluation process. However, trial / sample, as the case may be, shall be permitted in cases where trial / sample are allowed as per approved and published procurement policy of the Buyers' controlling Ministry / Department / State / Public Sector Enterprises Headquarters. If there is any violation of trial / sample clause with regard to approved policy of the Buyers' Ministry / Department / State / Public Sector Enterprises Headquarters, then this is to be determined and redressed by the concerned Buyer Organisation only.
8. Seeking experience from specific organization / department / institute only or from foreign / export experience.
9. Creating bid for items from incorrect categories.
10. Reference of conditions published on any external site or reference to external documents/clauses.
11. Asking for any Tender fee / Bid Participation fee, as the case may be.
12. Buyer added ATC Clauses which are in contravention of clauses defined in bid detail section, including specifications, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by the applicable GeM GTC.
13. Any ATC clause in contravention with GeM GTC Clause 4 (xiii) (h) will be invalid. In case of multiple L1 bidders against a service bid, the buyer shall place the Contract by selection of a bidder amongst the L-1 bidders through a Random Algorithm executed by GeM system.
14. In a category based bid, adding additional items, through buyer added, additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogues or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into

force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

This Bid is governed by the General Terms and Conditions, conditions stipulated in Bid and Service Level Agreement specific to the Service, as the case may be, as provided in the Marketplace.

However, in case of Service, if any condition specified in General Terms and Conditions is contradicted by the conditions stipulated in Service Level Agreement specific to said Service, then it will over-ride the conditions in the General Terms and Conditions.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---