

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	10-07-2026 17:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	10-07-2026 17:30:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	180 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Ministry Of Labour And Employment
विभाग का नाम/Department Name	Na
संगठन का नाम/Organisation Name	Employees State Insurance Corporation (esic)
कार्यालय का नाम/Office Name	Esic Hospital Ankleshwar
शिकायत निवारण के संपर्क विवरण/ Contact details of Grievance redressal	HOD Email id : Buyer Email id: dr.sreeshma.k@esic.gov.in
कुल मात्रा/Total Quantity	432
वस्तु श्रेणी /Item Category	T3 Kit 100T , T4 kit 100T , TSH kit 100T , Vit B12 kit 100T , Vit D kit 100T , Anti CCP kit 50 T , Prolactin kit 100T , PSA kit 100T , Wash buffer-Maglumi Bottles1x714 ml , Reaction module Box 6x64 , Starter 1 and 2 snibe Maglumi-Box , Erba CPKMB Kit 2x44-2x11ml , Erba Norm control 1x5ml , Erba Path control 1x5 ml , Erba Auto wash 10x100ml , Autowash AC-AL 5x44-5X44ml , Erba XL Multical 4x3 ml-5x22ml , Erba HbA1c Kit 2x15-2x5-5x0.5ml , Erba Creatinine kit 5x30-5x10 ml , Erba HDL Kit 4x30-4x10ml , Erba RF Kit 1x22-1x5.5ml , Erba Lipase Kit 1x44-1x11ml , Erba UIBC kit 4x25-4x6.5 , D S Diluent , L D Lyse , L N Lyse , LH Lyse , M-6 F D Dye Piece , M-6 F N Dye Piece , Prob Cleanser 50 ml , Diluent 3 parts M-30D , Lyse 3 parts M-30CFL , Probe Cleanser 3 parts 10 ml
GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS	Erba CPKMB Kit (2x44/2x11ml), Erba Norm control (1x5ml), Erba Path control (1x5) ml, Erba Auto wash (10x100ml), Erba XL Multical (4x3 ml)5x22ml), T3 Kit (100T), T4 kit (100T), TSH kit (100T), Vit B12 kit (100T), Vit D kit (100T), Anti CCP kit (50 T), Prolactin kit (100T), PSA kit (100T), Wash buffer-Maglumi (Bottles), Reaction module (Box), Starter 1+2 snibe (Maglumi) (Box), D S Diluent, L D Lyse, L N Lyse, LH Lyse, M-6 F D Dye (Piece), M-6 F N Dye (Piece), Prob Cleanser (50 ml), Diluent 3 parts(M-30D), Lyse 3 parts(M-30CFL), Probe Cleanser 3 parts(10 ml), Haematology control 5 parts (BC-6D control 6x4.5 ml) (Box), Erba Autowash AC/AL (5x44/5X44ml)
	Searched String: Erba CPKMB Kit (2x44/2x11ml) Cleaning Duster (V3), HIV ELISA Test Kits, Coagulation

बिड विवरण/Bid Details	Analyzer Reagents for Human Samples, Laminar air flow cabinets or stations, Dry Erase Writing Boards (V3), File/Folder (V3), Sofa (V3), XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Pin Up Notice Board (V2), Desk and Bench Set for Classroom/Training Area
	Searched String: Erba Norm control (1x5ml) Diesel Power Generator (up to 900 KVA), Controls for Diagnostic Analyzers, Temperature Controller, M.S Stopper for Traffic Control (Portable Barrier), Control Cable, Astronomical Timer for Street Light Control (Timer Controls) as per IS 9000, Submersible Pump Starters (Motor starter controls), Mass Flow Controllers, Network Attached Storage (V2), 5 Part Automated Hematology Analyser (V2) Searched String: Erba Path control (1x5) ml Shaker Incubator, Diesel Power Generator (up to 900 KVA), UV - Visible Spectrophotometer (FSSAI), Medical Centrifuge, Controls for Diagnostic Analyzers, Sterile Hypodermic Syringe (V3), Household Insecticides (V2), Urine Collection Bag - Sterile (Single Use), Blood Collection Tube, Tissue Homogenizer Searched String: Erba Auto wash (10x100ml) Fruit and Vegetable Washing Machine (V2), Alcohol Based Hand Sanitizer, ELISA Reader and Washer - Semi Automated, LCR Meter, Vehicle Lift, Plastic Wash Bottle, Antimicrobial Hand Wash (V2), Urine Test Strip (V2), Auditorium Chair (V2), Face Wash Searched String: Erba XL Multical (4x3 ml)5x22ml) Shaker Incubator, Whistle (V2), Blood Collection Tube, Medical Centrifuge, Sterile Hypodermic Syringe (V3), Winter Jacket (V2), Minifuge, Digital Medical X - Ray Films (V2), Lunch Box (V2), Laboratory Vials (V2) Searched String: T3 Kit (100T) Facial Kit, High End Desktop Computer, Waxing Kit, ELISA Test Kits (V2), Ration Kit, Entry and Mid Level Desktop Computer, Sewing Kit, SDR Kit, Interactive Panels with CPU, OVE Kit Searched String: T4 kit (100T) Facial Kit, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Waxing Kit, ELISA Test Kits (V2), Ration Kit, water baths, Sewing Kit, SDR Kit, Reverse Osmosis based Water Treatment System above 50 LPH Capacity (V2), OVE Kit Searched String: TSH kit (100T) Facial Kit, Reverse Osmosis based Water Treatment System above 50 LPH Capacity (V2), Waxing Kit, Ration Kit, Biochemistry Reagent Kit for Human Samples, Sewing Kit, Consumables for Point of Care Test (POCT) Equipment, SDR Kit, Single Use Sterile Rubber Surgical Gloves Conforming to IS 13422, OVE Kit Searched String: Vit B12 kit (100T)

विड विवरण / Bid Details	Vitamin C Injection with Vitamin B12, Folic Acid, Niacinamide Injection (2 Part Combi Pack Multivitamin Injection), Digital
GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS	Trainer Kit, Box Strapping Machine, Urine Collection Bag - Sterile (Single Use), Immunoassay Analyzer Reagent Kit for Human Samples, Over-Needle Peripheral Catheters (Intravascular Catheters - Sterile and Single Use) Conforming to IS/ISO 10555 (Part 5), ELISA Test Kits (V2), Rapid Test Kit for HIV / Syphilis / Hepatitis B Virus (HBV) / Hepatitis C Virus (HCV), Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Real Time PCR Kits (V2) Searched String: Vit D kit (100T) D-Biotin, Digital Trainer Kit, Vitamin D3 (Cholecalciferol) Granules, Laboratory Vials (V2), Calcium + Vitamin D3, Sexual Assault Evidence Collection Kit (SAECK) for Investigation Officer as Per BPR&D Specification, ELISA Test Kits (V2), Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Protein Analyzer Reagents for Human Samples, data wall display Searched String: Anti CCP kit (50 T) Anti TB Drugs - Pyridoxine 50mg Tablets, Rapid Test Kit for HIV / Syphilis / Hepatitis B Virus (HBV) / Hepatitis C Virus (HCV), Anti TB Drugs - Clofazimine 50 mg Capsules, ELISA Test Kits (V2), Anti - Streptolysin O (ASO) Kits, Anti TB Drugs - Pyrazinamide 500mgTablet, Anti Hepatitis B Core Antibody ELISA Kits, Point of Care Rapid Test Kits for Humans - Dengue, Malaria, Typhoid & Others, Anti-HEV ELISA Test Kits (V2), Anti TB Drugs - Levofloxacin 500 mg Tablets Searched String: Prolactin kit (100T) Facial Kit, Reverse Osmosis based Water Treatment System above 50 LPH Capacity (V2), Waxing Kit, ELISA Test Kits (V2), Ration Kit, Biochemistry Reagent Kit for Human Samples, Sewing Kit, SDR Kit, Single Use Sterile Rubber Surgical Gloves Conforming to IS 13422, OVE Kit Searched String: PSA kit (100T) PSA Oxygen Generator, Reverse Osmosis based Water Treatment System above 50 LPH Capacity (V2), PSA Oxygen Generator (V2), ELISA Test Kits (V2), Facial Kit, Biochemistry Reagent Kit for Human Samples, Waxing Kit, Ration Kit, Single Use Sterile Rubber Surgical Gloves Conforming to IS 13422, Sewing Kit Searched String: Wash buffer-Maglumi (Bottles) Plastic Wash Bottle, Buffer Tablets, PH buffer solution, Tris(hydroxymethyl)aminomethane, Buffer Capsules Searched String: Reaction module (Box) Relay Module, Muffle/Box Furnace (V2), Interface module, Tissue box, Resistance Box, File/Folder (V3), Pencil box, Hopper Tipper Dumper for Garbage, Box Spanner, Electrical Extension Box (V4) Searched String: Starter 1+2 snibe (Maglumi) (Box) Lamp Starter (Ignitors - Starting Device) for HPSV Lamps,

बिड विवरण/Bid Details	Metal Halide Lamps) as per IS 12449 (Part 1 and Part 2), Helical Gear Box (V2), HDMI Switcher, Box Strapping Machine, Microbial Fuel Test Kit, Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Vitreous China Sanitary Appliances – Squatting Pans conforming to IS 2556 (Part 3)
	Searched String: D S Diluent D-Biotin, D-Mannitol, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, D-Fructose, Aac Block-IS:6041, D (+) Xylose, Laboratory Incubators, D - Penicillamine Capsule, Parallel Bar - Outdoor Gym Equipment, D Seal (Rubber) Searched String: L D Lyse D-Biotin, Ultra low temperature laboratory deep freezer, D-Mannitol, D-Fructose, Muffle/Box Furnace (V2), D (+) Xylose, D - Penicillamine Capsule, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, D Seal (Rubber), File/Folder (V3) Searched String: L N Lyse N Heptane, Ultra low temperature laboratory deep freezer, N-Hexane, N - Hexadecane, Muffle/Box Furnace (V2), N,N Dimethyl P Phenylenediamine Dihydrochloride, N-acetylcysteine Injection, Dry Erase Writing Boards (V3), L-Ascorbic Acid, Waiting Area / Airport Terminal / Public Place / Reception area Chair or Seat (V2) Searched String: LH Lyse Haematology Analyzer Reagents (V2), Jumars (Defence) Searched String: M-6 F D Dye (Piece) Category not available on GeM for the text string uploaded by the buyer Searched String: M-6 F N Dye (Piece) Category not available on GeM for the text string uploaded by the buyer Searched String: Prob Cleanser (50 ml) Probiotics 50 Billion CFUs Capsules, Shaker Incubator, Health Supplements, Nutraceuticals and Food for Special Dietary Use (V2), Health Supplements, Nutraceuticals and Food for Special Dietary Use, Laboratory Glassware Volumetric Flask, Laboratory Vials (V3), Urine Collection Bag - Sterile (Single Use), Cefixime Oral Liquid, Laboratory Glassware - Burettes (V2) as per IS 1997, Sterile Hypodermic Syringe (V3) Searched String: Diluent 3 parts(M-30D) Portable Fire Extinguishers (V3) ISI Marked to IS 15683, Online UPS (V2), Pressure Calibrator, Industrial composite color 3D Printer, 3 Part Automated Hematology Analyzer (V2), Computer Paper (V3) Conforming to IS 12766 (In Packet), water baths, Parallel Bar - Outdoor Gym Equipment, Allen Bolt, Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721

बिड विवरण / Bid Details	Searched String: Lyse 3 parts(M-30CFL)
	Online UPS (V2), 3 Part Automated Hematology Analyzer (V2), Haematology Analyzer Reagents (V2), water baths, Allen Bolt, Computer Paper (V3) Conforming to IS 12766 (In Packet), Parallel Bar - Outdoor Gym Equipment, Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, Lyophilizer, Stainless Steel Threaded Fasteners as per IS 1367(Part 14) Searched String: Probe Cleanser 3 parts(10 ml) UV - Visible Spectrophotometer (FSSAI), Plasmid Kits, Peristaltic Pump, Blood Collection Tube Searched String: Haematology control 5 parts (BC-6D control 6x4.5 ml) (Box) HDMI Switcher, Minifuge, Flameproof Switch Socket, Control Cable, Electrical Extension Box (V4), Mass Flow Controllers Searched String: Erba Autowash AC/AL (5x44/5X44ml) Towel Hand Cotton Turkish (IAF), Split Air Conditioner Including Green AC, Wall Mount Type (V2), 5 Part Automated Hematology Analyser (V2), Line Operated Three Phase AC Motors (Induction Motor) ISI Marked To IS 12615, Analog-Digital Circuits Development Platform, Watt Meter - Analog (Panel Meter) as per IS 1248:2003, Portable Emergency LED Lighting Tower System with AC Generator Set, Miniature Circuit Breakers (MCB) for AC Operation Marked To IS/IEC 60898 (Part 1), Temperature Indicator for Transformers - Analog type, LED Based Indicating Lamp for Panel Cut Outs
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	• Immunoassay Analyzer (V3) • Biochemistry Reagent Kit for Human Samples • Haematology Analyzer Reagents (V2)
बीओक्यू शीर्षक / BOQ Title	Blood test reagents closed system
बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का) / Minimum Average Annual Turnover of the bidder (For 3 Years)	18 Lakh (s)
मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का) / OEM Average Turnover (Last 3 Years)	18 Lakh (s)
उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष / Years of Past Experience Required for same/similar service	2 Year (s)
वर्षों के अनुभव एवं टर्नओवर से एमएसई को छूट प्राप्त है / MSE Relaxation for Years Of Experience and Turnover	Yes Complete
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / Startup Relaxation for Years Of Experience and Turnover	Yes Complete

बिड विवरण/Bid Details	
विक्रेता से मांगे गए दस्तावेज़/Document required from seller	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	No
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	1
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	3
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	2
विगत प्रदर्शन /Past Performance	50 %
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	No
बिड का प्रकार/Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	Starter 1 and 2 snibe Maglumi-Box
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
मूल्यांकन पद्धति/Evaluation Method	Group wise evaluation
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

आवश्यकता/Required	No
-------------------	----

ईपीबीजी विवरण /ePBG Detail

आवश्यकता/Required	No
-------------------	----

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई खरीद वरीयता / MII Purchase Preference

एमआईआई खरीद वरीयता / MII Purchase Preference	Yes
मेक इन इंडिया विक्रेताओं को खरीद में प्राथमिकता, यदि उनका मूल्य $L1+X\%$ तक की सीमा में है / Purchase Preference to MII sellers available upto price within $L1+X\%$	20
मेक इन इंडिया खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MII purchase preference	50
सार्वजनिक खरीद (मेक-इन-इंडिया को प्राथमिकता) आदेश 2017 के अनुसार केवल क्लास 1/क्लास 2 के स्थानीय आपूर्तिकर्ताओं को ही भागीदारी की अनुमति है दिनांक 16.09.2020 (समय-समय पर संशोधित एवं लागू) / Allow participation only from Class 1/Class 2 local suppliers as per the Public procurement(Preference to Make-in-india) order 2017 date 16.09.2020(as amended and applicable time to time)	Yes, in compliance with the MII ORDER : DPIIT Order(as amended and applicable time to time)

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं/सेवा प्रदाता को खरीद में प्राथमिकता, यदि उनका मूल्य $L1+X\%$ / Purchase Preference to MSE OEMs/ Service Provider available upto price within $L1+X\%$	15
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माता/सेवा प्रदाता को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Percentage of Bid quantity/amount for MSE OEMs/ Service Provider Purchase preference	25

1. If the bidder is a Micro or Small Enterprise as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Experience Criteria" as defined above subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.
2. If the bidder is a Micro or Small Enterprise (MSE) as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Bidder Turnover" as defined above subject to meeting of quality and technical specifications. If the bidder itself is MSE OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover, shall upload the supporting documents to prove his eligibility for Relaxation.
3. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of

"Experience Criteria" as defined above subject to their meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.

4. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Bidder Turnover" as defined above subject to their meeting of quality and technical specifications. If the bidder is DPIIT Registered OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover shall upload the supporting documents to prove his eligibility for Relaxation.

5. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

6. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.

7. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

8. Preference to Make In India products (For bids < 200 Crore): Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.

[OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017 and its subsequent Orders/Notifications issued by concerned Ministry .Benefits of MSE will be allowed only if seller/service provider is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

9. Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs having valid Udyam Certificate and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service, and Buyer will decide eligibility for purchase preference based on documentary evidence submitted in case of product bids, whereas in case of services the eligibility is automatically validated. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated

on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.
 10. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

11. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 50% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

Pre Bid Detail(s)

मूल्य भिन्नता खंड दस्तावेज़/Pre-Bid Date and Time	प्री-बिड स्थान/Pre-Bid Venue
18-06-2026 10:00:00	Office of MS at ESIC Hospital Ankleshwar

Evaluation Method (Group Wise Evaluation Method)

Contract will be awarded schedulewise and the determination of L1 will be done separately for each schedule. The details of item-consignee combination covered under each schedule are as under:

Evaluation Schedules	Item/Category	Consignee/Reporting Officer	Consignee Address	Quantity
SNIBE Maglumi 800 Reagent	T3 Kit 100t	SREESHMA K	ESIC Hospital Plot No H 3012, 500 quarters Road, GIDC, Ankleshwar 393002	14
	T4 Kit 100t	SREESHMA K	ESIC Hospital Plot No H 3012, 500 quarters Road, GIDC, Ankleshwar 393002	14
	Tsh Kit 100t	SREESHMA K	ESIC Hospital Plot No H 3012, 500 quarters Road, GIDC, Ankleshwar 393002	24
	Vit B12 Kit 100t	SREESHMA K	ESIC Hospital Plot No H 3012, 500 quarters Road, GIDC, Ankleshwar 393002	5
	Vit D Kit 100t	SREESHMA K	ESIC Hospital Plot No H 3012, 500 quarters Road, GIDC, Ankleshwar 393002	9
	Anti Ccp Kit 50 T	SREESHMA K	ESIC Hospital Plot No H 3012, 500 quarters Road, GIDC, Ankleshwar 393002	8
	Prolactin Kit 100t	SREESHMA K	ESIC Hospital Plot No H 3012, 500 quarters Road, GIDC, Ankleshwar 393002	2
	Psa Kit 100t	SREESHMA K	ESIC Hospital Plot No H 3012, 500 quarters Road, GIDC, Ankleshwar 393002	1

	Wash Buffer-maglumi Bottles1x714 MI	SREESHMA K	ESIC Hospital Plot No H 3012, 500 quarters Road, GIDC, Ankleshwar 393002	19
	Reaction Module Box 6x64	SREESHMA K	ESIC Hospital Plot No H 3012, 500 quarters Road, GIDC, Ankleshwar 393002	22
	Starter 1 And 2 Snibe Maglumi-box	SREESHMA K	ESIC Hospital Plot No H 3012, 500 quarters Road, GIDC, Ankleshwar 393002	22
ERBA Mennheim Biochemistry Reagents	Erba Cpkmb Kit 2x44-2x11ml	SREESHMA K	ESIC Hospital Plot No H 3012, 500 quarters Road, GIDC, Ankleshwar 393002	1
	Erba Norm Control 1x5ml	SREESHMA K	ESIC Hospital Plot No H 3012, 500 quarters Road, GIDC, Ankleshwar 393002	10
	Erba Path Control 1x5 MI	SREESHMA K	ESIC Hospital Plot No H 3012, 500 quarters Road, GIDC, Ankleshwar 393002	10
	Erba Auto Wash 10x100ml	SREESHMA K	ESIC Hospital Plot No H 3012, 500 quarters Road, GIDC, Ankleshwar 393002	10
	Autowash Ac-al 5x44-5x44ml	SREESHMA K	ESIC Hospital Plot No H 3012, 500 quarters Road, GIDC, Ankleshwar 393002	9
	Erba XI Multical 4x3 MI-5x22ml	SREESHMA K	ESIC Hospital Plot No H 3012, 500 quarters Road, GIDC, Ankleshwar 393002	6
	Erba Hba1c Kit 2x15-2x5-5x0.5ml	SREESHMA K	ESIC Hospital Plot No H 3012, 500 quarters Road, GIDC, Ankleshwar 393002	20
	Erba Creatinine Kit 5x30-5x10 MI	SREESHMA K	ESIC Hospital Plot No H 3012, 500 quarters Road, GIDC, Ankleshwar 393002	15
	Erba Hdl Kit 4x30-4x10ml	SREESHMA K	ESIC Hospital Plot No H 3012, 500 quarters Road, GIDC, Ankleshwar 393002	9
	Erba Rf Kit 1x22-1x5.5ml	SREESHMA K	ESIC Hospital Plot No H 3012, 500 quarters Road, GIDC, Ankleshwar 393002	14
	Erba Lipase Kit 1x44-1x11ml	SREESHMA K	ESIC Hospital Plot No H 3012, 500 quarters Road, GIDC, Ankleshwar 393002	8
	Erba Uibc Kit 4x25-4x6.5	SREESHMA K	ESIC Hospital Plot No H 3012, 500 quarters Road, GIDC, Ankleshwar 393002	2
	D S Diluent	SREESHMA K	ESIC Hospital Plot No H 3012, 500 quarters Road, GIDC, Ankleshwar 393002	14
	L D Lyse	SREESHMA K	ESIC Hospital Plot No H 3012, 500 quarters Road, GIDC, Ankleshwar 393002	32

Shenzhen Mindray Hematology reagent	L N Lyse	SREESHMA K	ESIC Hospital Plot No H 3012, 500 quarters Road, GIDC, Ankleshwar 393002	32
	Lh Lyse	SREESHMA K	ESIC Hospital Plot No H 3012, 500 quarters Road, GIDC, Ankleshwar 393002	9
	M-6 F D Dye Piece	SREESHMA K	ESIC Hospital Plot No H 3012, 500 quarters Road, GIDC, Ankleshwar 393002	32
	M-6 F N Dye Piece	SREESHMA K	ESIC Hospital Plot No H 3012, 500 quarters Road, GIDC, Ankleshwar 393002	32
	Prob Cleanser 50 MI	SREESHMA K	ESIC Hospital Plot No H 3012, 500 quarters Road, GIDC, Ankleshwar 393002	15
	Diluent 3 Parts M-30d	SREESHMA K	ESIC Hospital Plot No H 3012, 500 quarters Road, GIDC, Ankleshwar 393002	3
	Lyse 3 Parts M-30cfl	SREESHMA K	ESIC Hospital Plot No H 3012, 500 quarters Road, GIDC, Ankleshwar 393002	3
	Probe Cleanser 3 Parts 10 MI	SREESHMA K	ESIC Hospital Plot No H 3012, 500 quarters Road, GIDC, Ankleshwar 393002	6

T3 Kit 100T

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषेती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषेती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	SREESHMA K	393002,ESIC Hospital Plot No H 3012, 500 quarters Road, GIDC, Ankleshwar	14	15

T4 Kit 100T

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	SREESHMA K	393002,ESIC Hospital Plot No H 3012, 500 quarters Road, GIDC, Ankleshwar	14	15

TSH Kit 100T

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	SREESHMA K	393002,ESIC Hospital Plot No H 3012, 500 quarters Road, GIDC, Ankleshwar	24	15

Vit B12 Kit 100T

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	SREESHMA K	393002,ESIC Hospital Plot No H 3012, 500 quarters Road, GIDC, Ankleshwar	5	15

Vit D Kit 100T

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	SREESHMA K	393002,ESIC Hospital Plot No H 3012, 500 quarters Road, GIDC, Ankleshwar	9	15

Anti CCP Kit 50 T

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	SREESHMA K	393002,ESIC Hospital Plot No H 3012, 500 quarters Road, GIDC, Ankleshwar	8	15

Prolactin Kit 100T

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	SREESHMA K	393002,ESIC Hospital Plot No H 3012, 500 quarters Road, GIDC, Ankleshwar	2	15

PSA Kit 100T

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	SREESHMA K	393002,ESIC Hospital Plot No H 3012, 500 quarters Road, GIDC, Ankleshwar	1	15

Wash Buffer-Maglumi Bottles1x714 MI

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	SREESHMA K	393002,ESIC Hospital Plot No H 3012, 500 quarters Road, GIDC, Ankleshwar	19	15

Reaction Module Box 6x64

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	SREESHMA K	393002,ESIC Hospital Plot No H 3012, 500 quarters Road, GIDC, Ankleshwar	22	15

Starter 1 And 2 Snibe Maglumi-Box

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	SREESHMA K	393002,ESIC Hospital Plot No H 3012, 500 quarters Road, GIDC, Ankleshwar	22	15

Erba CPKMB Kit 2x44-2x11ml

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	SREESHMA K	393002,ESIC Hospital Plot No H 3012, 500 quarters Road, GIDC, Ankleshwar	1	15

Erba Norm Control 1x5ml

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	SREESHMA K	393002,ESIC Hospital Plot No H 3012, 500 quarters Road, GIDC, Ankleshwar	10	15

Erba Path Control 1x5 MI

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	SREESHMA K	393002,ESIC Hospital Plot No H 3012, 500 quarters Road, GIDC, Ankleshwar	10	15

Erba Auto Wash 10x100ml

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	SREESHMA K	393002,ESIC Hospital Plot No H 3012, 500 quarters Road, GIDC, Ankleshwar	10	15

Autowash AC-AL 5x44-5X44ml

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	SREESHMA K	393002,ESIC Hospital Plot No H 3012, 500 quarters Road, GIDC, Ankleshwar	9	15

Erba XL Multical 4x3 MI-5x22ml

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
-------------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	SREESHMA K	393002,ESIC Hospital Plot No H 3012, 500 quarters Road, GIDC, Ankleshwar	6	15

Erba HbA1c Kit 2x15-2x5-5x0.5ml

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications**Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	SREESHMA K	393002,ESIC Hospital Plot No H 3012, 500 quarters Road, GIDC, Ankleshwar	20	15

Erba Creatinine Kit 5x30-5x10 MI

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	SREESHMA K	393002,ESIC Hospital Plot No H 3012, 500 quarters Road, GIDC, Ankleshwar	15	15

Erba HDL Kit 4x30-4x10ml

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	SREESHMA K	393002,ESIC Hospital Plot No H 3012, 500 quarters Road, GIDC, Ankleshwar	9	15

Erba RF Kit 1x22-1x5.5ml

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	SREESHMA K	393002,ESIC Hospital Plot No H 3012, 500 quarters Road, GIDC, Ankleshwar	14	15

Erba Lipase Kit 1x44-1x11ml

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	SREESHMA K	393002,ESIC Hospital Plot No H 3012, 500 quarters Road, GIDC, Ankleshwar	8	15

Erba UIBC Kit 4x25-4x6.5

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	SREESHMA K	393002,ESIC Hospital Plot No H 3012, 500 quarters Road, GIDC, Ankleshwar	2	15

D S Diluent

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	SREESHMA K	393002,ESIC Hospital Plot No H 3012, 500 quarters Road, GIDC, Ankleshwar	14	15

L D Lyse

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local

Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)**तकनीकी विशिष्टियाँ /Technical Specifications**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	SREESHMA K	393002,ESIC Hospital Plot No H 3012, 500 quarters Road, GIDC, Ankleshwar	32	15

L N Lyse

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	SREESHMA K	393002,ESIC Hospital Plot No H 3012, 500 quarters Road, GIDC, Ankleshwar	32	15

LH Lyse

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	SREESHMA K	393002,ESIC Hospital Plot No H 3012, 500 quarters Road, GIDC, Ankleshwar	9	15

M-6 F D Dye Piece

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	SREESHMA K	393002,ESIC Hospital Plot No H 3012, 500 quarters Road, GIDC, Ankleshwar	32	15

M-6 F N Dye Piece

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	SREESHMA K	393002,ESIC Hospital Plot No H 3012, 500 quarters Road, GIDC, Ankleshwar	32	15

Prob Cleanser 50 MI

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	SREESHMA K	393002,ESIC Hospital Plot No H 3012, 500 quarters Road, GIDC, Ankleshwar	15	15

Diluent 3 Parts M-30D

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	SREESHMA K	393002,ESIC Hospital Plot No H 3012, 500 quarters Road, GIDC, Ankleshwar	3	15

Lyse 3 Parts M-30CFL

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	SREESHMA K	393002,ESIC Hospital Plot No H 3012, 500 quarters Road, GIDC, Ankleshwar	3	15

Probe Cleanser 3 Parts 10 MI

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	SREESHMA K	393002,ESIC Hospital Plot No H 3012, 500 quarters Road, GIDC, Ankleshwar	6	15

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions**1. Generic**

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file.](#)

3. **Buyer Added Bid Specific ATC**

Buyer Added text based ATC clauses

For standardization of equipment and accuracy of test result the reagents need to be purchased from OEM /OEM Authorised firm.

Must provide OEM authorised certificate for eligibility.

अस्वीकरण/**Disclaimer**

The Additional Terms and Conditions (ATC) have been incorporated by the Buyer after approval of their Competent Authority. The Buyer, is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any restriction arising in the bidding process due to these ATCs and including the modification of technical specifications and / or terms and conditions governing the bid. All representations / grievances pertaining to the ATC clauses shall be raised with the buyer organization directly and not with GeM. If any of the clause(s) is/are incorporated by the Buyer regarding the following, the bid & resultant contract shall be treated as null & void. Further, GeM reserves the right, at its sole discretion, to cancel the bid forthwith, without issuance of any prior notice or intimation :-

1. Publishing Custom / BOQ bids for items for which regular GeM categories are available (unless such Custom / BOQ item is bunched with the major regular product Category Item).
2. Mandating procurement of / from specific Brand / Make / Model / Manufacturer / Dealer except in case of Single Bid / Proprietary Article Certificate (PAC) Buying.
3. Inclusion of disqualification criteria related to suspension of seller / service provider, where such suspension period has already expired.
4. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
5. Publishing bids on GeM for procurement of works.
6. Procurement of Goods by creating a Service bid on GeM & vice-versa.
7. Seeking sample with bid or approval of samples during bid evaluation process. However, trial / sample, as the case may be, shall be permitted in cases where trial / sample are allowed as per approved and published procurement policy of the Buyers' controlling Ministry / Department / State / Public Sector Enterprises Headquarters. If there is any violation of trial / sample clause with regard to approved policy of the Buyers' Ministry / Department / State / Public Sector Enterprises Headquarters, then this is to be determined and redressed by the concerned Buyer Organisation only.
8. Seeking experience from specific organization / department / institute only or from foreign / export experience.
9. Creating bid for items from incorrect categories.
10. Reference of conditions published on any external site or reference to external documents/clauses.
11. Asking for any Tender fee / Bid Participation fee, as the case may be.
12. Buyer added ATC Clauses which are in contravention of clauses defined in bid detail section, including specifications, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by the applicable GeM GTC.
13. Any ATC clause in contravention with GeM GTC Clause 4 (xiii) (h) will be invalid. In case of multiple L1 bidders against a service bid, the buyer shall place the Contract by selection of a bidder amongst the L-1 bidders through a Random Algorithm executed by GeM system.
14. In a category based bid, adding additional items, through buyer added, additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogues or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of

this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

This Bid is governed by the General Terms and Conditions, conditions stipulated in Bid and Service Level Agreement specific to the Service, as the case may be, as provided in the Marketplace.

However, in case of Service, if any condition specified in General Terms and Conditions is contradicted by the conditions stipulated in Service Level Agreement specific to said Service, then it will over-ride the conditions in the General Terms and Conditions.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---