

बिड दस्तावेज़ / Bid Document

बिड विवरण / Bid Details	
बिड बंद होने की तारीख/समय / Bid End Date/Time	20-07-2026 13:00:00
बिड खुलने की तारीख/समय / Bid Opening Date/Time	20-07-2026 13:30:00
बिड पेशकश वैधता (बंद होने की तारीख से) / Bid Offer Validity (From End Date)	180 (Days)
मंत्रालय/राज्य का नाम / Ministry/State Name	Ministry Of Defence
विभाग का नाम / Department Name	Department Of Military Affairs
संगठन का नाम / Organisation Name	Indian Army
कार्यालय का नाम / Office Name	*****
शिकायत निवारण के संपर्क विवरण / Contact details of Grievance redressal	HOD Email id : rohitks1779-cgo@gov.in Buyer Email id: shakeela6978-cgo@gov.in
कुल मात्रा / Total Quantity	3372

बिड विवरण/Bid Details

वस्तु श्रेणी /Item Category

LED Batten with Battery Inverter 20W Alu Body , Flameproof flood light 100W , Tube light fittings LED type 20Watt , LED ceiling light 2X2 ft and 1x36Watt , LED Flood Light 120W , MCCB 125A 4P 25KA , LED Street Light 90W , CFL lamp 10W or LED Bulb 9W , LED Street Light 70W , LED type Retrotype 10 W 2 ft , MCCB 160 A 3P 16KA , MCB 63A 4P 10 KA , LED Bulb 7W , LED Flood Light 150W , Cable PVC twin core 6 Sqmm Copper conductor WF , LED Street Light 45W , MCCB 100 A 4P 25KA , MCB SPN 63 DP 10 KA 2 Pole , CFL lamp 15W or LED Bulb 12W , Regulator for C Fan Electronic step type , MCCB 100 Amp 3P 16 KA , MCCB 125 Amp 10 KA 03 Pole , MCB 32 A 2P 10 KA , MCB 20A 2P 10 KA , 2 Core PVC Copper Circular Sheathed cable 2.5 Sqmm , MCB SP 40 A 10 KA , Switch Socket Combination 16A , MCB 16 A 2P 10 KA , MCCB 415 A 4 P 36 KA , LED Garden Light 20W , Switch Socket Combination 06A , Cable PVC single core 2.5 Sqmm Copper conductor 90 Mtrs in one roll , LED post top luminus , MCCB 63 A 4P 10KA , MCB TPN 40 A 10 KA , LED Batten with LED rod 1x22 to 24W , MCB 32 Amp 01 Pole 10 KA , MCCB 320A 4P 36KA , MCB SP 10A 10 KA , Door Bell Buzzer , Tape insulation PVC 15 mm x 6 m , MCCB 315 A 3P 36 KA , MCB 20 Amp 01 Pole 10 KA , Capacitor 2.5 to 3 MFD , MCCB 160 A 4 P 16KA , Switch Fuse Unit 415V 4P , MCB 32A 4P 16 KA , Cable PVC single core 1.5 Sqmm copper conductor , MCB SP 32 A 10 KA , MCB SP 16A 10 KA , 3 Pin Electric Plug 16 Amp , MCB 6 Amp 01 Pole 10 KA , 3 Pin Electrical Plug 6 Amp , Switch piano 5 to 6A 240V 1 way , Electric Socket 15A , 6 Amp Socket , Ceiling rose PVC , PVC Board 4x4 inch , MCB 16 Amp 01 Pole 10 KA , Water Tank 500 Ltrs , Water Tank triple layer 1000 Ltrs , Insulated Water Tank Cover of 1000 Ltr Capacity , Water Storage Tank Cover all in one , Water tank 2000 Ltrs , PVC Ball Cock 25mm , Gate Valve Brass 20mm

बिड विवरण/Bid Details	
GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS	LED Batten with Battery Inverter 20W Alu Body , Flameproof flood light 100W , Tube light fittings LED type 20Watt , LED ceiling light 2X2 ft and 1x36Watt , LED Flood Light 120W , MCCB 125A 4P 25KA , LED Street Light 90W , CFL lamp 10W or LED Bulb 9W , LED Street Light 70W , LED type Retrotype 10 W 2 ft , MCCB 160 A 3P 16KA , MCB 63A 4P 10 KA , LED Bulb 7W , LED Flood Light 150W , Cable PVC twin core 6 Sqmm Copper conductor , LED Street Light 45W , MCCB 100 A 4P 25KA , MCB SPN 63 DP 10 KA 2 Pole , CFL lamp 15W/LED Bulb 12W , Regulator for C Fan Electronic step type, MCCB 100 Amp 3P 16 KA , MCCB 125 Amp 10 KA 03 Pole , MCB 32 A 2P 10 KA , MCB 20A 2P 10 KA , 2 Core PVC Copper Circular Sheathed cable 2.5 Sqmm, MCB SP 40 A 10 KA , Switch Socket Combination 16A , MCB 16 A 2P 10 KA , MCCB 415 A 4 P 36 KA , LED Garden Light 20W , Switch Socket Combination 06A , Cable PVC single core 2.5 Sqmm Copper conductor 90 Mtrs in one roll, LED post top luminus , MCCB 63 A 4P 10KA , MCB TPN 40 A 10 KA , LED Batten with LED rod 1x22 to 24W , MCB 32 Amp 01 Pole 10 KA , MCCB 320A 4P 36KA , MCB SP 10A 10 KA , Door Bell Buzzer, Tape insulation PVC 15 mm x 6 m, MCCB 315 A 3P 36 KA , MCB 20 Amp 01 Pole 10 KA , Capacitor 2.5 to 3 MFD, MCCB 160 A 4 P 16KA , Switch Fuse Unit 415V 4P , MCB 32A 4P 16 KA , Cable PVC single core 1.5 Sqmm copper conductor 90 Mtrs in one roll , MCB SP 32 A 10 KA , MCB SP 16A 10 KA , 3 Pin Electric Plug 16 Amp , MCB 6 Amp 01 Pole 10 KA , 3 Pin Electrical Plug 6 Amp , Switch piano 5 to 6A 240V 1 way , Electric Socket 15A , 6 Amp Socket , Ceiling rose PVC , PVC Board 4x4 inch, MCB 16 Amp 01 Pole 10 KA , Water Tank 500 Ltrs , Water Tank triple layer 1000 Ltrs , Insulated Water Tank Cover of 1000 Ltr Capacity , Water Storage Tank Cover all in one , Water tank 2000 Ltrs , PVC Ball Cock 25mm, Gate Valve Brass 20mm
	Searched String: LED Batten with Battery Inverter 20W Alu Body LED Batten with Battery / Invertor, Rechargeable LED Bulb (V2), Rechargeable LED Batten Light (Emergency LED Tube Light) (V2) Searched String: Flameproof flood light 100W Flameproof LED Emergency Light, LED Luminaire For Floodlight Conforming To IS 10322 (Part 5/Section 5) (V3) (Under BIS Scheme - II), LED Luminaire for Floodlight (V2) Conforming to IS 10322 (Part 5/Section 5), Flood Light Luminaire suitable for HPSV Lamps, High Mast Lighting Tower for large area with LED Flood Lighting System, LED Luminaire for Flood Light, Flame Proof (V2), LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3), Trolley Mounted AC Supply lighting tower with LED Flood Light, LED Luminaire For Road And Street Lights Conforming To IS 10322 (Part 5/Section 3) (V3) (Under BIS Scheme - II), High Mast Lighting Octagonal Tower for Small area with LED Flood Lighting System (V2) Searched String: Tube light fittings LED type 20Watt LED Tube Light (Retrofit Type), LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3), LED Batten Light (LED Tube Light) (V2), Rechargeable

बिड विवरण / Bid Details	LED Batten Light (Emergency LED Tube Light) (V2), LED Luminaire For Road And Street Lights Conforming To IS 10322 (Part 5/Section 3) (V3) (Under BIS Scheme - II), LED Batten, Hand Held Search Light, Portable Emergency LED Lighting Tower System with Battery Bank, LED Luminaire For Floodlight Conforming To IS 10322 (Part 5/Section 5) (V3) (Under BIS Scheme - II), White LED Based Solar Home Lighting System with Batten Type Luminary as per MNRE Specifications
	Searched String: LED ceiling light 2X2 ft and 1x36Watt LED Luminaire (Recessed Luminaire) (Ceiling Light) Conforming To IS 10322 (Part 5/Section 2) (V4) (Under BIS Scheme - II), LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3), LED Well Glass Fixture (V2) (Under BIS Scheme - II), LED Luminaire For Road And Street Lights Conforming To IS 10322 (Part 5/Section 3) (V3) (Under BIS Scheme - II), Sheeting, Tickings and Bedsheets (V2) as per IS 175, 7 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, Cotton Towelling And Towels (V3) Conforming To IS 7056, Portable Emergency LED Lighting Tower System with Battery Bank, Hand Held Search Light, LED Luminaire For Floodlight Conforming To IS 10322 (Part 5/Section 5) (V3) (Under BIS Scheme - II) Searched String: LED Flood Light 120W LED Luminaire for Floodlight (V2) Conforming to IS 10322 (Part 5/Section 5), LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3), LED Luminaire For Floodlight Conforming To IS 10322 (Part 5/Section 5) (V3) (Under BIS Scheme - II), LED Luminaire for Flood Light, Flame Proof (V2), LED Luminaire For Road And Street Lights Conforming To IS 10322 (Part 5/Section 3) (V3) (Under BIS Scheme - II), LED Batten Light (LED Tube Light) (V2), LED Luminaire for High Bay Lighting, Trolley Mounted AC Supply lighting tower with LED Flood Light, Hand Held Search Light, LED Flash Light Searched String: MCCB 125A 4P 25KA XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Moulded Case Circuit Breakers (MCCB) Conforming To IS/IEC 60947 (Part 2), File/Folder (V3), A3 Size Multifunction Printer (MFP), Parallel Bar - Outdoor Gym Equipment, Multifunction Printer (Print, Scan, Copy), Permeable Nonwoven Surgical Adhesive Tape Conforming to IS 16948, Answer Book/Booklets For Examinations (V3), A4 and Legal Size Multifunction Printer (MFP), binding punch machine Searched String: LED Street Light 90W Inverter Based LED Street Light (V2), LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3), LED Luminaire For Road And Street Lights Conforming To IS 10322 (Part 5/Section 3) (V3) (Under BIS Scheme - II), 12 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, Hand Held Search Light, High Mast Lighting Octagonal Tower With Solar Based LED Street Light (V2), LED Luminaire For Floodlight Conforming To IS 10322 (Part 5/Section 5) (V3) (Under BIS Scheme - II), 7 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, LED Luminaire (Recessed Luminaire)

बिड विवरण / Bid Details	(Ceiling Light) Conforming To IS 10322 (Part 5/Section 2) (V4) (Under BIS Scheme - II), High Mast Lighting Octagonal Tower with Solar Based LED Street Light
	Searched String: CFL lamp 10W or LED Bulb 9W Rechargeable LED Bulb (V2), Self Ballasted LED Lamps (LED Bulb) (V3) Conforming to IS 16102 (Part 2) (Under BIS Scheme - II), Hand Held Slit Lamp - RBSK, medical stools or chairs, Ballasts For Discharge Lamps Conforming To IS 15882, High Pressure Sodium Vapour Lamps (HPSV Lamps) Conforming To IS 9974, RCC Guard stone Type B (Cement or concrete posts), trolleys or accessories, Tubular Fluorescent Lamps Conforming To IS 2418, SMD Rework Station Searched String: LED Street Light 70W Inverter Based LED Street Light (V2), LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3), LED Luminaire For Road And Street Lights Conforming To IS 10322 (Part 5/Section 3) (V3) (Under BIS Scheme - II), 12 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, Hand Held Search Light, High Mast Lighting Octagonal Tower With Solar Based LED Street Light (V2), LED Luminaire For Floodlight Conforming To IS 10322 (Part 5/Section 5) (V3) (Under BIS Scheme - II), 7 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, LED Luminaire (Recessed Luminaire) (Ceiling Light) Conforming To IS 10322 (Part 5/Section 2) (V4) (Under BIS Scheme - II), High Mast Lighting Octagonal Tower with Solar Based LED Street Light Searched String: LED type Retrotype 10 W 2 ft LED Luminaire (Recessed Luminaire) (V3) Conforming to IS 10322 (Part 5/Section 2), Muffle Furnace, LED Luminaire (Recessed Luminaire) (Ceiling Light) Conforming To IS 10322 (Part 5/Section 2) (V4) (Under BIS Scheme - II), Roller Blind (V2), Hand Held Search Light, White LED (W - LED) Based Solar Home Lighting Systems (V2), LED Tube Light (Retrofit Type), Overbed Tables, Portable Emergency LED Lighting Tower System with Battery Bank, Control Cable Searched String: MCCB 160 A 3P 16KA Moulded Case Circuit Breakers (MCCB) Conforming To IS/IEC 60947 (Part 2), Circuit Breakers for DC Operation, A3 Size Multifunction Printer (MFP), Multifunction Printer (Print, Scan, Copy), Switch Disconnectors and Fuse Combination Units (Switch Fuse Unit) Conforming To IS/IEC 60947 (Part 3), Nylon Rope as per IS 4572, Non Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, binding punch machine, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Digital Earth Resistance Meter Searched String: MCB 63A 4P 10 KA File/Folder (V3), Moulded Case Circuit Breakers (MCCB) Conforming To IS/IEC 60947 (Part 2), A3 Size Multifunction Printer (MFP), Multifunction Printer (Print, Scan, Copy), XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Miniature Circuit Breakers (MCB) for AC Operation Marked To IS/IEC 60898 (Part 1), Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Answer Book/Booklets For Examinations (V3), Crepe

बिड विवरण / Bid Details	Bandage Conforming to IS 4605, A4 and Legal Size Multifunction Printer (MFP)
	Searched String: LED Bulb 7W Rechargeable LED Bulb (V2), Laboratory Incubators, Self Ballasted LED Lamps (LED Bulb) (V3) Conforming to IS 16102 (Part 2) (Under BIS Scheme - II), LED Bulb with Battery as per IS 16102, LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3), Flower Bulb/Seeds, ECG Bulb Electrode, Muffle Furnace, ecg chest suction bulb electrode, Psychrometers, Unventilated (Dry and Wet Bulb Hygrometer) as per IS 5725 Searched String: LED Flood Light 150W LED Luminaire for Floodlight (V2) Conforming to IS 10322 (Part 5/Section 5), LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3), LED Luminaire For Floodlight Conforming To IS 10322 (Part 5/Section 5) (V3) (Under BIS Scheme - II), LED Luminaire for Flood Light, Flame Proof (V2), LED Luminaire For Road And Street Lights Conforming To IS 10322 (Part 5/Section 3) (V3) (Under BIS Scheme - II), LED Batten Light (LED Tube Light) (V2), Hand Held Search Light, Trolley Mounted AC Supply lighting tower with LED Flood Light, LED Flash Light, LED Bulkhead Light Searched String: Cable PVC twin core 6 Sqmm Copper conductor PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, PVC Insulated Copper Cable Multi Core Circular Sheathed with Flexible Conductor ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Aluminium Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor ISI Marked To IS 694, Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, PVC Single Core and Multi Core Circular Sheathed Aluminium Cable with Rigid Conductor (V2) as per IS 694, PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1) Searched String: LED Street Light 45W Inverter Based LED Street Light (V2), LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3), LED Luminaire For Road And Street Lights Conforming To IS 10322 (Part 5/Section 3) (V3) (Under BIS Scheme - II), 12 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, Hand Held Search Light, High Mast Lighting Octagonal Tower With Solar Based LED Street Light (V2), LED Luminaire For Floodlight Conforming To IS 10322 (Part 5/Section 5) (V3) (Under BIS Scheme - II), 7 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, High Mast Lighting Octagonal Tower with Solar Based LED Street Light, LED Luminaire (Recessed Luminaire) (Ceiling Light) Conforming To IS 10322 (Part

बिड विवरण/Bid Details	5/Section 2) (V4) (Under BIS Scheme - II)
	Searched String: MCCB 100 A 4P 25KA Manual Operated 66 kV, 800 A Isolators and with Solid Core Insulators (PSPCL), XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Porcelain Insulators For Overhead Power Lines with Nominal Voltage Greater Than 1000 V Conforming To IS 731, Disconnectors (Isolators) for Working Voltage Up to and Including 1 kV Conforming To IS/IEC 60947 (Part 3), Porcelain Insulators For Overhead Power Lines with Nominal Voltage up to and Including 1000 V Conforming To IS 1445, File/Folder (V3), Moulded Case Circuit Breakers (MCCB) Conforming To IS/IEC 60947 (Part 2), A3 Size Multifunction Printer (MFP), Parallel Bar - Outdoor Gym Equipment, Multifunction Printer (Print, Scan, Copy) Searched String: MCB SPN 63 DP 10 KA 2 Pole Moulded Case Circuit Breakers (MCCB) Conforming To IS/IEC 60947 (Part 2), Switch Disconnectors and Fuse Combination Units (Switch Fuse Unit) Conforming To IS/IEC 60947 (Part 3) Searched String: CFL lamp 15W/LED Bulb 12W Rechargeable LED Bulb (V2), Self Ballasted LED Lamps (LED Bulb) (V3) Conforming to IS 16102 (Part 2) (Under BIS Scheme - II), Hand Held Slit Lamp - RBSK, Whistle (V2), Ballasts For Discharge Lamps Conforming To IS 15882, Inspection Lamp, High Pressure Sodium Vapour Lamps (HPSV Lamps) Conforming To IS 9974, Tubular Fluorescent Lamps Conforming To IS 2418, Hand Lamp, SMD Rework Station Searched String: Regulator for C Fan Electronic step type Modular Piano Type Domestic Fan Regulator Conforming To IS 11037, Non Modular Piano Type Domestic Fan Regulator Conforming To IS 11037, Non Modular Piano Type Domestic Fan Regulator Conforming To IS 11037 (V2), Electric Table Type Fan and Regulator (V2) Conforming To IS 555, Welding Electrode - Covered Arc Welding Electrode - Basic Type (BEML), Electric Pedestal Type Fan and Regulator Conforming To IS 1169, Air Circulator Type Electric Fan and Regulator (V2) Conforming To IS 2997, Welding Electrode - Covered Arc Welding Electrode - Rutile Type (BEML), Automatic Line Voltage Correctors (Step Type) For Domestic Use (Stabilizer) Conforming To IS 8448, PULLEY FOR EXHAUST FAN Searched String: MCCB 100 Amp 3P 16 KA Moulded Case Circuit Breakers (MCCB) Conforming To IS/IEC 60947 (Part 2), Switch Disconnectors and Fuse Combination Units (Switch Fuse Unit) Conforming To IS/IEC 60947 (Part 3) Searched String: MCCB 125 Amp 10 KA 03 Pole Moulded Case Circuit Breakers (MCCB) Conforming To IS/IEC 60947 (Part 2), Switch Disconnectors and Fuse Combination Units (Switch Fuse Unit) Conforming To IS/IEC 60947 (Part 3) Searched String: MCB 32 A 2P 10 KA Circuit Breakers for DC Operation, Moulded Case Circuit Breakers (MCCB) Conforming To IS/IEC 60947 (Part 2), Metal

बिड विवरण / Bid Details	Oxide Surge Arresters Without Gaps For A.C. Systems (V2) Conforming to IS 15086 (Part 4), Switch Disconnectors and Fuse Combination Units (Switch Fuse Unit) Conforming To IS/IEC 60947 (Part 3) Searched String: MCB 20A 2P 10 KA Moulded Case Circuit Breakers (MCCB) Conforming To IS/IEC 60947 (Part 2), Bucket Mop Wringer Trolley, Circuit Breakers for DC Operation, Line Interactive UPS with AVR (V2), XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Miniature Circuit Breakers (MCB) for AC Operation Marked To IS/IEC 60898 (Part 1), Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Flying Insect Control Traps - Fly Catcher, Digital pH Meter, function generator Searched String: 2 Core PVC Copper Circular Sheathed cable 2.5 Sqmm PVC Insulated Copper Cable Multi Core Circular Sheathed with Flexible Conductor ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Aluminium Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), PVC Single Core and Multi Core Circular Sheathed Aluminium Cable with Rigid Conductor (V2) as per IS 694, Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2) Searched String: MCB SP 40 A 10 KA Moulded Case Circuit Breakers (MCCB) Conforming To IS/IEC 60947 (Part 2), Circuit Breakers for DC Operation, Metal Oxide Surge Arresters Without Gaps For A.C. Systems (V2) Conforming to IS 15086 (Part 4) Searched String: Switch Socket Combination 16A Piano Type Non Modular Electrical Switch Socket Combination as per IS 3854 and IS 1293, Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Flameproof Switch Socket, Switched Socket-Outlets without Interlock for Fixed Installations ISI Marked to IS 15787, Non Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Switch Disconnectors and Fuse Combination Units (Switch Fuse Unit) Conforming To IS/IEC 60947 (Part 3), Computer Monitor (V2), Digital Earth Resistance Meter, Non Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293, Laboratory Glassware Bottles (Conical Neck Bottles) as per IS 1388 (Part 2) Searched String: MCB 16 A 2P 10 KA Moulded Case Circuit Breakers (MCCB) Conforming To IS/IEC 60947 (Part 2), Circuit Breakers for DC Operation, Digital pH Meter, Metal Oxide Surge Arresters Without Gaps For A.C.
-------------------------	---

बिड विवरण / Bid Details	Systems (V2) Conforming to IS 15086 (Part 4)
GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS	Searched String: MCCB 415 A 4 P 36 KA
	Moulded Case Circuit Breakers (MCCB) Conforming To IS/IEC 60947 (Part 2), Disconnectors (Isolators) for Working Voltage Up to and Including 1 kV Conforming To IS/IEC 60947 (Part 3)
	Searched String: LED Garden Light 20W LED Garden Light (V2), LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3), LED Batten Light (LED Tube Light) (V2), LED Flash Light, LED Luminaire For Road And Street Lights Conforming To IS 10322 (Part 5/Section 3) (V3) (Under BIS Scheme - II), LED Bulkhead Light, Track Light, Hand Held Search Light, Rechargeable LED Batten Light (Emergency LED Tube Light) (V2), Light emitting diode driver
	Searched String: Switch Socket Combination 06A Piano Type Non Modular Electrical Switch Socket Combination as per IS 3854 and IS 1293, Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Flameproof Switch Socket, Switched Socket-Outlets without Interlock for Fixed Installations ISI Marked to IS 15787, Non Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Switch Disconnectors and Fuse Combination Units (Switch Fuse Unit) Conforming To IS/IEC 60947 (Part 3), Computer Monitor (V2), Digital Earth Resistance Meter, Laboratory Glassware Bottles (Conical Neck Bottles) as per IS 1388 (Part 2), Laboratory Glass Adapters
	Searched String: Cable PVC single core 2.5 Sqmm Copper conductor 90 Mtrs in one roll PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694, PVC Single Core and Multi Core Circular Sheathed Aluminium Cable with Rigid Conductor (V2) as per IS 694 Searched String: LED post top luminus Led post top lantern, Electrolyte Analyzers (V2), Battery-Powered Electronic Clock, Multipara Monitor - Low End Searched String: MCCB 63 A 4P 10KA File/Folder (V3), Disconnectors (Isolators) for Working Voltage Up to and Including 1 kV Conforming To IS/IEC 60947 (Part 3), Moulded Case Circuit Breakers (MCCB) Conforming To IS/IEC 60947 (Part 2), A3 Size Multifunction Printer (MFP), Multifunction Printer (Print, Scan, Copy), XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Answer Book/Booklets For Examinations (V3), Crepe Bandage Conforming to IS 4605, A4 and Legal Size Multifunction Printer (MFP)

बिड विवरण/Bid Details	Searched String: MCB TPN 40 A 10 KA
	Moulded Case Circuit Breakers (MCCB) Conforming To IS/IEC 60947 (Part 2), Circuit Breakers for DC Operation, Metal Oxide Surge Arresters Without Gaps For A.C. Systems (V2) Conforming to IS 15086 (Part 4) Searched String: LED Batten with LED rod 1x22 to 24W LED Batten with Battery / Invertor, LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3), Intrinsically Safe (Explosion Proof) LED Torch with Replaceable Battery, White LED Based Solar Home Lighting System with Batten Type Luminary as per MNRE Specifications, Note Sorting Machines (V2), High Mast Lighting Octagonal Tower With Solar Based LED Street Light (V2), LED Luminaire For Road And Street Lights Conforming To IS 10322 (Part 5/Section 3) (V3) (Under BIS Scheme - II), High Mast Lighting Octagonal Tower with Solar Based LED Street Light, Portable Emergency LED Lighting Tower System with Battery Bank, LED Batten Searched String: MCB 32 Amp 01 Pole 10 KA Switch Disconnectors and Fuse Combination Units (Switch Fuse Unit) Conforming To IS/IEC 60947 (Part 3), Moulded Case Circuit Breakers (MCCB) Conforming To IS/IEC 60947 (Part 2) Searched String: MCCB 320A 4P 36KA File/Folder (V3), Moulded Case Circuit Breakers (MCCB) Conforming To IS/IEC 60947 (Part 2), A3 Size Multifunction Printer (MFP), Multifunction Printer (Print, Scan, Copy), Answer Book/Booklets For Examinations (V3), A4 and Legal Size Multifunction Printer (MFP), binding punch machine, Circuit Breakers for DC Operation, Shredding Machine/Paper Shredder, Computer Printer (V2) Searched String: MCB SP 10A 10 KA Streptomycin Sulphate 90%+ Tetracycline Hydrochloride 10% WW S.P., water baths, Sports Mats (V2), Moulded Case Circuit Breakers (MCCB) Conforming To IS/IEC 60947 (Part 2), General purpose Machinery and Spindle Oils (V2) Conforming to IS 493, Nitrile Coated/Nitrile Hand Gloves (V2), Transfluthrin 1.0% + Cypermethrin 0.25% Spray, Humidity Chamber, Health Supplements, Nutraceuticals and Food for Special Dietary Use (V2), XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1) Searched String: Door Bell Buzzer BUZZER SWITCH., Curtains (V2), Bell Metal Craft from Bajali - ODOP, door mats, Metal Storage Cabinet, Sliding door, Vault (Strong Room) Door as per IS 11188, Bell Metal Products from Barpeta - ODOP, Electric Bells and Accessories as per IS 2268, Bell Metal Products from Bastar - ODOP Searched String: Tape insulation PVC 15 mm x 6 m PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), PVC

बिड विवरण / Bid Details	Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694, Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Double sided tape, HT Tape, Polyurethane Tube (V2) Searched String: MCCB 315 A 3P 36 KA Moulded Case Circuit Breakers (MCCB) Conforming To IS/IEC 60947 (Part 2), Welding Electrode - Covered Arc Welding Electrode - Rutile Type (BEML), Switch Disconnectors and Fuse Combination Units (Switch Fuse Unit) Conforming To IS/IEC 60947 (Part 3) Searched String: MCB 20 Amp 01 Pole 10 KA Switch Disconnectors and Fuse Combination Units (Switch Fuse Unit) Conforming To IS/IEC 60947 (Part 3), Moulded Case Circuit Breakers (MCCB) Conforming To IS/IEC 60947 (Part 2) Searched String: Capacitor 2.5 to 3 MFD Hexagonal Nuts - Style 1, Chamfered, Unchamfered and Style 2 conforming to IS 1364 Part 3, 4, 5 and 6, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), LED Luminaire (Recessed Luminaire) (V3) Conforming to IS 10322 (Part 5/Section 2), Frequency Counter, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Kit for Special School Students (Intellectual Disability) - Kit 2 Age Group 3 to 6 Years, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3), PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, LED Luminaire For Road And Street Lights Conforming To IS 10322 (Part 5/Section 3) (V3) (Under BIS Scheme - II) Searched String: MCCB 160 A 4 P 16KA Moulded Case Circuit Breakers (MCCB) Conforming To IS/IEC 60947 (Part 2), Overbed Tables, Answer Book/Booklets For Examinations (V3), Circuit Breakers for DC Operation, Unplsticized PVC Pipes for Water Supply conforming to IS 4985, Examination Answer Books (V4) Conforming to IS 5195, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694 Searched String: Switch Fuse Unit 415V 4P Switch Disconnectors and Fuse Combination Units (Switch Fuse Unit) Conforming To IS/IEC 60947 (Part 3), HRC (High Rupturing Capacity) Fuse Conforming to IS/IEC 60269 (Part 2), Drop Out Fuses, Data Logger Unit Storage, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Low Voltage MCCB with Thermal Magnetic/Electronic Trip Unit Conforming To IS/IEC 60947 (Part 2), Portable Fire Extinguishers (V3) ISI Marked to IS 15683, Bi Double Distillation Water Unit (V2), Wooden Shelf / Case / Rack / Credenza / Modular Storage (V2), Executive Table (V4) Searched String: MCB 32A 4P 16 KA
-------------------------	--

विड विवरण / Bid Details	Wrought Aluminium Utensils (V2) as per IS 1660, XLPE Cable for Working Voltage up to and Including 1.1 KV
	Marked To IS 7098 (Part 1), Moulded Case Circuit Breakers (MCCB) Conforming To IS/IEC 60947 (Part 2), File/Folder (V3), A3 Size Multifunction Printer (MFP), Multifunction Printer (Print, Scan, Copy), Miniature Circuit Breakers (MCB) for AC Operation Marked To IS/IEC 60898 (Part 1), Answer Book/Booklets For Examinations (V3), A4 and Legal Size Multifunction Printer (MFP), binding punch machine Searched String: Cable PVC single core 1.5 Sqmm copper conductor 90 Mtrs in one roll PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Aluminium Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694, PVC Single Core and Multi Core Circular Sheathed Aluminium Cable with Rigid Conductor (V2) as per IS 694 Searched String: MCB SP 32 A 10 KA General purpose Machinery and Spindle Oils (V2) Conforming to IS 493, Moulded Case Circuit Breakers (MCCB) Conforming To IS/IEC 60947 (Part 2), Switch Disconnectors and Fuse Combination Units (Switch Fuse Unit) Conforming To IS/IEC 60947 (Part 3), Circuit Breakers for DC Operation, Metal Oxide Surge Arresters Without Gaps For A.C. Systems (V2) Conforming to IS 15086 (Part 4) Searched String: MCB SP 16A 10 KA Streptomycin Sulphate 90%+ Tetracycline Hydrochloride 10% WW S.P., Moulded Case Circuit Breakers (MCCB) Conforming To IS/IEC 60947 (Part 2), Sports Mats (V2), Miniature Circuit Breakers (MCB) for AC Operation Marked To IS/IEC 60898 (Part 1), General purpose Machinery and Spindle Oils (V2) Conforming to IS 493, Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Transfluthrin 1.0% + Cypermethrin 0.25% Spray, Health Supplements, Nutraceuticals and Food for Special Dietary Use (V2), Trackside Indicator Boards and Signages as per IRICEN Manual, Circuit Breakers for DC Operation Searched String: 3 Pin Electric Plug 16 Amp Electric Power Plug Top for Industrial Applications, Electrical Power Connector, Electrical Extension Box (V4), Switch Disconnectors and Fuse Combination Units (Switch Fuse Unit) Conforming To IS/IEC 60947 (Part 3), Non Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293, Electrical Plugs (V2) ISI Marked to IS 1293, Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293 Searched String: MCB 6 Amp 01 Pole 10 KA Switch Disconnectors and Fuse Combination Units (Switch

बिड विवरण/Bid Details	Fuse Unit) Conforming To IS/IEC 60947 (Part 3), Moulded Case Circuit Breakers (MCCB) Conforming To IS/IEC 60947 (Part 2)
	Searched String: 3 Pin Electrical Plug 6 Amp Electric Power Plug Top for Industrial Applications, Non Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293, Electrical Power Connector, Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293, Electrical Extension Box (V4), Electrical Plugs (V2) ISI Marked to IS 1293, Switch Disconnectors and Fuse Combination Units (Switch Fuse Unit) Conforming To IS/IEC 60947 (Part 3), Steel Pipes for Water and Sewage (V2) Conforming to IS 3589 Searched String: Switch piano 5 to 6A 240V 1 way Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Non Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Leather Gauntlets and Mittens (V2) Conforming to IS 2573, Wheeled Fire Extinguishers (V3) ISI Marked to Is 16018, Hydrochloric Acid (V3) Conforming to IS 265, Online UPS (≤ 10 KVA) With Battery Conforming To IS 16242 (Part 1), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Porcelain Insulators For Overhead Power Lines with Nominal Voltage up to and Including 1000 V Conforming To IS 1445, Miniature Circuit Breaker Boards for Voltages Conforming To IS 13032, Temperature Indicator for Transformers - Analog type Searched String: Electric Socket 15A Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293, Impact socket, Fume Hood (FSSAI), Deep Socket, Insulated socket, Plug and Socket Distribution Board, IC SOCKET, File/Folder (V3), Non Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293, Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931 Searched String: 6 Amp Socket 6-Benzylaminopurine, water baths, Impact socket, Deep Socket, Insulated socket, IC SOCKET, patient care mattresses, PVC Reducer Socket, Flameproof Switch Socket, Muffle/Box Furnace (V2) Searched String: Ceiling rose PVC Ceiling rose - IS 371, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Rose Seeds, Wiper Ceiling Bung, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, (Vitreous China) - Shower Rose-IS:2556, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Ceiling OT Light (V2), PVC gitti, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694 Searched String: PVC Board 4x4 inch Cleaning Duster (V3), PVC COATED CANOPY TENT STRUCTURE, Dry Erase Writing Boards (V3), Pin Up Notice Board (V2), File/Folder (V3), modular electrical enclosure

बिड विवरण / Bid Details	switch board boxes for modular type accessories, PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694 Searched String: MCB 16 Amp 01 Pole 10 KA Switch Disconnectors and Fuse Combination Units (Switch Fuse Unit) Conforming To IS/IEC 60947 (Part 3), Moulded Case Circuit Breakers (MCCB) Conforming To IS/IEC 60947 (Part 2) Searched String: Water Tank 500 Ltrs Canvas Water Tank, Environmental Chamber, water truck cabin truck with water tank, Water Bowser with Boom Tower for Fire Fighting, Reverse Osmosis based Water Treatment System above 50 LPH Capacity (V2), Water Sprinkler Application Mounted on Water Truck Cabin Truck with Water Tank, Rotational Moulded Polyethylene Water Storage Tanks (V3) Conforming to IS 12701, Truck with Water Tanker, Rotational Moulded Polyethylene Water Storage Tanks (V2) conforming to IS 12701, Customised Tanker on Truck Searched String: Water Tank triple layer 1000 Ltrs Rotational Moulded Polyethylene Water Storage Tanks (V2) conforming to IS 12701, Rotational Moulded Polyethylene Water Storage Tanks (V3) Conforming to IS 12701, RO Water Plant for Hemodialysis, FRP Storage Tank (V2) Searched String: Insulated Water Tank Cover of 1000 Ltr Capacity Truck Mounted Jetting Machine, FRP Storage Tank (V2), Reverse Osmosis based Water Treatment System above 50 LPH Capacity, Water Tender Type B for Fire Brigade Use conforming to IS 950, Truck Mounted Suction Machine (V2), Hot Press Moulded Thermosetting Glass Fibre Reinforced Polyster Resing (GRP) Sectional Water Storage Tanks as per IS 14399 Searched String: Water Storage Tank Cover all in one All in One PC (V2), High performance Computing (HPC) in a Box, Rotational Moulded Polyethylene Water Storage Tanks (V2) conforming to IS 12701, Environmental Chamber, Rotational Moulded Polyethylene Water Storage Tanks (V3) Conforming to IS 12701, Reverse Osmosis based Water Treatment System above 50 LPH Capacity, Integrated PA System, Multifunction Printer (Print, Scan, Copy), Potable Water Purification System DE - Ionization Based, Hot Press Moulded Thermosetting Glass Fibre Reinforced Polyster Resing (GRP) Sectional Water Storage Tanks as per IS 14399 Searched String: Water tank 2000 Ltrs Canvas Water Tank, Environmental Chamber, water truck cabin truck with water tank, Water Bowser with Boom Tower for Fire Fighting, Rotational Moulded Polyethylene Water Storage Tanks (V2) conforming to IS 12701, Water Sprinkler Application Mounted on Water Truck Cabin Truck with Water Tank, Reverse Osmosis based Water Treatment System
-------------------------	--

बिड विवरण/Bid Details	above 50 LPH Capacity (V2), Truck with Water Tanker, Portable Toilet, Customised Tanker on Truck
	Searched String: PVC Ball Cock 25mm PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Check Valve (V2) as per IS 778, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Speed Breaker (V2), PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985 Searched String: Gate Valve Brass 20mm Knife Edge Gate Valve, Gun Metal Gate Valves - BHEL, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, Gate, Globe And Check Valves For Water Work Purposes- IS:778, Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931, Portable Toilet, Sluice Valve For Water Works Purposes (50 To 1200 Mm Size) (V2) As Per Is 14846, Modular Toilet
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	• Reed Switch
बीओक्यू शीर्षक / BOQ Title	BOQ BOQ
बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का) / Minimum Average Annual Turnover of the bidder (For 3 Years)	8 Lakh (s)
उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष/ Years of Past Experience Required for same/similar service	2 Year (s)
टर्नओवर के लिए एमएसई को छूट प्राप्त है / MSE Relaxation for Turnover	Yes Complete
टर्नओवर के लिए स्टार्टअप को छूट प्राप्त है / Startup Relaxation for Turnover	Yes Complete
विक्रेता से मांगे गए दस्तावेज़/ Document required from seller	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer

बिड विवरण/Bid Details	
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेजों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	3
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	3
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	1
विगत प्रदर्शन /Past Performance	40 %
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	Yes
रिवर्स नीलामी योग्यता नियम/RA Qualification Rule	H1-Highest Priced Bid Elimination
बिड का प्रकार/Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	CFL lamp 15W or LED Bulb 12W
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
मूल्यांकन पद्धति/Evaluation Method	Total value wise evaluation
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईएमडी राशि/EMD Amount	80000

ईपीबीजी विवरण /ePBG Detail

आवश्यकता/Required	No
-------------------	----

(a). जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित कैटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज़ प्रस्तुत करने है। एमएसई कैटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।/EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b).ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

(c).ईएमडी और संपादन जमानत राशि लाभार्थी के पक्ष में होनी चाहिए। / Earnest Money Deposit (EMD) shall also be accepted by the buyer in the form of a surety bond.

लाभार्थी /Beneficiary :

GE (AF) BHUJ

Address as Commander Works Engineers Air Force Bhuj, Department of Military Affairs, Indian Army, Ministry of Defence

(Garrison Engr Af Pf Bhuj)

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई खरीद वरीयता / MII Purchase Preference

एमआईआई खरीद वरीयता / MII Purchase Preference	Yes
मेक इन इंडिया विक्रेताओं को खरीद में प्राथमिकता, यदि उनका मूल्य $L1+X\%$ तक की सीमा में है / Purchase Preference to MII sellers available upto price within $L1+X\%$	20
मेक इन इंडिया खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MII purchase preference	50
सार्वजनिक खरीद (मेक-इन-इंडिया को प्राथमिकता) आदेश 2017 के अनुसार केवल क्लास 1/क्लास 2 के स्थानीय आपूर्तिकर्ताओं को ही भागीदारी की अनुमति है दिनांक 16.09.2020 (समय-समय पर संशोधित एवं लागू) / Allow participation only from Class 1/Class 2 local suppliers as per the Public procurement(Preference to Make-in-india) order 2017 date 16.09.2020(as amended and applicable time to time)	Yes, in compliance with the MII ORDER : DPIIT Order(as amended and applicable time to time)

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं/सेवा प्रदाता को खरीद में प्राथमिकता, यदि उनका मूल्य $L1+X\%$ / Purchase Preference to MSE OEMs/ Service Provider available upto price within $L1+X\%$	15

सूक्ष्म और लघु उद्यम मूल उपकरण निर्माता/सेवा प्रदाता को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Percentage of Bid quantity/amount for MSE OEMs/ Service Provider Purchase preference	25
---	----

1. If the bidder is a Micro or Small Enterprise (MSE) as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Bidder Turnover" as defined above subject to meeting of quality and technical specifications. If the bidder itself is MSE OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover, shall upload the supporting documents to prove his eligibility for Relaxation.

2. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Bidder Turnover" as defined above subject to their meeting of quality and technical specifications. If the bidder is DPIIT Registered OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover shall upload the supporting documents to prove his eligibility for Relaxation.

3. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

4. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.

5. Preference to Make In India products (For bids < 200 Crore): Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.

[OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017 and its subsequent Orders/Notifications issued by concerned Ministry .Benefits of MSE will be allowed only if seller/service provider is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

6. Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs having valid Udyam Certificate and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service, and Buyer will decide eligibility for purchase preference based on documentary evidence submitted in case of product bids, whereas in case of services the eligibility is automatically validated. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given

opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted. 7. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

8. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 40% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

9. Reverse Auction would be conducted amongst all the technically qualified bidders except the Highest quoting bidder. The technically qualified Highest Quoting bidder will not be allowed to participate in RA. However, H-1 will also be allowed to participate in RA in following cases:

- If number of technically qualified bidders are only 2 or 3.
- If Buyer has chosen to split the bid amongst N sellers, and H1 bid is coming within N.
- In case Primary product of only one OEM is left in contention for participation in RA on elimination of H-1.
- If L-1 is non-MSE and H-1 is eligible MSE and H-1 price is coming within price band of 15% of Non-MSE L-1
- If L-1 is non-MII and H-1 is eligible MII and H-1 price is coming within price band of 20% of Non-MII L-1

LED Batten With Battery Inverter 20W Alu Body

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kachchh	150	45

Flameproof Flood Light 100W

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kachchh	5	45

Tube Light Fittings LED Type 20Watt

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kachchh	200	45

LED Ceiling Light 2X2 Ft And 1x36Watt

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kachchh	10	45

LED Flood Light 120W

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kachchh	5	45

MCCB 125A 4P 25KA

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kachchh	3	45

LED Street Light 90W

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kachchh	5	45

CFL Lamp 10W Or LED Bulb 9W

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
-------------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kachchh	150	45

LED Street Light 70W

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications**Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kachchh	5	45

LED Type Retrotype 10 W 2 Ft

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications**Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kachchh	15	45

MCCB 160 A 3P 16KA

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kachchh	2	45

MCB 63A 4P 10 KA

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kachchh	15	45

LED Bulb 7W

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kachchh	260	45

LED Flood Light 150W

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषदी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषदी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kachchh	5	45

Cable PVC Twin Core 6 Sqmm Copper Conductor WF

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषदी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषदी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kachchh	180	45

LED Street Light 45W

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kachchh	6	45

MCCB 100 A 4P 25KA

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kachchh	5	45

MCB SPN 63 DP 10 KA 2 Pole

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषदी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषदी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kachchh	20	45

CFL Lamp 15W Or LED Bulb 12W

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषदी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषदी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kachchh	150	45

Regulator For C Fan Electronic Step Type

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषदी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kachchh	100	45

MCCB 100 Amp 3P 16 KA

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kachchh	5	45

MCCB 125 Amp 10 KA 03 Pole

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kachchh	5	45

MCB 32 A 2P 10 KA

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kachchh	40	45

MCB 20A 2P 10 KA

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kachchh	40	45

2 Core PVC Copper Circular Sheathed Cable 2.5 Sqmm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kachchh	200	45

MCB SP 40 A 10 KA

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kachchh	50	45

Switch Socket Combination 16A

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kachchh	150	45

MCB 16 A 2P 10 KA

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kachchh	30	45

MCCB 415 A 4 P 36 KA

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kachchh	1	45

LED Garden Light 20W

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kachchh	9	45

Switch Socket Combination 06A

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kachchh	150	45

Cable PVC Single Core 2.5 Sqmm Copper Conductor 90 Mtrs In One Roll

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kachchh	180	45

LED Post Top Luminus

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kachchh	5	45

MCCB 63 A 4P 10KA

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kachchh	6	45

MCB TPN 40 A 10 KA

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kachchh	15	45

LED Batten With LED Rod 1x22 To 24W

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kachchh	50	45

MCB 32 Amp 01 Pole 10 KA

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kachchh	50	45

MCCB 320A 4P 36KA

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kachchh	1	45

MCB SP 10A 10 KA

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kachchh	50	45

Door Bell Buzzer

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kachchh	10	45

Tape Insulation PVC 15 Mm X 6 M

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kachchh	250	45

MCCB 315 A 3P 36 KA

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kachchh	1	45

MCB 20 Amp 01 Pole 10 KA

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kachchh	50	45

Capacitor 2.5 To 3 MFD

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kachchh	100	45

MCCB 160 A 4 P 16KA

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kachchh	1	45

Switch Fuse Unit 415V 4P

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kachchh	1	45

MCB 32A 4P 16 KA

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kachchh	10	45

Cable PVC Single Core 1.5 Sqmm Copper Conductor

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kachchh	180	45

MCB SP 32 A 10 KA

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kachchh	20	45

MCB SP 16A 10 KA

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kachchh	20	45

3 Pin Electric Plug 16 Amp

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kachchh	50	45

MCB 6 Amp 01 Pole 10 KA

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kachchh	15	45

3 Pin Electrical Plug 6 Amp

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kachchh	50	45

Switch Piano 5 To 6A 240V 1 Way

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kachchh	110	45

Electric Socket 15A

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kachchh	15	45

6 Amp Socket

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kachchh	15	45

Ceiling Rose PVC

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kachchh	15	45

PVC Board 4x4 Inch

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kachchh	5	45

MCB 16 Amp 01 Pole 10 KA

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kachchh	5	45

Water Tank 500 Ltrs

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kachchh	10	45

Water Tank Triple Layer 1000 Ltrs

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kachchh	5	45

Insulated Water Tank Cover Of 1000 Ltr Capacity

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kachchh	10	45

Water Storage Tank Cover All In One

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kachchh	25	45

Water Tank 2000 Ltrs

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kachchh	1	45

PVC Ball Cock 25mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kachchh	60	45

Gate Valve Brass 20mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kachchh	10	45

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file.](#)

अस्वीकरण/Disclaimer

The Additional Terms and Conditions (ATC) have been incorporated by the Buyer after approval of their Competent Authority. The Buyer, is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any restriction arising in the bidding process due to these ATCs and including the modification of technical specifications and / or terms and conditions governing the bid. All representations / grievances pertaining to the ATC clauses shall be raised with the buyer organization directly and not with GeM. If any of the clause(s) is/are incorporated by the Buyer regarding the following, the bid & resultant contract shall be treated as null & void. Further, GeM reserves the right, at its sole discretion, to cancel the bid forthwith, without issuance of any prior notice or intimation :-

1. Publishing Custom / BOQ bids for items for which regular GeM categories are available (unless such Custom / BOQ item is bunched with the major regular product Category Item).
2. Mandating procurement of / from specific Brand / Make / Model / Manufacturer / Dealer except in case of Single Bid / Proprietary Article Certificate (PAC) Buying.
3. Inclusion of disqualification criteria related to suspension of seller / service provider, where such suspension period has already expired.
4. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
5. Publishing bids on GeM for procurement of works.
6. Procurement of Goods by creating a Service bid on GeM & vice-versa.
7. Seeking sample with bid or approval of samples during bid evaluation process. However, trial / sample, as the case may be, shall be permitted in cases where trial / sample are allowed as per approved and published procurement policy of the Buyers' controlling Ministry / Department / State / Public Sector Enterprises Headquarters. If there is any violation of trial / sample clause with regard to approved policy of the Buyers' Ministry / Department / State / Public Sector Enterprises Headquarters, then this is to be determined and redressed by the concerned Buyer Organisation only.
8. Seeking experience from specific organization / department / institute only or from foreign / export experience.
9. Creating bid for items from incorrect categories.
10. Reference of conditions published on any external site or reference to external documents/clauses.
11. Asking for any Tender fee / Bid Participation fee, as the case may be.
12. Buyer added ATC Clauses which are in contravention of clauses defined in bid detail section, including specifications, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by the applicable GeM GTC.
13. Any ATC clause in contravention with GeM GTC Clause 4 (xiii) (h) will be invalid. In case of multiple L1 bidders against a service bid, the buyer shall place the Contract by selection of a bidder amongst the L-1 bidders through a Random Algorithm executed by GeM system.
14. In a category based bid, adding additional items, through buyer added, additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogues or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

This Bid is governed by the General Terms and Conditions, conditions stipulated in Bid and Service Level Agreement specific to the Service, as the case may be, as provided in the Marketplace.

However, in case of Service, if any condition specified in General Terms and Conditions is contradicted by the conditions stipulated in Service Level Agreement specific to said Service, then it will over-ride the conditions in the General Terms and Conditions.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्यवाई का आधार होगा।/In terms

of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---