

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	14-07-2026 09:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	14-07-2026 09:30:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	30 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Gujarat
विभाग का नाम/Department Name	Ports And Transport Department Gujarat
संगठन का नाम/Organisation Name	Gujarat State Road Transport Corporation
कार्यालय का नाम/Office Name	Central Office
शिकायत निवारण के संपर्क विवरण/ Contact details of Grievance redressal	HOD Email id :acao-account@gsrtc.org Buyer Email id: buyer5.gsrtc.gj@gembuyer.in
कुल मात्रा/Total Quantity	95
वस्तु श्रेणी /Item Category	Compression Springs (Q3)
एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है/MSE Relaxation for Years of Experience and Turnover	No
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है /Startup Relaxation for Years of Experience and Turnover	No
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	1
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	3
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	1
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	No
बिड का प्रकार/Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	Compression Springs

बिड विवरण/Bid Details	
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
मूल्यांकन पद्धति/Evaluation Method	Total value wise evaluation
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

आवश्यकता/Required	No
-------------------	----

ईपीबीजी विवरण /ePBG Detail

आवश्यकता/Required	No
-------------------	----

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	No
---	----

एमआईआई खरीद वरीयता/MII Purchase Preference

एमआईआई खरीद वरीयता/MII Purchase Preference	No
--	----

Compression Springs (5 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic Specification	Ends	Closed
	Finish	Zinc
	Inner Diameter(millimeter)	0.10-0.20

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Outer Diameter(millimeter)	0.91-1
	Spring Constant (Rate) - N-mm	0.3-0.5
	Free Length(millimeter)	3.2-3.5
	Materials	Music Wire
	Wire Diameter(milimeter)	0.027-25.4

Additional Specification Parameters - Compression Springs (5 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
PART NO : - 4106 3210 0107 1 ST Leaf Assy (For Front Spring Tata 1618/62 BS-VI & 1618/62 OBD-II BS-VI) Length (mm) 1691, Width(mm)90, Thick(mm)14, Weight(Kg.)16.6	PART NO : - 4106 3210 0107 1 ST Leaf Assy (For Front Spring Tata 1618/62 BS-VI & 1618/62 OBD-II BS-VI) Length (mm) 1691, Width(mm)90, Thick(mm)14, Weight(Kg.)16.6

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pandya Jigneshbhai Bharatbhai	364004,GUJARAT STATE ROAD TRANSPORT CORPORATION, DIVISION OFFICE, NEAR MARKETING YARD, OPP. P & T HOUSE, RAJKOT-BHAVNAGAR HIGWAY, CHITRRA GIDC, BHAVNAGAR.	5	15

Compression Springs (5 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic Specification	Ends	Open
	Finish	natural tempered

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Inner Diameter(millimeter)	0.20-0.40
	Outer Diameter(millimeter)	21-24
	Spring Constant (Rate) - N-mm	10-15
	Free Length(millimeter)	3.8-3.11
	Materials	Stainless Steel
	Wire Diameter(milimeter)	1-5

Additional Specification Parameters - Compression Springs (5 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
PART NO : - 4106 3210 7106 2 nd Leaf Assy (For Front Spring Tata 1618/62 BS-VI & 1618/62 OBD-II BS-VI)Length (mm) 1691, Width(mm)90, Thick (mm)14, Weight(Kg.)16.64106 3210 7112	PART NO : - 4106 3210 7106 2 nd Leaf Assy (For Front Spring Tata 1618/62 BS-VI & 1618/62 OBD-II BS-VI)Length (mm) 1691, Width(mm)90, Thick (mm)14, Weight(Kg.)16.64106 3210 7112

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pandya Jigneshbhai Bharatbhai	364004,GUJARAT STATE ROAD TRANSPORT CORPORATION, DIVISION OFFICE, NEAR MARKETING YARD, OPP. P & T HOUSE, RAJKOT-BHAVNAGAR HIGWAY, CHITRRA GIDC, BHAVNAGAR.	5	15

Compression Springs (5 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic Specification	Ends	Open

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Finish	natural tempered
	Inner Diameter(millimeter)	0.20-0.40
	Outer Diameter(millimeter)	21-24
	Spring Constant (Rate) - N-mm	10-15
	Free Length(millimeter)	3.8-3.11
	Materials	Stainless Steel
	Wire Diameter(milimeter)	1-5

Additional Specification Parameters - Compression Springs (5 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
PART NO : - 4106 3210 7103 3 rd Leaf (For Front Spring Tata 1618/62 BS-VI & 1618/62 OBD-II BS-VI) Length (mm)1490, Width(mm)90, Thick (mm) 16, Weight (Kg.) 15.76	PART NO : - 4106 3210 7103 3 rd Leaf (For Front Spring Tata 1618/62 BS-VI & 1618/62 OBD-II BS-VI) Length (mm)1490, Width(mm)90, Thick (mm) 16, Weight (Kg.) 15.76

* Bidders offering must also comply with the additional specification parameters mentioned above.

परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pandya Jigneshbhai Bharatbhai	364004,GUJARAT STATE ROAD TRANSPORT CORPORATION, DIVISION OFFICE, NEAR MARKETING YARD, OPP. P & T HOUSE, RAJKOT-BHAVNAGAR HIGWAY, CHITRRA GIDC, BHAVNAGAR.	5	15

Compression Springs (5 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic Specification	Ends	Closed
	Finish	Zinc
	Inner Diameter(millimeter)	0.10-0.20
	Outer Diameter(millimeter)	0.91-1
	Spring Constant (Rate) - N-mm	0.3-0.5
	Free Length(millimeter)	3.2-3.5
	Materials	Music Wire
	Wire Diameter(milimeter)	0.027-25.4

Additional Specification Parameters - Compression Springs (5 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
PART NO : - 4106 3210 7112 4 th Leaf (For Front Spring Tata 1618/62 BS-VI & 1618/62 OBD-II BS-VI)Length (mm)1253, Width(mm)90, Thick(mm)16, Weight(Kg.)13.19	PART NO : - 4106 3210 7112 4 th Leaf (For Front Spring Tata 1618/62 BS-VI & 1618/62 OBD-II BS-VI)Length (mm)1253, Width(mm)90, Thick(mm)16, Weight(Kg.)13.19

* Bidders offering must also comply with the additional specification parameters mentioned above.

परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pandya Jigneshbhai Bharatbhai	364004,GUJARAT STATE ROAD TRANSPORT CORPORATION, DIVISION OFFICE, NEAR MARKETING YARD, OPP. P & T HOUSE, RAJKOT-BHAVNAGAR HIGHWAY, CHITRRA GIDC, BHAVNAGAR.	5	15

Compression Springs (5 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic Specification	Ends	Open
	Finish	natural tempered
	Inner Diameter(millimeter)	1-5
	Outer Diameter(millimeter)	3-6
	Spring Constant (Rate) - N-mm	1-5
	Free Length(millimeter)	3.14-3.17
	Materials	Spring SteelHard Drawn
	Wire Diameter(milimeter)	1-5

Additional Specification Parameters - Compression Springs (5 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
PART NO : - 4106 3210 7101 5 th Leaf (For Front Spring Tata 1618/62 BS-VI & 1618/62 OBD-II BS-VI) Length (mm)1015, Width(mm)90, Thick (mm)16, Weight(Kg.)13.6	PART NO : - 4106 3210 7101 5 th Leaf (For Front Spring Tata 1618/62 BS-VI & 1618/62 OBD-II BS-VI) Length (mm)1015, Width(mm)90, Thick (mm)16, Weight(Kg.)13.6

* Bidders offering must also comply with the additional specification parameters mentioned above.

परिषेती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषेती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pandya Jigneshbhai Bharatbhai	364004,GUJARAT STATE ROAD TRANSPORT CORPORATION, DIVISION OFFICE, NEAR MARKETING YARD, OPP. P & T HOUSE, RAJKOT-BHAVNAGAR HIGWAY, CHITRRA GIDC, BHAVNAGAR.	5	15

Compression Springs (5 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic Specification	Ends	Open
	Finish	natural tempered
	Inner Diameter(millimeter)	1-5
	Outer Diameter(millimeter)	3-6
	Spring Constant (Rate) - N-mm	10-15
	Free Length(millimeter)	3.8-3.11
	Materials	Stainless Steel
	Wire Diameter(milimeter)	1-5

Additional Specification Parameters - Compression Springs (5 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
PART NO : - P9F01217 FRONT SPRING SECOND LEAF , THIKNESS 14MM FOR LEYLAND 2011 OBD 2 READY BUILT BUS	PART NO : - P9F01217 FRONT SPRING SECOND LEAF , THIKNESS 14MM FOR LEYLAND 2011 OBD 2 READY BUILT BUS

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pandya Jigneshbhai Bharatbhai	364004,GUJARAT STATE ROAD TRANSPORT CORPORATION, DIVISION OFFICE, NEAR MARKETING YARD, OPP. P & T HOUSE, RAJKOT-BHAVNAGAR HIGWAY, CHITRRA GIDC, BHAVNAGAR.	5	15

Compression Springs (15 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic Specification	Ends	Open
	Finish	natural tempered
	Inner Diameter(millimeter)	0.20-0.40
	Outer Diameter(millimeter)	21-24
	Spring Constant (Rate) - N-mm	10-15
	Free Length(millimeter)	3.8-3.11
	Materials	Stainless Steel
	Wire Diameter(milimeter)	1-5

Additional Specification Parameters - Compression Springs (15 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
PART NO : - P9F01218 FRONT SPRING S THIRD LEAF , THIKNESS 14MM FOR LEYLAND 2011 OBD 2 READY BUILT BUS	PART NO : - P9F01218 FRONT SPRING S THIRD LEAF , THIKNESS 14MM FOR LEYLAND 2011 OBD 2 READY BUILT BUS

* Bidders offering must also comply with the additional specification parameters mentioned above.

परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pandya Jigneshbhai Bharatbhai	364004,GUJARAT STATE ROAD TRANSPORT CORPORATION, DIVISION OFFICE, NEAR MARKETING YARD, OPP. P & T HOUSE, RAJKOT-BHAVNAGAR HIGWAY, CHITRRA GIDC, BHAVNAGAR.	15	15

Compression Springs (15 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic Specification	Ends	Closed
	Finish	Black Oxide
	Inner Diameter(millimeter)	0.10-0.20
	Outer Diameter(millimeter)	9-12
	Spring Constant (Rate) - N-mm	15-20
	Free Length(millimeter)	3.17-3.21
	Materials	spring steel wire
	Wire Diameter(milimeter)	0.060-1

Additional Specification Parameters - Compression Springs (15 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
PART NO : - P9F01219 FRONT SPRING S FOURTH LEAF,THICKNESS 14MM FOR LEYLAND 2011 OBD 2 READY BUILT BUS	PART NO : - P9F01219 FRONT SPRING S FOURTH LEAF,THICKNESS 14MM FOR LEYLAND 2011 OBD 2 READY BUILT BUS

* Bidders offering must also comply with the additional specification parameters mentioned above.

परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pandya Jigneshbhai Bharatbhai	364004,GUJARAT STATE ROAD TRANSPORT CORPORATION, DIVISION OFFICE, NEAR MARKETING YARD, OPP. P & T HOUSE, RAJKOT-BHAVNAGAR HIGWAY, CHITRRA GIDC, BHAVNAGAR.	15	15

Compression Springs (15 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic Specification	Ends	closed and ground
	Finish	natural tempered
	Inner Diameter(millimeter)	1-5
	Outer Diameter(millimeter)	3-6
	Spring Constant (Rate) - N-mm	5-10
	Free Length(millimeter)	3.11-3.14
	Materials	Stainless Steel
	Wire Diameter(milimeter)	1-5

Additional Specification Parameters - Compression Springs (15 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
PART NO : - P9F01220 FRONT SPRING S FIFTH LEAF , THIKNESS 14MM FOR LEYLAND 2011 OBD 2 READY BUILT BUS	PART NO : - P9F01220 FRONT SPRING S FIFTH LEAF , THIKNESS 14MM FOR LEYLAND 2011 OBD 2 READY BUILT BUS

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pandya Jigneshbhai Bharatbhai	364004, GUJARAT STATE ROAD TRANSPORT CORPORATION, DIVISION OFFICE, NEAR MARKETING YARD, OPP. P & T HOUSE, RAJKOT-BHAVNAGAR HIGWAY, CHITRRA GIDC, BHAVNAGAR.	15	15

Compression Springs (20 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic Specification	Ends	Open
	Finish	natural tempered
	Inner Diameter(millimeter)	0.80-1
	Outer Diameter(millimeter)	1-3
	Spring Constant (Rate) - N-mm	1-5
	Free Length(millimeter)	3.5-3.8
	Materials	Spring SteelHard Drawn
	Wire Diameter(milimeter)	1-5

Additional Specification Parameters - Compression Springs (20 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
PART NO : - P9F01221 FRONT SPRING S SIXTH LEAF , THIKNESS 14MM FOR LEYLAND 2011 OBD 2 READY BUILT BUS	PART NO : - P9F01221 FRONT SPRING S SIXTH LEAF , THIKNESS 14MM FOR LEYLAND 2011 OBD 2 READY BUILT BUS

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pandya Jigneshbhai Bharatbhai	364004,GUJARAT STATE ROAD TRANSPORT CORPORATION, DIVISION OFFICE, NEAR MARKETING YARD, OPP. P & T HOUSE, RAJKOT-BHAVNAGAR HIGWAY, CHITRRA GIDC, BHAVNAGAR.	20	15

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the

additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. Generic

1. The Seller shall not assign the Contract in whole or part without obtaining the prior written consent of buyer.
2. The Seller shall not sub-contract the Contract in whole or part to any entity without obtaining the prior written consent of buyer.
3. The Seller shall, notwithstanding the consent and assignment/sub-contract, remain jointly and severally liable and responsible to buyer together with the assignee/ sub-contractor, for and in respect of the due performance of the Contract and the Sellers obligations there under.

3. Generic

Without prejudice to Buyer's right to price adjustment by way of discount or any other right or remedy available to Buyer, Buyer may terminate the Contract or any part thereof by a written notice to the Seller, if:

- i) The Seller fails to comply with any material term of the Contract.
- ii) The Seller informs Buyer of its inability to deliver the Material(s) or any part thereof within the stipulated Delivery Period or such inability otherwise becomes apparent.
- iii) The Seller fails to deliver the Material(s) or any part thereof within the stipulated Delivery Period and/or to replace/rectify any rejected or defective Material(s) promptly.
- iv) The Seller becomes bankrupt or goes into liquidation.
- v) The Seller makes a general assignment for the benefit of creditors.
- vi) A receiver is appointed for any substantial property owned by the Seller.
- vii) The Seller has misrepresented to Buyer, acting on which misrepresentation Buyer has placed the Purchase Order on the Seller.

4. Scope of Supply

Scope of supply (Bid price to include all cost components) : Only supply of Goods

5. Certificates

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

6. Certificates

The bidder is required to upload, along with the bid, all relevant certificates such as BIS licence, type test certificate, approval certificates and other certificates as prescribed in the Product Specification given in the bid document.

7. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

R/C 14 SPRING LEAF TATA

PART NO : - 4106 3210 0107 1 ST Leaf Assy (For Front Spring Tata 1618/62 BS-VI & 1618/62 OBD-II BS-VI)
Length
(mm) 1691, Width(mm)90, Thick(mm)14, Weight(Kg.)16.6

PART NO : - 4106 3210 7106 2 nd Leaf Assy (For Front Spring Tata 1618/62 BS-VI & 1618/62 OBD-II BS-VI)
Length (mm) 1691, Width(mm)90, Thick (mm)14, Weight(Kg.)16.6
4106 3210 7112

PART NO : - 4106 3210 7103 3 rd Leaf (For Front Spring Tata 1618/62 BS-VI & 1618/62 OBD-II BS-VI) Length (mm)1490, Width(mm)90, Thick (mm) 16, Weight (Kg.) 15.76

PART NO : - 4106 3210 7112 4 th Leaf (For Front Spring Tata 1618/62 BS-VI & 1618/62 OBD-II BS-VI)Length h (mm)1253, Width(mm)90, Thick(mm)16, Weight(Kg.)13.19

PART NO : - 4106 3210 7101 5 th Leaf (For Front Spring Tata 1618/62 BS-VI & 1618/62 OBD-II BS-VI) Length (mm)1015, Width(mm)90, Thick (mm)16, Weight(Kg.)13.6

R/C 14 SPRING LEAF LEY

PART NO : - P9F01217 FRONT SPRING SECOND LEAF , THICKNESS 14MM FOR LEYLAND 2011 OBD 2 READY BUILT BUS

PART NO : - P9F01218 FRONT SPRING S THIRD LEAF , THICKNESS 14MM FOR LEYLAND 2011 OBD 2 READY BUILT BUS

PART NO : - P9F01219 FRONT SPRING S FOURTH LEAF,THICKNESS 14MM FOR LEYLAND 2011 OBD 2 READY BUILT BUS

PART NO : - P9F01220 FRONT SPRING S FIFTH LEAF , THICKNESS 14MM FOR LEYLAND 2011 OBD 2 READY BUILT BUS

PART NO : - P9F01221 FRONT SPRING S SIXTH LEAF , THICKNESS 14MM FOR LEYLAND 2011 OBD 2 READY BUILT BUS

Important Terms & condition:- Payment term:- payment of materials will be made on 61 day from the actual date of receipt of material the corporation shall avail 2% C.D. in lieu 60 day credit period if the payment is made within 20 working days from actual date of material receipt of material.

अस्वीकरण/Disclaimer

The Additional Terms and Conditions (ATC) have been incorporated by the Buyer after approval of their Competent Authority. The Buyer ,is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any restriction arising in the bidding process due to these ATCs and including the modification of technical specifications and / or terms and conditions governing the bid.All representations / grievances pertaining to the ATC clauses shall be raised with the buyer organization directly and not with GeM.If any of the clause(s) is/are incorporated by the Buyer regarding the following, the bid & resultant contract shall be treated as null & void. Further, GeM reserves the right, at its sole discretion, to cancel the bid forthwith, without issuance of any prior notice or intimation :-

1. Publishing Custom / BOQ bids for items for which regular GeM categories are available (unless such Custom / BOQ item is bunched with the major regular product Category Item).
2. Mandating procurement of / from specific Brand / Make / Model / Manufacturer / Dealer except in case of Single Bid / Proprietary Article Certificate (PAC) Buying.

3. Inclusion of disqualification criteria related to suspension of seller / service provider, where such suspension period has already expired.
4. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
5. Publishing bids on GeM for procurement of works.
6. Procurement of Goods by creating a Service bid on GeM & vice-versa.
7. Seeking sample with bid or approval of samples during bid evaluation process. However, trial / sample, as the case may be, shall be permitted in cases where trial / sample are allowed as per approved and published procurement policy of the Buyers' controlling Ministry / Department / State / Public Sector Enterprises Headquarters. If there is any violation of trial / sample clause with regard to approved policy of the Buyers' Ministry / Department / State / Public Sector Enterprises Headquarters, then this is to be determined and redressed by the concerned Buyer Organisation only.
8. Seeking experience from specific organization / department / institute only or from foreign / export experience.
9. Creating bid for items from incorrect categories.
10. Reference of conditions published on any external site or reference to external documents/clauses.
11. Asking for any Tender fee / Bid Participation fee, as the case may be.
12. Buyer added ATC Clauses which are in contravention of clauses defined in bid detail section, including specifications, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by the applicable GeM GTC.
13. Any ATC clause in contravention with GeM GTC Clause 4 (xiii) (h) will be invalid. In case of multiple L1 bidders against a service bid, the buyer shall place the Contract by selection of a bidder amongst the L-1 bidders through a Random Algorithm executed by GeM system.
14. In a category based bid, adding additional items, through buyer added, additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogues or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

This Bid is governed by the General Terms and Conditions, conditions stipulated in Bid and Service Level Agreement specific to the Service, as the case may be, as provided in the Marketplace.

However, in case of Service, if any condition specified in General Terms and Conditions is contradicted by the conditions stipulated in Service Level Agreement specific to said Service, then it

will over-ride the conditions in the General Terms and Conditions.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions.](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---