

बिड दस्तावेज़ / Bid Document

बिड विवरण / Bid Details	
बिड बंद होने की तारीख/समय / Bid End Date/Time	28-07-2026 12:00:00
बिड खुलने की तारीख/समय / Bid Opening Date/Time	28-07-2026 12:30:00
बिड पेशकश वैधता (बंद होने की तारीख से) / Bid Offer Validity (From End Date)	180 (Days)
मंत्रालय/राज्य का नाम / Ministry/State Name	Gujarat
विभाग का नाम / Department Name	Labour And Employment Department Gujarat
संगठन का नाम / Organisation Name	Directorate Of Employment & Training
कार्यालय का नाम / Office Name	Det
शिकायत निवारण के संपर्क विवरण / Contact details of Grievance redressal	HOD Email id : adirpur-det@gujarat.gov.in Buyer Email id: ask-iti-mendarda@gujarat.gov.in
कुल मात्रा / Total Quantity	567

बिड विवरण/Bid Details

वस्तु श्रेणी /Item Category

Power tools for fastening , Different Profile gauges Plate type , Indexable boring bar with inserts , Heat treated alloy MC steel Mt. Studs and bolts with nuts , Ms Pipe , Steel keys , Bearing different types , Washer clutch keys jib cotter and circlip , Try Square , Chisel cold flat , File flat second cut safe edge , Vice bench , Machine vice , Dial Vernier caliper Universal type , EARTH COPPER PLATE 60CM X 60CM X 3.15 MM , EARTH GI PLATE 60CM X 60CM X 6MM , EARTH ELECTRODE PRIMARY ELECTRODE 2100X28X3.25MM , EARTH ELECTRODE SECONDARY CU STRIP 20X5MM , RESIDUAL CURRENT CIRCUIT BREAKER RCCB 25 AMP , RUBBER MAT 60 X 120 X 2.5 CM 2ftX4ftX1inch , RCC POLE 6 MTR WITH ACCESSORIES , Digital Vernier caliper , COIL WINDING MACHINE MANUAL , SMART METER SINGLE PHASE , SMART METER THREE PHASE , EV CHARGER 3 PHASE INPUT , EV CHARGER HOME 1 PHASE INPUT , SCREW DRIVER DIAMOND INSULATED HEAD 4 X 150 MM , Power Factor meter , Solid State Solar Based 1 Phase Energy Meter Bidirectional , Three phase KWH meter digital , Magnetic Flux Meter , Meter Reading Instrument MRI , Insulators including hardware fitting , Earth Plate , Earth Electrode , Bus bar with brackets , STAR DELTA STRATER SOFT STARTER , Steel measuring tape , Ammeter MC , Frequency meter , Hydrometer , Crimping tool , wire Gauge imperial SS marked in SWG and mm , Spirit level , Pipe vice Cast Iron with hardened jaw open type , Contactor and auxiliary contacts , Limit Switch , Knife Switch DPDT fitted with fuse terminals , Knife Switch TPDT fitted with fuse terminals , MCCB , Electrician Helmet , Solar panels , Solar charge controller with manual switch Day lighting , EV Charger , EV Charger Home , Motion Detector , Electric Induction plate , Demonstration table , Instructor s chair , Computer chair Revolving , Metal Rack , Fire Buckets , Screw Driver , Terminal screw Driver , Knife Electrician , Hammer Ball peen , Plumb bob , Combination pliers insulated , Spanner set DE , Screw driver set set of 5 , File half round 2nd cut , File round 2nd cut , Soldering iron , Various Lamps with fittings , Panel Accessories , Solar Traffic Light , Rechargeable battery , Almirah

बिड विवरण/Bid Details

GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS

Power tools for fastening Capacity 10-18mm, Different Profile gauges Plate type For demonstration Metric standard, Indexable boring bar with inserts 1" shank, alloy steel Metric Studs and bolts with nuts for display M6,8,10,12,14,16 Std, Ms Pipe 150NB, Sch40, ERW, IS:1239, Steel keys to fit with key slot of shaft & pulley, Washer,clutch, keys,jib,cotter & circlip min.25mm size, carbonsteel, Bearing different types type of diameter 25mm (min), Try Square 150 mm blade, Chisel cold flat 20 mm 150 mm High carbon steel, File flat second cut safe edge 300 mm, Vice bench 150 mm, Machine vice 100mm, Dial Vernier caliper (Universal type) 0 - 300 mm, LC 005 mm, EARTH COPPER PLATE 60CM X 60CM X 3.15 MM, EARTH GI PLATE 60CM X 60CM X 6MM, EARTH ELECTRODE PRIMARY ELECTRODE 2100X28X3.25MM, EARTH ELECTRODE SECONDARY CU STRIP 20X5MM, RESIDUAL CURRENT CIRCUIT BREAKER (RCCB) 25 AMP, RUBBER MAT 60 X 120 X 2.5 CM (2'X4'X1"), RCC POLE 6 M WITH MS ANGLE,C CLAMP,STAY INSULATOR ETC , Digital Vernier caliper 0 - 200 mm LC 001 mm (Optional), COIL WINDING MACHINE (MANUAL)., SMART METER SINGLE PHASE, SMART METER THREE PHASE, EV CHARGER 3 PHASE INPUT, EV CHARGER(HOME) 1 PHASE INPUT, SCREW DRIVER DIAMOND INSULATED HEAD 4 X 150 MM, Power Factor meter 440 V, 20 A, Three Phase portable box type, Solid State Solar Based Single Phase Energy Meter 5-30 A, 240 V, Three phase KWH meter digital 25A, 415 V A. C, Magnetic Flux Meter 0-500 tesla, Meter Reading Instrument (MRI) , Insulators with hardware fitting Pin, shackle, egg & suspension type,, Earth Plate 60cm X 60cm X 3.15mm CU Plate 60cm X 60cm X 6mm GI , Earth Electrode Primary Electrode 2100x28x3.25mm Secondary Cu Strip 20x5mm, Bus bar with brackets 1 mtr each, STAR DELTA STRATER SOFT STARTER, Steel measuring tape Pocket type, Ammeter MC 0 500 mA, Frequency meter 45 to 55 Hz, Hydrometer , Crimping tool 9 Hex series, Wire Gauge Metric imperial SS marked in SWG & mm , Spirit level 300 mm, Pipe vice Cast Iron with hardened jaw open type 100 mm, Contactor & auxiliary contacts 3 phase, 415 V, 25 A with 2 NO and 2 NC, Limit Switch Limit Switch, Liver operated 2A 500v, 2-contacts, Knife Switch DPDT fitted with fuse terminals 16 Amp, Knife Switch TPDT fitted with fuse terminals 16 Amp/ 440 V, MCCB 100Amps, Triple pole, Electrician Helmet Yellow Colour, Solar panels 15Wp, Solar charge controller with manual switch (Day lighting) 6V,5 A, EV Charger 3 phase input, EV Charger (Home) 1 Phase input, Motion Detector , Electric Induction plate 1500 Watt, 240V, Demonstration table 2.5 x 1.25 x 0.75 m, Instructors chair Full Arm, Caned Back & Seat, Computer chair - Revolving , Metal Rack 100cm x 150cm x 45 cm, Fire Buckets Standard size, Screw Driver 200 mm, Screw Driver 100 mm, Terminal screw Driver 75 mm (Connector), Knife Electrician D.B., Hammer Ball peen 0.25 Kg, Plumb bob 115 grams, Combination pliers insulated 200 mm, Spanner set DE Set of 6 (from 6x7 to 16x7), Screw driver set (set of 5) 100-300 mm, File half round 2nd cut 250 mm, File round 2nd cut 150 mm, Soldering iron 60 W/230 V, Various Lamps with fittings 1.Halogen Incandescent Lamp etc, Panel Accessories Cable ducts, ferrules, LED indicators etc, Solar Traffic Light 12V, 75Ah battery,led,panel, charger etc, Rechargeable battery 12 V, 100 Ah, Almirah 1.8 x 1.2 x 0.45 m

बिड विवरण / Bid Details	Searched String: Power tools for fastening Capacity 10-18mm
	Diesel Power Generator - High Capacity (1010 KVA and above), XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Porcelain Insulators For Overhead Power Lines with Nominal Voltage Greater Than 1000 V Conforming To IS 731, Chipping hammer medium weight, Porcelain Insulators For Overhead Power Lines with Nominal Voltage up to and Including 1000 V Conforming To IS 1445, Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, Automatic Fire Ball for Fire - Extinguishing, jacks hydraulic, Portable Toilet, Tool Kit for Kasth Shilp (Wood Craft) - ODOP UP Gov. (Basti) Searched String: Different Profile gauges Plate type For demonstration Metric standard Category not available on GeM for the text string uploaded by the buyer Searched String: Indexable boring bar with inserts 1" shank Indexable Inserts, Weightlifting Equipment – Bars / Plates / Collars (V2) Searched String: alloy steel Metric Studs and bolts with nuts for display M6,8,10,12,14,16 Std Studs-IS:1862 Searched String: Ms Pipe 150NB, Sch40, ERW, IS:1239 MS ERW Pipe for Bus Body Building Parts as per IS 3601 (Latest), Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, Steel Pipes for Water and Sewage as per IS 3589, Pipe Unions confirming to IS 1239 (Part 2), Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), ERW Line Pipe (as per API 5L / ISO 3183) (Oil PSU), Socket Reducing confirming to IS 1239 (Part 2), Unplasticized Polyvinyl Chloride (PVC - U) Screen and Casing Pipes for Bore / Tubewells (V2) as per IS 12818, Nipples, Hexagon, Equal confirming to IS 1239 (Part 2), Steel Tubes, Tubulars ISI marked to IS 1239 (part-1)V2 Searched String: Steel keys to fit with key slot of shaft & pulley Category not available on GeM for the text string uploaded by the buyer Searched String: Washer,clutch, keys,jib,cotter & circlip min.25mm size, carbonsteel Category not available on GeM for the text string uploaded by the buyer Searched String: Bearing different types type of diameter 25mm (min) Pin Up Notice Board (V2), Hand Held Brush Cutter (V2), Electronic Weighing Scales, Check Valve (V2) as per IS 778, Swing Check Type Reflux Valves for Water Works Purposes (Single Door Pattern) (V2) as per IS 5312 (Part1), Prelaminated MDF Board, Welding Cable ISI Marked To IS 9857 (V2), Precast Concrete Reinforced Bench (RDSO),

बिड विवरण / Bid Details	Binder Clips (V3) Conforming to IS 8231, Surveillance Drone / Unmanned Aerial Vehicle (V2) (Defence Forces - Navy, Army and Air Force)
	Searched String: Try Square 150 mm blade Try Square, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Carpenter Squares, Cast Iron Bench, Roti Making Machine, Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, HEDGE TRIMMER or HEDGE CUTTER, Wooden Lab Stools, Bathroom Water Shower (V2), Foot Steps For Hospital/Clinic and Domestic Purposes Searched String: Chisel cold flat 20 mm 150 mm High carbon steel Mild Steel Sheet, Cold Chisel as per IS 402, High Strength Deformed Steel Bars and Wires for Concrete Reinforcement (V2) ISI marked to IS 1786, Steel Tubes used for Water Wells (V2) as per IS 4270 Searched String: File flat second cut safe edge 300 mm Category not available on GeM for the text string uploaded by the buyer Searched String: Vice bench 150 mm Bench Vice, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Machine Vice as per IS 4502, Cast Iron Bench, Roti Making Machine, Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, Drilling Machine Bench Type / Pillar Type as per IS 2425, Work Benches, Foot Steps For Hospital/Clinic and Domestic Purposes, scissors Searched String: Machine vice 100mm Machine Vice as per IS 4502, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Bench Vice, Pipe Vice as per IS 2587, Milking Machine, Dry Erase Writing Boards (V3), Shaping Machine, Honing Machine, Embroidery Machine, Pin Up Notice Board (V2) Searched String: Dial Vernier caliper (Universal type) 0 - 300 mm, LC 005 mm Calipers (V2), Black Polyethylene Cover, Swing Check Type Reflux Valves for Water Works Purposes (Single Door Pattern) (V2) as per IS 5312 (Part1) Searched String: EARTH COPPER PLATE 60CM X 60CM X 3.15 MM Gamjee Rolls / Pads (V2), Decorative Mats - Mat Door Coir, Crepe Bandage Conforming to IS 4605, Computer Paper (V3) Conforming to IS 12766, Corrugated Boxes, Computer Paper (V3) Conforming to IS 12766 (In Packet), Plaster of Paris Bandage Conforming to IS 4738, Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, Elastic Bandage Conforming to IS 16111, Open Weave Bandage Searched String: EARTH GI PLATE 60CM X 60CM X 6MM File/Folder (V3), Cotton Towelling And Towels (V3)

बिड विवरण / Bid Details	Conforming To IS 7056, Decorative Mats - Mat Door Coir, Towel Hand Cotton Turkish (IAF), Disposable Single Use Towels, Crepe Bandage Conforming to IS 4605, Parallel Bar - Outdoor Gym Equipment, X-Ray Detectable Gauze Swab/Laparotomy Sponge (V2), Cotton Pillow, Handloom Cotton Bed Sheets (V2) as per IS 745 Searched String: EARTH ELECTRODE PRIMARY ELECTRODE 2100X28X3.25MM Earthing Electrode, Reusable Patient Return Electrode (V2), Chemical Earth Pit Complete Set, Welding Electrode - Covered Arc Welding Electrode - Basic Type (BEML), Welding Electrode - Covered Arc Welding Electrode - Rutile Type (BEML), pH Electrode, Covered Electrodes for Manual Metal Arc Welding of Stainless Steel and Other Similar High Alloy Steel (V2) conforming to IS 5206, pH Electrode (V2) Searched String: EARTH ELECTRODE SECONDARY CU STRIP 20X5MM Category not available on GeM for the text string uploaded by the buyer Searched String: RESIDUAL CURRENT CIRCUIT BREAKER (RCCB) 25 AMP Residual Current Operated Circuit Breakers (RCCB) without Integral Overcurrent Protection ISI Marked To IS 12640 (Part 1), Residual Current Operated Circuit Breakers (RCBO) with Integral Overcurrent Protection ISI Marked To IS 12640 (Part 2), Residual Current Device (RCD) or Earth-leakage circuit breaker (ELCB) Tester Searched String: RUBBER MAT 60 X 120 X 2.5 CM (2'X4'X1") File/Folder (V3), Cotton Towelling And Towels Conforming To IS 7056 (V4), Laminar air flow cabinets or stations, Bunk Beds conforming to IS 17636, Cotton Towelling And Towels (V3) Conforming To IS 7056, Decorative Mats - Mat Door Coir, rubber bands, Permeable Nonwoven Surgical Adhesive Tape Conforming to IS 16948, Elastic Bandage Conforming to IS 16111, Correspondence Envelopes (V3) Conforming to IS 13892 Searched String: RCC POLE 6 M WITH MS ANGLE,C CLAMP,STAY INSULATOR ETC Category not available on GeM for the text string uploaded by the buyer Searched String: Digital Vernier caliper 0 - 200 mm LC 001 mm (Optional) Calipers (V2) Searched String: COIL WINDING MACHINE (MANUAL). Coil Pressing Machine, Sanitary Napkins Vending Machines, Manual Winches, electronic digital postal franking machine, Manual Metal Arc Welding (MMA) Machine (V3), Drilling Machine Bench Type / Pillar Type as per IS 2425, Paper Punch Machine(V2), binding punch machine, Weaving machines, Shredding Machine/Paper Shredder Searched String: SMART METER SINGLE PHASE
-------------------------	---

बिड विवरण / Bid Details	Single phasing preventer Relay (SPPR), Wet Grinder, Power Quality Analyzer, Ammeter - Analog (Panel Meter) as per IS 1248, Solar Power Plant (Roof Top) for ONGRID System, Single Phase, Portable Single Operated Rectifier Type DC Arc Welding Set Suitable for Manual Arc Welding Process as per IS 4559, Servo Motor Operated Automatic Line Voltage Correctors Conforming to IS 9815 (Part 1) - Single Phase Applications, Portable Welding Machine (V2), Manual Metal Arc Welding (MMA) Machine (V3), Industrial Siren / Electrical Siren Searched String: SMART METER THREE PHASE Line Operated Three Phase AC Motors (Induction Motor) ISI Marked To IS 12615, Submersible Pumpsets (Three Phase) Conforming To IS 8034 (V2), AC Static Watthour Meters - Energy Meter (V2) as per IS 13779, Power Quality Analyzer, Star Delta Motor Starter for Three Phase Induction Motors (V2), Portable Single Operated Rectifier Type DC Arc Welding Set Suitable for Manual Arc Welding Process as per IS 4559, Solar Power Plant (Roof Top) for ONGRID System, Three Phase (V2), Distribution Transformer, 3 Phase, upto and Including 200 KVA ISI Marked To IS 1180 (Part 1), Portable Welding Machine (V2), Radial Drilling Machine Searched String: EV CHARGER 3 PHASE INPUT AC EV Charging Station, Portable Single Operated Rectifier Type DC Arc Welding Set Suitable for Manual Arc Welding Process as per IS 4559, DC EV Charging Station, Isolation Transformer, Digital Grounding Device 3 Phase, Aerial Bunched Cable For Working Voltage Upto and Including 1.1 kV Marked To IS 14255, Distribution Transformer, 3 Phase, 22 KV, >200 KVA upto and Including 2500 KVA ISI Marked To IS 1180 (Part 1), Heavy Duty Battery Charger, Distribution Transformer, 3 Phase, 6.6 kV, >200 KVA upto and Including 2500 KVA ISI Marked To IS 1180 (Part 1), Line Operated Three Phase AC Motors (Induction Motor) ISI Marked To IS 12615 Searched String: EV CHARGER(HOME) 1 PHASE INPUT RLC Load, Isolation Transformer Searched String: SCREW DRIVER DIAMOND INSULATED HEAD 4 X 150 MM PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), General Purpose Ball Valves conforming to IS 9890, Culture Tube With Screw Cap (V2) Searched String: Power Factor meter 440 V, 20 A, Three Phase portable box type Power Factor Meter - Digital Searched String: Solid State Solar Based Single Phase Energy Meter 5-30 A, 240 V Category not available on GeM for the text string uploaded by the buyer Searched String: Three phase KWH meter digital 25A, 415 V A. C Category not available on GeM for the text string uploaded by the buyer
-------------------------	--

बिड विवरण/Bid Details	Searched String: Magnetic Flux Meter 0-500 tesla
	Category not available on GeM for the text string uploaded by the buyer Searched String: Meter Reading Instrument (MRI) Surface Resistivity Meter (V2), Water Quality Meters / Analyzers, Radiation survey meter, Suspended Solids Meter, pH Meter, digital conductivity meter, Rapid Moisture Meter for Rapid Determination of Water Content for Soil IS - 12175, Digital Light Meter, ELISA reader and washer, Turbidity meter Searched String: Insulators with hardware fitting Pin, shackle, egg & suspension type, Porcelain Insulators For Overhead Power Lines with Nominal Voltage up to and Including 1000 V Conforming To IS 1445 Searched String: Earth Plate 60cm X 60cm X 3.15mm CU Plate 60cm X 60cm X 6mm GI File/Folder (V3), Cotton Towelling And Towels (V3) Conforming To IS 7056, Decorative Mats - Mat Door Coir, Towel Hand Cotton Turkish (IAF), Disposable Single Use Towels, Crepe Bandage Conforming to IS 4605, X-Ray Detectable Gauze Swab/Laparotomy Sponge (V2), Cotton Pillow, Handloom Cotton Bed Sheets (V2) as per IS 745, Plain Gauze Swab Searched String: Earth Electrode Primary Electrode 2100x28x3.25mm Secondary Cu Strip 20x5mm Covered Electrodes for Manual Metal Arc Welding of Stainless Steel and Other Similar High Alloy Steel (V2) conforming to IS 5206, Welding Electrode - Covered Arc Welding Electrode - Basic Type (BEML), Welding Electrode - Covered Arc Welding Electrode - Rutile Type (BEML) Searched String: Bus bar with brackets 1 mtr each Auditorium Chair (V2), Sticky Notes (V2), Modular Toilet, Weightlifting Equipment - Bars / Plates / Collars (V2), P.F. Huts with PUF Panel (MHA) Searched String: STAR DELTA STRATER SOFT STARTER Star Delta Motor Starter for Three Phase Induction Motors (V2), Rotary Microtome, DOL starter, Starter Motors for IC Engines, Starter Motor Assembly, Starters For Fluorescent Lamps Conforming To IS 2215, Submersible Pump Starters (Motor starter controls), Lead Acid Storage Batteries For Motor Vehicles with Light Weight and High Cranking Performance (V2) Conforming to IS 14257, Lamp Starter (Ignitors - Starting Device) for HPSV Lamps, Metal Halide Lamps) as per IS 12449 (Part 1 and Part 2), Motor Protection Circuit Breaker (MPCB) Searched String: Steel measuring tape Pocket type Measuring Tape, Measuring Tape (V3), Measuring Tape (V2), Steel Filing Cabinets for General Office Purpose conforming to IS 3313 (V2), Head Circumference Measuring Tape (V2) - RBSK, Steel Cloth Lockers (V3), Steel Wheelbarrows, Ratchet Type Torque Wrench, Steel Butt Hinges as per IS 1341, Correspondence Envelopes (V3) Conforming to IS 13892

बिड विवरण / Bid Details	Searched String: Ammeter MC 0 500 mA
GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS	X - Ray Machine (500 mA), Muffle/Box Furnace (V2), 500 mA X - Ray Machine (V2), Magnesium Gym Chalk, Electronic Weighing Scales, Low Voltage MCCB with Thermal Magnetic/Electronic Trip Unit Conforming To IS/IEC 60947 (Part 2), Steel Bookcases conforming to IS 7761 (V2), Smartphones (V3), Miniature Circuit Breakers (MCB) for AC Operation Marked To IS/IEC 60898 (Part 1), Residual Current Device (RCD) or Earth-leakage circuit breaker (ELCB) Tester
	Searched String: Frequency meter 45 to 55 Hz Digital pH Meter, Frequency meter - Analog (Panel Meter), Thermal Paper (V2) Conforming to IS 17568, Thermal Paper (V3) Conforming to IS 17568, Elastic Bandage Conforming to IS 16111, Wire rope slings and sling legs (V3) conforming to IS 2762 Searched String: Hydrometer Hydrometer(Nclil), Density Hydrometers Searched String: Crimping tool 9 Hex series Battery powered crimping tool, Crimping Tools, Crimping Tools (V3), Open Jaw Wrenches (Spanners) as per IS 2028, 3155 Series - Hexagonal Head Bolt (HAL), Ammonium Ferrous Sulphate hexahydrate, Cobalt (II) nitrate hexahydrate, Assembly Tools For Screws And Nuts - Hexagon Socket Screw Keys - IS 3082 Searched String: Wire Gauge Metric imperial SS marked in SWG & mm Category not available on GeM for the text string uploaded by the buyer Searched String: Spirit level 300 mm Spirit level, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Digital Electronic Spirit Level (Digi level or Digital inclinometer), Electronic Baby Weighing Scale - RBSK, Pin Up Notice Board (V2), Wooden Lab Stools, Laboratory Desiccator (V2), XLPE Cables for Working Voltages From 3.3 KV up to and Including 33 KV as per IS 7098 (Part 2), Ultrasonic Thickness Gauge, Corrugated Boxes Searched String: Pipe vice Cast Iron with hardened jaw open type 100 mm Pipe Vice as per IS 2587, Bench Vice, Cast Iron Detachable Joints for use with Asbestos Cement Pressure Pipes as per IS 8794, IS 12987 Searched String: Contactor & auxiliary contacts 3 phase, 415 V, 25 A with 2 NO and 2 NC Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694 Searched String: Limit Switch Limit Switch, Liver operated

बिड विवरण/Bid Details	2A 500v, 2-contacts
	Layer 2 Access Switch (V2), Limit Switch, Argon Plasma Coagulator with ESU, Silicomanganese (V2) Conforming to IS 1470, Dumbbell Rack (V3), Plain Copier Paper (V3) ISI Marked to IS 14490, Sodium Hypochlorite Solution (V2) as per IS 11673 (Part 1) Searched String: Knife Switch DPDT fitted with fuse terminals 16 Amp Switch Disconnectors and Fuse Combination Units (Switch Fuse Unit) Conforming To IS/IEC 60947 (Part 3) Searched String: Knife Switch TPDT fitted with fuse terminals 16 Amp/ 440 V Switch Disconnectors and Fuse Combination Units (Switch Fuse Unit) Conforming To IS/IEC 60947 (Part 3) Searched String: MCCB 100Amps, Triple pole Moulded Case Circuit Breakers (MCCB) Conforming To IS/IEC 60947 (Part 2), Precision Height Gauge, Switch Disconnectors and Fuse Combination Units (Switch Fuse Unit) Conforming To IS/IEC 60947 (Part 3), Printed Letter Head Paper (V3), Pole Mounted Stainless Steel Dustbin (V2), Foot Steps For Hospital/Clinic and Domestic Purposes, Distribution Transformer, 3 Phase, upto and Including 200 KVA ISI Marked To IS 1180 (Part 1) Searched String: Electrician Helmet Yellow Colour Curtains (V2), Pull, Stack and Link, Enamel, Synthetic, Exterior (A) Undercoating (B) Finishing (V4) Confirming to IS 2932, Highlighter Pen, Domestic Mugs - Bathroom, Automative Vehicle - Retroreflective Sheets and Tape (V2) conforming to IS 14221 Searched String: Solar panels 15Wp Solar Photovoltaic Modules / Panels - Thin Film Terrestrial, Diesel Power Generator (up to 900 KVA), Solar Photovoltaic Modules / Panels - Crystalline silicon terrestrial, Insulated Panel (V2), Interactive Panels with CPU, Interactive Panels without CPU, Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931, Solar Aviation Light, Wooden Podium, Solar Torch Light Searched String: Solar charge controller with manual switch (Day lighting) 6V,5 A Solar Based Home Systems (Solar Power Packs): AC Models as per MNRE Specifications Searched String: EV Charger 3 phase input AC EV Charging Station, Portable Single Operated Rectifier Type DC Arc Welding Set Suitable for Manual Arc Welding Process as per IS 4559, DC EV Charging Station, Isolation Transformer, Digital Grounding Device 3 Phase, Aerial Bunched Cable For Working Voltage Upto and Including 1.1 kV Marked To IS 14255, Distribution Transformer, 3 Phase, 22 KV, >200 KVA upto and Including 2500 KVA ISI Marked To IS 1180 (Part 1), Heavy Duty Battery Charger, Distribution Transformer, 3 Phase, 6.6 kV, >200 KVA upto and Including 2500 KVA ISI Marked To IS 1180 (Part 1), Line

बिड विवरण / Bid Details	Operated Three Phase AC Motors (Induction Motor) ISI Marked To IS 12615
	Searched String: EV Charger (Home) 1 Phase input RLC Load, Isolation Transformer Searched String: Motion Detector Automatic Door sensor, Door Frame Metal Detector, Smoke Detector, Suspect Lie Detector, HydroCarbon gas detector, Non-Contact High Voltage Detector, Toxic Gas Detector, Hight Voltage Detector, Counterfeit Note Detector (V2), Water Detector Capsule Searched String: Electric Induction plate 1500 Watt, 240V Electric Winch (V2), 7 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, Electric Two Wheeler - Motorcycle, Scooter and Moped, Watt Meter - Analog (Panel Meter) as per IS 1248:2003 Searched String: Demonstration table 2.5 x 1.25 x 0.75 m Permeable Nonwoven Surgical Adhesive Tape Conforming to IS 16948, Multipurpose or General Test Tubes (V2) as per IS 2618, Elastic Surgical Adhesive Tapes (V2), Equipment Camouflage Nets (Jute) as per Defence Specification, Multimedia Projector (MMP), Portable Toilet, Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, compressed asbestos fibre jointing sheet, Minifuge, Sterile Hypodermic Needles for Single use (V2) Searched String: Instructors chair Full Arm, Caned Back & Seat Plastic Stool (V2), Auditorium Chair (V2) Searched String: Computer chair - Revolving Revolving Chair (V5), Styling Chair / Salon Chair / Swiveling Barber Chair, Computer Motherboards, High End Desktop Computer, Computer Processors, Entry and Mid Level Desktop Computer, Computer Keyboards, Chair for General Purpose, Computer Mouse, Computer Table (V3) Searched String: Metal Rack 100cm x 150cm x 45 cm File/Folder (V3), Disposable Single Use Towels, Cotton Towelling And Towels (V3) Conforming To IS 7056, Towel Hand Cotton Turkish (IAF), Crepe Bandage Conforming to IS 4605, X-Ray Detectable Gauze Swab/Laparotomy Sponge (V2), Cotton Pillow, Handloom Cotton Bed Sheets (V2) as per IS 745, Plain Gauze Swab, Cotton Towelling And Towels Conforming To IS 7056 (V4) Searched String: Fire Buckets Standard size Fire Buckets Stand (MRPL), Automatic Fire Ball for Fire - Extinguishing, Football Goal Post Net as per IS 3345, Watermist and Caf Fire Extinguisher Low Pressure Trolley Mounted (V2), CPVC Ball Valve, Watermist and Caf Fire Extinguisher Low Pressure Back Pack Type (V2), Intubation Laryngoscopes for Anesthesia Procedures (V2), Bicycle with Safety and Performance Requirements Conforming to IS 10613

बिड विवरण/Bid Details	Searched String: Screw Driver 200 mm
	Screw driver Bits, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Cordless screw driver, Bit Driver Set with Screw driver Bits, Power Screw Driver (V2), Bone Screw (V2), Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, Non-Sparking Screw Driver-IS:4595, Foot Steps For Hospital/Clinic and Domestic Purposes, Miniature Screwdriver Set Searched String: Screw Driver 100 mm Screw driver Bits, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Cordless screw driver, Power Screw Driver (V2), Bone Screw (V2), Bit Driver Set with Screw driver Bits, Non-Sparking Screw Driver-IS:4595, Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, Miniature Screwdriver Set, Foot Steps For Hospital/Clinic and Domestic Purposes Searched String: Terminal screw Driver 75 mm (Connector) Terminal Strip Connectors, Non-Sparking Screw Driver-IS:4595, Wood screws Searched String: Knife Electrician D.B. P - Nitrophenyl - B - d - Glucopyranoside, Laboratory Incubators Searched String: Hammer Ball peen 0.25 Kg Electronic Weighing Scales, Automatic Fire Ball for Fire - Extinguishing, Thiamethoxam 25% WG, PP Plastic Woven Non - Laminated Bags (for Seed Packaging) (V2), Emamectin Benzoate 5% SG Searched String: Plumb bob 115 grams Metal Putty Searched String: Combination pliers insulated 200 mm Insulated pliers, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Pliers, Pincers and Nippers as per IS 2615, IS 11526, Combination therapy with 2 channel electrotherapy, vaccum and dual frequency ultrasound, Combination Shower and Eye/Face Wash Fountain as per IS 10592-1982 (Re-affirmed in 2007) with latest amendments (PNG), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Mild Steel Sheet, Mineral Insulated Thermocouple, PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694 Searched String: Spanner set DE Set of 6 (from 6x7 to 16x7) Desk and Bench Set for Classroom/Training Area, Desk and Chair Set for Classroom/Training Area, Submersible Pumpsets (Three Phase) Conforming To IS 8034 (V2), Diesel Power Generator (up to 900 KVA), Scalp Vein (Winged

बिड विवरण/Bid Details	Needle) Infusion Set Conforming to IS 16097, General Purpose Hand Gloves (V2), Cricket Stumps and Bails, FRP Shelters - Barrel Type Cabin (Five Men), Cotton Cloth Bag for Seed Packing - Capacity From 0.75 Kg to 12 Kg - National Seeds Corporation Limited, Non Sparking Double Ended Ring Spanner (V2) Searched String: Screw driver set (set of 5) 100-300 mm Miniature Screwdriver Set, Diesel Power Generator (up to 900 KVA), Bit Driver Set with Screw driver Bits, Set of Used Light Weight Jute Sacking Bags for Packing 50 Kg Food Grain (1 Set = 100 Bags), Gravity Feed Infusion Sets (Single Use) Conforming to IS/ISO 8536-4, Blood Administration Set (V2), Corrugated Boxes, Vertical Blinds (V2), Scalp Vein (Winged Needle) Infusion Set Conforming to IS 16097, Glue Stick (V2) Searched String: File half round 2nd cut 250 mm Non Sparking Engineer's Files, Correspondence Envelopes (V3) Conforming to IS 13892, Laboratory Desiccator (V2), Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, Compostable Nursery Bags, Shredding Machine/Paper Shredder, Permanent Paint Marker (V3) Searched String: File round 2nd cut 150 mm XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Salver, Bathroom Water Shower (V2), Laboratory Desiccator (V2), Terminal Ends for Aluminium Conductors of Insulated Cables (Compression Cable Lugs) Conforming To IS 8309, Shredding Machine/Paper Shredder, Permanent Paint Marker (V3), Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721 Searched String: Soldering iron 60 W/230 V Electric Soldering Iron Searched String: Various Lamps with fittings 1.Halogen Incandescent Lamp etc Self Ballasted LED Lamps (LED Bulb) (V3) Conforming to IS 16102 (Part 2) (Under BIS Scheme - II), Hand Held Slit Lamp - RBSK, Slit Lamp, Tubular Fluorescent Lamps Conforming To IS 2418, White LED Based Solar Home Lighting System with Batten Type Luminary as per MNRE Specifications Searched String: Panel Accessories Cable ducts, ferrules, LED indicators etc Category not available on GeM for the text string uploaded by the buyer Searched String: Solar Traffic Light 12V, 75Ah battery,led,panel, charger etc 12 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, 7 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification Searched String: Rechargeable battery 12 V, 100 Ah Valve Regulated Lead Acid (VRLA) Batteries as per TEC Specification, Stationary Valve Regulated Lead Acid
-----------------------	--

बिड विवरण / Bid Details	Batteries (V3), Conforming To IS 15549, 12 Watt White-LED Based Solar Street Lighting System As Per MNRE
	Specification, traffic signs - bilinker light, Stationary Lead Acid Batteries (with Tubular Positive Plates) in Monobloc Container (V2) Conforming To IS 13369, 7 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, Stationary Lead-Acid Cells and Batteries with Tubular Positive Plates Conforming To IS 1651, Lead Acid Storage Batteries For Motor Vehicles with Light Weight and High Cranking Performance (V2) Conforming to IS 14257, Solar Based Home Systems (Solar Power Packs): AC Models as per MNRE Specifications, 48V - Lithium-Ion Rechargeable Batteries for E-Rickshaws (V2) Searched String: Almirah 1.8 x 1.2 x 0.45 m Portable Toilet, Polyurethane Tube (V2), Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Lapi Patra (Putty Applicator), compressed asbestos fibre jointing sheet, Minifuge, Polyester Blanket (V2), Compostable Nursery Bags, Sterile Hypodermic Needles for Single use (V2), rubber bands
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	• LED Batten Light (LED Tube Light) (V2) • Electric Appliances Repairing Kit (Gujarat Govt) • Fitter trainee tool kit (Skill Development India)
बीओक्यू शीर्षक / BOQ Title	TOOLS EQUIPMENT AND MACHINERY
बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का) / Minimum Average Annual Turnover of the bidder (For 3 Years)	3 Lakh (s)
मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का) / OEM Average Turnover (Last 3 Years)	28 Lakh (s)
उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष / Years of Past Experience Required for same/similar service	3 Year (s)
एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / MSE Relaxation for Years of Experience and Turnover	No
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / Startup Relaxation for Years Of Experience and Turnover	Yes Complete
विक्रेता से मांगे गए दस्तावेज़ / Document required from seller	Experience Criteria, Past Performance, Bidder Turnover, Certificate (Requested in ATC), OEM Annual Turnover *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेजों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है / Do you want to show documents uploaded by bidders to all bidders participated in bid?	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)

बिड विवरण/Bid Details	
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	3
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	3
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	1
विगत प्रदर्शन / Past Performance	50 %
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	Yes
रिवर्स नीलामी योग्यता नियम/RA Qualification Rule	H1-Highest Priced Bid Elimination
बिड का प्रकार/Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	Solid State Solar Based 1 Phase Energy Meter Bidirectional
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
अनुमानित बिड मूल्य / Estimated Bid Value	733231
Payment Timelines	Payments shall be made to the Seller within 45 days of issue of consignee receipt-cum-acceptance certificate (CRAC) and on-line submission of bills (This is in supersession of 10 days time as provided in clause 12 of GeM GTC)
मूल्यांकन पद्धति/Evaluation Method	Item wise evaluation
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
Schedule 1 ईएमडी राशि/EMD Amount (In INR)	120
Schedule 2 ईएमडी राशि/EMD Amount (In INR)	120
Schedule 3 ईएमडी राशि/EMD Amount (In INR)	180
Schedule 4 ईएमडी राशि/EMD Amount (In INR)	60

Schedule 5 ईएमडी राशि/EMD Amount (In INR)	21
Schedule 6 ईएमडी राशि/EMD Amount (In INR)	60
Schedule 7 ईएमडी राशि/EMD Amount (In INR)	51
Schedule 8 ईएमडी राशि/EMD Amount (In INR)	150
Schedule 9 ईएमडी राशि/EMD Amount (In INR)	473
Schedule 10 ईएमडी राशि/EMD Amount (In INR)	567
Schedule 11 ईएमडी राशि/EMD Amount (In INR)	240
Schedule 12 ईएमडी राशि/EMD Amount (In INR)	2025
Schedule 13 ईएमडी राशि/EMD Amount (In INR)	180
Schedule 14 ईएमडी राशि/EMD Amount (In INR)	150
Schedule 15 ईएमडी राशि/EMD Amount (In INR)	435
Schedule 16 ईएमडी राशि/EMD Amount (In INR)	41
Schedule 17 ईएमडी राशि/EMD Amount (In INR)	39
Schedule 18 ईएमडी राशि/EMD Amount (In INR)	27
Schedule 19 ईएमडी राशि/EMD Amount (In INR)	225
Schedule 20 ईएमडी राशि/EMD Amount (In INR)	265
Schedule 21 ईएमडी राशि/EMD Amount (In INR)	632
Schedule 22 ईएमडी राशि/EMD Amount (In INR)	210
Schedule 23 ईएमडी राशि/EMD Amount (In INR)	255
Schedule 24 ईएमडी राशि/EMD Amount (In INR)	360
Schedule 25 ईएमडी राशि/EMD Amount (In INR)	660
Schedule 26 ईएमडी राशि/EMD Amount (In INR)	2700
Schedule 27 ईएमडी राशि/EMD Amount (In INR)	1500
Schedule 28 ईएमडी राशि/EMD Amount (In INR)	104
Schedule 29 ईएमडी राशि/EMD Amount (In INR)	252
Schedule 30 ईएमडी राशि/EMD Amount (In INR)	156
Schedule 31 ईएमडी राशि/EMD Amount (In INR)	144
Schedule 32 ईएमडी राशि/EMD Amount (In INR)	180
Schedule 33 ईएमडी राशि/EMD Amount (In INR)	179

Schedule 34 ईएमडी राशि/EMD Amount (In INR)	81
Schedule 35 ईएमडी राशि/EMD Amount (In INR)	63
Schedule 36 ईएमडी राशि/EMD Amount (In INR)	36
Schedule 37 ईएमडी राशि/EMD Amount (In INR)	585
Schedule 38 ईएमडी राशि/EMD Amount (In INR)	80
Schedule 39 ईएमडी राशि/EMD Amount (In INR)	193
Schedule 40 ईएमडी राशि/EMD Amount (In INR)	54
Schedule 41 ईएमडी राशि/EMD Amount (In INR)	225
Schedule 42 ईएमडी राशि/EMD Amount (In INR)	20
Schedule 43 ईएमडी राशि/EMD Amount (In INR)	42
Schedule 44 ईएमडी राशि/EMD Amount (In INR)	42
Schedule 45 ईएमडी राशि/EMD Amount (In INR)	13
Schedule 46 ईएमडी राशि/EMD Amount (In INR)	29
Schedule 47 ईएमडी राशि/EMD Amount (In INR)	78
Schedule 48 ईएमडी राशि/EMD Amount (In INR)	66
Schedule 49 ईएमडी राशि/EMD Amount (In INR)	96
Schedule 50 ईएमडी राशि/EMD Amount (In INR)	96
Schedule 51 ईएमडी राशि/EMD Amount (In INR)	120
Schedule 52 ईएमडी राशि/EMD Amount (In INR)	36
Schedule 53 ईएमडी राशि/EMD Amount (In INR)	408
Schedule 54 ईएमडी राशि/EMD Amount (In INR)	360
Schedule 55 ईएमडी राशि/EMD Amount (In INR)	555
Schedule 56 ईएमडी राशि/EMD Amount (In INR)	378
Schedule 57 ईएमडी राशि/EMD Amount (In INR)	128
Schedule 58 ईएमडी राशि/EMD Amount (In INR)	135
Schedule 59 ईएमडी राशि/EMD Amount (In INR)	360
Schedule 60 ईएमडी राशि/EMD Amount (In INR)	270
Schedule 61 ईएमडी राशि/EMD Amount (In INR)	210
Schedule 62 ईएमडी राशि/EMD Amount (In INR)	360

Schedule 63 ईएमडी राशि/EMD Amount (In INR)	126
Schedule 64 ईएमडी राशि/EMD Amount (In INR)	109
Schedule 65 ईएमडी राशि/EMD Amount (In INR)	108
Schedule 66 ईएमडी राशि/EMD Amount (In INR)	76
Schedule 67 ईएमडी राशि/EMD Amount (In INR)	54
Schedule 68 ईएमडी राशि/EMD Amount (In INR)	101
Schedule 69 ईएमडी राशि/EMD Amount (In INR)	69
Schedule 70 ईएमडी राशि/EMD Amount (In INR)	122
Schedule 71 ईएमडी राशि/EMD Amount (In INR)	113
Schedule 72 ईएमडी राशि/EMD Amount (In INR)	273
Schedule 73 ईएमडी राशि/EMD Amount (In INR)	271
Schedule 74 ईएमडी राशि/EMD Amount (In INR)	221
Schedule 75 ईएमडी राशि/EMD Amount (In INR)	147
Schedule 76 ईएमडी राशि/EMD Amount (In INR)	90
Schedule 77 ईएमडी राशि/EMD Amount (In INR)	294
Schedule 78 ईएमडी राशि/EMD Amount (In INR)	750
Schedule 79 ईएमडी राशि/EMD Amount (In INR)	296
Schedule 80 ईएमडी राशि/EMD Amount (In INR)	900

ईपीबीजी विवरण /ePBG Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईपीबीजी प्रतिशत (%) /ePBG Percentage(%)	5.00
ईपीबीजी की आवश्यक अवधि (माह) /Duration of ePBG required (Months).	13

(a). जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित कैटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज़ प्रस्तुत करने हैं। एमएसई कैटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।/EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b). The EMD Amount will be applicable for each schedule/group selected during Bid creation.

(c).ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

(d).ईएमडी और संपादन जमानत राशि लाभार्थी के पक्ष में होनी चाहिए। / Earnest Money Deposit (EMD) shall also be accepted by the buyer in the form of a surety bond.

लाभार्थी /Beneficiary :

MEMBER SECRETORY / PRINCIPAL

ITI MENDARDA, ALIDHRA ROD, B/H NEW MAMLATDAR OFFICE MENDARDA DIST JUNAGADH 362260

(Imc Of Iti Mendarda.)

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई खरीद वरीयता / MII Purchase Preference

एमआईआई खरीद वरीयता / MII Purchase Preference	Yes
मेक इन इंडिया विक्रेताओं को खरीद में प्राथमिकता, यदि उनका मूल्य $L1+X\%$ तक की सीमा में है / Purchase Preference to MII sellers available upto price within $L1+X\%$	20
मेक इन इंडिया खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MII purchase preference	50
सार्वजनिक खरीद (मेक-इन-इंडिया को प्राथमिकता) आदेश 2017 के अनुसार केवल क्लास 1/क्लास 2 के स्थानीय आपूर्तिकर्ताओं को ही भागीदारी की अनुमति है दिनांक 16.09.2020 (समय-समय पर संशोधित एवं लागू) / Allow participation only from Class 1/Class 2 local suppliers as per the Public procurement(Preference to Make-in-india) order 2017 date 16.09.2020(as amended and applicable time to time)	Yes, in compliance with the MII ORDER : DPIIT Order(as amended and applicable time to time)

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं/सेवा प्रदाता को खरीद में प्राथमिकता, यदि उनका मूल्य $L1+X\%$ / Purchase Preference to MSE OEMs/ Service Provider available upto price within $L1+X\%$	20
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माता/सेवा प्रदाता को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Percentage of Bid quantity/amount for MSE OEMs/ Service Provider Purchase preference	50

1. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Experience Criteria" as defined above subject to their meeting of quality and technical specifications. The bidder

seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.

2. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Bidder Turnover" as defined above subject to their meeting of quality and technical specifications. If the bidder is DPIIT Registered OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover shall upload the supporting documents to prove his eligibility for Relaxation.

3. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

4. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.

5. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

6. Preference to Make In India products (For bids < 200 Crore): Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.

[OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017 and its subsequent Orders/Notifications issued by concerned Ministry .Benefits of MSE will be allowed only if seller/service provider is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

7. Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs having valid Udyam Certificate and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service, and Buyer will decide eligibility for purchase preference based on documentary evidence submitted in case of product bids, whereas in case of services the eligibility is automatically validated. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 20% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 50% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated

on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

8. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

9. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 50% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

10. Reverse Auction would be conducted amongst all the technically qualified bidders except the Highest quoting bidder. The technically qualified Highest Quoting bidder will not be allowed to participate in RA. However, H-1 will also be allowed to participate in RA in following cases:

- If number of technically qualified bidders are only 2 or 3.
- If Buyer has chosen to split the bid amongst N sellers, and H1 bid is coming within N.
- In case Primary product of only one OEM is left in contention for participation in RA on elimination of H-1.
- If L-1 is non-MSE and H-1 is eligible MSE and H-1 price is coming within price band of 15% of Non-MSE L-1
- If L-1 is non-MII and H-1 is eligible MII and H-1 price is coming within price band of 20% of Non-MII L-1

Pre Bid Detail(s)

मूल्य भिन्नता खंड दस्तावेज़/Pre-Bid Date and Time	प्री-बिड स्थान/Pre-Bid Venue
15-07-2026 11:00:00	ITI MENDARDA, AALIDHRA ROAD, B/H NEW MAMLATDAR OFFICE, MENDARDA, DIST-JUNAGADH. 362260

मूल्यांकन विधि(मदवार मूल्यांकन विधि) / Evaluation Method (Item Wise Evaluation Method)

Contract will be awarded schedule wise and the determination of L1 will be done separately for each schedule. The details of item-consignee combination covered under each schedule are as under:

मूल्यांकन अनुसूचियां / Evaluation Schedules	अनुमानित मूल्य / Estimated Value	वस्तु/श्रेणी / Item/Category	मात्रा / Quantity
Schedule 1	4000	Power Tools For Fastening	1
Schedule 2	4000	Different Profile Gauges Plate Type	4
Schedule 3	6000	Indexable Boring Bar With Inserts	4
Schedule 4	2000	Heat Treated Alloy Mc Steel Mt. Studs And Bolts With Nuts	2
Schedule 5	700	Ms Pipe	1
Schedule 6	2000	Steel Keys	2
Schedule 7	1700	Bearing Different Types	1
Schedule 8	5000	Washer Clutch Keys Jib Cotter And Circlip	2
Schedule 9	15750	Try Square	63
Schedule 10	18900	Chisel Cold Flat	63
Schedule 11	8000	File Flat Second Cut Safe Edge	8

Schedule 12	67500	Vice Bench	15
Schedule 13	6000	Machine Vice	2
Schedule 14	5000	Dial Vernier Caliper Universal Type	1
Schedule 15	14500	Earth Copper Plate 60cm X 60cm X 3.15 Mm	1
Schedule 16	1350	Earth Gi Plate 60cm X 60cm X 6mm	1
Schedule 17	1300	Earth Electrode Primary Electrode 2100x28x3.25mm	1
Schedule 18	900	Earth Electrode Secondary Cu Strip 20x5mm	1
Schedule 19	7500	Residual Current Cuircuit Breaker Rccb 25 Amp	1
Schedule 20	8820	Rubber Mat 60 X 120 X 2.5 Cm 2ftx4ftx1inch	2
Schedule 21	21080	Rcc Pole 6 Mtr With Accessories	1
Schedule 22	7000	Digital Vernier Caliper	1
Schedule 23	8500	Coil Winding Machine Manual	1
Schedule 24	12000	Smart Meter Single Phase	1
Schedule 25	22000	Smart Meter Three Phase	1
Schedule 26	90000	Ev Charger 3 Phase Input	1
Schedule 27	50000	Ev Charger Home 1 Phase Input	1
Schedule 28	3480	Screw Driver Diamond Insulated Head 4 X 150 Mm	29
Schedule 29	8400	Power Factor Meter	2
Schedule 30	5200	Solid State Solar Based 1 Phase Energy Meter Bidirectional	1
Schedule 31	4800	Three Phase Kwh Meter Digital	4
Schedule 32	6000	Magnetic Flux Meter	1
Schedule 33	5980	Meter Reading Instrument Mri	1
Schedule 34	2700	Insulators Including Hardware Fitting	2
Schedule 35	2100	Earth Plate	1
Schedule 36	1200	Earth Electrode	1
Schedule 37	19500	Bus Bar With Brackets	3
Schedule 38	2660	Star Delta Strater Soft Starter	1
Schedule 39	6426	Steel Measuring Tape	63
Schedule 40	1797	Ammeter Mc	3
Schedule 41	7500	Frequency Meter	2
Schedule 42	650	Hydrometer	1
Schedule 43	1400	Crimping Tool	1

Schedule 44	1400	Wire Gauge Imperial Ss Marked In Swg And Mm	4
Schedule 45	430	Spirit Level	1
Schedule 46	980	Pipe Vice Cast Iron With Hardened Jaw Open Type	1
Schedule 47	2600	Contactor And Auxiliary Contacts	2
Schedule 48	2200	Limit Switch	2
Schedule 49	3200	Knife Switch Dpdt Fitted With Fuse Terminals	4
Schedule 50	3200	Knife Switch Tpdt Fitted With Fuse Terminals	4
Schedule 51	4000	Mccb	1
Schedule 52	1200	Electrician Helmet	2
Schedule 53	13600	Solar Panels	2
Schedule 54	12000	Solar Charge Controller With Manual Switch Day Lighting	1
Schedule 55	18500	Ev Charger	1
Schedule 56	12600	Ev Charger Home	1
Schedule 57	4250	Motion Detector	5
Schedule 58	4500	Electric Induction Plate	1
Schedule 59	12000	Demonstration Table	2
Schedule 60	9000	Instructor S Chair	2
Schedule 61	7000	Computer Chair Revolving	2
Schedule 62	12000	Metal Rack	2
Schedule 63	4200	Fire Buckets	2
Schedule 64	3640	Screw Driver	14
Schedule 65	3610	Screw Driver	19
Schedule 66	2520	Terminal Screw Driver	21
Schedule 67	1785	Knife Electrician	21
Schedule 68	3360	Hammer Ball Peen	21
Schedule 69	2310	Plumb Bob	21
Schedule 70	4060	Combination Pliers Insulated	14
Schedule 71	3770	Spanner Set De	13
Schedule 72	9100	Screw Driver Set Set Of 5	14
Schedule 73	9030	File Half Round 2nd Cut	21
Schedule 74	7350	File Round 2nd Cut	21
Schedule 75	4893	Soldering Iron	21
Schedule 76	3000	Various Lamps With Fittings	1

Schedule 77	9800	Panel Accessories	1
Schedule 78	25000	Solar Traffic Light	1
Schedule 79	9850	Rechargeable Battery	1
Schedule 80	30000	Almirah	1

Power Tools For Fastening

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Khimaniya Vimal Dayabhai	362260,GOVT. INDUSTRIAL TRAINING INSTITUTE, MENDARDA, AALIDHRA ROAD, OPP - NEW MAMLATDAR OFFICE, TA - MENDARDA, DI - JUNAGADH	1	15

Different Profile Gauges Plate Type

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषदी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषदी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Khimaniya Vimal Dayabhai	362260,GOVT. INDUSTRIAL TRAINING INSTITUTE, MENDARDA, AALIDHRA ROAD, OPP - NEW MAMLATDAR OFFICE, TA - MENDARDA, DI - JUNAGADH	4	15

Indexable Boring Bar With Inserts

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषदी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषदी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Khimaniya Vimal Dayabhai	362260,GOVT. INDUSTRIAL TRAINING INSTITUTE, MENDARDA, AALIDHRA ROAD, OPP - NEW MAMLATDAR OFFICE, TA - MENDARDA, DI - JUNAGADH	4	15

Heat Treated Alloy MC Steel Mt. Studs And Bolts With Nuts

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Khimaniya Vimal Dayabhai	362260,GOVT. INDUSTRIAL TRAINING INSTITUTE, MENDARDA, AALIDHRA ROAD, OPP - NEW MAMLATDAR OFFICE, TA - MENDARDA, DI - JUNAGADH	2	15

Ms Pipe

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Khimaniya Vimal Dayabhai	362260,GOVT. INDUSTRIAL TRAINING INSTITUTE, MENDARDA, AALIDHRA ROAD, OPP - NEW MAMLATDAR OFFICE, TA - MENDARDA, DI - JUNAGADH	1	15

Steel Keys

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Khimaniya Vimal Dayabhai	362260,GOVT. INDUSTRIAL TRAINING INSTITUTE, MENDARDA, AALIDHRA ROAD, OPP - NEW MAMLATDAR OFFICE, TA - MENDARDA, DI - JUNAGADH	2	15

Bearing Different Types

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Khimaniya Vimal Dayabhai	362260,GOVT. INDUSTRIAL TRAINING INSTITUTE, MENDARDA, AALIDHRA ROAD, OPP - NEW MAMLATDAR OFFICE, TA - MENDARDA, DI - JUNAGADH	1	15

Washer Clutch Keys Jib Cotter And Circlip

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Khimaniya Vimal Dayabhai	362260,GOVT. INDUSTRIAL TRAINING INSTITUTE, MENDARDA, AALIDHRA ROAD, OPP - NEW MAMLATDAR OFFICE, TA - MENDARDA, DI - JUNAGADH	2	15

Try Square

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषदी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषदी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Khimaniya Vimal Dayabhai	362260,GOVT. INDUSTRIAL TRAINING INSTITUTE, MENDARDA, AALIDHRA ROAD, OPP - NEW MAMLATDAR OFFICE, TA - MENDARDA, DI - JUNAGADH	63	15

Chisel Cold Flat

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषदी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषदी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Khimaniya Vimal Dayabhai	362260,GOVT. INDUSTRIAL TRAINING INSTITUTE, MENDARDA, AALIDHRA ROAD, OPP - NEW MAMLATDAR OFFICE, TA - MENDARDA, DI - JUNAGADH	63	15

File Flat Second Cut Safe Edge

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Khimaniya Vimal Dayabhai	362260,GOVT. INDUSTRIAL TRAINING INSTITUTE, MENDARDA, AALIDHRA ROAD, OPP - NEW MAMLATDAR OFFICE, TA - MENDARDA, DI - JUNAGADH	8	15

Vice Bench

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Khimaniya Vimal Dayabhai	362260,GOVT. INDUSTRIAL TRAINING INSTITUTE, MENDARDA, AALIDHRA ROAD, OPP - NEW MAMLATDAR OFFICE, TA - MENDARDA, DI - JUNAGADH	15	15

Machine Vice

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Khimaniya Vimal Dayabhai	362260,GOVT. INDUSTRIAL TRAINING INSTITUTE, MENDARDA, AALIDHRA ROAD, OPP - NEW MAMLATDAR OFFICE, TA - MENDARDA, DI - JUNAGADH	2	15

Dial Vernier Caliper Universal Type

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Khimaniya Vimal Dayabhai	362260,GOVT. INDUSTRIAL TRAINING INSTITUTE, MENDARDA, AALIDHRA ROAD, OPP - NEW MAMLATDAR OFFICE, TA - MENDARDA, DI - JUNAGADH	1	15

EARTH COPPER PLATE 60CM X 60CM X 3.15 MM

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Khimaniya Vimal Dayabhai	362260,GOVT. INDUSTRIAL TRAINING INSTITUTE, MENDARDA, AALIDHRA ROAD, OPP - NEW MAMLATDAR OFFICE, TA - MENDARDA, DI - JUNAGADH	1	15

EARTH GI PLATE 60CM X 60CM X 6MM

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषदी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषदी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Khimaniya Vimal Dayabhai	362260,GOVT. INDUSTRIAL TRAINING INSTITUTE, MENDARDA, AALIDHRA ROAD, OPP - NEW MAMLATDAR OFFICE, TA - MENDARDA, DI - JUNAGADH	1	15

EARTH ELECTRODE PRIMARY ELECTRODE 2100X28X3.25MM

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषदी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषदी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Khimaniya Vimal Dayabhai	362260,GOVT. INDUSTRIAL TRAINING INSTITUTE, MENDARDA, AALIDHRA ROAD, OPP - NEW MAMLATDAR OFFICE, TA - MENDARDA, DI - JUNAGADH	1	15

EARTH ELECTRODE SECONDARY CU STRIP 20X5MM

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Khimaniya Vimal Dayabhai	362260,GOVT. INDUSTRIAL TRAINING INSTITUTE, MENDARDA, AALIDHRA ROAD, OPP - NEW MAMLATDAR OFFICE, TA - MENDARDA, DI - JUNAGADH	1	15

RESIDUAL CURRENT CUIRCUIT BREAKER RCCB 25 AMP

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Khimaniya Vimal Dayabhai	362260,GOVT. INDUSTRIAL TRAINING INSTITUTE, MENDARDA, AALIDHRA ROAD, OPP - NEW MAMLATDAR OFFICE, TA - MENDARDA, DI - JUNAGADH	1	15

RUBBER MAT 60 X 120 X 2.5 CM 2ftX4ftX1inch

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Khimaniya Vimal Dayabhai	362260,GOVT. INDUSTRIAL TRAINING INSTITUTE, MENDARDA, AALIDHRA ROAD, OPP - NEW MAMLATDAR OFFICE, TA - MENDARDA, DI - JUNAGADH	2	15

RCC POLE 6 MTR WITH ACCESSORIES

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Khimaniya Vimal Dayabhai	362260,GOVT. INDUSTRIAL TRAINING INSTITUTE, MENDARDA, AALIDHRA ROAD, OPP - NEW MAMLATDAR OFFICE, TA - MENDARDA, DI - JUNAGADH	1	15

Digital Vernier Caliper

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Khimaniya Vimal Dayabhai	362260,GOVT. INDUSTRIAL TRAINING INSTITUTE, MENDARDA, AALIDHRA ROAD, OPP - NEW MAMLATDAR OFFICE, TA - MENDARDA, DI - JUNAGADH	1	15

COIL WINDING MACHINE MANUAL

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Khimaniya Vimal Dayabhai	362260,GOVT. INDUSTRIAL TRAINING INSTITUTE, MENDARDA, AALIDHRA ROAD, OPP - NEW MAMLATDAR OFFICE, TA - MENDARDA, DI - JUNAGADH	1	15

SMART METER SINGLE PHASE

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Khimaniya Vimal Dayabhai	362260,GOVT. INDUSTRIAL TRAINING INSTITUTE, MENDARDA, AALIDHRA ROAD, OPP - NEW MAMLATDAR OFFICE, TA - MENDARDA, DI - JUNAGADH	1	15

SMART METER THREE PHASE

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Khimaniya Vimal Dayabhai	362260,GOVT. INDUSTRIAL TRAINING INSTITUTE, MENDARDA, AALIDHRA ROAD, OPP - NEW MAMLATDAR OFFICE, TA - MENDARDA, DI - JUNAGADH	1	15

EV CHARGER 3 PHASE INPUT

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Khimaniya Vimal Dayabhai	362260,GOVT. INDUSTRIAL TRAINING INSTITUTE, MENDARDA, AALIDHRA ROAD, OPP - NEW MAMLATDAR OFFICE, TA - MENDARDA, DI - JUNAGADH	1	15

EV CHARGER HOME 1 PHASE INPUT

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Khimaniya Vimal Dayabhai	362260,GOVT. INDUSTRIAL TRAINING INSTITUTE, MENDARDA, AALIDHRA ROAD, OPP - NEW MAMLATDAR OFFICE, TA - MENDARDA, DI - JUNAGADH	1	15

SCREW DRIVER DIAMOND INSULATED HEAD 4 X 150 MM

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Khimaniya Vimal Dayabhai	362260,GOVT. INDUSTRIAL TRAINING INSTITUTE, MENDARDA, AALIDHRA ROAD, OPP - NEW MAMLATDAR OFFICE, TA - MENDARDA, DI - JUNAGADH	29	15

Power Factor Meter

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Khimaniya Vimal Dayabhai	362260,GOVT. INDUSTRIAL TRAINING INSTITUTE, MENDARDA, AALIDHRA ROAD, OPP - NEW MAMLATDAR OFFICE, TA - MENDARDA, DI - JUNAGADH	2	15

Solid State Solar Based 1 Phase Energy Meter Bidirectional

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषदी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषदी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Khimaniya Vimal Dayabhai	362260,GOVT. INDUSTRIAL TRAINING INSTITUTE, MENDARDA, AALIDHRA ROAD, OPP - NEW MAMLATDAR OFFICE, TA - MENDARDA, DI - JUNAGADH	1	15

Three Phase KWH Meter Digital

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषदी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषदी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Khimaniya Vimal Dayabhai	362260,GOVT. INDUSTRIAL TRAINING INSTITUTE, MENDARDA, AALIDHRA ROAD, OPP - NEW MAMLATDAR OFFICE, TA - MENDARDA, DI - JUNAGADH	4	15

Magnetic Flux Meter

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Khimaniya Vimal Dayabhai	362260,GOVT. INDUSTRIAL TRAINING INSTITUTE, MENDARDA, AALIDHRA ROAD, OPP - NEW MAMLATDAR OFFICE, TA - MENDARDA, DI - JUNAGADH	1	15

Meter Reading Instrument MRI

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Khimaniya Vimal Dayabhai	362260,GOVT. INDUSTRIAL TRAINING INSTITUTE, MENDARDA, AALIDHRA ROAD, OPP - NEW MAMLATDAR OFFICE, TA - MENDARDA, DI - JUNAGADH	1	15

Insulators Including Hardware Fitting

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Khimaniya Vimal Dayabhai	362260,GOVT. INDUSTRIAL TRAINING INSTITUTE, MENDARDA, AALIDHRA ROAD, OPP - NEW MAMLATDAR OFFICE, TA - MENDARDA, DI - JUNAGADH	2	15

Earth Plate

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Khimaniya Vimal Dayabhai	362260,GOVT. INDUSTRIAL TRAINING INSTITUTE, MENDARDA, AALIDHRA ROAD, OPP - NEW MAMLATDAR OFFICE, TA - MENDARDA, DI - JUNAGADH	1	15

Earth Electrode

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Khimaniya Vimal Dayabhai	362260,GOVT. INDUSTRIAL TRAINING INSTITUTE, MENDARDA, AALIDHRA ROAD, OPP - NEW MAMLATDAR OFFICE, TA - MENDARDA, DI - JUNAGADH	1	15

Bus Bar With Brackets

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Khimaniya Vimal Dayabhai	362260,GOVT. INDUSTRIAL TRAINING INSTITUTE, MENDARDA, AALIDHRA ROAD, OPP - NEW MAMLATDAR OFFICE, TA - MENDARDA, DI - JUNAGADH	3	15

STAR DELTA STRATER SOFT STARTER

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Khimaniya Vimal Dayabhai	362260,GOVT. INDUSTRIAL TRAINING INSTITUTE, MENDARDA, AALIDHRA ROAD, OPP - NEW MAMLATDAR OFFICE, TA - MENDARDA, DI - JUNAGADH	1	15

Steel Measuring Tape

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Khimaniya Vimal Dayabhai	362260,GOVT. INDUSTRIAL TRAINING INSTITUTE, MENDARDA, AALIDHRA ROAD, OPP - NEW MAMLATDAR OFFICE, TA - MENDARDA, DI - JUNAGADH	63	15

Ammeter MC

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Khimaniya Vimal Dayabhai	362260,GOVT. INDUSTRIAL TRAINING INSTITUTE, MENDARDA, AALIDHRA ROAD, OPP - NEW MAMLATDAR OFFICE, TA - MENDARDA, DI - JUNAGADH	3	15

Frequency Meter

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Khimaniya Vimal Dayabhai	362260,GOVT. INDUSTRIAL TRAINING INSTITUTE, MENDARDA, AALIDHRA ROAD, OPP - NEW MAMLATDAR OFFICE, TA - MENDARDA, DI - JUNAGADH	2	15

Hydrometer

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Khimaniya Vimal Dayabhai	362260,GOVT. INDUSTRIAL TRAINING INSTITUTE, MENDARDA, AALIDHRA ROAD, OPP - NEW MAMLATDAR OFFICE, TA - MENDARDA, DI - JUNAGADH	1	15

Crimping Tool

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Khimaniya Vimal Dayabhai	362260,GOVT. INDUSTRIAL TRAINING INSTITUTE, MENDARDA, AALIDHRA ROAD, OPP - NEW MAMLATDAR OFFICE, TA - MENDARDA, DI - JUNAGADH	1	15

Wire Gauge Imperial SS Marked In SWG And Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषदी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषदी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Khimaniya Vimal Dayabhai	362260,GOVT. INDUSTRIAL TRAINING INSTITUTE, MENDARDA, AALIDHRA ROAD, OPP - NEW MAMLATDAR OFFICE, TA - MENDARDA, DI - JUNAGADH	4	15

Spirit Level

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषदी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषदी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Khimaniya Vimal Dayabhai	362260,GOVT. INDUSTRIAL TRAINING INSTITUTE, MENDARDA, AALIDHRA ROAD, OPP - NEW MAMLATDAR OFFICE, TA - MENDARDA, DI - JUNAGADH	1	15

Pipe Vice Cast Iron With Hardened Jaw Open Type

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Khimaniya Vimal Dayabhai	362260,GOVT. INDUSTRIAL TRAINING INSTITUTE, MENDARDA, AALIDHRA ROAD, OPP - NEW MAMLATDAR OFFICE, TA - MENDARDA, DI - JUNAGADH	1	15

Contactor And Auxiliary Contacts

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Khimaniya Vimal Dayabhai	362260,GOVT. INDUSTRIAL TRAINING INSTITUTE, MENDARDA, AALIDHRA ROAD, OPP - NEW MAMLATDAR OFFICE, TA - MENDARDA, DI - JUNAGADH	2	15

Limit Switch

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Khimaniya Vimal Dayabhai	362260,GOVT. INDUSTRIAL TRAINING INSTITUTE, MENDARDA, AALIDHRA ROAD, OPP - NEW MAMLATDAR OFFICE, TA - MENDARDA, DI - JUNAGADH	2	15

Knife Switch DPDT Fitted With Fuse Terminals

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Khimaniya Vimal Dayabhai	362260,GOVT. INDUSTRIAL TRAINING INSTITUTE, MENDARDA, AALIDHRA ROAD, OPP - NEW MAMLATDAR OFFICE, TA - MENDARDA, DI - JUNAGADH	4	15

Knife Switch TPDT Fitted With Fuse Terminals

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Khimaniya Vimal Dayabhai	362260,GOVT. INDUSTRIAL TRAINING INSTITUTE, MENDARDA, AALIDHRA ROAD, OPP - NEW MAMLATDAR OFFICE, TA - MENDARDA, DI - JUNAGADH	4	15

MCCB

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषदी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषदी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Khimaniya Vimal Dayabhai	362260,GOVT. INDUSTRIAL TRAINING INSTITUTE, MENDARDA, AALIDHRA ROAD, OPP - NEW MAMLATDAR OFFICE, TA - MENDARDA, DI - JUNAGADH	1	15

Electrician Helmet

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषदी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषदी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Khimaniya Vimal Dayabhai	362260,GOVT. INDUSTRIAL TRAINING INSTITUTE, MENDARDA, AALIDHRA ROAD, OPP - NEW MAMLATDAR OFFICE, TA - MENDARDA, DI - JUNAGADH	2	15

Solar Panels

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Khimaniya Vimal Dayabhai	362260,GOVT. INDUSTRIAL TRAINING INSTITUTE, MENDARDA, AALIDHRA ROAD, OPP - NEW MAMLATDAR OFFICE, TA - MENDARDA, DI - JUNAGADH	2	15

Solar Charge Controller With Manual Switch Day Lighting

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Khimaniya Vimal Dayabhai	362260,GOVT. INDUSTRIAL TRAINING INSTITUTE, MENDARDA, AALIDHRA ROAD, OPP - NEW MAMLATDAR OFFICE, TA - MENDARDA, DI - JUNAGADH	1	15

EV Charger

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Khimaniya Vimal Dayabhai	362260,GOVT. INDUSTRIAL TRAINING INSTITUTE, MENDARDA, AALIDHRA ROAD, OPP - NEW MAMLATDAR OFFICE, TA - MENDARDA, DI - JUNAGADH	1	15

EV Charger Home

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Khimaniya Vimal Dayabhai	362260,GOVT. INDUSTRIAL TRAINING INSTITUTE, MENDARDA, AALIDHRA ROAD, OPP - NEW MAMLATDAR OFFICE, TA - MENDARDA, DI - JUNAGADH	1	15

Motion Detector

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Khimaniya Vimal Dayabhai	362260,GOVT. INDUSTRIAL TRAINING INSTITUTE, MENDARDA, AALIDHRA ROAD, OPP - NEW MAMLATDAR OFFICE, TA - MENDARDA, DI - JUNAGADH	5	15

Electric Induction Plate

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषदी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषदी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Khimaniya Vimal Dayabhai	362260,GOVT. INDUSTRIAL TRAINING INSTITUTE, MENDARDA, AALIDHRA ROAD, OPP - NEW MAMLATDAR OFFICE, TA - MENDARDA, DI - JUNAGADH	1	15

Demonstration Table

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषदी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषदी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Khimaniya Vimal Dayabhai	362260,GOVT. INDUSTRIAL TRAINING INSTITUTE, MENDARDA, AALIDHRA ROAD, OPP - NEW MAMLATDAR OFFICE, TA - MENDARDA, DI - JUNAGADH	2	15

Instructor S Chair

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Khimaniya Vimal Dayabhai	362260,GOVT. INDUSTRIAL TRAINING INSTITUTE, MENDARDA, AALIDHRA ROAD, OPP - NEW MAMLATDAR OFFICE, TA - MENDARDA, DI - JUNAGADH	2	15

Computer Chair Revolving

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Khimaniya Vimal Dayabhai	362260,GOVT. INDUSTRIAL TRAINING INSTITUTE, MENDARDA, AALIDHRA ROAD, OPP - NEW MAMLATDAR OFFICE, TA - MENDARDA, DI - JUNAGADH	2	15

Metal Rack

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Khimaniya Vimal Dayabhai	362260,GOVT. INDUSTRIAL TRAINING INSTITUTE, MENDARDA, AALIDHRA ROAD, OPP - NEW MAMLATDAR OFFICE, TA - MENDARDA, DI - JUNAGADH	2	15

Fire Buckets

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Khimaniya Vimal Dayabhai	362260,GOVT. INDUSTRIAL TRAINING INSTITUTE, MENDARDA, AALIDHRA ROAD, OPP - NEW MAMLATDAR OFFICE, TA - MENDARDA, DI - JUNAGADH	2	15

Screw Driver

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Khimaniya Vimal Dayabhai	362260,GOVT. INDUSTRIAL TRAINING INSTITUTE, MENDARDA, AALIDHRA ROAD, OPP - NEW MAMLATDAR OFFICE, TA - MENDARDA, DI - JUNAGADH	14	15

Screw Driver

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषदी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषदी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Khimaniya Vimal Dayabhai	362260,GOVT. INDUSTRIAL TRAINING INSTITUTE, MENDARDA, AALIDHRA ROAD, OPP - NEW MAMLATDAR OFFICE, TA - MENDARDA, DI - JUNAGADH	19	15

Terminal Screw Driver

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषदी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषदी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Khimaniya Vimal Dayabhai	362260,GOVT. INDUSTRIAL TRAINING INSTITUTE, MENDARDA, AALIDHRA ROAD, OPP - NEW MAMLATDAR OFFICE, TA - MENDARDA, DI - JUNAGADH	21	15

Knife Electrician

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Khimaniya Vimal Dayabhai	362260,GOVT. INDUSTRIAL TRAINING INSTITUTE, MENDARDA, AALIDHRA ROAD, OPP - NEW MAMLATDAR OFFICE, TA - MENDARDA, DI - JUNAGADH	21	15

Hammer Ball Peen

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Khimaniya Vimal Dayabhai	362260,GOVT. INDUSTRIAL TRAINING INSTITUTE, MENDARDA, AALIDHRA ROAD, OPP - NEW MAMLATDAR OFFICE, TA - MENDARDA, DI - JUNAGADH	21	15

Plumb Bob

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Khimaniya Vimal Dayabhai	362260,GOVT. INDUSTRIAL TRAINING INSTITUTE, MENDARDA, AALIDHRA ROAD, OPP - NEW MAMLATDAR OFFICE, TA - MENDARDA, DI - JUNAGADH	21	15

Combination Pliers Insulated

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Khimaniya Vimal Dayabhai	362260,GOVT. INDUSTRIAL TRAINING INSTITUTE, MENDARDA, AALIDHRA ROAD, OPP - NEW MAMLATDAR OFFICE, TA - MENDARDA, DI - JUNAGADH	14	15

Spanner Set DE

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Khimaniya Vimal Dayabhai	362260,GOVT. INDUSTRIAL TRAINING INSTITUTE, MENDARDA, AALIDHRA ROAD, OPP - NEW MAMLATDAR OFFICE, TA - MENDARDA, DI - JUNAGADH	13	15

Screw Driver Set Set Of 5

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषदी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषदी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Khimaniya Vimal Dayabhai	362260,GOVT. INDUSTRIAL TRAINING INSTITUTE, MENDARDA, AALIDHRA ROAD, OPP - NEW MAMLATDAR OFFICE, TA - MENDARDA, DI - JUNAGADH	14	15

File Half Round 2nd Cut

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषदी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषदी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Khimaniya Vimal Dayabhai	362260,GOVT. INDUSTRIAL TRAINING INSTITUTE, MENDARDA, AALIDHRA ROAD, OPP - NEW MAMLATDAR OFFICE, TA - MENDARDA, DI - JUNAGADH	21	15

File Round 2nd Cut

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Khimaniya Vimal Dayabhai	362260,GOVT. INDUSTRIAL TRAINING INSTITUTE, MENDARDA, AALIDHRA ROAD, OPP - NEW MAMLATDAR OFFICE, TA - MENDARDA, DI - JUNAGADH	21	15

Soldering Iron

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Khimaniya Vimal Dayabhai	362260,GOVT. INDUSTRIAL TRAINING INSTITUTE, MENDARDA, AALIDHRA ROAD, OPP - NEW MAMLATDAR OFFICE, TA - MENDARDA, DI - JUNAGADH	21	15

Various Lamps With Fittings

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Khimaniya Vimal Dayabhai	362260,GOVT. INDUSTRIAL TRAINING INSTITUTE, MENDARDA, AALIDHRA ROAD, OPP - NEW MAMLATDAR OFFICE, TA - MENDARDA, DI - JUNAGADH	1	15

Panel Accessories

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Khimaniya Vimal Dayabhai	362260,GOVT. INDUSTRIAL TRAINING INSTITUTE, MENDARDA, AALIDHRA ROAD, OPP - NEW MAMLATDAR OFFICE, TA - MENDARDA, DI - JUNAGADH	1	15

Solar Traffic Light

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Khimaniya Vimal Dayabhai	362260,GOVT. INDUSTRIAL TRAINING INSTITUTE, MENDARDA, AALIDHRA ROAD, OPP - NEW MAMLATDAR OFFICE, TA - MENDARDA, DI - JUNAGADH	1	15

Rechargeable Battery

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषीती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषीती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Khimaniya Vimal Dayabhai	362260,GOVT. INDUSTRIAL TRAINING INSTITUTE, MENDARDA, AALIDHRA ROAD, OPP - NEW MAMLATDAR OFFICE, TA - MENDARDA, DI - JUNAGADH	1	15

Almirah

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषीती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषीती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Khimaniya Vimal Dayabhai	362260,GOVT. INDUSTRIAL TRAINING INSTITUTE, MENDARDA, AALIDHRA ROAD, OPP - NEW MAMLATDAR OFFICE, TA - MENDARDA, DI - JUNAGADH	1	15

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to

increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. Inspection

Pre-dispatch inspection at Seller premises (Fee/Charges to be borne by the BUYER): Before dispatch, the goods will be inspected by Buyer / Consignee or their Authorized Representative or by Nominated External Inspection Agency (independently or jointly with Buyer or Consignee as decided by the Buyer) at Seller premises (or at designated place for inspection as declared / communicated by the seller) for their compliance to the contract specifications. Fee/Charges taken by the External inspection Agency and any external laboratories testing charges shall be borne by the Buyer. For in-house testing, the Sellers will provide necessary facilities free of cost. Seller shall notify the Buyer through e-mail about readiness of goods for pre-dispatch inspection and Buyer will notify the Seller about the Authorized Representative/ Nominated External Inspection Agency and the date for testing. The goods would be dispatched to consignee only after clearance in pre-dispatch inspection. Consignee's right of rejection as per GTC in respect of the goods finally received at his location shall in no way be limited or waived by reason of the goods having previously been inspected, tested and passed by Buyer/ Consignee or its Nominated External Inspection Agency prior to the goods' shipment. While bidding, the sellers should take into account 7 days for inspection from the date of email offering the goods for inspection. Any delay in inspection beyond 7 days shall be on the part of the buyer and shall be regularised without Liquidated Damages.

When there is requirement of submission the advance sample, the seller shall inform the buyer promptly through emails about the date of submission of sample to the buyer nominated Inspection agency.

3. Forms of EMD and PBG

Bidders can also submit the EMD with Account Payee Demand Draft in favour of

IMC OF ITI MENDARDA
payable at
MENDARDA

Bidder has to upload scanned copy / proof of the DD along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date / Bid Opening date.

4. Generic

Bidder financial standing: The bidder should not be under liquidation, court receivership or similar proceedings, should not be bankrupt. Bidder to upload undertaking to this effect with bid.

5. Certificates

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

6. Generic

Installation, Commissioning, Testing, Configuration, Training (if any - which ever is applicable as per scope of supply) is to be carried out by OEM / OEM Certified resource or OEM authorised Reseller.

7. Generic

Manufacturer Authorization: Wherever Authorised Distributors/service providers are submitting the bid, Authorisation Form /Certificate with OEM/Original Service Provider details such as name, designation, address, e-mail Id and Phone No. required to be furnished along with the bid

8. Scope of Supply

Scope of supply (Bid price to include all cost components) : Supply Installation Testing Commissioning of Goods and Training of operators and providing Statutory Clearances required (if any)

9. **Forms of EMD and PBG**

Successful Bidder can submit the Performance Security in the form of Account Payee Demand Draft also (besides PBG which is allowed as per GeM GTC). DD should be made in favour of

IMC OF ITI MENDARDA
payable at
MENDARDA

. After award of contract, Successful Bidder can upload scanned copy of the DD in place of PBG and has to ensure delivery of hard copy to the original DD to the Buyer within 15 days of award of contract.

10. **Warranty**

Timely Servicing / rectification of defects during warranty period: After having been notified of the defects / service requirement during warranty period, Seller has to complete the required Service / Rectification within 15 days time limit. If the Seller fails to complete service / rectification with defined time limit, a penalty of 0.5% of Unit Price of the product shall be charged as penalty for each week of delay from the seller. Seller can deposit the penalty with the Buyer directly else the Buyer shall have a right to recover all such penalty amount from the Performance Security (PBG). Cumulative Penalty cannot exceed more than 10% of the total contract value after which the Buyer shall have the right to get the service / rectification done from alternate sources at the risk and cost of the Seller besides forfeiture of PBG. Seller shall be liable to re-imburse the cost of such service / rectification to the Buyer.

11. **Warranty**

Successful bidder will have to ensure that adequate number of dedicated technical service personals / engineers are designated / deployed for attending to the Service Request in a time bound manner and for ensuring Timely Servicing / rectification of defects during warranty period, as per Service level agreement indicated in the relevant clause of the bid.

12. **Generic**

Without prejudice to Buyer's right to price adjustment by way of discount or any other right or remedy available to Buyer, Buyer may terminate the Contract or any part thereof by a written notice to the Seller, if:

- i) The Seller fails to comply with any material term of the Contract.
- ii) The Seller informs Buyer of its inability to deliver the Material(s) or any part thereof within the stipulated Delivery Period or such inability otherwise becomes apparent.
- iii) The Seller fails to deliver the Material(s) or any part thereof within the stipulated Delivery Period and/or to replace/rectify any rejected or defective Material(s) promptly.
- iv) The Seller becomes bankrupt or goes into liquidation.
- v) The Seller makes a general assignment for the benefit of creditors.
- vi) A receiver is appointed for any substantial property owned by the Seller.
- vii) The Seller has misrepresented to Buyer, acting on which misrepresentation Buyer has placed the Purchase Order on the Seller.

13. **Generic**

While generating invoice in GeM portal, the seller must upload scanned copy of GST invoice and the screenshot of GST portal confirming payment of GST.

14. **Buyer Added Bid Specific ATC**

Buyer Added text based ATC clauses

The Bidder has to upload Check list duly signed and stamp sample given in Buyer uploaded ATC document) with necessary details and submit documents in relevant window on GeM as per check list

* This bid will be governed as per "Gujarat State Procurement Policy 2024" published by Industries and Mines Department, Gujarat. * Bidders are advised to check clauses of Gujarat State Procurement Policy 2024 (like EMD Exemption, Start-up related, Purchase Preference etc...) before participation.

* In case of any conflict in the terms and conditions given in this bid in ATC, the Gujarat State Procurement Policy 2024 provisions shall prevail. However, if there is such an ATC which has no counterpart in the said policy, then the ATC shall prevail.

* Warranty period of the supplied products shall be years (mentioned in specification) from the date of final acceptance of goods or after completion of installation, commissioning & testing of goods (if included in the scope of supply), at consignee location. OEM Warranty certificates must be submitted by Successful Bidder at the time of delivery of Goods. The seller should guarantee the rectification of goods in case of any break down during the guarantee period. Seller should have well established Installation, Commissioning, Training, Troubleshooting and Maintenance Service group in INDIA for attending the after sales service. Details of Service Centres near consignee destinations are to be uploaded along with the bid.

* Turnover of the bidder The minimum average annual financial turnover or actual production of the bidder / during the last three years, ending on 31st March of the previous financial year, should be at least twice the bid value. (Bid Estimated value mentioned in bid document) Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant/ Cost Accountant indicating the financial turnover or actual production details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3 year old, the average financial turnover or actual production in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

* The warranty provided by the bidder must be on site at consignee place.

* agency can done installation, commissioning & testing of goods at consignee place. without extra charges.

.

15. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file.](#)

अस्वीकरण/Disclaimer

The Additional Terms and Conditions (ATC) have been incorporated by the Buyer after approval of their Competent Authority. The Buyer, is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any restriction arising in the bidding process due to these ATCs and including the modification of technical specifications and / or terms and conditions governing the bid. All representations / grievances pertaining to the ATC clauses shall be raised with the buyer organization directly and not with GeM. If any of the clause(s) is/are incorporated by the Buyer regarding the following, the bid & resultant contract shall be treated as null & void. Further, GeM reserves the right, at its sole discretion, to cancel the bid forthwith, without issuance of any prior notice or intimation :-

1. Publishing Custom / BOQ bids for items for which regular GeM categories are available (unless such Custom / BOQ item is bunched with the major regular product Category Item).
2. Mandating procurement of / from specific Brand / Make / Model / Manufacturer / Dealer except in case of Single Bid / Proprietary Article Certificate (PAC) Buying.
3. Inclusion of disqualification criteria related to suspension of seller / service provider, where such suspension period has already expired.
4. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
5. Publishing bids on GeM for procurement of works.
6. Procurement of Goods by creating a Service bid on GeM & vice-versa.
7. Seeking sample with bid or approval of samples during bid evaluation process. However, trial / sample, as the case may be, shall be permitted in cases where trial / sample are allowed as per approved and published procurement policy of the Buyers' controlling Ministry / Department / State / Public Sector Enterprises Headquarters. If there is any violation of trial / sample clause with regard to approved policy of the Buyers' Ministry / Department / State / Public Sector Enterprises Headquarters, then this is to be determined and redressed by the concerned Buyer Organisation only.
8. Seeking experience from specific organization / department / institute only or from foreign / export experience.
9. Creating bid for items from incorrect categories.

10. Reference of conditions published on any external site or reference to external documents/clauses.
11. Asking for any Tender fee / Bid Participation fee, as the case may be.
12. Buyer added ATC Clauses which are in contravention of clauses defined in bid detail section, including specifications, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by the applicable GeM GTC.
13. Any ATC clause in contravention with GeM GTC Clause 4 (xiii) (h) will be invalid. In case of multiple L1 bidders against a service bid, the buyer shall place the Contract by selection of a bidder amongst the L-1 bidders through a Random Algorithm executed by GeM system.
14. In a category based bid, adding additional items, through buyer added, additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogues or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and
- All operative provisions of the erstwhile Labour Laws until their complete substitution.

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

This Bid is governed by the General Terms and Conditions, conditions stipulated in Bid and Service Level Agreement specific to the Service, as the case may be, as provided in the Marketplace.

However, in case of Service, if any condition specified in General Terms and Conditions is contradicted by the conditions stipulated in Service Level Agreement specific to said Service, then it will over-ride the conditions in the General Terms and Conditions.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्यवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---

