

बिड दस्तावेज़ / Bid Document

बिड विवरण / Bid Details	
बिड बंद होने की तारीख/समय / Bid End Date/Time	30-06-2026 12:00:00
बिड खुलने की तारीख/समय / Bid Opening Date/Time	30-06-2026 12:30:00
बिड पेशकश वैधता (बंद होने की तारीख से) / Bid Offer Validity (From End Date)	180 (Days)
मंत्रालय/राज्य का नाम / Ministry/State Name	Ministry Of Education
विभाग का नाम / Department Name	Department Of Higher Education
संगठन का नाम / Organisation Name	Indian Institute Of Information Technology (iiit)
कार्यालय का नाम / Office Name	Kurnool
शिकायत निवारण के संपर्क विवरण / Contact details of Grievance redressal	buycon1.iiit.kurnool@gembuyer.in
कुल मात्रा / Total Quantity	8669
वस्तु श्रेणी / Item Category	Copper conductor cable , Electrical Switches , Electrical Sockets , Fan Regulator , Electrical Material , LED Lamps , Exhaust Fans , Tool Kit

बिड विवरण/Bid Details	
GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS	1.5 Sq mm ISI marked, FRLS PVC insulated, single core copper conductor cable , 1.5 Sq mm ISI marked, FRLS PVC insulated, single core copper conductor cable , 1.5 Sq mm ISI marked, FRLS PVC insulated, single core copper conductor cable , 2.5 Sq mm ISI marked, FRLS PVC insulated, single core copper conductor cable , 2.5 Sq mm ISI marked, FRLS PVC insulated, single core copper conductor cable, 4 Sq mm ISI marked, FRLS PVC insulated, single core copper conductor cable, 4 Sq mm ISI marked, FRLS PVC insulated, single core copper conductor cable, 2.5 Sq mm ISI marked, FRLS 3-core copper conductor cable, 1.5 Sq mm ISI marked, FRLS 3-core copper conductor cable, S.P. 6 A, one-way modular switch, ISI marked, S.P. 6 A, one-way modular switch, ISI marked, S.P. 16 A, one-way modular switch, ISI marked, 3 pin 6 A modular socket outlet, ISI marked, 3 pin 6 A modular socket outlet, ISI marked, 6 pin 16 A modular socket outlet, ISI marked, 6 pin 16 A modular socket outlet, ISI marked, Stepped type Modular Fan regulator 2 module, Modular base and cover plate for 2 modules, Modular base and cover plate for 3 modules, Modular base and cover plate for 4 modules, Modular base and cover plate for 6 modules, Modular base and cover plate for 8 modules, Modular base and cover plate for 12 modules , Modular switch board and Sheets for 16 modules , Modular switch board for 12 modules , Modular switch board for 8 modules, Modular switch board for 6 modules, Modular switch board for 4 modules, Modular switch board for 3 modules, Modular switch board for 2 modules, SS Command box, Extension Box, LED Batten light System lumen efficiency greater than135 lm per Watt, Smart Thread bulb with Edison screw10W, 2 feet reading Tube Light 10W, Exhaust fans 9 inches 1400RPM with Steel, Exhaust fans 9 inches 1400RPM with Fiber, Fan capacitor 2.5 MFD, Round Surface light 15W, Sigma Instruments Digital Battery Powered Multimeter Sigma 22ATRMS 6000 Counts, Sigma Instruments Digital Smart Ac Clamp Meter Sigma Mtq 679 TRMS Red, Wire Stripper, Double Sided Combination Spanner Set CSS25 from CS06 to CS 32, 3- pin Plug top 6A, 3- pin Plug top 16A, Three fourths inch PVC pipes, Three fourths inch PVC bends, 1 inch PVC pipes, 1 inch PVC bends, Three fourths inches Screws, one fourth inches Screws, 1 inches Screws, 2 inches Screws, 3 inches Screws, 1 inch PVC Clamps, Three fourths inch PVC Clamps, 5 Step Fan regulator with 1Modular, 70 mm FD Capacitor, Electrical Tester, Cobmination Plier Searched String: 1.5 Sq mm ISI marked, FRLS PVC insulated, single core copper conductor cable PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), PVC Insulated Aluminium Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Multi Core Circular Sheathed with Flexible Conductor ISI Marked To IS 694, PVC

बिड विवरण / Bid Details	Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), Flat Cable, Copper Conductor with PVC
	Insulation and Sheathed ISI Marked To IS 694, PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694 Searched String: 1.5 Sq mm ISI marked, FRLS PVC insulated, single core copper conductor cable PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), PVC Insulated Aluminium Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Multi Core Circular Sheathed with Flexible Conductor ISI Marked To IS 694, PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694 Searched String: 1.5 Sq mm ISI marked, FRLS PVC insulated, single core copper conductor cable PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), PVC Insulated Aluminium Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Multi Core Circular Sheathed with Flexible Conductor ISI Marked To IS 694, PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694 Searched String: 2.5 Sq mm ISI marked, FRLS PVC insulated, single core copper conductor cable PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, PVC Insulated Copper Cable Multi Core Circular Sheathed with Flexible Conductor ISI Marked To IS 694, PVC Insulated Aluminium Cable Single Core and Multi

बिड विवरण / Bid Details	Core Circular Sheathed with Rigid Conductor ISI Marked To IS 694, PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, Flat Cable, Aluminium Conductor with PVC Insulation and Sheathed ISI Marked To IS 694 Searched String: 2.5 Sq mm ISI marked, FRLS PVC insulated, single core copper conductor cable PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, PVC Insulated Copper Cable Multi Core Circular Sheathed with Flexible Conductor ISI Marked To IS 694, PVC Insulated Aluminium Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor ISI Marked To IS 694, PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, Flat Cable, Aluminium Conductor with PVC Insulation and Sheathed ISI Marked To IS 694 Searched String: 4 Sq mm ISI marked, FRLS PVC insulated, single core copper conductor cable PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Multi Core Circular Sheathed with Flexible Conductor ISI Marked To IS 694, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, PVC Insulated Aluminium Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor ISI Marked To IS 694, PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694, Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694 Searched String: 4 Sq mm ISI marked, FRLS PVC insulated, single core copper conductor cable PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Multi Core Circular Sheathed with Flexible Conductor ISI Marked To IS 694, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS
-------------------------	--

बिड विवरण / Bid Details	694, PVC Insulated Aluminium Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor ISI Marked To
	IS 694, PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694, Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694 Searched String: 2.5 Sq mm ISI marked, FRLS 3-core copper conductor cable PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), PVC Insulated Copper Cable Multi Core Circular Sheathed with Flexible Conductor ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, Aerial Bunched Cable For Working Voltage Upto and Including 1.1 kV Marked To IS 14255, Flat Cable, Aluminium Conductor with PVC Insulation and Sheathed ISI Marked To IS 694 Searched String: 1.5 Sq mm ISI marked, FRLS 3-core copper conductor cable PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), PVC Insulated Copper Cable Multi Core Circular Sheathed with Flexible Conductor ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Aluminium Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, Aerial Bunched Cable For Working Voltage Upto and Including 1.1 kV Marked To IS 14255 Searched String: S.P. 6 A, one-way modular switch, ISI marked Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Non Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854 Searched String: S.P. 6 A, one-way modular switch, ISI marked Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Non Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854 Searched String: S.P. 16 A, one-way modular switch, ISI

बिड विवरण/Bid Details	marked
	Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Non Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854 Searched String: S.P. 16 A, one-way modular switch, ISI marked Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Non Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854 Searched String: 3 pin 6 A modular socket outlet, ISI marked Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293, Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Switched Socket-Outlets without Interlock for Fixed Installations ISI Marked to IS 15787, Non Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293, Non Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Portable Fire Extinguishers (V3) ISI Marked to IS 15683, Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, Plain Copier Paper (V3) ISI Marked to IS 14490, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Safes (V3) ISI Marked to IS 550 Searched String: 3 pin 6 A modular socket outlet, ISI marked Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293, Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Switched Socket-Outlets without Interlock for Fixed Installations ISI Marked to IS 15787, Non Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293, Non Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Portable Fire Extinguishers (V3) ISI Marked to IS 15683, Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, Plain Copier Paper (V3) ISI Marked to IS 14490, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Safes (V3) ISI Marked to IS 550 Searched String: 6 pin 16 A modular socket outlet, ISI marked Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293, Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Switched Socket-Outlets without Interlock for Fixed Installations ISI Marked to IS 15787, Non Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293, Non Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Safes (V3) ISI Marked to IS 550, Electrical Plugs (V2) ISI Marked to IS 1293, Safety Footwear (V3) ISI marked to IS 15298 (Part 2) Searched String: 6 pin 16 A modular socket outlet, ISI marked Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293, Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Switched Socket-Outlets

विड विवरण / Bid Details	without Interlock for Fixed Installations ISI Marked to IS 15787, Non Modular Piano Type Domestic Electrical Sockets
	ISI Marked To IS 1293, Non Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Safes (V3) ISI Marked to IS 550, Electrical Plugs (V2) ISI Marked to IS 1293, Safety Footwear (V3) ISI marked to IS 15298 (Part 2) Searched String: Stepped type Modular Fan regulator 2 module Modular Piano Type Domestic Fan Regulator Conforming To IS 11037, Non Modular Piano Type Domestic Fan Regulator Conforming To IS 11037, Non Modular Piano Type Domestic Fan Regulator Conforming To IS 11037 (V2), Piano Type Non Modular Electrical Switch Socket Combination as per IS 3854 and IS 1293, Electric Table Type Fan and Regulator (V2) Conforming To IS 555, Electric Pedestal Type Fan and Regulator Conforming To IS 1169, Air Circulator Type Electric Fan and Regulator (V2) Conforming To IS 2997, modular electrical enclosure switch board boxes for modular type accessories, Non Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293 Searched String: Modular base and cover plate for 2 modules RCC Base Plate (TN Generation and Distribution Corporation), Welding Electrode - Covered Arc Welding Electrode - Rutile Type (BEML), modular electrical enclosure switch board boxes for modular type accessories, Mild Steel Sheet, Root Analysis System, Desk and Bench Set for Classroom/Training Area, Modular Toilet, Plastic Seats and Covers for Water - Closets as per IS 2548, Welding Electrode - Covered Arc Welding Electrode - Basic Type (BEML), Covered Electrodes for Manual Metal Arc Welding of Stainless Steel and Other Similar High Alloy Steel (V2) conforming to IS 5206 Searched String: Modular base and cover plate for 3 modules RCC Base Plate (TN Generation and Distribution Corporation), Reverse Osmosis based Point of Use Water Treatment System for Drinking Purposes (V3) as per IS 16240, modular electrical enclosure switch board boxes for modular type accessories, Welding Electrode - Covered Arc Welding Electrode - Rutile Type (BEML), Welding Electrode - Covered Arc Welding Electrode - Basic Type (BEML), Desk and Bench Set for Classroom/Training Area, Covered Electrodes for Manual Metal Arc Welding of Stainless Steel and Other Similar High Alloy Steel (V2) conforming to IS 5206, Modular Toilet Searched String: Modular base and cover plate for 4 modules RCC Base Plate (TN Generation and Distribution Corporation), Reverse Osmosis based Point of Use Water Treatment System for Drinking Purposes (V3) as per IS 16240, modular electrical enclosure switch board boxes for modular type accessories, Welding Electrode - Covered Arc Welding Electrode - Rutile Type (BEML), Modular Toilet, Welding Electrode - Covered Arc Welding Electrode - Basic Type (BEML) Searched String: Modular base and cover plate for 6

विड विवरण/Bid Details	modules
GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS	RCC Base Plate (TN Generation and Distribution Corporation), Welding Electrode - Covered Arc Welding Electrode - Rutile Type (BEML), modular electrical enclosure switch board boxes for modular type accessories, Modular Toilet, Polypropylene Spun Bonded Non - Woven Crop Cover Fabric for Agricultural and Horticultural Applications conforming to IS 16718
	Searched String: Modular base and cover plate for 8 modules
	RCC Base Plate (TN Generation and Distribution Corporation), Reverse Osmosis based Point of Use Water Treatment System for Drinking Purposes (V3) as per IS 16240, modular electrical enclosure switch board boxes for modular type accessories, Welding Electrode - Covered Arc Welding Electrode - Rutile Type (BEML), Modular Toilet
	Searched String: Modular base and cover plate for 12 modules
	RCC Base Plate (TN Generation and Distribution Corporation), Reverse Osmosis based Point of Use Water Treatment System for Drinking Purposes (V3) as per IS 16240, modular electrical enclosure switch board boxes for modular type accessories, Welding Electrode - Covered Arc Welding Electrode - Rutile Type (BEML)
	Searched String: Modular switch board and Sheets for 16 modules
	modular electrical enclosure switch board boxes for modular type accessories, Calendar Set (Preschool Kit)
	Searched String: Modular switch board for 12 modules
	modular electrical enclosure switch board boxes for modular type accessories, Piano Type Non Modular Electrical Switch Socket Combination as per IS 3854 and IS 1293, Miniature Circuit Breaker Boards for Voltages Conforming To IS 13032, Power Control Center (PCC) Panel for Power Distribution, Medium Density Fiber Boards (MDF Boards) Marked to IS 12406 (V2)
	Searched String: Modular switch board for 8 modules
	modular electrical enclosure switch board boxes for modular type accessories, Power Control Center (PCC) Panel for Power Distribution, File/Folder (V3), Modular Toilet, Miniature Circuit Breaker Boards for Voltages Conforming To IS 13032
	Searched String: Modular switch board for 6 modules
	modular electrical enclosure switch board boxes for modular type accessories, Power Control Center (PCC) Panel for Power Distribution, Non Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Modular Toilet, Miniature Circuit Breaker Boards for Voltages Conforming To IS 13032
	Searched String: Modular switch board for 4 modules
	modular electrical enclosure switch board boxes for modular

बिड विवरण / Bid Details	type accessories, File/Folder (V3), Power Control Center (PCC) Panel for Power Distribution, Miniature Circuit Breaker Boards for Voltages Conforming To IS 13032, Modular Toilet
	Searched String: Modular switch board for 3 modules modular electrical enclosure switch board boxes for modular type accessories, Network Switch - L 3 for Cloud, Isolator Switch (Switch Disconnecter) Conforming To IS/IEC 60947 (Part 3), Root Analysis System, Disconnectors (Isolators) for Working Voltage Up to and Including 1 kV Conforming To IS/IEC 60947 (Part 3), File/Folder (V3), Power Control Center (PCC) Panel for Power Distribution, Piano Type Non Modular Electrical Switch Socket Combination as per IS 3854 and IS 1293, Modular Table / Meeting Table / Centre Table (V2), Desk and Bench Set for Classroom/Training Area Searched String: Modular switch board for 2 modules modular electrical enclosure switch board boxes for modular type accessories, Layer - 2 Access Switch for Railways, File/Folder (V3), Power Control Center (PCC) Panel for Power Distribution, Root Analysis System, Piano Type Non Modular Electrical Switch Socket Combination as per IS 3854 and IS 1293, Markers for White Board (V2), Desk and Bench Set for Classroom/Training Area, Modular Toilet Searched String: SS Command box masala box ss to cqa secification, Muffle/Box Furnace (V2), spoon ss and chamcha ss, Domestic food Storage Containers (Defence), Bullet Recovery Box, Setup box stand, Thermos SS (Defence), Autoclave (Horizontal), pona ss (cqa specification), Sweeping Long SS Handle Steel Fork Searched String: Extension Box Electrical Extension Box (V4), Muffle/Box Furnace (V2), Extension Bar, Flameproof Extension Board, Back Extension (Version 2), File/Folder (V3), Multi Hyper Extension Machine, Hopper Tipper Dumper for Garbage, Tissue box, Electrical Junction Box for Lighting Searched String: LED Batten light System lumen efficiency greater than135 lm per Watt 12 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, 7 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, White LED Based Solar Home Lighting System with Batten Type Luminary as per MNRE Specifications Searched String: Smart Thread bulb with Edison screw10W Rechargeable LED Bulb (V2), LED Bulb with Battery as per IS 16102, Laboratory Glass Adapters, Hand Held Slit Lamp - RBSK, Modular Toilet, Prevailing Torque Type Hexagon Nuts (With Non-Metallic Insert), Style 1 - IS 7002, Carboys-IS 5715, IS 6312, Psychrometers, Unventilated (Dry And Wet Bulb Hygrometer) as per IS 5725 (V2) Searched String: 2 feet reading Tube Light 10W Endotracheal Tube - Sterile (Single Use), Ultra Violet (UV) Cabinet for Sterilization, Digital Light Meter, LED Batten Light (LED Tube Light) (V2), Flood Light Luminaire suitable

बिड विवरण / Bid Details	for HPSV Lamps, Automotive Vehicles - Tubes for Pneumatic Tyres (V2) as per IS 13098, PCR Mini Cooler, LED Tube Light (Retrofit Type), Portable Emergency LED Lighting Tower System with Battery Bank, Polyurethane Tube (V2)
	Searched String: Exhaust fans 9 inches 1400RPM with Steel Fume Exhaust System with Scrubber or Fume Hood with Scrubber, Laboratory Hot plate, Stainless Steel ANSI B16.5 Flange, Propeller Type AC Ventilating Fans (Exhaust Fan) (V3) Conforming To IS 2312 Searched String: Exhaust fans 9 inches 1400RPM with Fiber Fume Exhaust System with Scrubber or Fume Hood with Scrubber, Propeller Type AC Ventilating Fans (Exhaust Fan) (V3) Conforming To IS 2312 Searched String: Fan capacitor 2.5 MFD 5-5 Dithiobis -2-2 Nitrobenzoic Acid, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), 5-Sulfosalicylic acid, Electric Ceiling Fan (V4) ISI Marked to IS 374, Capacitors for Electric Fan Motors as per IS 1709 (V2), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, LED Luminaire (Recessed Luminaire) (V3) Conforming to IS 10322 (Part 5/Section 2), Electric Axial Flow Fans (V2) Conforming To IS 3588, LED Luminaire (Recessed Luminaire) (Ceiling Light) Conforming To IS 10322 (Part 5/Section 2) (V4) (Under BIS Scheme - II), PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694 Searched String: Round Surface light 15W LED Luminaire (Recessed Luminaire) (Ceiling Light) Conforming To IS 10322 (Part 5/Section 2) (V4) (Under BIS Scheme - II), UV - C Disinfection System (V2), 3D Laser Scanning and Imaging System as per MHA QRs, Hand Held Search Light, medical stools or chairs, LED Diving Torch Light (Diving Instruments or Accessories), Ceiling OT Light (V2), Portable OT Light (V2), LED Garden Light (V2), Flood Light Luminaire suitable for HPSV Lamps Searched String: Sigma Instruments Digital Battery Powered Multimeter Sigma 22ATRMS 6000 Counts Category not available on GeM for the text string uploaded by the buyer Searched String: Sigma Instruments Digital Smart Ac Clamp Meter Sigma Mtq 679 TRMS Red Category not available on GeM for the text string uploaded by the buyer Searched String: Wire Stripper Insulated wire stripper, Muffle Furnace, Electrician Scissor, Cable Jacket Stripper for Telecommunication, Chemical Stripper (Defence)-IS 430, Gasket remover and paint stripper, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Molybdenum Wire, Wire Rope For Wire Rope Barrier, Tapered Bearings as

बिड विवरण/Bid Details	per IS 12102
	Searched String: Double Sided Combination Spanner Set CSS25 from CS06 to CS 32 Category not available on GeM for the text string uploaded by the buyer Searched String: 3- pin Plug top 6A Electric Power Plug Top for Industrial Applications, Moulded Case Circuit Breakers (MCCB) Conforming To IS/IEC 60947 (Part 2), Multi-Pin electrical top for industrial appliacation, Electrical Power Connector, A3 Size Multifunction Printer (MFP), HDMI Switcher, Hair Comb (V2), Desk and Bench Set for Classroom/Training Area, Encrypted Removable Storage Devices (V2), Multifunction Printer (Print, Scan, Copy) Searched String: 3- pin Plug top 16A Electric Power Plug Top for Industrial Applications, Moulded Case Circuit Breakers (MCCB) Conforming To IS/IEC 60947 (Part 2), Multi-Pin electrical top for industrial appliacation, Electrical Power Connector, A3 Size Multifunction Printer (MFP), HDMI Switcher, Hair Comb (V2), Multifunction Printer (Print, Scan, Copy), Encrypted Removable Storage Devices (V2), Lyophilizer Searched String: Three fourths inch PVC pipes Unplsticized PVC Pipes for Water Supply conforming to IS 4985, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Connector Pipes for Washbasins/ Sinks/ Geyser, Unplasticized Polyvinyl Chloride (PVC - U) Pipes for Soil and Waste Discharge System as per IS 13592, Three Way Stopcocks, Unplasticized Polyvinyl Chloride (PVC - U) Screen and Casing Pipes for Bore / Tubewells (V2) as per IS 12818, Submersible Pumpsets (Three Phase) Conforming To IS 8034 (V2), CPVC Industrial Pipe Fittings, Schedule 80, Elbow Pipe Fitting, PVC gitti Searched String: Three fourths inch PVC bends Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, Three Way Stopcocks, PVC gitti, Connector Pipes for Washbasins/ Sinks/ Geyser, Elbow Pipe Fitting Searched String: 1 inch PVC pipes Unplsticized PVC Pipes for Water Supply conforming to IS 4985, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Connector Pipes for Washbasins/ Sinks/ Geyser, Unplasticized Polyvinyl Chloride (PVC - U) Pipes for Soil and Waste Discharge System as per IS 13592, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Fabricated PVC-U Fittings for Portable Water Supplies conforming to IS 10124 (Part 1), PVC gitti, Injection Moulded PVC Socket Fittings with Solvent Cement Joints for Water Supplies conforming to IS 7834 (Part 1), PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694 Searched String: 1 inch PVC bends

बिड विवरण / Bid Details	Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Fabricated PVC-U Fittings for Portable Water Supplies conforming to IS 10124 (Part 1), PVC gitti, Injection Moulded PVC Socket Fittings with Solvent Cement Joints for Water Supplies conforming to IS 7834 (Part 1), PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Aluminium Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor ISI Marked To IS 694, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Winding Wires for Submersible Motors (HR PVC Insulated Wires) Conforming to IS 8783 (Part 4/Sec 1), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694 Searched String: Three fourths inches Screws General Purpose Ball Valves (V2), Hand, and Short Machine Screwing Taps for ISO Metric Screw Threads - IS 6175, General Purpose Ball Valves conforming to IS 9890, Needle Valve Searched String: one fourth inches Screws General Purpose Ball Valves (V2), Hand, and Short Machine Screwing Taps for ISO Metric Screw Threads - IS 6175, General Purpose Ball Valves conforming to IS 9890, Screw Drivers as per IS 844, Needle Valve Searched String: 1 inches Screws Wood screws, Cleaning Duster (V3), Tapping screws, 4.5mm Broad D.C. Plate with corresponding screws, Hexagonal Head Screws (V2) ISI marked to IS 1363 (Part 2), Nitrile Coated/Nitrile Hand Gloves (V2), Hexagonal Head Screws ISI marked to IS 1364 (Part 2), Rotary Selector Switch Conforming To IS/IEC 60947 (Part 3), 1, 1, 3 - Triethoxybutane, Multipara Monitor - Low End Searched String: 2 inches Screws Hexagonal Head Screws (V2) ISI marked to IS 1363 (Part 2), Cleaning Duster (V3), Hexagonal Head Screws ISI marked to IS 1364 (Part 2), 4.5mm Broad D.C. Plate with corresponding screws, Wood screws, Interactive Panels with CPU, Tapping screws, 2-2-BIPYRIDYL, Laminar air flow cabinets or stations, DHS Plate with corresponding screws Searched String: 3 inches Screws Wood screws, Cleaning Duster (V3), Tapping screws, Hexagonal Head Screws (V2) ISI marked to IS 1363 (Part 2), High End Desktop Computer, Hexagonal Head Screws ISI marked to IS 1364 (Part 2), Rotary Selector Switch Conforming To IS/IEC 60947 (Part 3), DHS Plate with corresponding screws, Entry and Mid Level Desktop Computer, Pedicle Screws For Spine Fixation Searched String: 1 inch PVC Clamps Fabricated PVC-U Fittings for Portable Water Supplies conforming to IS 10124 (Part 1), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Injection Moulded
-------------------------	--

विड विवरण/Bid Details	PVC Socket Fittings with Solvent Cement Joints for Water Supplies conforming to IS 7834 (Part 1), PVC gitti, PVC Insulated Aluminium Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Winding Wires for Submersible Motors (HR PVC Insulated Wires) Conforming to IS 8783 (Part 4/Sec 1), PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694
	Searched String: Three fourths inch PVC Clamps Three Finger Clamps, Three Way Stopcocks, PVC gitti, Connector Pipes for Washbasins/ Sinks/ Geyser, Elbow Pipe Fitting, Towel Clamp as per IS 7893 Searched String: 5 Step Fan regulator with 1Modular PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Modular Piano Type Domestic Fan Regulator Conforming To IS 11037, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Line Interactive UPS with AVR (V2), Electric Ceiling Fan (V4) ISI Marked to IS 374, Non Modular Piano Type Domestic Fan Regulator Conforming To IS 11037, Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, Welding Electrode - Covered Arc Welding Electrode - Rutile Type (BEML), Micro/Semi-Micro/Analytical weighing balance Searched String: 70 mm FD Capacitor XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Work Benches, Computer Paper (V3) Conforming to IS 12766 (In Packet), PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), Aerial Bunched Cable For Working Voltage Upto and Including 1.1 kV Marked To IS 14255, Computer Paper (V3) Conforming to IS 12766, Note Sheet Pad (Azure Laid) (V3), XLPE Cables for Working Voltages From 3.3 KV up to and Including 33 KV as per IS 7098 (Part 2), Medals, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694 Searched String: Electrical Tester Insulation Tester, Battery Tester, Digital Micro Vickers Hardness Tester, Line Tester, PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), Electrical Workbench, ELECTRICAL RACEWAY, modular electrical enclosure switch board boxes for modular type accessories, Pendulum Impact Tester, Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854 Searched String: Cobmination Plier Insulated water pump plier, Pliers, Pincers and Nippers as per IS 2615, IS 11526, Groove Joint Pliers, Orthodontic Pliers, Multiple Slip Joint Pliers - IS 6118, Orthopaedic Wire

	बिड विवरण / Bid Details
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	- Cutter (V2), Non Sparking Diagonal Cutting Plier as per IS 4595, Insulated pliers, Stud Remover & Installer with - Screwdriver tool Set (ONGC), Orthopedic Instruments - Nose Pliers - Batter Light (LED Tube Light) (V2) - Modular electrical enclosure switch board boxes for modular type accessories - PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694
बीओक्यू शीर्षक / BOQ Title	SUPPLY OF ELECTRICAL ITEMS
वर्षों के अनुभव एवं टर्नओवर से एमएसई को छूट प्राप्त है / MSE Relaxation for Years Of Experience and Turnover	Yes Complete
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / Startup Relaxation for Years Of Experience and Turnover	Yes Complete
भागीदारी केवल गवर्नमेंट विक्रेता तक सीमित / Participation restricted to Government seller	Yes (This bid is reserved for participation only by Government sellers and hence Government sellers will be exempted from payment of Transaction charges)
विक्रेता से मांगे गए दस्तावेज़ / Document required from seller	Certificate (Requested in ATC), Additional Doc 1 (Requested in ATC), Additional Doc 2 (Requested in ATC), Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेजों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेन् है / Do you want to show documents uploaded by bidders to all bidders participated in bid?	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	3
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	7
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	1
बिड से रिवर्स नीलामी सक्रिय किया / Bid to RA enabled	No
बिड का प्रकार / Type of Bid	Single Packet Bid
प्राथमिक उत्पाद श्रेणी / Primary product category	Copper conductor cable
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय / Time allowed for Technical Clarifications during technical evaluation	2 Days

बिड विवरण/Bid Details

निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
मूल्यांकन पद्धति/Evaluation Method	Total value wise evaluation
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

आवश्यकता/Required	No
-------------------	----

ईपीबीजी विवरण /ePBG Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईपीबीजी प्रतिशत (%) /ePBG Percentage(%)	3.00
ईपीबीजी की आवश्यक अवधि (माह) /Duration of ePBG required (Months).	14

(a).ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

लाभार्थी /Beneficiary :

Director IIITDM Kurnool
IIITDM Kurnool, Jagannathagattu, Kurnool, Andhra Pradesh - 518008.
(Director IIITDM Kurnool)

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई खरीद वरीयता / MII Purchase Preference

एमआईआई खरीद वरीयता / MII Purchase Preference	Yes
मेक इन इंडिया विक्रेताओं को खरीद में प्राथमिकता, यदि उनका मूल्य $L1+X\%$ तक की सीमा में है / Purchase Preference to MII sellers available upto price within $L1+X\%$	20
मेक इन इंडिया खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MII purchase preference	50

सार्वजनिक खरीद (मेक-इन-इंडिया को प्राथमिकता) आदेश 2017 के अनुसार केवल क्लास 1/क्लास 2 के स्थानीय आपूर्तिकर्ताओं को ही भागीदारी की अनुमति है दिनांक 16.09.2020 (समय-समय पर संशोधित एवं लागू) / Allow participation only from Class 1/Class 2 local suppliers as per the Public procurement(Preference to Make-in-india) order 2017 date 16.09.2020(as amended and applicable time to time)	Yes, in compliance with the MII ORDER : DPIIT Order(as amended and applicable time to time)
---	---

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं/सेवा प्रदाता को खरीद में प्राथमिकता, यदि उनका मूल्य $L1+X\%$ / Purchase Preference to MSE OEMs/ Service Provider available upto price within $L1+X\%$	15
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माता/सेवा प्रदाता को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Percentage of Bid quantity/amount for MSE OEMs/ Service Provider Purchase preference	25

1. If the bidder is a Micro or Small Enterprise as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Experience Criteria" as defined above subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.
2. If the bidder is a Micro or Small Enterprise (MSE) as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Bidder Turnover" as defined above subject to meeting of quality and technical specifications. If the bidder itself is MSE OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover, shall upload the supporting documents to prove his eligibility for Relaxation.
3. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Experience Criteria" as defined above subject to their meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.
4. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Bidder Turnover" as defined above subject to their meeting of quality and technical specifications. If the bidder is DPIIT Registered OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover shall upload the supporting documents to prove his eligibility for Relaxation.
5. Preference to Make In India products (For bids < 200 Crore):Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.

[OM_No.1_4_2021_PPD_dated_18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy

for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017 and its subsequent Orders/Notifications issued by concerned Ministry .Benefits of MSE will be allowed only if seller/service provider is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

6. Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs having valid Udyam Certificate and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service, and Buyer will decide eligibility for purchase preference based on documentary evidence submitted in case of product bids, whereas in case of services the eligibility is automatically validated. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

7. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

Copper Conductor Cable

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Eeram Krishna Murthy	518007,Jagannathagattu Kurnool ANDHRA PRADESH	450	30

Copper Conductor Cable

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Eeram Krishna Murthy	518007,Jagannathagattu Kurnool ANDHRA PRADESH	450	30

Copper Conductor Cable

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Eeram Krishna Murthy	518007,Jagannathagattu Kurnool ANDHRA PRADESH	630	30

Copper Conductor Cable

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Eeram Krishna Murthy	518007,Jagannathagattu Kurnool ANDHRA PRADESH	900	30

Copper Conductor Cable

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Eeram Krishna Murthy	518007,Jagannathagattu Kurnool ANDHRA PRADESH	900	30

Copper Conductor Cable

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Eeram Krishna Murthy	518007,Jagannathagattu Kurnool ANDHRA PRADESH	900	30

Copper Conductor Cable

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Eeram Krishna Murthy	518007,Jagannathagattu Kurnool ANDHRA PRADESH	900	30

Copper Conductor Cable

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Eeram Krishna Murthy	518007,Jagannathagattu Kurnool ANDHRA PRADESH	180	30

Copper Conductor Cable

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Eeram Krishna Murthy	518007,Jagannathagattu Kurnool ANDHRA PRADESH	180	30

Electrical Switches

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Eeram Krishna Murthy	518007,Jagannathagattu Kurnool ANDHRA PRADESH	250	30

Electrical Switches

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Eeram Krishna Murthy	518007,Jagannathagattu Kurnool ANDHRA PRADESH	150	30

Electrical Switches

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Eeram Krishna Murthy	518007,Jagannathagattu Kurnool ANDHRA PRADESH	250	30

Electrical Switches

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Eeram Krishna Murthy	518007,Jagannathagattu Kurnool ANDHRA PRADESH	150	30

Electrical Sockets

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Eeram Krishna Murthy	518007,Jagannathagattu Kurnool ANDHRA PRADESH	250	30

Electrical Sockets

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Eeram Krishna Murthy	518007,Jagannathagattu Kurnool ANDHRA PRADESH	150	30

Electrical Sockets

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Eeram Krishna Murthy	518007,Jagannathagattu Kurnool ANDHRA PRADESH	250	30

Electrical Sockets

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Eeram Krishna Murthy	518007,Jagannathagattu Kurnool ANDHRA PRADESH	150	30

Fan Regulator

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Eeram Krishna Murthy	518007,Jagannathagattu Kurnool ANDHRA PRADESH	100	30

Electrical Material

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Eeram Krishna Murthy	518007,Jagannathagattu Kurnool ANDHRA PRADESH	20	30

Electrical Material

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Eeram Krishna Murthy	518007,Jagannathagattu Kurnool ANDHRA PRADESH	30	30

Electrical Material

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Eeram Krishna Murthy	518007,Jagannathagattu Kurnool ANDHRA PRADESH	15	30

Electrical Material

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Eeram Krishna Murthy	518007,Jagannathagattu Kurnool ANDHRA PRADESH	100	30

Electrical Material

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Eeram Krishna Murthy	518007,Jagannathagattu Kurnool ANDHRA PRADESH	40	30

Electrical Material

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Eeram Krishna Murthy	518007,Jagannathagattu Kurnool ANDHRA PRADESH	70	30

Electrical Material

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Eeram Krishna Murthy	518007,Jagannathagattu Kurnool ANDHRA PRADESH	10	30

Electrical Material

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Eeram Krishna Murthy	518007,Jagannathagattu Kurnool ANDHRA PRADESH	70	30

Electrical Material

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Eeram Krishna Murthy	518007,Jagannathagattu Kurnool ANDHRA PRADESH	40	30

Electrical Material

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Eeram Krishna Murthy	518007,Jagannathagattu Kurnool ANDHRA PRADESH	100	30

Electrical Material

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Eeram Krishna Murthy	518007,Jagannathagattu Kurnool ANDHRA PRADESH	15	30

Electrical Material

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Eeram Krishna Murthy	518007,Jagannathagattu Kurnool ANDHRA PRADESH	30	30

Electrical Material

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Eeram Krishna Murthy	518007,Jagannathagattu Kurnool ANDHRA PRADESH	20	30

Electrical Material

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Eeram Krishna Murthy	518007,Jagannathagattu Kurnool ANDHRA PRADESH	50	30

Electrical Material

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Eeram Krishna Murthy	518007,Jagannathagattu Kurnool ANDHRA PRADESH	30	30

LED Lamps

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Eeram Krishna Murthy	518007,Jagannathagattu Kurnool ANDHRA PRADESH	70	30

LED Lamps

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Eeram Krishna Murthy	518007,Jagannathagattu Kurnool ANDHRA PRADESH	30	30

LED Lamps

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Eeram Krishna Murthy	518007,Jagannathagattu Kurnool ANDHRA PRADESH	50	30

Exhaust Fans

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Eeram Krishna Murthy	518007,Jagannathagattu Kurnool ANDHRA PRADESH	5	30

Exhaust Fans

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Eeram Krishna Murthy	518007,Jagannathagattu Kurnool ANDHRA PRADESH	5	30

Electrical Material

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Eeram Krishna Murthy	518007,Jagannathagattu Kurnool ANDHRA PRADESH	200	30

Electrical Material

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Eeram Krishna Murthy	518007,Jagannathagattu Kurnool ANDHRA PRADESH	30	30

Electrical Material

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Eeram Krishna Murthy	518007,Jagannathagattu Kurnool ANDHRA PRADESH	2	30

Electrical Material

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Eeram Krishna Murthy	518007,Jagannathagattu Kurnool ANDHRA PRADESH	2	30

Electrical Material

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Eeram Krishna Murthy	518007,Jagannathagattu Kurnool ANDHRA PRADESH	5	30

Tool Kit

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Eeram Krishna Murthy	518007,Jagannathagattu Kurnool ANDHRA PRADESH	2	30

Electrical Material

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Eeram Krishna Murthy	518007,Jagannathagattu Kurnool ANDHRA PRADESH	50	30

Electrical Material

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Eeram Krishna Murthy	518007,Jagannathagattu Kurnool ANDHRA PRADESH	50	30

Electrical Material

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Eeram Krishna Murthy	518007,Jagannathagattu Kurnool ANDHRA PRADESH	100	30

Electrical Material

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Eeram Krishna Murthy	518007,Jagannathagattu Kurnool ANDHRA PRADESH	100	30

Electrical Material

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Eeram Krishna Murthy	518007,Jagannathagattu Kurnool ANDHRA PRADESH	30	30

Electrical Material

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Eeram Krishna Murthy	518007,Jagannathagattu Kurnool ANDHRA PRADESH	50	30

Electrical Material

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Eeram Krishna Murthy	518007,Jagannathagattu Kurnool ANDHRA PRADESH	5	30

Electrical Material

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Eeram Krishna Murthy	518007,Jagannathagattu Kurnool ANDHRA PRADESH	5	30

Electrical Material

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Eeram Krishna Murthy	518007,Jagannathagattu Kurnool ANDHRA PRADESH	4	30

Electrical Material

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Eeram Krishna Murthy	518007,Jagannathagattu Kurnool ANDHRA PRADESH	2	30

Electrical Material

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Eeram Krishna Murthy	518007,Jagannathagattu Kurnool ANDHRA PRADESH	2	30

Electrical Material

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Eeram Krishna Murthy	518007,Jagannathagattu Kurnool ANDHRA PRADESH	2	30

Electrical Material

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Eeram Krishna Murthy	518007,Jagannathagattu Kurnool ANDHRA PRADESH	2	30

Electrical Material

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Eeram Krishna Murthy	518007,Jagannathagattu Kurnool ANDHRA PRADESH	15	30

Electrical Material

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Eeram Krishna Murthy	518007,Jagannathagattu Kurnool ANDHRA PRADESH	10	30

Electrical Material

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Eeram Krishna Murthy	518007,Jagannathagattu Kurnool ANDHRA PRADESH	6	30

Electrical Material

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Eeram Krishna Murthy	518007,Jagannathagattu Kurnool ANDHRA PRADESH	5	30

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. Generic

Bidders are advised to check applicable GST on their own before quoting. Buyer will not take any responsibility in this regards. GST reimbursement will be as per actuals or as per applicable rates (whichever is lower), subject to the maximum of quoted GST %.

3. Scope of Supply

Scope of supply (Bid price to include all cost components) : Only supply of Goods

4. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

Eligibility Criteria-

1. Past Performance : Bidders must have supplied similar Electrical Items costing value not less than 2 Lakhs in one single contract/order in past three years from the bid floating date to any Govt./Reputed private organization.
2. Technical Specifications Compliance: BoQ Compliance must be submitted along the make and model of the offered product.
3. Compliance to make in INDIA Policy: Make in India declaration to be submitted mentioning the local content addition and the place of local content addition.
4. Compliance of the GFR Rule 144 (xi): A declaration is to be submitted in the following format:

GFR Rule 144(xi) Compliance

(To be given on Company Letterhead)

Date:

Tender/Bid No.:

To,
Director

IIITDM Kurnool

Subject: Declaration regarding compliance with Rule 144(xi) of the General Financial Rules (GFR), 2017

I, _____ have read the clause regarding restrictions on procurement from a bidder of a country which shares a land border with India.

I certify that _____:

1. Is **not** from such a country.
2. **OR** If from such a country, has been registered with the Competent Authority (*strike out whichever is not applicable. If registered, attach a valid copy of the registration certificate issued by the DPIIT*).

I hereby certify that _____ fulfills all requirements in this regard and is eligible to be considered for this tender.

I also certify that this bidder will not sub-contract any work to any contractor from a country which shares a land border with India unless such contractor is registered with the Competent Authority.

Yours faithfully,

[Signature of Authorized Signatory]

Note: In case the bidders withdraw or modify their bids during the period of validity, or if after award of contract, fail to sign the contract, or to submit a performance security before the deadline defined in the bid/tender document, they will be suspended for the period of one year from being eligible to participate in tenders/bids issued by IIITDM Kurnool.

अस्वीकरण/Disclaimer

The Additional Terms and Conditions (ATC) have been incorporated by the Buyer after approval of their Competent Authority. The Buyer, is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any restriction arising in the bidding process due to these ATCs and including the modification of technical specifications and / or terms and conditions governing the bid. All representations / grievances pertaining to the ATC clauses shall be raised with the buyer organization directly and not with GeM. If any of the clause(s) is/are incorporated by the Buyer regarding the following, the bid & resultant contract shall be treated as null & void. Further, GeM reserves the right, at its sole discretion, to cancel the bid forthwith, without issuance of any prior notice or intimation :-

1. Publishing Custom / BOQ bids for items for which regular GeM categories are available (unless such Custom / BOQ item is bunched with the major regular product Category Item).
2. Mandating procurement of / from specific Brand / Make / Model / Manufacturer / Dealer except in case of Single Bid / Proprietary Article Certificate (PAC) Buying.
3. Inclusion of disqualification criteria related to suspension of seller / service provider, where such suspension period has already expired.
4. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
5. Publishing bids on GeM for procurement of works.
6. Procurement of Goods by creating a Service bid on GeM & vice-versa.
7. Seeking sample with bid or approval of samples during bid evaluation process. However, trial / sample, as the case may be, shall be permitted in cases where trial / sample are allowed as per approved and published procurement policy of the Buyers' controlling Ministry / Department / State / Public Sector Enterprises Headquarters. If there is any violation of trial / sample clause with regard to approved policy of the Buyers' Ministry / Department / State / Public Sector Enterprises Headquarters, then this is to be determined and redressed by the concerned Buyer Organisation only.
8. Seeking experience from specific organization / department / institute only or from foreign / export experience.
9. Creating bid for items from incorrect categories.
10. Reference of conditions published on any external site or reference to external documents/clauses.
11. Asking for any Tender fee / Bid Participation fee, as the case may be.

12. Buyer added ATC Clauses which are in contravention of clauses defined in bid detail section, including specifications, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by the applicable GeM GTC.
13. Any ATC clause in contravention with GeM GTC Clause 4 (xiii) (h) will be invalid. In case of multiple L1 bidders against a service bid, the buyer shall place the Contract by selection of a bidder amongst the L-1 bidders through a Random Algorithm executed by GeM system.
14. In a category based bid, adding additional items, through buyer added, additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogues or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and
- All operative provisions of the erstwhile Labour Laws until their complete substitution.

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

This Bid is governed by the General Terms and Conditions, conditions stipulated in Bid and Service Level Agreement specific to the Service, as the case may be, as provided in the Marketplace.

However, in case of Service, if any condition specified in General Terms and Conditions is contradicted by the conditions stipulated in Service Level Agreement specific to said Service, then it will over-ride the conditions in the General Terms and Conditions.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions.](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्यवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---