

बिड दस्तावेज़ / Bid Document

बिड विवरण / Bid Details	
बिड बंद होने की तारीख/समय / Bid End Date/Time	08-07-2026 15:00:00
बिड खुलने की तारीख/समय / Bid Opening Date/Time	08-07-2026 15:30:00
बिड पेशकश वैधता (बंद होने की तारीख से) / Bid Offer Validity (From End Date)	90 (Days)
मंत्रालय/राज्य का नाम / Ministry/State Name	Ministry Of Petroleum And Natural Gas
विभाग का नाम / Department Name	Na
संगठन का नाम / Organisation Name	Hindustan Petroleum Corporation Ltd
कार्यालय का नाम / Office Name	Petroleum House
शिकायत निवारण के संपर्क विवरण / Contact details of Grievance redressal	HOD Email id : varshalvpanchbhai@hpcl.in Buyer Email id: ravinssingh@hpcl.in
कुल मात्रा / Total Quantity	730

बिड विवरण/Bid Details

वस्तु श्रेणी /Item Category

ELECTRODE E-309 MOL-16, DIA 2.5MM , ELECTRODE E-2594, DIA 4MM , ELECTRODE E-317L, DIA 2.5MM , ELECTRODE E-317L, DIA 3.15MM , ELECTRODE E8018-B2, DIA 2.5MM , ELECTRODE E8018-B2, DIA 3.15MM , ELECTRODE E8018-B2, DIA 4MM , ELECTRODE E7018-1, DIA 4MM , FILLER WIRE ER-70SG,DIA 1.6MM , FILLER WIRE ER-70SG,DIA 2.4MM , FILLER WIRE, ER-347H,DIA 1.6MM , FILLER WIRE, ER-347H,DIA 2.4MM , FILLER WIRE, ER-316H,DIA 1.6MM , ELECTRODE E309 MO , DIA 3.15MM , FILLER WIRE ER 309MO-16,DIA 2.4MM , ELECTRODE E309 MO , DIA 2.4MM , FILLER WIRE ER-317L,DIA 2.4MM , ELECTRODE E-NICR3, DIA 2.5MM , FILLER WIRE ER-310,DIA 2.4MM , ELECTRODE E-NICR3, DIA 3.15MM , ELECTRODE E-NICRFE3, DIA 3.15MM , ELECTRODE E-NICRFE3, DIA 2.5MM , FILLER WIRE ER-CUNIAL,DIA 1.6MM , ELECTRODE E 308H-16, DIA 3.15MM , FILLER WIRE ER-CUNIAL,DIA 2.4MM , ELECTRODE E 308H-16, DIA 2.5MM , FILLER WIRE, ER-NICRFE2,DIA 2.4MM , FILLER WIRE, ER-CUAL-A2,DIA 1.6MM , FILLER WIRE, ER-CUNIAL,DIA 0.8MM , FILLER WIRE ER-NI-1,DIA 2.4MM , FILLER WIRE, ER-CUAL-A2,DIA 2.4MM , FILLER WIRE, ER-2209,DIA 0.8MM , FILLER WIRE ER-NICRMO-3,DIA 2.4MM , FILLER WIRE, ER-2594,DIA 0.8MM , FILLER WIRE ER-NICR3,DIA 2.4MM , FILLER WIRE ER-CUNI,DIA 2.4MM , ELCTRD,WLDNG,AWS E-7018-1,2.5MM,GG12 , FILLER WIRE ER-NICU7,DIA 1.6MM , FILLER WIRE ER-CUNI,DIA 1.6MM , ELCTRD,WLDNG,AWS E-505,3.15MM,GG10 , ELECTRODE E-309 MOL-16, DIA 3.15MM , ELECTRODE E CUNIAL, DIA 2.5MM , ELECTRODE E-CUNIAL,DIA 3.15MM , ELECTRODE E-NICR4, DIA 3.15MM , ELECTRODE E-NICR4, DIA 2.5MM , ELECTRODE E-NICRMO-17, DIA 3.15MM , ELECTRODE E-NICRMO-17, DIA 2.4MM , ELECTRODE E-HP40NB, DIA 4MM , ELECTRODE E-HP40NB, DIA 2.5MM , ELECTRODE E-HP40NB, DIA 3.15MM , FILLER WIRE, ER-NICRMO-17,DIA 1.6MM , FILLER WIRE, ER-HP40NB,DIA 2.4MM , FILLER WIRE, ER-HP40NB,DIA 1.6MM , FILLER WIRE, ER-NICRMO-17,DIA 2.4MM , FILLER WIRE ER-70S-B2L,DIA 2.4MM , FILLER WIRE ER-316L,DIA 2.4MM

बिड विवरण/Bid Details	
GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS	ELECTRODE E-309 MOL-16, DIA 2.5MM, ELECTRODE E-2594, DIA 4MM, ELECTRODE E-317L, DIA 2.5MM, ELECTRODE E-317L, DIA 3.15MM, ELECTRODE E8018-B2, DIA 2.5MM, ELECTRODE E8018-B2, DIA 3.15MM, ELECTRODE E8018-B2, DIA 4MM, ELECTRODE E7018-1, DIA 4MM, FILLER WIRE ER-70SG,DIA 1.6MM, FILLER WIRE ER-70SG,DIA 2.4MM, FILLER WIRE, ER-347H,DIA 1.6MM, FILLER WIRE, ER-347H,DIA 2.4MM, FILLER WIRE, ER-316H,DIA 1.6MM, ELECTRODE E309 MO , DIA 3.15MM, FILLER WIRE ER 309MO-16,DIA 2.4MM, ELECTRODE E309 MO , DIA 2.4MM, FILLER WIRE ER-317L,DIA 2.4MM, ELECTRODE E-NICR3, DIA 2.5MM, FILLER WIRE ER-310,DIA 2.4MM, ELECTRODE E-NICR3, DIA 3.15MM, ELECTRODE E-NICRFE3, DIA 3.15MM, ELECTRODE E-NICRFE3, DIA 2.5MM, FILLER WIRE ER-CUNIAL,DIA 1.6MM, ELECTRODE E 308H-16, DIA 3.15MM, FILLER WIRE ER-CUNIAL,DIA 2.4MM, ELECTRODE E 308H-16, DIA 2.5MM, FILLER WIRE, ER-NICRFE2,DIA 2.4MM, FILLER WIRE, ER-CUAL-A2,DIA 1.6MM, FILLER WIRE, ER-CUNIAL,DIA 0.8MM, FILLER WIRE ER-NI-1,DIA 2.4MM, FILLER WIRE, ER-CUAL-A2,DIA 2.4MM, FILLER WIRE, ER-2209,DIA 0.8MM, FILLER WIRE ER-NICRMO-3,DIA 2.4MM, FILLER WIRE, ER-2594,DIA 0.8MM, FILLER WIRE ER-NICR3,DIA 2.4MM, FILLER WIRE ER-CUNI,DIA 2.4MM, ELCTRD,WLDNG,AWS E-7018-1,2.5MM,GG12, FILLER WIRE ER-NICU7,DIA 1.6MM, FILLER WIRE ER-CUNI,DIA 1.6MM, ELCTRD,WLDNG,AWS E-505,3.15MM,GG10, ELECTRODE E-309 MOL-16, DIA 3.15MM, ELECTRODE E CUNIAL, DIA 2.5MM, ELECTRODE E-CUNIAL,DIA 3.15MM, ELECTRODE E-NICR4, DIA 3.15MM, ELECTRODE E-NICR4, DIA 2.5MM, ELECTRODE E-NICRMO-17, DIA 3.15MM, ELECTRODE E-NICRMO-17, DIA 2.4MM, ELECTRODE E-HP40NB, DIA 4MM, ELECTRODE E-HP40NB, DIA 2.5MM, ELECTRODE E-HP40NB, DIA 3.15MM, FILLER WIRE, ER-NICRMO-17,DIA 1.6MM, FILLER WIRE, ER-HP40NB,DIA 2.4MM, FILLER WIRE, ER-HP40NB,DIA 1.6MM, FILLER WIRE, ER-NICRMO-17,DIA 2.4MM, FILLER WIRE ER-70S-B2L,DIA 2.4MM, FILLER WIRE ER-316L,DIA 2.4MM
	Searched String: ELECTRODE E-309 MOL-16, DIA 2.5MM Covered Electrodes for Manual Metal Arc Welding of Stainless Steel and Other Similar High Alloy Steel (V2) conforming to IS 5206, Welding Electrode - Covered Arc Welding Electrode - Rutile Type (BEML), Welding Electrode - Covered Arc Welding Electrode - Basic Type (BEML) Searched String: ELECTRODE E-2594, DIA 4MM Welding Electrode - Covered Arc Welding Electrode - Rutile Type (BEML), Commercial PPR Pipes Fittings as per IS 15801, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Welding Electrode - Covered Arc Welding Electrode - Basic Type (BEML), E - Tourist Vehicle / Golf Cart, Video Conferencing Camera / Web Camera (V2), Containerized Housing / Office Unit, pH Electrode, Covered Electrodes for Manual Metal Arc Welding of Stainless Steel and Other Similar High Alloy Steel (V2) conforming to IS 5206, Rubber Welding Hoses as per IS 447 Searched String: ELECTRODE E-317L, DIA 2.5MM Welding Electrode - Covered Arc Welding Electrode - Rutile Type (BEML), Bunk Beds conforming to IS 17636,

बिड विवरण / Bid Details	Containerized Housing / Office Unit, Covered Electrodes for Manual Metal Arc Welding of Stainless Steel and Other
	Similar High Alloy Steel (V2) conforming to IS 5206, Welding Electrode - Covered Arc Welding Electrode - Basic Type (BEML), Multipurpose or General Test Tubes (V2) as per IS 2618 Searched String: ELECTRODE E-317L, DIA 3.15MM Welding Electrode - Covered Arc Welding Electrode - Basic Type (BEML), Welding Electrode - Covered Arc Welding Electrode - Rutile Type (BEML), Containerized Housing / Office Unit, Covered Electrodes for Manual Metal Arc Welding of Stainless Steel and Other Similar High Alloy Steel (V2) conforming to IS 5206, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Multipurpose or General Test Tubes (V2) as per IS 2618 Searched String: ELECTRODE E8018-B2, DIA 2.5MM XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Flowable Dental Composite Resin, Pillow for Head and Knee For Panchakarma, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Welding Electrode - Covered Arc Welding Electrode - Rutile Type (BEML), Bunk Beds conforming to IS 17636, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), File/Folder (V3) Searched String: ELECTRODE E8018-B2, DIA 3.15MM XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Welding Electrode - Covered Arc Welding Electrode - Rutile Type (BEML), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Endotracheal Tube - Sterile (Single Use), PLASTIC BIB TAPS, PILLAR TAPS, ANGLE VALVES & STOP VALVES FOR HOT & COLD WATER SERVICES Conforming to IS 9763, Portable Toilet, Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, Compostable Nursery Bags, Welding Electrode - Covered Arc Welding Electrode - Basic Type (BEML) Searched String: ELECTRODE E8018-B2, DIA 4MM XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Welding Electrode - Covered Arc Welding Electrode - Rutile Type (BEML), water baths, Laminar air flow cabinets or stations, Endotracheal Tube - Sterile (Single Use), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Bunk Beds conforming to IS 17636, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, V - Belts - Endless V - Belt for Industrial Purposes as per IS 2494, PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2) Searched String: ELECTRODE E7018-1, DIA 4MM

बिड विवरण/Bid Details	Low Hydrogen Electrodes, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), HIV-1
	Qualitative (Early Infant Diagnosis) Test Kit for NACO, Welding Electrode - Covered Arc Welding Electrode - Basic Type (BEML), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Portable electrode oven, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Flux for submerged arc welding of structural steel (BEML) -as per C4202 BEML Welding Electrode, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Correspondence Envelopes (V3) Conforming to IS 13892 Searched String: FILLER WIRE ER-70SG,DIA 1.6MM XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Locking Compression Plates (V2), Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Ferro Silica Calcium Cored Wire as per IS 2022, Binder Clips (V3) Conforming to IS 8231, High Pressure Fire Fighting Hose - IS 14933, Computer Paper (V3) Conforming to IS 12766 (In Packet), Tapered Bearings as per IS 12102, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Computer Paper (V3) Conforming to IS 12766 Searched String: FILLER WIRE ER-70SG,DIA 2.4MM XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Ferro Silica Calcium Cored Wire as per IS 2022, Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Computer Paper (V3) Conforming to IS 12766 (In Packet), High Pressure Fire Fighting Hose - IS 14933, Digital Grounding System with Equipment Protection, PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), Computer Paper (V3) Conforming to IS 12766, Plain Copier Paper (V3) ISI Marked to IS 14490, Wire rope slings and sling legs (V3) conforming to IS 2762 Searched String: FILLER WIRE, ER-347H,DIA 1.6MM Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Welding Rods and Filler Wire for Gas Shielded Arc Welding of Structural Steel as per IS 6419, Binder Clips (V3) Conforming to IS 8231, Locking Compression Plates (V2), XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Ferro Silica Calcium Cored Wire as per IS 2022, Kirschner Wire (V2), Wire rope slings and sling legs (V3) conforming to IS 2762, Mild Steel Wire for General Engineering Purpose as per IS 280 Searched String: FILLER WIRE, ER-347H,DIA 2.4MM Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Welding Rods and Filler Wire for Gas Shielded Arc Welding of Structural Steel as per IS 6419, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Ferro Silica Calcium Cored Wire as per IS

विड विवरण / Bid Details	2022, Digital Grounding System with Equipment Protection, Wire rope slings and sling legs (V3) conforming to IS 2762, Mild Steel Wire for General Engineering Purpose as per IS 280, Wire rope as per IS 4521/API Spec 9A (ONGC), Kirschner Wire (V2), Aluminium Conductors For Overhead Transmission Purposes (V2) Conforming To IS 398
	Searched String: FILLER WIRE, ER-316H,DIA 1.6MM Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Welding Rods and Filler Wire for Gas Shielded Arc Welding of Structural Steel as per IS 6419, Binder Clips (V3) Conforming to IS 8231, Locking Compression Plates (V2), XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Ferro Silica Calcium Cored Wire as per IS 2022, Kirschner Wire (V2), Wire rope slings and sling legs (V3) conforming to IS 2762, Mild Steel Wire for General Engineering Purpose as per IS 280 Searched String: ELECTRODE E309 MO , DIA 3.15MM MOLECULAR SIEVE TYPE - 3A FOR INERT GAS DRIER (3 MM DIA PELLETS) for ONGC, Welding Electrode - Covered Arc Welding Electrode - Basic Type (BEML), Auditorium Chair (V2), Covered Electrodes for Manual Metal Arc Welding of Stainless Steel and Other Similar High Alloy Steel (V2) conforming to IS 5206, Welding Electrode - Covered Arc Welding Electrode - Rutile Type (BEML), Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985 Searched String: FILLER WIRE ER 309MO-16,DIA 2.4MM XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Wire rope slings and sling legs (V3) conforming to IS 2762 Searched String: ELECTRODE E309 MO , DIA 2.4MM Welding Electrode - Covered Arc Welding Electrode - Basic Type (BEML), Pillow for Head and Knee For Panchakarma, Welding Electrode - Covered Arc Welding Electrode - Rutile Type (BEML), Covered Electrodes for Manual Metal Arc Welding of Stainless Steel and Other Similar High Alloy Steel (V2) conforming to IS 5206 Searched String: FILLER WIRE ER-317L,DIA 2.4MM Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Ferro Silica Calcium Cored Wire as per IS 2022, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Digital Grounding System with Equipment Protection, High Pressure Fire Fighting Hose - IS 14933, Bunk Beds conforming to IS 17636, SEWAGE TREATMENT PLANT, Wire rope slings and sling legs (V3) conforming to IS 2762, Wire rope as per IS 4521/API Spec 9A (ONGC), Kirschner Wire (V2) Searched String: ELECTRODE E-NICR3, DIA 2.5MM XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Welding Electrode - Covered Arc Welding Electrode - Rutile Type (BEML), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular

बिड विवरण / Bid Details	Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, shoes school pvc boys girls, PLASTIC BIB TAPS, PILLAR TAPS, ANGLE VALVES & STOP VALVES FOR HOT & COLD WATER SERVICES Conforming to IS 9763, Portable Toilet, Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, Compostable Nursery Bags, Welding Electrode - Covered Arc Welding Electrode - Basic Type (BEML) Searched String: FILLER WIRE ER-310,DIA 2.4MM Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, binding coils or wire loops, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Digital Grounding System with Equipment Protection, Wire rope slings and sling legs (V3) conforming to IS 2762, Wire rope as per IS 4521/API Spec 9A (ONGC), Kirschner Wire (V2), Mild Steel Wire for General Engineering Purpose as per IS 280, Aluminium Conductors For Overhead Transmission Purposes (V2) Conforming To IS 398, PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2) Searched String: ELECTRODE E-NICR3, DIA 3.15MM XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Welding Electrode - Covered Arc Welding Electrode - Rutile Type (BEML), XLPE Cables for Working Voltages From 3.3 KV up to and Including 33 KV as per IS 7098 (Part 2), Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Bucket Mop Wringer Trolley, Locking Compression Plates (V2), PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Aerial Bunched Cable For Working Voltage Upto and Including 1.1 kV Marked To IS 14255, Endotracheal Tube - Sterile (Single Use) Searched String: ELECTRODE E-NICRFE3, DIA 3.15MM XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Welding Electrode - Covered Arc Welding Electrode - Rutile Type (BEML), XLPE Cables for Working Voltages From 3.3 KV up to and Including 33 KV as per IS 7098 (Part 2), Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Bucket Mop Wringer Trolley, Locking Compression Plates (V2), PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Aerial Bunched Cable For Working Voltage Upto and Including 1.1 kV Marked To IS 14255, Endotracheal Tube - Sterile (Single Use) Searched String: ELECTRODE E-NICRFE3, DIA 2.5MM XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Welding Electrode - Covered Arc Welding Electrode - Rutile Type (BEML), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular
-------------------------	---

बिड विवरण / Bid Details	Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, shoes school pvc boys girls, PLASTIC BIB TAPS, PILLAR TAPS, ANGLE VALVES & STOP VALVES FOR HOT & COLD WATER SERVICES Conforming to IS 9763, Portable Toilet, Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, Compostable Nursery Bags, Welding Electrode - Covered Arc Welding Electrode - Basic Type (BEML) Searched String: FILLER WIRE ER-CUNIAL,DIA 1.6MM Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Locking Compression Plates (V2), Binder Clips (V3) Conforming to IS 8231, Ferro Silica Calcium Cored Wire as per IS 2022, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), High Pressure Fire Fighting Hose - IS 14933, Kirschner Wire (V2), Wire rope slings and sling legs (V3) conforming to IS 2762, Mild Steel Wire for General Engineering Purpose as per IS 280 Searched String: ELECTRODE E 308H-16, DIA 3.15MM XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Welding Electrode - Covered Arc Welding Electrode - Rutile Type (BEML), Locking Compression Plates (V2), Welding Electrode - Covered Arc Welding Electrode - Basic Type (BEML), Covered Electrodes for Manual Metal Arc Welding of Stainless Steel and Other Similar High Alloy Steel (V2) conforming to IS 5206, Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Aerial Bunched Cable For Working Voltage Upto and Including 1.1 kV Marked To IS 14255, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Commercial PPR Pipes Fittings as per IS 15801 Searched String: FILLER WIRE ER-CUNIAL,DIA 2.4MM Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Ferro Silica Calcium Cored Wire as per IS 2022, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Digital Grounding System with Equipment Protection, High Pressure Fire Fighting Hose - IS 14933, Wire rope slings and sling legs (V3) conforming to IS 2762, Wire rope as per IS 4521/API Spec 9A (ONGC), Kirschner Wire (V2), Mild Steel Wire for General Engineering Purpose as per IS 280, Aluminium Conductors For Overhead Transmission Purposes (V2) Conforming To IS 398 Searched String: ELECTRODE E 308H-16, DIA 2.5MM XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Welding Electrode - Covered Arc Welding Electrode - Rutile Type (BEML), Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, Terminal Ends for Aluminium Conductors of Insulated Cables (Compression Cable Lugs) Conforming To IS 8309, Welding Electrode - Covered Arc Welding Electrode - Basic Type (BEML), Covered Electrodes for Manual Metal Arc Welding of Stainless Steel and Other Similar High Alloy Steel (V2) conforming to IS 5206, PISTOL GRIP PNEUMATIC DRILL
-------------------------	--

GeMARPTS में खोजा गया परिणाम / Searched	विड विवरण / Bid Details
Result generated in GeMARPTS	GUNS, Copper Alloy Check Valve For Waterworks Purpose (V2) Conforming to IS 778, PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), Stainless Steel ANSI B16.5 Flange Searched String: FILLER WIRE, ER-NICRFE2,DIA 2.4MM XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Ferro Silica Calcium Cored Wire as per IS 2022, water baths, Laminar air flow cabinets or stations, LT Spacer, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Temperature Transmitter, Bunk Beds conforming to IS 17636, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2) Searched String: FILLER WIRE, ER-CUAL-A2,DIA 1.6MM Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Locking Compression Plates (V2), Binder Clips (V3) Conforming to IS 8231, High Pressure Fire Fighting Hose - IS 14933, Non-reversible wire twister Searched String: FILLER WIRE, ER-CUNIAL,DIA 0.8MM Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, Ferro Silica Calcium Cored Wire as per IS 2022, High Pressure Fire Fighting Hose - IS 14933, Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Locking Compression Plates (V2), Wire Cloth for General Purposes conforming to IS 1568 Searched String: FILLER WIRE ER-NI-1,DIA 2.4MM Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Locking Compression Plates (V2), Digital Grounding System with Equipment Protection, Non-reversible wire twister Searched String: FILLER WIRE, ER-CUAL-A2,DIA 2.4MM Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), High Pressure Fire Fighting Hose - IS 14933, Digital Grounding System with Equipment Protection, Pillow for Head and Knee For Panchakarma, Wire rope slings and sling legs (V3) conforming to IS 2762, Wire rope as per IS 4521/API Spec 9A (ONGC), Kirschner Wire (V2), Mild Steel Wire for General Engineering Purpose as per IS 280, Aluminium Conductors For Overhead Transmission Purposes (V2) Conforming To IS 398 Searched String: FILLER WIRE, ER-2209,DIA 0.8MM Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, Ferro Silica Calcium Cored Wire as per IS 2022, High Pressure Fire Fighting Hose - IS 14933, Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Locking Compression Plates (V2), Wire Cloth for General

बिड विवरण/Bid Details	Purposes conforming to IS 1568
	Searched String: FILLER WIRE ER-NICRMO-3,DIA 2.4MM Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Digital Grounding System with Equipment Protection Searched String: FILLER WIRE, ER-2594,DIA 0.8MM Ferro Silica Calcium Cored Wire as per IS 2022, Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, High Pressure Fire Fighting Hose - IS 14933, Locking Compression Plates (V2), Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Wire Cloth for General Purposes conforming to IS 1568 Searched String: FILLER WIRE ER-NICR3,DIA 2.4MM XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Ferro Silica Calcium Cored Wire as per IS 2022, Desk and Bench Set for Classroom/Training Area, High Pressure Fire Fighting Hose - IS 14933, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, shoes school pvc boys girls, Desk and Chair Set for Classroom/Training Area, PLASTIC BIB TAPS, PILLAR TAPS, ANGLE VALVES & STOP VALVES FOR HOT & COLD WATER SERVICES Conforming to IS 9763 Searched String: FILLER WIRE ER-CUNI,DIA 2.4MM Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Ferro Silica Calcium Cored Wire as per IS 2022, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Digital Grounding System with Equipment Protection, High Pressure Fire Fighting Hose - IS 14933, Wire rope slings and sling legs (V3) conforming to IS 2762, Wire rope as per IS 4521/API Spec 9A (ONGC), Kirschner Wire (V2), Mild Steel Wire for General Engineering Purpose as per IS 280, Aluminium Conductors For Overhead Transmission Purposes (V2) Conforming To IS 398 Searched String: ELCTRD,WLDNG,AWS E-7018-1,2.5MM,GG12 shoes school pvc boys girls, Welding Electrode - Covered Arc Welding Electrode - Basic Type (BEML), Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Ultrasonic Thickness Gauge, Sterile Hypodermic Needles for Single use (V2), Welding Electrode - Covered Arc Welding Electrode - Rutile Type (BEML), Writing Pens, Scalp Vein (Winged Needle) Infusion Set Conforming to IS 16097, Split Air Conditioner, Wall Mount Type (V3) ISI Marked to IS 1391 (Part 2), Minifuge Searched String: FILLER WIRE ER-NICU7,DIA 1.6MM

बिड विवरण/Bid Details	Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Locking Compression Plates (V2), shoes school pvc boys girls, Ferro Silica Calcium Cored Wire as per IS 2022, Stapler Pin / Staples (V2), High Pressure Fire Fighting Hose - IS 14933, Binder Clips (V3) Conforming to IS 8231, Kirschner Wire (V2), XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Digital Grounding System with Equipment Protection Searched String: FILLER WIRE ER-CUNI,DIA 1.6MM Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Locking Compression Plates (V2), Binder Clips (V3) Conforming to IS 8231, Ferro Silica Calcium Cored Wire as per IS 2022, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), High Pressure Fire Fighting Hose - IS 14933, Kirschner Wire (V2), Wire rope slings and sling legs (V3) conforming to IS 2762, Mild Steel Wire for General Engineering Purpose as per IS 280 Searched String: ELCTRD,WLDNG,AWS E-505,3.15MM,GG10 Welding Electrode - Covered Arc Welding Electrode - Basic Type (BEML), Welding Electrode - Covered Arc Welding Electrode - Rutile Type (BEML) Searched String: ELECTRODE E-309 MOL-16, DIA 3.15MM Welding Electrode - Covered Arc Welding Electrode - Basic Type (BEML), Welding Electrode - Covered Arc Welding Electrode - Rutile Type (BEML), Covered Electrodes for Manual Metal Arc Welding of Stainless Steel and Other Similar High Alloy Steel (V2) conforming to IS 5206 Searched String: ELECTRODE E CUNIAL, DIA 2.5MM Welding Electrode - Covered Arc Welding Electrode - Rutile Type (BEML), Covered Electrodes for Manual Metal Arc Welding of Stainless Steel and Other Similar High Alloy Steel (V2) conforming to IS 5206, Welding Electrode - Covered Arc Welding Electrode - Basic Type (BEML) Searched String: ELECTRODE E-CUNIAL,DIA 3.15MM Welding Electrode - Covered Arc Welding Electrode - Basic Type (BEML), Welding Electrode - Covered Arc Welding Electrode - Rutile Type (BEML), Covered Electrodes for Manual Metal Arc Welding of Stainless Steel and Other Similar High Alloy Steel (V2) conforming to IS 5206, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985 Searched String: ELECTRODE E-NICR4, DIA 3.15MM PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Welding Electrode - Covered Arc Welding Electrode - Rutile Type (BEML), XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Welding Electrode - Covered Arc Welding Electrode - Basic Type (BEML), Split Air Conditioner
-----------------------	---

बिड विवरण / Bid Details	Including Green AC, Wall Mount Type (V2), Covered Electrodes for Manual Metal Arc Welding of Stainless Steel and Other Similar High Alloy Steel (V2) conforming to IS 5206, Locking Compression Plates (V2), PLASTIC BIB TAPS, PILLAR TAPS, ANGLE VALVES & STOP VALVES FOR HOT & COLD WATER SERVICES Conforming to IS 9763
	Searched String: ELECTRODE E-NICR4, DIA 2.5MM XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Welding Electrode - Covered Arc Welding Electrode - Rutile Type (BEML), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, shoes school pvc boys girls, PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Welding Electrode - Covered Arc Welding Electrode - Basic Type (BEML), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Non-Locking Bone Plate, Covered Electrodes for Manual Metal Arc Welding of Stainless Steel and Other Similar High Alloy Steel (V2) conforming to IS 5206 Searched String: ELECTRODE E-NICRMO-17, DIA 3.15MM Welding Electrode - Covered Arc Welding Electrode - Basic Type (BEML), Welding Electrode - Covered Arc Welding Electrode - Rutile Type (BEML), Covered Electrodes for Manual Metal Arc Welding of Stainless Steel and Other Similar High Alloy Steel (V2) conforming to IS 5206, Compostable Nursery Bags, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985 Searched String: ELECTRODE E-NICRMO-17, DIA 2.4MM Welding Electrode - Covered Arc Welding Electrode - Basic Type (BEML), Welding Electrode - Covered Arc Welding Electrode - Rutile Type (BEML), Covered Electrodes for Manual Metal Arc Welding of Stainless Steel and Other Similar High Alloy Steel (V2) conforming to IS 5206 Searched String: ELECTRODE E-HP40NB, DIA 4MM PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Welding Electrode - Covered Arc Welding Electrode - Rutile Type (BEML), Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, Commercial PPR Pipes Fittings as per IS 15801, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Welding Electrode - Covered Arc Welding Electrode - Basic Type (BEML), Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, E - Tourist Vehicle / Golf Cart, Video Conferencing Camera / Web Camera (V2), Electric Motorized Treadmill (V3) Searched String: ELECTRODE E-HP40NB, DIA 2.5MM PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Welding Electrode - Covered Arc Welding Electrode - Rutile Type (BEML), Covered Electrodes for Manual Metal Arc Welding of Stainless Steel and Other Similar High Alloy Steel (V2) conforming to IS 5206, Welding Electrode -

बिड विवरण / Bid Details	Covered Arc Welding Electrode - Basic Type (BEML), Theft Proof Rifle Racks, Irrigation Equipment - Polyethylene Pipes for Irrigation Laterals as per IS 12786, Commercial PPR Pipes Fittings as per IS 15801, Industrial Siren / Electrical Siren, PVC Single Core and Multi Core Circular Sheathed Aluminium Cable with Rigid Conductor (V2) as per IS 694, Table Tennis ball (V3)
	Searched String: ELECTRODE E-HP40NB, DIA 3.15MM Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, Welding Electrode - Covered Arc Welding Electrode - Rutile Type (BEML), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Welding Electrode - Covered Arc Welding Electrode - Basic Type (BEML), Covered Electrodes for Manual Metal Arc Welding of Stainless Steel and Other Similar High Alloy Steel (V2) conforming to IS 5206, PP Plastic Woven Non - Laminated Bags (for Seed Packaging) (V2), Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Commercial PPR Pipes Fittings as per IS 15801, 15w - 40 Diesel Engine Oil Searched String: FILLER WIRE, ER-NICRMO-17,DIA 1.6MM Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Locking Compression Plates (V2) Searched String: FILLER WIRE, ER-HP40NB,DIA 2.4MM Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Ferro Silica Calcium Cored Wire as per IS 2022, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, Digital Grounding System with Equipment Protection, Theft Proof Rifle Racks, Irrigation Equipment - Polyethylene Pipes for Irrigation Laterals as per IS 12786, Commercial PPR Pipes Fittings as per IS 15801, Wire rope slings and sling legs (V3) conforming to IS 2762 Searched String: FILLER WIRE, ER-HP40NB,DIA 1.6MM Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Locking Compression Plates (V2), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Ferro Silica Calcium Cored Wire as per IS 2022, Binder Clips (V3) Conforming to IS 8231, High Pressure Fire Fighting Hose - IS 14933, Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, Kirschner Wire (V2), Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, PVC Single Core and Multi Core Circular Sheathed Aluminium Cable with Rigid Conductor (V2) as per IS 694 Searched String: FILLER WIRE, ER-NICRMO-17,DIA 2.4MM Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014

बिड विवरण/Bid Details	Searched String: FILLER WIRE ER-70S-B2L,DIA 2.4MM
	XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, High Pressure Fire Fighting Hose - IS 14933, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Kirschner Wire (V2), Bunk Beds conforming to IS 17636, Computer Paper (V3) Conforming to IS 12766 (In Packet), Pillow for Head and Knee For Panchakarma, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Digital Grounding System with Equipment Protection Searched String: FILLER WIRE ER-316L,DIA 2.4MM Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Ferro Silica Calcium Cored Wire as per IS 2022, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Digital Grounding System with Equipment Protection, High Pressure Fire Fighting Hose - IS 14933, Bunk Beds conforming to IS 17636, SEWAGE TREATMENT PLANT, Wire rope slings and sling legs (V3) conforming to IS 2762, Wire rope as per IS 4521/API Spec 9A (ONGC), Kirschner Wire (V2)
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	Welding Electrode - Covered Arc Welding Electrode - Basic Type (BEML)
बीओक्यू शीर्षक /BOQ Title	PROCUREMENT OF ELECTRODES BLOCK TA
एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है/MSE Relaxation for Years of Experience and Turnover	No
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है /Startup Relaxation for Years of Experience and Turnover	No
विक्रेता से मांगे गए दस्तावेज़/Document required from seller	Additional Doc 1 (Requested in ATC),Additional Doc 2 (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेजों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	No
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या / Minimum number of bids required to disable automatic bid extension	1

बिड विवरण/Bid Details	
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	3
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	1
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	Yes
रिवर्स नीलामी योग्यता नियम/RA Qualification Rule	H1-Highest Priced Bid Elimination
बिड का प्रकार/Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	ELECTRODE E-309 MOL-16, DIA 2.5MM
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	3 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
Payment Timelines	Payments shall be made to the Seller within 15 days of issue of consignee receipt-cum-acceptance certificate (CRAC) and on-line submission of bills (This is in supersession of 10 days time as provided in clause 12 of GeM GTC)
मूल्यांकन पद्धति/Evaluation Method	Item wise evaluation
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

आवश्यकता/Required	No
-------------------	----

ईपीबीजी विवरण /ePBG Detail

एडवाइजरी बैंक/Advisory Bank	ICICI
ईपीबीजी प्रतिशत (%) /ePBG Percentage(%)	5.00
ईपीबीजी की आवश्यक अवधि (माह) /Duration of ePBG required (Months).	18

(a) ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

लाभार्थी /Beneficiary :

HPCL Visakh Refinery
Petroleum House, NA, Hindustan Petroleum Corporation Ltd, Ministry of Petroleum and Natural Gas
(Hpcl Visakh Refinery)

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई खरीद वरीयता/MII Purchase Preference

एमआईआई खरीद वरीयता/MII Purchase Preference	No
--	----

एमआईआई के लिए सक्षम प्राधिकारी का विवरण:/Details of the Competent Authority for MII

सक्षम प्राधिकारी का नाम/Name of Competent Authority	P&NG
सक्षम प्राधिकारी का पदनाम/Designation of Competent Authority	Additional Secretary and Financial Advisor P&NG
सक्षम प्राधिकारी का कार्यालय/विभाग/प्रभाग/Office / Department / Division of Competent Authority	MOP&NG
सीए अनुमोदन संख्या/CA Approval Number	5600042042
सक्षम प्राधिकारी अनुमोदन तिथि/Competent Authority Approval Date	27-06-2026
सक्षम प्राधिकारी द्वारा प्रदान की गई स्वीकृति का संक्षिप्त विवरण/Brief Description of the Approval Granted by Competent Authority	As per MOPNG (GOV) Circular FP-20013/2/2017-FP-PNG dt 17/11/2020, In national Competitive Bid Procurement where estimate value to be procured i.e total value of enquiry and tender, is less than Rs. 1.00 Crs shall be exempted from this policy.

Competent Authority Approval for not opting Make In India Preference : [View Document](#)

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं/सेवा प्रदाता को खरीद में प्राथमिकता, यदि उनका मूल्य $L1+X\%$ / Purchase Preference to MSE OEMs/ Service Provider available upto price within $L1+X\%$	15
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माता/सेवा प्रदाता को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Percentage of Bid quantity/amount for MSE OEMs/ Service Provider Purchase preference	25

ट्रेड्स भुगतान संबंधी विवरण/TReDS Payment Details

This Bid provides for Trade Receivables Discounting System (TReDS) as Preferred mode of payment. For MSME sellers, payments may be processed through a TReDS exchange in which the Buyer is registered, subject to applicable policy and regulatory guidelines. Accordingly, sellers intending to avail payment through TReDS are required to be registered with at least one TReDS exchange in which the buyer is registered.

Limited Tender

Limited Tender Applicable	Yes
Reason	The sources of supply are definitely known and possibility of fresh source(s) beyond those being tapped is remote.
List of Seller Organization for participation	***** , ***** , ***** , ***** , ***** , ***** , *****

1. Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs having valid Udyam Certificate and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service, and Buyer will decide eligibility for purchase preference based on documentary evidence submitted in case of product bids, whereas in case of services the eligibility is automatically validated. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

2. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

3. Reverse Auction would be conducted amongst all the technically qualified bidders except the Highest quoting bidder. The technically qualified Highest Quoting bidder will not be allowed to participate in RA. However, H-1 will also be allowed to participate in RA in following cases:

- If number of technically qualified bidders are only 2 or 3.
- If Buyer has chosen to split the bid amongst N sellers, and H1 bid is coming within N.
- In case Primary product of only one OEM is left in contention for participation in RA on elimination of H-1.
- If L-1 is non-MSE and H-1 is eligible MSE and H-1 price is coming within price band of 15% of Non-MSE L-1
- If L-1 is non-MII and H-1 is eligible MII and H-1 price is coming within price band of 20% of Non-MII L-1

मूल्यांकन विधि(मदवार मूल्यांकन विधि) / **Evaluation Method** (Item Wise Evaluation Method)

Contract will be awarded schedule wise and the determination of L1 will be done separately for each schedule. The details of item-consignee combination covered under each schedule are as under:

मूल्यांकन अनुसूचियां / Evaluation Schedules	वस्तु/श्रेणी / Item/Category	मात्रा / Quantity
Schedule 1	Electrode E-309 Mol-16, Dia 2.5mm	20
Schedule 2	Electrode E-2594, Dia 4mm	10
Schedule 3	Electrode E-317I, Dia 2.5mm	10
Schedule 4	Electrode E-317I, Dia 3.15mm	10
Schedule 5	Electrode E8018-b2, Dia 2.5mm	10

Schedule 6	Electrode E8018-b2, Dia 3.15mm	10
Schedule 7	Electrode E8018-b2, Dia 4mm	10
Schedule 8	Electrode E7018-1, Dia 4mm	10
Schedule 9	Filler Wire Er-70sg,dia 1.6mm	10
Schedule 10	Filler Wire Er-70sg,dia 2.4mm	20
Schedule 11	Filler Wire, Er-347h,dia 1.6mm	20
Schedule 12	Filler Wire, Er-347h,dia 2.4mm	20
Schedule 13	Filler Wire, Er-316h,dia 1.6mm	10
Schedule 14	Electrode E309 Mo , Dia 3.15mm	10
Schedule 15	Filler Wire Er 309mo-16,dia 2.4mm	60
Schedule 16	Electrode E309 Mo , Dia 2.4mm	10
Schedule 17	Filler Wire Er-317l,dia 2.4mm	10
Schedule 18	Electrode E-nicr3, Dia 2.5mm	10
Schedule 19	Filler Wire Er-310,dia 2.4mm	10
Schedule 20	Electrode E-nicr3, Dia 3.15mm	10
Schedule 21	Electrode E-nicrfe3, Dia 3.15mm	10
Schedule 22	Electrode E-nicrfe3, Dia 2.5mm	10
Schedule 23	Filler Wire Er-cunial,dia 1.6mm	10
Schedule 24	Electrode E 308h-16, Dia 3.15mm	10
Schedule 25	Filler Wire Er-cunial,dia 2.4mm	20
Schedule 26	Electrode E 308h-16, Dia 2.5mm	10
Schedule 27	Filler Wire, Er-nicrfe2,dia 2.4mm	20
Schedule 28	Filler Wire, Er-cual-a2,dia 1.6mm	10
Schedule 29	Filler Wire, Er-cunial,dia 0.8mm	10
Schedule 30	Filler Wire Er-ni-1,dia 2.4mm	10
Schedule 31	Filler Wire, Er-cual-a2,dia 2.4mm	10
Schedule 32	Filler Wire, Er-2209,dia 0.8mm	10
Schedule 33	Filler Wire Er-nicrmo-3,dia 2.4mm	30
Schedule 34	Filler Wire, Er-2594,dia 0.8mm	10
Schedule 35	Filler Wire Er-nicr3,dia 2.4mm	10
Schedule 36	Filler Wire Er-cuni,dia 2.4mm	10
Schedule 37	Elctrd,wldng,aws E-7018-1,2.5mm,gg12	10
Schedule 38	Filler Wire Er-nicu7,dia 1.6mm	10
Schedule 39	Filler Wire Er-cuni,dia 1.6mm	10
Schedule 40	Elctrd,wldng,aws E-505,3.15mm,gg10	10

Schedule 41	Electrode E-309 Mol-16, Dia 3.15mm	30
Schedule 42	Electrode E Cunial, Dia 2.5mm	15
Schedule 43	Electrode E-cunial,dia 3.15mm	15
Schedule 44	Electrode E-nicr4, Dia 3.15mm	20
Schedule 45	Electrode E-nicr4, Dia 2.5mm	10
Schedule 46	Electrode E-nicrmo-17, Dia 3.15mm	10
Schedule 47	Electrode E-nicrmo-17, Dia 2.4mm	10
Schedule 48	Electrode E-hp40nb, Dia 4mm	10
Schedule 49	Electrode E-hp40nb, Dia 2.5mm	10
Schedule 50	Electrode E-hp40nb, Dia 3.15mm	10
Schedule 51	Filler Wire, Er-nicrmo-17,dia 1.6mm	10
Schedule 52	Filler Wire, Er-hp40nb,dia 2.4mm	10
Schedule 53	Filler Wire, Er-hp40nb,dia 1.6mm	10
Schedule 54	Filler Wire, Er-nicrmo-17,dia 2.4mm	10
Schedule 55	Filler Wire Er-70s-b2l,dia 2.4mm	10
Schedule 56	Filler Wire Er-316l,dia 2.4mm	10

ELECTRODE E-309 MOL-16, DIA 2.5MM

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषेती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषेती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Devaram Nitish Reddy	530011,HPCL, Visakh Refinery, Refinery Warehouse, Malkapuram, Visakhapatnam - 530011	20	42

ELECTRODE E-2594, DIA 4MM

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Devaram Nitish Reddy	530011,HPCL, Visakh Refinery, Refinery Warehouse, Malkapuram, Visakhapatnam - 530011	10	42

ELECTRODE E-317L, DIA 2.5MM

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Devaram Nitish Reddy	530011,HPCL, Visakh Refinery, Refinery Warehouse, Malkapuram, Visakhapatnam - 530011	10	42

ELECTRODE E-317L, DIA 3.15MM

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Devaram Nitish Reddy	530011,HPCL, Visakh Refinery, Refinery Warehouse, Malkapuram, Visakhapatnam - 530011	10	42

ELECTRODE E8018-B2, DIA 2.5MM

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Devaram Nitish Reddy	530011,HPCL, Visakh Refinery, Refinery Warehouse, Malkapuram, Visakhapatnam - 530011	10	42

ELECTRODE E8018-B2, DIA 3.15MM

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
-------------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेशिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेशिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Devaram Nitish Reddy	530011,HPCL, Visakh Refinery, Refinery Warehouse, Malkapuram, Visakhapatnam - 530011	10	42

ELECTRODE E8018-B2, DIA 4MM**तकनीकी विशिष्टियाँ /Technical Specifications****Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेशिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेशिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Devaram Nitish Reddy	530011,HPCL, Visakh Refinery, Refinery Warehouse, Malkapuram, Visakhapatnam - 530011	10	42

ELECTRODE E7018-1, DIA 4MM**तकनीकी विशिष्टियाँ /Technical Specifications****Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Devaram Nitish Reddy	530011,HPCL, Visakh Refinery, Refinery Warehouse, Malkapuram, Visakhapatnam - 530011	10	42

FILLER WIRE ER-70SG,DIA 1.6MM

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Devaram Nitish Reddy	530011,HPCL, Visakh Refinery, Refinery Warehouse, Malkapuram, Visakhapatnam - 530011	10	42

FILLER WIRE ER-70SG,DIA 2.4MM

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषीती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषीती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Devaram Nitish Reddy	530011,HPCL, Visakh Refinery, Refinery Warehouse, Malkapuram, Visakhapatnam - 530011	20	42

FILLER WIRE, ER-347H,DIA 1.6MM

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषीती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषीती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Devaram Nitish Reddy	530011,HPCL, Visakh Refinery, Refinery Warehouse, Malkapuram, Visakhapatnam - 530011	20	42

FILLER WIRE, ER-347H,DIA 2.4MM

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेशिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेशिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Devaram Nitish Reddy	530011,HPCL, Visakh Refinery, Refinery Warehouse, Malkapuram, Visakhapatnam - 530011	20	42

FILLER WIRE, ER-316H,DIA 1.6MM

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेशिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेशिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Devaram Nitish Reddy	530011,HPCL, Visakh Refinery, Refinery Warehouse, Malkapuram, Visakhapatnam - 530011	10	42

ELECTRODE E309 MO , DIA 3.15MM

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेशिती/रिपोटिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेशिती/रिपोटिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Devaram Nitish Reddy	530011,HPCL, Visakh Refinery, Refinery Warehouse, Malkapuram, Visakhapatnam - 530011	10	42

FILLER WIRE ER 309MO-16,DIA 2.4MM

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेशिती/रिपोटिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेशिती/रिपोटिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Devaram Nitish Reddy	530011,HPCL, Visakh Refinery, Refinery Warehouse, Malkapuram, Visakhapatnam - 530011	60	42

ELECTRODE E309 MO , DIA 2.4MM

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषीती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषीती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Devaram Nitish Reddy	530011,HPCL, Visakh Refinery, Refinery Warehouse, Malkapuram, Visakhapatnam - 530011	10	42

FILLER WIRE ER-317L,DIA 2.4MM

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषीती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषीती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Devaram Nitish Reddy	530011,HPCL, Visakh Refinery, Refinery Warehouse, Malkapuram, Visakhapatnam - 530011	10	42

ELECTRODE E-NICR3, DIA 2.5MM

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषीती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Devaram Nitish Reddy	530011,HPCL, Visakh Refinery, Refinery Warehouse, Malkapuram, Visakhapatnam - 530011	10	42

FILLER WIRE ER-310,DIA 2.4MM

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Devaram Nitish Reddy	530011,HPCL, Visakh Refinery, Refinery Warehouse, Malkapuram, Visakhapatnam - 530011	10	42

ELECTRODE E-NICR3, DIA 3.15MM

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Devaram Nitish Reddy	530011,HPCL, Visakh Refinery, Refinery Warehouse, Malkapuram, Visakhapatnam - 530011	10	42

ELECTRODE E-NICRFE3, DIA 3.15MM

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Devaram Nitish Reddy	530011,HPCL, Visakh Refinery, Refinery Warehouse, Malkapuram, Visakhapatnam - 530011	10	42

ELECTRODE E-NICRFE3, DIA 2.5MM

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Devaram Nitish Reddy	530011,HPCL, Visakh Refinery, Refinery Warehouse, Malkapuram, Visakhapatnam - 530011	10	42

FILLER WIRE ER-CUNIAL,DIA 1.6MM

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Devaram Nitish Reddy	530011,HPCL, Visakh Refinery, Refinery Warehouse, Malkapuram, Visakhapatnam - 530011	10	42

ELECTRODE E 308H-16, DIA 3.15MM

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Devaram Nitish Reddy	530011,HPCL, Visakh Refinery, Refinery Warehouse, Malkapuram, Visakhapatnam - 530011	10	42

FILLER WIRE ER-CUNIAL,DIA 2.4MM

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Devaram Nitish Reddy	530011,HPCL, Visakh Refinery, Refinery Warehouse, Malkapuram, Visakhapatnam - 530011	20	42

ELECTRODE E 308H-16, DIA 2.5MM

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Devaram Nitish Reddy	530011,HPCL, Visakh Refinery, Refinery Warehouse, Malkapuram, Visakhapatnam - 530011	10	42

FILLER WIRE, ER-NICRFE2,DIA 2.4MM

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Devaram Nitish Reddy	530011,HPCL, Visakh Refinery, Refinery Warehouse, Malkapuram, Visakhapatnam - 530011	20	42

FILLER WIRE, ER-CUAL-A2,DIA 1.6MM

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Devaram Nitish Reddy	530011,HPCL, Visakh Refinery, Refinery Warehouse, Malkapuram, Visakhapatnam - 530011	10	42

FILLER WIRE, ER-CUNIAL,DIA 0.8MM

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Devaram Nitish Reddy	530011,HPCL, Visakh Refinery, Refinery Warehouse, Malkapuram, Visakhapatnam - 530011	10	42

FILLER WIRE ER-NI-1,DIA 2.4MM

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Devaram Nitish Reddy	530011,HPCL, Visakh Refinery, Refinery Warehouse, Malkapuram, Visakhapatnam - 530011	10	42

FILLER WIRE, ER-CUAL-A2,DIA 2.4MM

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Devaram Nitish Reddy	530011,HPCL, Visakh Refinery, Refinery Warehouse, Malkapuram, Visakhapatnam - 530011	10	42

FILLER WIRE, ER-2209,DIA 0.8MM

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Devaram Nitish Reddy	530011,HPCL, Visakh Refinery, Refinery Warehouse, Malkapuram, Visakhapatnam - 530011	10	42

FILLER WIRE ER-NICRMO-3,DIA 2.4MM

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Devaram Nitish Reddy	530011,HPCL, Visakh Refinery, Refinery Warehouse, Malkapuram, Visakhapatnam - 530011	30	42

FILLER WIRE, ER-2594,DIA 0.8MM

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Devaram Nitish Reddy	530011,HPCL, Visakh Refinery, Refinery Warehouse, Malkapuram, Visakhapatnam - 530011	10	42

FILLER WIRE ER-NICR3,DIA 2.4MM

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Devaram Nitish Reddy	530011,HPCL, Visakh Refinery, Refinery Warehouse, Malkapuram, Visakhapatnam - 530011	10	42

FILLER WIRE ER-CUNI,DIA 2.4MM

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Devaram Nitish Reddy	530011,HPCL, Visakh Refinery, Refinery Warehouse, Malkapuram, Visakhapatnam - 530011	10	42

ELCTRD,WLDNG,AWS E-7018-1,2.5MM,GG12

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Devaram Nitish Reddy	530011,HPCL, Visakh Refinery, Refinery Warehouse, Malkapuram, Visakhapatnam - 530011	10	42

FILLER WIRE ER-NICU7,DIA 1.6MM

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Devaram Nitish Reddy	530011,HPCL, Visakh Refinery, Refinery Warehouse, Malkapuram, Visakhapatnam - 530011	10	42

FILLER WIRE ER-CUNI,DIA 1.6MM

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Devaram Nitish Reddy	530011,HPCL, Visakh Refinery, Refinery Warehouse, Malkapuram, Visakhapatnam - 530011	10	42

ELCTRD,WLDNG,AWS E-505,3.15MM,GG10

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Devaram Nitish Reddy	530011,HPCL, Visakh Refinery, Refinery Warehouse, Malkapuram, Visakhapatnam - 530011	10	42

ELECTRODE E-309 MOL-16, DIA 3.15MM

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Devaram Nitish Reddy	530011,HPCL, Visakh Refinery, Refinery Warehouse, Malkapuram, Visakhapatnam - 530011	30	42

ELECTRODE E CUNIAL, DIA 2.5MM

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Devaram Nitish Reddy	530011,HPCL, Visakh Refinery, Refinery Warehouse, Malkapuram, Visakhapatnam - 530011	15	42

ELECTRODE E-CUNIAL,DIA 3.15MM

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Devaram Nitish Reddy	530011,HPCL, Visakh Refinery, Refinery Warehouse, Malkapuram, Visakhapatnam - 530011	15	42

ELECTRODE E-NICR4, DIA 3.15MM

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Devaram Nitish Reddy	530011,HPCL, Visakh Refinery, Refinery Warehouse, Malkapuram, Visakhapatnam - 530011	20	42

ELECTRODE E-NICR4, DIA 2.5MM

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Devaram Nitish Reddy	530011,HPCL, Visakh Refinery, Refinery Warehouse, Malkapuram, Visakhapatnam - 530011	10	42

ELECTRODE E-NICRMO-17, DIA 3.15MM

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Devaram Nitish Reddy	530011,HPCL, Visakh Refinery, Refinery Warehouse, Malkapuram, Visakhapatnam - 530011	10	42

ELECTRODE E-NICRMO-17, DIA 2.4MM

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Devaram Nitish Reddy	530011,HPCL, Visakh Refinery, Refinery Warehouse, Malkapuram, Visakhapatnam - 530011	10	42

ELECTRODE E-HP40NB, DIA 4MM

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Devaram Nitish Reddy	530011,HPCL, Visakh Refinery, Refinery Warehouse, Malkapuram, Visakhapatnam - 530011	10	42

ELECTRODE E-HP40NB, DIA 2.5MM

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Devaram Nitish Reddy	530011,HPCL, Visakh Refinery, Refinery Warehouse, Malkapuram, Visakhapatnam - 530011	10	42

ELECTRODE E-HP40NB, DIA 3.15MM

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Devaram Nitish Reddy	530011,HPCL, Visakh Refinery, Refinery Warehouse, Malkapuram, Visakhapatnam - 530011	10	42

FILLER WIRE, ER-NICRMO-17,DIA 1.6MM

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Devaram Nitish Reddy	530011,HPCL, Visakh Refinery, Refinery Warehouse, Malkapuram, Visakhapatnam - 530011	10	42

FILLER WIRE, ER-HP40NB,DIA 2.4MM

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Devaram Nitish Reddy	530011,HPCL, Visakh Refinery, Refinery Warehouse, Malkapuram, Visakhapatnam - 530011	10	42

FILLER WIRE, ER-HP40NB,DIA 1.6MM

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Devaram Nitish Reddy	530011,HPCL, Visakh Refinery, Refinery Warehouse, Malkapuram, Visakhapatnam - 530011	10	42

FILLER WIRE, ER-NICRMO-17,DIA 2.4MM

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Devaram Nitish Reddy	530011,HPCL, Visakh Refinery, Refinery Warehouse, Malkapuram, Visakhapatnam - 530011	10	42

FILLER WIRE ER-70S-B2L,DIA 2.4MM

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Devaram Nitish Reddy	530011,HPCL, Visakh Refinery, Refinery Warehouse, Malkapuram, Visakhapatnam - 530011	10	42

FILLER WIRE ER-316L,DIA 2.4MM

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Devaram Nitish Reddy	530011,HPCL, Visakh Refinery, Refinery Warehouse, Malkapuram, Visakhapatnam - 530011	10	42

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file.](#)

अस्वीकरण/Disclaimer

The Additional Terms and Conditions (ATC) have been incorporated by the Buyer after approval of their Competent Authority. The Buyer ,is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any restriction arising in the bidding process due to these ATCs and including the modification of technical specifications and / or terms and conditions governing the bid.All representations / grievances pertaining to the ATC clauses shall be raised with the buyer organization directly and not with GeM.If any of the clause(s) is/are incorporated by the Buyer regarding the following, the bid & resultant contract shall be treated as null & void. Further, GeM reserves the right, at its sole discretion, to cancel the bid forthwith, without issuance of any prior notice or intimation :-

1. Publishing Custom / BOQ bids for items for which regular GeM categories are available (unless such Custom / BOQ item is bunched with the major regular product Category Item).
2. Mandating procurement of / from specific Brand / Make / Model / Manufacturer / Dealer except in case of Single Bid / Proprietary Article Certificate (PAC) Buying.
3. Inclusion of disqualification criteria related to suspension of seller / service provider, where such suspension period has already expired.
4. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
5. Publishing bids on GeM for procurement of works.
6. Procurement of Goods by creating a Service bid on GeM & vice-versa.
7. Seeking sample with bid or approval of samples during bid evaluation process. However, trial / sample, as the case may be, shall be permitted in cases where trial / sample are allowed as per approved and published procurement policy of the Buyers' controlling Ministry / Department / State / Public Sector Enterprises Headquarters. If there is any violation of trial / sample clause with regard to approved policy of the Buyers' Ministry / Department / State / Public Sector Enterprises Headquarters, then this is to be determined and redressed by the concerned Buyer Organisation only.
8. Seeking experience from specific organization / department / institute only or from foreign / export

experience.

9. Creating bid for items from incorrect categories.
10. Reference of conditions published on any external site or reference to external documents/clauses.
11. Asking for any Tender fee / Bid Participation fee, as the case may be.
12. Buyer added ATC Clauses which are in contravention of clauses defined in bid detail section, including specifications, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by the applicable GeM GTC.
13. Any ATC clause in contravention with GeM GTC Clause 4 (xiii) (h) will be invalid. In case of multiple L1 bidders against a service bid, the buyer shall place the Contract by selection of a bidder amongst the L-1 bidders through a Random Algorithm executed by GeM system.
14. In a category based bid, adding additional items, through buyer added, additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogues or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

This Bid is governed by the General Terms and Conditions, conditions stipulated in Bid and Service Level Agreement specific to the Service, as the case may be, as provided in the Marketplace.

However, in case of Service, if any condition specified in General Terms and Conditions is contradicted by the conditions stipulated in Service Level Agreement specific to said Service, then it will over-ride the conditions in the General Terms and Conditions.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्यवाई का आधार होगा।/In terms

of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---