

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	14-07-2026 09:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	14-07-2026 09:30:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	65 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Ministry Of Petroleum And Natural Gas
विभाग का नाम/Department Name	Na
संगठन का नाम/Organisation Name	Hindustan Petroleum Corporation Ltd
कार्यालय का नाम/Office Name	Petroleum House
शिकायत निवारण के संपर्क विवरण/ Contact details of Grievance redressal	HOD Email id :varshalvpanchbhai@hpcl.in Buyer Email id: adapaka.susrut@hpcl.in
कुल मात्रा/Total Quantity	517
वस्तु श्रेणी /Item Category	Positive Isolation and Degassing by Water Filling , Nozzles or Manholes de-boxing, FLP lighting , Erection and Dismantling of Scaffolding , Surface Preparation for NDT of MSV , Visual inspection , Ultrasonic Thickness Measurement Testing of MSV Hardness testing of MSV , Wet Fluorescent Magnetic Particle testing of MSV , Ultrasonic Flaw Detection testing of MSV , Liquid Penetration testing of MSV , Hydrotesting , Certification Periodical Hydrotest of MSV Vessels , Wet Calibration of MSV and provide capacity chart. , SRV Testing of MSVs , SRV Testing of 2 inch , SRV Testing of Sumo 425 kg Cylinders , TRV Testing
GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS	NDT OF MSV
GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS	Testing Service for On-Board /Commissioned Equipment/ Instrument related to Plant, Mine Development and Operation Service- Lumpsum Based, Mine Development & Operations Service(MDO) - Per MT Based, Hiring of POS (point-of-sale) Devices, Hiring of Boats, Hiring of Vessels, Refilling of Industrial Gases in Cylinders, Selection of Laboratories for Testing of Products/Material, AMC / CMC of Fire Detection, Fire Alarm, Fire Hydrant and Sprinkler System, Operation And Maintenance of Fire Alarm System
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	Benchtop Thermocouple Calibration Furnace (High Temperature Thermocouple Calibration Furnace)/Portable Calibration Furnace
बीओक्यू शीर्षक /BOQ Title	NDT SRV TRV TESTINGS OF MSV AT ANANTAPUR LPG PLANT

बिड विवरण/Bid Details	
बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का) /Minimum Average Annual Turnover of the bidder (For 3 Years)	8 Lakh (s)
उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष/Years of Past Experience Required for same/similar service	1 Year (s)
एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है/MSE Relaxation for Years of Experience and Turnover	No
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है /Startup Relaxation for Years of Experience and Turnover	No
विक्रेता से मांगे गए दस्तावेज़/Document required from seller	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),Additional Doc 1 (Requested in ATC),Additional Doc 2 (Requested in ATC),Additional Doc 3 (Requested in ATC),Additional Doc 4 (Requested in ATC),Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by t buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	No
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	1
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	3
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	1
विगत प्रदर्शन /Past Performance	40 %
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	No
बिड का प्रकार/Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	Erection and Dismantling of Scaffolding
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	2 Days

बिड विवरण/Bid Details	
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
Payment Timelines	Payments shall be made to the Seller within 15 days of issue consignee receipt-cum-acceptance certificate (CRAC) and on-line submission of bills (This is in supersession of 10 days time as provided in clause 12 of GeM GTC)
मूल्यांकन पद्धति/Evaluation Method	Total value wise evaluation
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

एडवाइजरी बैंक/Advisory Bank	ICICI
ईएमडी राशि/EMD Amount	53938

ईपीबीजी विवरण /ePBG Detail

आवश्यकता/Required	No
-------------------	----

(a). जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित कटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज प्रस्तुत करने है। एमएसई के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।/EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b). ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

(c). ईएमडी और संपादन जमानत राशि लाभार्थी के पक्ष में होनी चाहिए। / Earnest Money Deposit (EMD) shall also be accepted by the buyer in the form of a surety bond.

लाभार्थी /Beneficiary :

MANAGER - PROCUREMENT
4TH FLOOR, THALAMUTHU NATARAJAN BUILDING, EGMORE, CHENNAI 600008
(Manager - Procurement)

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई खरीद वरीयता / MII Purchase Preference

एमआईआई खरीद वरीयता / MII Purchase Preference	Yes
--	-----

मेक इन इंडिया विक्रेताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में है / Purchase Preference to MII sellers available upto price within L1+X%	20
मेक इन इंडिया खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MII purchase preference	50
सार्वजनिक खरीद (मेक-इन-इंडिया को प्राथमिकता) आदेश 2017 के अनुसार केवल क्लास 1/क्लास 2 के स्थानीय आपूर्तिकर्ताओं को ही भागीदारी की अनुमति है दिनांक 16.09.2020 (समय-समय पर संशोधित एवं लागू) / Allow participation only from Class 1/Class 2 local suppliers as per the Public procurement(Preference to Make-in-india) order 2017 date 16.09.2020(as amended and applicable time to time)	Yes, in compliance with the MII ORDER : DPIIT Order(as amended and applicable time to time)

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं/सेवा प्रदाता को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% / Purchase Preference to MSE OEMs/ Service Provider available upto price within L1+X%	15
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माता/सेवा प्रदाता को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Percentage of Bid quantity/amount for MSE OEMs/ Service Provider Purchase preference	25

ट्रेड्स भुगतान संबंधी विवरण/TReDS Payment Details

This Bid provides for Trade Receivables Discounting System (TReDS) as Preferred mode of payment. For MSME sellers, payments may be processed through a TReDS exchange in which the Buyer is registered, subject to applicable policy and regulatory guidelines. Accordingly, sellers intending to avail payment through TReDS are required to be registered with at least one TReDS exchange in which the buyer is registered.

1. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
2. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CR/ to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
3. Preference to Make In India products (For bids < 200 Crore): Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase

preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate. The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023. [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017 and its subsequent Orders/Notifications issued by concerned Ministry. Benefits of MSE will be allowed only if seller/service provider is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of document submitted.

4. Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs having valid Udyam Certificate and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service, and Buyer will decide eligibility for purchase preference based on documentary evidence submitted in case of product bids, whereas in case of services the eligibility is automatically validated. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1 + 15% (Selected by Buyer) of margin of purchase preference / price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

5. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which will be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

6. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 40% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity of any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

Positive Isolation And Degassing By Water Filling

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषदी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No	परिषदी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Harshit Jain	515731,HPCL, ANANTAPUR LPG PLANT. NH-44, THATICHERLA VILLAGE, VADIAMPETA POST, ANANTHAPUR. PIN: 515731.	3	730

Nozzles Or Manholes De-boxing, FLP Lighting

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Conte
required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषदी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No	परिषदी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Harshit Jain	515731,HPCL, ANANTAPUR LPG PLANT. NH-44, THATICHERLA VILLAGE, VADIAMPETA POST, ANANTHAPUR. PIN: 515731.	3	730

Erection And Dismantling Of Scaffolding

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Conte
required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Harshit Jain	515731,HPCL, ANANTAPUR LPG PLANT. NH-44, THATICHERLA VILLAGE, VADIAMPETA POST, ANANTHAPUR. PIN: 515731.	3	730

Surface Preparation For NDT Of MSV

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Conte required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Harshit Jain	515731,HPCL, ANANTAPUR LPG PLANT. NH-44, THATICHERLA VILLAGE, VADIAMPETA POST, ANANTHAPUR. PIN: 515731.	3	730

Visual Inspection

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Conte required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Harshit Jain	515731,HPCL, ANANTAPUR LPG PLANT. NH-44, THATICHERLA VILLAGE, VADIAMPETA POST, ANANTHAPUR. PIN: 515731.	3	730

Ultrasonic Thickness Measurement Testing Of MSV

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Conte required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Harshit Jain	515731,HPCL, ANANTAPUR LPG PLANT. NH-44, THATICHERLA VILLAGE, VADIAMPETA POST, ANANTHAPUR. PIN: 515731.	3	730

Hardness Testing Of MSV

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Conte required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषीती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No	परिषीती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Harshit Jain	515731,HPCL, ANANTAPUR LPG PLANT. NH-44, THATICHERLA VILLAGE, VADIAMPETA POST, ANANTHAPUR. PIN: 515731.	3	730

Wet Fluorescent Magnetic Particle Testing Of MSV

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Conte
required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषीती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No	परिषीती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Harshit Jain	515731,HPCL, ANANTAPUR LPG PLANT. NH-44, THATICHERLA VILLAGE, VADIAMPETA POST, ANANTHAPUR. PIN: 515731.	3	730

Ultrasonic Flaw Detection Testing Of MSV

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Conte
required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Harshit Jain	515731,HPCL, ANANTAPUR LPG PLANT. NH-44, THATICHERLA VILLAGE, VADIAMPETA POST, ANANTHAPUR. PIN: 515731.	3	730

Liquid Penetration Testing Of MSV

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Conte required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Harshit Jain	515731,HPCL, ANANTAPUR LPG PLANT. NH-44, THATICHERLA VILLAGE, VADIAMPETA POST, ANANTHAPUR. PIN: 515731.	3	730

Hydrotesting

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Conte required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Harshit Jain	515731,HPCL, ANANTAPUR LPG PLANT. NH-44, THATICHERLA VILLAGE, VADIAMPETA POST, ANANTHAPUR. PIN: 515731.	3	730

Certification Of Periodical Hydrotest Of MSV Vessels

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Conte required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Harshit Jain	515731,HPCL, ANANTAPUR LPG PLANT. NH-44, THATICHERLA VILLAGE, VADIAMPETA POST, ANANTHAPUR. PIN: 515731.	3	730

Wet Calibration Of MSV And Provide Capacity Chart.

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Conte required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Harshit Jain	515731,HPCL, ANANTAPUR LPG PLANT. NH-44, THATICHERLA VILLAGE, VADIAMPETA POST, ANANTHAPUR. PIN: 515731.	3	730

SRV Testing Of MSVs

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Conte
required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Harshit Jain	515731,HPCL, ANANTAPUR LPG PLANT. NH-44, THATICHERLA VILLAGE, VADIAMPETA POST, ANANTHAPUR. PIN: 515731.	48	730

SRV Testing 2 Inch

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषेती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No	परिषेती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Harshit Jain	515731,HPCL, ANANTAPUR LPG PLANT. NH-44, THATICHERLA VILLAGE, VADIAMPETA POST, ANANTHAPUR. PIN: 515731.	50	730

SRV Testing Of Sumo 425 Kg Cylinders

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषेती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No	परिषेती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Harshit Jain	515731,HPCL, ANANTAPUR LPG PLANT. NH-44, THATICHERLA VILLAGE, VADIAMPETA POST, ANANTHAPUR. PIN: 515731.	300	730

TRV Testing

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Harshit Jain	515731,HPCL, ANANTAPUR LPG PLANT. NH-44, THATICHERLA VILLAGE, VADIAMPETA POST, ANANTHAPUR. PIN: 515731.	80	730

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. Generic

Bidder financial standing: The bidder should not be under liquidation, court receivership or similar proceedings, should not be bankrupt. Bidder to upload undertaking to this effect with bid.

2. Forms of EMD and PBG

Bidders can also submit the EMD with Payment online through RTGS / internet banking in Beneficiary name

Hindustan Petroleum Corporation Ltd

Account No.

10404415390

IFSC Code

SBIN0009930

Bank Name

State Bank of India

Branch address

Branch: Industrial Finance Branch Branch address 155, Anna Salai, Chennai - 600002, Tamilnadu. Confirmation payment send to adapaka.susrut@hpcl.in, along with GeM tender reference. . Bidder to indicate bid number and name of bidding entity in the transaction details field at the time of online transfer. Bidder has to upload scanned copy / proof of the Online Payment Transfer along with bid.

Bidder to indicate bid number and name of bidding entity in the transaction details field at the time of on-line transfer. Bidder has to upload scanned copy / proof of the Online Payment Transfer along with bid.

3. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

1. All T&Cs, requirements, specifications, qualification criteria given in ATC document are final. Sellers to quote accordingly.

2. Schedule of Quantity

S. No	Material Description	Specification	Qty	Unit
1	Positive Isolation and Degassing by Water Filling	1. Depressurization / transferring LPG vapours in to adjacent vessels, Job will be carried out under direct supervision of HPC Engineers. However, Manpower, Non-sparking tools etc. will be supplied by the Contractor. Contractor will be guided by the instructions from the Officer in charge. 2. After completion of depressurization, degassing will be carried out by displacing of remnant vapours by water filling. 3. Water shall be filled from the service water line/Hydrant Line. 4. All necessary inlet connections for connecting to MSV manifolds have to be arranged by the contractor. 5. NRV of 300 # rating to be provided by the contractor to ensure no reverse leakage of LPG into the service water line/Hydrant Line. 6. Constant monitoring of the pressure, level shall be made and certification to that effect shall be ensured. HPC shall provide details of piping drawing upon placement of PO. 7. Checking of Foundation Settlement: While filling of water, check for settlements at levels $\frac{1}{4}$, $\frac{1}{2}$, $\frac{3}{4}$ & full of MSV w.r.t to a fixed reference point. Settlement details/ documentations in the prescribed format to be submitted to corporation. 8. Water to be allowed to settle for 24 hrs. This water will be taken back to the water reservoir or next MSV to be tested or drained through adequate arrangement as per the instructions from HPCL-EIC. All other arrangement required for water transfer such as pump, motor, hoses, pipes etc to be made by the contractor.	3	EA

2	Nozzles/Manholes de-boxing, FLP lifting	1. Isolation includes removal of all valves on the top of the MSV's from connected lines, two nos safety valves, two cold fire units and its support, removal of inlet / outlet 12°ROV including fire proofing casing if any. 2. Corresponding matching flanges of the connected pipelines also have to be blinded with appropriate piping supports on either side. Blinds/ plugs shall be supplied by the contractor of specifications SORF type, 300#. 3. Non sparking Tools, tackles cranes hoists required for dropping the ROV shall be arranged by the contractor. All the same to be stored in a safe place within the terminal premises till the completion of Job as directed by Engineer-in-Charge. 4. Adequate temporary structural supports for product inlet/outlet pipelines and also for connected pipelines on the top of the MSV shall be provided, by the contractor as instructed by the Engineer In charge. 5. Under no condition shall the contractor operate or maintain any other pipeline or equipment within the premises of the Terminal without any written instructions of the Engineer in charge. 6. The pipelines identified for isolation shall be clearly identified, marked and shall be mutually agreed upon and jointly written down before commencement of work. 7. All documents shall be available at site for inspection on demand. 8. Disconnection and dismantling of all mounted instruments / safety instruments and associated instrumentation piping / gadgets without any damage to the same and transporting to a safe place within the terminal as instructed by the Engineer in charge. 9. Contractor has to make arrangements for bringing down the fittings and Instruments fitted on top of the vessels in safe manner. After necessary testing of the instruments, the instruments have to be refixed back on the vessels. Job includes removal of sludge and shifting to dedicated place in Plant.	3	Ea
3	Erection & Dismantling of Scaffolding	(1) Pipe scaffolding shall be provided in such a way that each petal and weld joint is accessible. (2) The scaffolding should be constructed using steel tubular pipes, grating etc. Usage of flammable materials like wooden planks, bamboos etc. is not allowed. (3) Minimum 40mm dia steel pipe with proper clamps should be used for making the scaffolding. The distance between two horizontal pipes should be between 500 mm to 800 mm and the distance between vertical pipe should not exceed more than 1.5 metre. (4) Working platforms of stages are to be made using steel/ aluminium / perforated sheets/ grating and the same are to be firmly secured. These platforms should be provided at a distance of about 1200mm below each circumferential weld / seam / joints to enable visual inspection and carry out NDT.	3	Eac

4	Surface Preparation for NDT - MSV	Perform surface cleaning, Preparation of weld joints (buffing) with NDT of MSV Pneumatic buffing machine, Grinder etc. for NDT, carrying out the inspection, testing, recertification and repair work (if any) as per the detailed specifications	3	Eac
5	Visual inspection	1. Arrangement of FLP lighting inside the Storage vessel for carrying out necessary inspection, cleaning and NDT Tests. 2. Vendor have to arrange the flame proof light fittings, junction boxes, required cables etc., as required at site. 3. Visual inspection of MSV to determine any visible defects on the MSV.	3	Eac
6	Ultrasonic Thickness Measurement Testing of MSV	1. To conduct 100% "Ultrasonic Thickness Test" on shell of Bullet as per SMPV rule, ASTM A-577-88 or equivalent codes. Mapping of each plate section to cover the whole plate - say six to seven readings to be taken between each consecutive weld seam (Horizontal & Vertical, Nozzle, Manhole, Piping around installation up to first isolation. 2. Thickness reading should cover a minimum 15 readings per petal, top / bottom crown to get a total corrosion profile, map inclusions, if any or laminations in plate. Also thickness on nozzles in the four directions should be taken. 3. Provide drawings to a suitable scale giving spot locations and corresponding thickness readings.	3	Eac
7	Hardness testing of MSV	Carryout hardness test at random on circumferential weld, nozzle weld, heat affected zone, parent metal and left cleat weld areas according to ASTM E 110 test. 1. Test should include centre of weld junction of weld and parent metal and original parent metal.	3	Eac
8	Wet Fluorescent Magnetic Particle testing of MSV	1. WEMPT method should conform to the requirements of ASTM E 709/ASTM E 138/BS - 6072. It is carried out to detect all types of surface / sub surface cracks or other discontinuities. 2. Reliable equipment of magnetic flux or equivalent make should only be used for carrying out the subject job on all petal butt welds, long and Circular seams, nozzles, nozzle attachments, nozzle pad welds, manway welds, top and bottom crown plates from inside the MSV. 3. Internal 100% of all weld joints Circumferential as well as longitudinal seams, nozzle weld, fillet welds of pads, welding spots/ areas of temporary attachments ie brackets, cleat marks including 70mm of parent metal on either side of the weld should be checked by WEMPT. 4. External 10 %: Nozzle to shell welds including manhole welds including 70mm of parent metal on either side of the weld should be checked by WEMPT. 5. All equipment, testing kits consumables expertise and inspection under WEMPT is to be carried out by the agency engaged for this job. 6. The contractor must give in writing the entire procedure for testing to be followed and submit detailed report of the observations / readings / recommendations after completion of the test.	3	Eac

9	Ultrasonic Flaw Detection testing of MSV	Bullet Flaw Detection Test of Welds as per ASME Sec V Art. 4, 5, ASME Sec VIII Div 1 & 2 not less than 25% covering (a) T-Weld joint, Internal:100% (b) Middle circumferential and longitudinal Seam, dish ends weld - Internal 100 % (c) Nozzle Weld neck to shell, Internal 100 %.	3	Eac
10	Liquid Penetration testing (wherever required) of MSV	All inaccessible areas which cannot be covered by WFMPT should be checked by Dye Penetration Test as per requirement of SMPV (U) Rule 2016 and relevant code/standard/specifications. D P Test consumables shall be in scope of contractor.	3	Eac
11	Hydrotesting	1. Removal of internal scaffolding, all nozzle flange mountings of instruments and other fittings, are to be blanked off with blind flanges of appropriate ratings. (to be supplied by the party) 2. Water filling is to be carried out using suitable hoses with end connectors hose and end connector to be arranged by the contractor and water will be supplied from the HPC service water line/hydrant line at a pressure of 7.0 kg/sq.cm. 3. Checking of Foundation Settlement: While filling of water, check for settlements at levels $\frac{1}{4}$, $\frac{1}{2}$, $\frac{3}{4}$ & full of MSV w.r.t to a fixed reference point. Settlement details/ documentations in the prescribed format to be submitted to corporation 4. Settlement details / documentation in the prescribed form to be submitted to corporation. 5. Carry out Hydro testing as per ASME section VIII Div 2 / BS 5500 with latest amendments. Pressure should be raised to 50% of the test pressure held for 30 minutes and then gradually raised to in steps of 10% upto a test pressure of 25 kg/sq.cm at the top or as per the revised pressure in line with PESO approval (In case of repair/in situ). Test pressure to be retained for minimum period of one hour to check the vessel for leakage / sweating / pressure drop if any. 6. Minimum two pressure gauges should be provided for each vessel, one at the top of the vessel and the other at the ground level. 7. Detailed report in the proforma as prescribed by the SMPV rules and duly certified by the inspecting contractor to be submitted after the end of the work. 8. After carrying out the hydrotest, all the fittings/ mountings viz safety relief valves, ELT, pressure gauges, high level switch, pressure gauges and switches, etc, are to be refitted back. New Gaskets, & bolts if required for fitting will be provided by HPCL 9. Water required for filling/testing will be made available from nearby hydrant point / tap off point. Contractor has to make arrangement for filling the vessel, for pressurizing and then draining the water as instructed by the Engineer in charge. Drawings for interconnection arrangements for transfer of water plus the fittings required shall be intimated upon placement of PO. 10. This water will be taken back to the water reservoir or next vessel to be tested through adequate arrangement. Necessary pumping arrangement / flexible hoses for this water transfer shall be arranged by contractor. All other arrangement for water transfer such as pump, motor, hoses, pipes etc to be	3	Eac

		e made by the contractor. 11. Remove the blinds/plugs and match up the flanges with valves online. All nuts / bolts' studs, flange faces to be thoroughly cleaned to the satisfaction of the Engineer In charge before refixing. 12. Remove all temporary support and waste materials generated after servicing the vessel and should be buried at a designated place as directed by the Engineer in charge. 13. All product pipelines to be hooked up back to the MSV, level gauges and other fittings to be fitted back to the MSV. 14. If removed, the ROV and/or MOV and valves to be installed back. 15. The MSV to be made ready for receiving LPG. LPG vapours for purging shall be provided by HPCL. 16. Purging by LPG Vapour shall be carried out After hydro testing; water is to be drained or transferred as per direction from officer in charge) in a controlled manner to the other MSV that will be next taken for hydro testing/firefighting water reservoir. Details of the methodology of water transshipment shall be provided at site 17. Leak test of all flange joints shall be carried out after purging. 18. All labour/tools /tackles equipment and expertise required for the above jobs are to be arranged by the party for the job.		
12	Certification of Periodical Hydrotest of MSV Vessels	1. Submission of final report with certificate issued by duly approved competent authority by PESO (specifically under SMPV(U) Rules 2016, Rule 19. 2. Mounded storage tanks in addition to others, Nagpur for recertification & commissioning of LPG Mounded Storage Tank and all supporting documents /NDT reports documentation for each Mounded Storage Tank (Four Copies) Within one (1) month of job completion. 3. Contractor shall submit daily progress report.	3	Eac
13	Wet Calibration of MSV and provide capacity chart.	Job of Wet Calibration shall be executed as per Instruction of HPCL EIC and as per guideline of CPWD/Weights and Measures Department.	3	Eac
14	SRV Testing of MSV's (Multiport)	Inspection, Calibration and Certification of SRV (Multiport Type) of MSV	48	Eac
15	SRV Testing (2")	Inspection, Calibration and Certification of SRV (size 2")	50	Eac
16	SRV Testing of Sumo (425 kg) Cylinders	Inspection, Calibration and Certification of SRV of Sumo (425 kg Cylinders)	300	Eac
17	TRV Testing	Inspection Testing & Certification of TRV under rule 18 of SMPV Rules 1981 and OISD std.	80	Eac

3. Common IP Addresses:- Bidders may please note that GeM is capturing and showing the IP addresses used by the Buyer and the Bidder(s) /Seller(s). The received bids having matching/common IP address with either Bidder(s)/Seller(s) or Buyer, may be outrightly rejected & not be considered for further evaluation.

4. HPCL GTC will take precedence over GeM GTC.

4. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file.](#)

अस्वीकरण/Disclaimer

The Additional Terms and Conditions (ATC) have been incorporated by the Buyer after approval of their Competent Authority. The Buyer is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any restriction arising in the bidding process due to these ATCs and including the modification of technical specifications and / or terms and conditions governing the bid. All representations / grievance pertaining to the ATC clauses shall be raised with the buyer organization directly and not with GeM. If any of the clause(s) is/are incorporated by the Buyer regarding the following, the bid & resultant contract shall be treated as void. Further, GeM reserves the right, at its sole discretion, to cancel the bid forthwith, without issuance of any prior notice or intimation :-

1. Publishing Custom / BOQ bids for items for which regular GeM categories are available (unless such Custom / BOQ item is bunched with the major regular product Category Item).
2. Mandating procurement of / from specific Brand / Make / Model / Manufacturer / Dealer except in case of Single Bid / Proprietary Article Certificate (PAC) Buying.
3. Inclusion of disqualification criteria related to suspension of seller / service provider, where such suspension period has already expired.
4. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
5. Publishing bids on GeM for procurement of works.
6. Procurement of Goods by creating a Service bid on GeM & vice-versa.
7. Seeking sample with bid or approval of samples during bid evaluation process. However, trial / sample, as the case may be, shall be permitted in cases where trial / sample are allowed as per approved and published procurement policy of the Buyers' controlling Ministry / Department / State / Public Sector Enterprises Headquarters. If there is any violation of trial / sample clause with regard to approved policy of the Buyers' Ministry / Department / State / Public Sector Enterprises Headquarters, then this is to be determined and redressed by the concerned Buyer Organisation only.
8. Seeking experience from specific organization / department / institute only or from foreign / export experience.
9. Creating bid for items from incorrect categories.
10. Reference of conditions published on any external site or reference to external documents/clauses.
11. Asking for any Tender fee / Bid Participation fee, as the case may be.
12. Buyer added ATC Clauses which are in contravention of clauses defined in bid detail section, including specifications, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by the applicable GeM GTC.
13. Any ATC clause in contravention with GeM GTC Clause 4 (xiii) (h) will be invalid. In case of multiple L1 bidders against a service bid, the buyer shall place the Contract by selection of a bidder amongst the L-1 bidders through a Random Algorithm executed by GeM system.
14. In a category based bid, adding additional items, through buyer added, additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogues or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller. Buyer is duty bound to reply to all such representations and will not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

This Bid is governed by the General Terms and Conditions, conditions stipulated in Bid and Service Level Agreement specific to the Service, as the case may be, as provided in the Marketplace.

However, in case of Service, if any condition specified in General Terms and Conditions is contradicted the conditions stipulated in Service Level Agreement specific to said Service, then it will over-ride the conditions in the General Terms and Conditions.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भाग लेने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकार प्राप्त हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्यवाई का आधार होगा। In terms of GeM GTC clause 26 regarding Restriction on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---