

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	10-07-2026 15:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	10-07-2026 15:30:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	120 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Ministry Of Petroleum And Natural Gas
विभाग का नाम/Department Name	Indian Oil Corporation Limited
संगठन का नाम/Organisation Name	locI- Digboi Refinery
कार्यालय का नाम/Office Name	locI- Digboi Refinery
शिकायत निवारण के संपर्क विवरण/ Contact details of Grievance redressal	HOD Email id :baishyaa2@indianoil.in Buyer Email id: sarkarl@indianoil.in
कुल मात्रा/Total Quantity	6250
	NH KNIFE FUSE LINK,DIN 6A,SIZE 000 , FUSE CURRENT CATALOGUE AMPERE NUMBER , NH KNIFE FUSE LINK,DIN 6A,SIZE 000 , NH KNIFE FUSE LINK,DIN 10A,SIZE 000 , FUSE CURRENT CATALOGUE AMPERE NUMBER , NH KNIFE FUSE LINK,DIN 10A,SIZE 000 , NH KNIFE FUSE LINK,DIN 20A,SIZE 000 , FUSE CURRENT CATALOGUE AMPERE NUMBER , NH KNIFE FUSE LINK,DIN 20A,SIZE 000 , NH KNIFE FUSE LINK,DIN 100A,SIZE 000 , FUSE CURRENT CATALOGUE AMPERE NUMBER , NH KNIFE FUSE LINK,DIN 100A,SIZE 000 , , FUSE,HRC,HN,02,400A,415V,LandT , FUSE MAKE, LARSEN and TOUBRO LTD TYPE, HN FREQUENCY, 50Hz VOLTAGE, 415V CURRENT CATALOG NUMBER ampere , 400 SIZE, 02 , , FUSE,HRC,LT,3NA13,315A,SIE , FUSE MAKE, SIEMENS LTD TYPE, 3NA FREQUENCY, 50Hz VOLTAGE, 415V CURRENT CATALOG NUMBER ampere ,315 3NA13 , , FUSE,HRC,250A,SIZE 01,SF 94233 , FUSE MAKE, LARSEN and TOUBRO LTD TYPE, SIZE 01 FREQUENCY, 50Hz VOLTAGE, 415V CURRENT CATALOG NUMBER ampere , 250 SF 94233 , , FUSE,HRC,HN,200A,415V,LandT , FUSE MAKE, LARSEN and TOUBRO LTD TYPE, HN FREQUENCY, 50Hz VOLTAGE, 415V CURRENT CATALOG NUMBER ampere , 200 SF 94232 , , FUSE,HRC,160A,SIZE 01,SF 94231 , FUSE MAKE, LARSEN and TOUBRO LTD TYPE, SIZE 01 FREQUENCY, 50Hz VOLTAGE, 415V CURRENT CATALOG NUMBER ampere ,160 SF 94231 , , FUSE,HRC,125A,SIZE 01,SF 94230 , FUSE MAKE, LARSEN and TOUBRO LTD TYPE, SIZE 01 FREQUENCY, 50Hz VOLTAGE, 415V CURRENT CATALOG NUMBER ampere , 125 SF 94230 , , FUSE,HRC,125A,SIZE 00,SF 94030,415V,50Hz , FUSE MAKE, LARSEN and TOUBRO LTD TYPE, SIZE 00 FREQUENCY, 50Hz VOLTAGE, 415V BREAKING

बिड विवरण / Bid Details	CAPACITY, 80kA CURRENT CATALOG NUMBER ampere , 125 SF 94030 , , FUSE,HRC,80A,SIZE 00,SF 94028 , FUSE MAKE, LARSEN and TOUBRO LTD TYPE, SIZE 00 FREQUENCY, 50Hz VOLTAGE, 415V BREAKING CAPACITY, 80kA CURRENT CATALOG NUMBER ampere ,80 SF 94028 , , FUSE,HRC,63A,SIZE 00,SF 94027 , FUSE MAKE, LARSEN and TOUBRO LTD TYPE, SIZE 00 FREQUENCY, 50Hz VOLTAGE, 415V BREAKING CAPACITY, 80kA CURRENT CATALOG NUMBER ampere ,63 SF 94027 , , FUSE,HRC,63A,SIEMENS , FUSE MAKE, SIEMENS LTD FREQUENCY, 50Hz VOLTAGE, 415V BREAKING CAPACITY, 51kA CURRENT CATALOG NUMBER ampere , 63 , , FUSE,HBC,4A,TIA 04,440V,50Hz,GEC , FUSE MAKE, GEC ALSTHOM LTD TYPE, HBC,TIA FREQUENCY, 50Hz VOLTAGE, 415V BREAKING CAPACITY, 80kA CURRENT CATALOGUE NUMBER ampere ,4 TIA 04 , , FUSE,HBC,6A,TIA 06,440V,50Hz,GEC , FUSE MAKE, GEC ALSTHOM LTD TYPE, HBC,TIA FREQUENCY, 50Hz VOLTAGE, 415V BREAKING CAPACITY, 80kA CURRENT CATALOGUE NUMBER ampere , 6 TIA 06 , , FUSE,HRC,10A,TIA 10,440V,50Hz,GEC , FUSE MAKE, GEC ALSTHOM LTD TYPE, TIA FREQUENCY, 50Hz VOLTAGE, 415V BREAKING CAPACITY, 80kA CURRENT CATALOG NUMBER ampere ,10 TIA 10 , , FUSE,HRC,16A,TIA 16,440V,50Hz,GEC , FUSE MAKE, GEC ALSTHOM LTD TYPE, TIA FREQUENCY, 50Hz VOLTAGE, 415V BREAKING CAPACITY, 80kA CURRENT CATALOG NUMBER ampere ,16 TIA 16 , , FUSE,HBC,20A,TIA 20,440V,50Hz,GEC , FUSE MAKE, GEC ALSTHOM LTD TYPE, HBC,TIA FREQUENCY, 50Hz VOLTAGE, 415V BREAKING CAPACITY, 80kA CURRENT CATALOGUE NUMBER ampere ,20 TIA 20 , , FUSE,HRC,25A,TIA 25,440V,50Hz,GEC , FUSE MAKE, GEC ALSTHOM LTD TYPE, TIA FREQUENCY, 50Hz VOLTAGE, 415V BREAKING CAPACITY, 80kA CURRENT CATALOG NUMBER ampere ,25 TIA 25 , , FUSE HRC,LINK SUITABLE,32A,415V,50HZ,IND , FUSE MAKE, INDO WICKMAN TYPE, KNIFE FREQUENCY, 50Hz VOLTAGE, 415V CURRENT CATALOG NUMBER ampere ,32 TYPE,00SW032 , , FUSE,HRC,2A,HF,SF 90144,LandT , FUSE MAKE, LARSEN and TOUBRO LTD TYPE, HF FREQUENCY, 50Hz VOLTAGE, 415V CURRENT CATALOG NUMBER ampere , 2 SIZE, 14X51 , , FUSE,HRC,4A,HF,SF 90145,415V,50Hz,LandT , FUSE MAKE, LARSEN and TOUBRO LTD TYPE, HF FREQUENCY, 50Hz VOLTAGE, 415V CURRENT CATALOG NUMBER ampere , HRC FUSE, 4 AMP, HF4A, SF90145, MAKE, L and T , , FUSE,HRC,6A,HF,SF 90146,415V,50Hz,LandT , FUSE MAKE, LARSEN and TOUBRO LTD TYPE, HF FREQUENCY, 50Hz VOLTAGE, 415V CURRENT CATALOG NUMBER ampere ,6 SF 90146 , , FUSE,HRC,10A,HF,SF 90148,415V,50Hz,LandT , FUSE MAKE, LARSEN and TOUBRO LTD TYPE, HF FREQUENCY, 50Hz VOLTAGE, 415V CURRENT CATALOG NUMBER ampere ,10 SF 90148 , , FUSE,HRC,20A,HF,SF 90152,415V,50Hz,LandT , FUSE MAKE, LARSEN and TOUBRO LTD TYPE, HF FREQUENCY, 50Hz VOLTAGE, 415V CURRENT CATALOG NUMBER ampere ,20 SF 90151 , , FUSE,HRC,25A,HF,415V,50Hz,LandT , FUSE MAKE, LARSEN and TOUBRO LTD TYPE, HF FREQUENCY, 50Hz VOLTAGE, 415V CURRENT CATALOG NUMBER ampere , 25 , , FUSE,HRC,32A,H.F14X51,415V,50Hz,LandT , FUSE MAKE, SIEMENS LTD FREQUENCY, 50Hz VOLTAGE, 415V BREAKING CAPACITY, 51kA CURRENT CATALOG NUMBER ampere ,32 , , FUSE,HRC,40A,HF,SF 90143,LandT , FUSE MAKE, LARSEN and TOUBRO LTD TYPE, HF FREQUENCY, 50Hz VOLTAGE, 415V CURRENT CATALOG NUMBER ampere ,40 90143 , , FUSE,HRC,50A,HF,SF 90158,415V,50Hz,LandT , FUSE MAKE, LARSEN and TOUBRO LTD TYPE, HF FREQUENCY, 50Hz
वस्तु श्रेणी /Item Category	

बिड विवरण / Bid Details	VOLTAGE, 415V CURRENT CATALOG NUMBER ampere , FUSE,HRC,63A,HF,415V,50Hz,LandT , FUSE MAKE, LARSEN and TOUBRO LTD TYPE, HF FREQUENCY, 50Hz VOLTAGE, 415V CURRENT CATALOG NUMBER ampere. 63 , , FUSE,HRC,63A,TIS 63,415V,50Hz,GEC , FUSE MAKE, GEC ALSTHOM LTD TYPE, TIS FREQUENCY, 50Hz VOLTAGE, 415V CURRENT CATALOG NUMBER ampere ,63 TIS 63 , , FUSE,HRC,80A,BOLTED,440 500V,50Hz,GEC , FUSE, HRC MAKE, GEC ALSTHOM LTD TYPE, BOLTED FREQUENCY, 50Hz VOLTAGE, 415V CURRENT CATALOG NUMBER ampere, 80 , , FUSE,2A,240VAC,BS, 3NWTIA2 , FUSE MAKE, SIEMEN LTD TYPE, DIN FREQUENCY, VOLTAGE, BREAKING CAPACITY, 80 KA 120 KA , FUSE HRC 4A , FUSE and ACCESSORIES FREQUENCY, 50Hz , FUSE HRC 4A , , FUSE HRC 6A , FUSE and ACCESSORIES FREQUENCY, 50Hz , FUSE HRC 6A , , FUSE LINK HRC 10A , FUSE MAKE , NOT SPECIFIED , FUSE LINK HRC 10A , , FUSE ,INPUT,16A,TIS,660V,50Hz,GEC , FUSE MAKE, GEC ALSTHOM LTD TYPE, TIS FREQUENCY, 50Hz VOLTAGE, 415V CURRENT CATALOG NUMBER ampere ,16 TIS 16 , , FUSE,HRC,20A,TIS 20,415V,50Hz,GEC , FUSE MAKE, GEC ALSTHOM LTD TYPE, TIS FREQUENCY, 50Hz VOLTAGE, 415V CURRENT CATALOG NUMBER ampere ,20 TIS 20 , , FUSE,HRC,25A,TIS 25,GEC , FUSE MAKE, GEC ALSTHOM LTD TYPE, TIS FREQUENCY, 50Hz VOLTAGE, 415V CURRENT CATALOG NUMBER ampere, 25 TIS 25 , , FUSE,HRC,32A,TIS 32,GEC , FUSE MAKE, GEC ALSTHOM LTD TYPE, TIS FREQUENCY, 50Hz VOLTAGE, 415V CURRENT CATALOG NUMBER ampere , 32 TIS 32 , , FUSE,HRC,50A,TIS 50,415V,50Hz,GEC , FUSE MAKE, GEC ALSTHOM LTD TYPE, TIS FREQUENCY, 50Hz VOLTAGE, 415V CURRENT CATALOG NUMBER ampere ,50 TIS 50 , , FUSE,HRC,63A,TIS 63,500V,50Hz,GEC , FUSE MAKE, GEC ALSTHOM LTD TYPE, TIS FREQUENCY, 50Hz VOLTAGE, 415V CURRENT CATALOG NUMBER ampere ,63 TIS , , FUSE,HBC,2A,NS 2,440V,50Hz,GEC , FUSE MAKE, GEC ALSTHOM LTD TYPE, HBC,NS FREQUENCY, 50Hz VOLTAGE, 415V BREAKING CAPACITY, 80KA CURRENT CATALOG NUMBER ampere ,2 NS 2 , , FUSE 4A NS4 , FUSE MAKE, GEC ALSTHOM LTD TYPE, NS FREQUENCY, 50Hz VOLTAGE, 415V CURRENT CATALOG AMPERE NUMBER , 4 NS 4 , , FUSE,HRC,6A,NS 6,440V,50Hz,GEC , FUSE MAKE, GEC ALSTHOM LTD TYPE, NS FREQUENCY, 50Hz VOLTAGE, 415V CURRENT CATALOG AMPERE NUMBER , 6 NS 6 , , FUSE,HBC,10A,NS 10,440V,50Hz,GEC , FUSE MAKE, GEC ALSTHOM LTD TYPE, HBC,NS FREQUENCY, 50Hz VOLTAGE, 415V BREAKING CAPACITY, 80KA CURRENT CATALOG NUMBER ampere, 10 NS 10 , , FUSE LINK,HRC,16A,NS 16A,GEC , FUSE MAKE, GEC ALSTHOM LTD TYPE, NS FREQUENCY, 50Hz VOLTAGE, 415V CURRENT CATALOG AMPERE NUMBER , 16 NS 16 , , FUSE,HRC,20A,NS 20,440V,50Hz,GEC , FUSE MAKE, GEC ALSTHOM LTD TYPE, NS FREQUENCY, 50Hz VOLTAGE, 415V CURRENT CATALOG AMPERE NUMBER , 20 NS 20 , , FUSE,HRC,25A,NS 25,440V,50Hz,GEC , FUSE MAKE, GEC ALSTHOM LTD TYPE, NS FREQUENCY, 50Hz VOLTAGE, 415V CURRENT CATALOG AMPERE NUMBER ,25 NS 25 , , FUSE,HRC,32A,NS 32,250V,50Hz,GEC , FUSE MAKE, GEC ALSTHOM LTD TYPE, NS FREQUENCY, 50Hz VOLTAGE, 415V CURRENT CATALOG AMPERE NUMBER ,32 NS 32 , , FUSE,HRC,100A,BOLTED,440 500V,50Hz,GEC , FUSE, HRC MAKE, GEC ALSTHOM LTD TYPE, BOLTED FREQUENCY, 50Hz VOLTAGE, 415V CURRENT CATALOG NUMBER ampere ,100 , , FUSE,HRC,125A,BOLTED,440 500V,50Hz,GEC , FUSE, HRC MAKE, GEC ALSTHOM LTD TYPE, BOLTED FREQUENCY, 50Hz VOLTAGE, 415V CURRENT CATALOG NUMBER ampere ,125 ,
-------------------------	--

	बिड विवरण / Bid Details
	FUSE, HRC, 200A, BOLTED, 440 500V, 50Hz, GEC , FUSE, HRC MAKE, GEC ALSTHOM LTD TYPE, BOLTED FREQUENCY, 50Hz VOLTAGE, 415V CURRENT CATALOG NUMBER ampere , 200 , , HSBC, FUSE, BOLTED, 250AMP. , FUSE MAKE, GEC ALSTHOM LTD TYPE, HBC, TIS FREQUENCY, 50Hz VOLTAGE, 415V BREAKING CAPACITY, 80KA CURRENT CATALOGUE NUMBER ampere , HSBC, FUSE, BOLTED, 250AMP. , , HRC POWER FUSE, 315A, BUSSMANN , FUSE MAKE , BUSSMANN FREQUENCY , 50 HZ CURRENT CATALOGUE AMPERE
GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS	NUMBER , HRC POWER FUSE, BUSSMANN 50HZ, 500V, 120KA ,
GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS	HRC (High Rupturing Capacity) Fuse Conforming to IS/IEC 60269 (Part 2), Cylindrical Fuses, Switch Disconnectors and Fuse Combination Units (Switch Fuse Unit) Conforming To IS/IEC 60947 (Part 3), High Voltage Fuses, Current Limiting Fuses, Industrial composite color 3D Printer, Drop Out Fuses, Fuse Wire Used in Rewirable Type Electric Fuses up to 650 Volts Conforming To IS 9926, Blade Fuses-IS:13703, Self Fusing Silicon Rubber Tape, D-Type Fuses as per IS:8187
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	HRC (High Rupturing Capacity) Fuse Conforming to IS/IEC 60269 (Part 2)
बीओक्यू शीर्षक / BOQ Title	PROCUREMENT OF HRC FUSES
एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / MSE Relaxation for Years of Experience and Turnover	No
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / Startup Relaxation for Years of Experience and Turnover	No
विक्रेता से मांगे गए दस्तावेज़ / Document required from seller	Certificate (Requested in ATC), Additional Doc 1 (Requested in ATC), Additional Doc 2 (Requested in ATC), Additional Doc 3 (Requested in ATC), Additional Doc 4 (Requested in ATC), Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेजों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है / Do you want to show documents uploaded by bidders to all bidders participated in bid?	No
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	3
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	10

बिड विवरण/Bid Details	
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	3
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	No
बिड का प्रकार/Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	NH KNIFE FUSE LINK,DIN 6A,SIZE 000 , FUSE CURRENT CATALOGUE AMPERE NUMBER , NH KNIFE FUSE LINK,DIN 6A,SIZE 000
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	5 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
Payment Timelines	Payments shall be made to the Seller within 30 days of issue of consignee receipt-cum-acceptance certificate (CRAC) and on-line submission of bills (This is in supersession of 10 days time as provided in clause 12 of GeM GTC)
मूल्यांकन पद्धति/Evaluation Method	Item wise evaluation
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

आवश्यकता/Required	No
-------------------	----

ईपीबीजी विवरण /ePBG Detail

आवश्यकता/Required	No
-------------------	----

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई खरीद वरीयता/MII Purchase Preference

एमआईआई खरीद वरीयता/MII Purchase Preference	No
--	----

एमआईआई के लिए सक्षम प्राधिकारी का विवरण:/Details of the Competent Authority for MII

सक्षम प्राधिकारी का नाम/Name of Competent Authority	Alakesh Baishya
सक्षम प्राधिकारी का पदनाम/Designation of Competent Authority	DGM (Materials)

सक्षम प्राधिकारी का कार्यालय/विभाग/प्रभाग/Office / Department / Division of Competent Authority	Materials
सीए अनुमोदन संख्या/CA Approval Number	DLS25P093G
सक्षम प्राधिकारी अनुमोदन तिथि/Competent Authority Approval Date	22-06-2026
सक्षम प्राधिकारी द्वारा प्रदान की गई स्वीकृति का संक्षिप्त विवरण/Brief Description of the Approval Granted by Competent Authority	TENDERED ITEM IS NOT LISTED BY NODAL MINISTRY FOR SUFFICIENT LOCAL CAPACITY & LOCAL COMPETITION.

Competent Authority Approval for not opting Make In India Preference : [View Document](#)

एमएसई के लिए आरक्षित / Reserved for MSE

एमएसई के लिए आरक्षित / Reserved for MSE	Yes
---	-----

ट्रेड्स भुगतान संबंधी विवरण/TReDS Payment Details

This Bid provides for Trade Receivables Discounting System (TReDS) as Preferred mode of payment. For MSME sellers, payments may be processed through a TReDS exchange in which the Buyer is registered, subject to applicable policy and regulatory guidelines. Accordingly, sellers intending to avail payment through TReDS are required to be registered with at least one TReDS exchange in which the buyer is registered.

1. Procurement under this bid is reserved for purchase from Micro and Small Enterprises having valid Udyam Certificate and whose credentials are validated online through Udyam Registration portal. If the bidder wants to avail themselves of the reservation benefit, the bidder must be the manufacturer / OEM of the offered product on GeM. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible to participate in this bid. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service, and Buyer will decide eligibility for purchase preference based on documentary evidence submitted in case of product bids, whereas in case of services the eligibility is automatically validated. Benefits of MSE will be allowed only if seller/service provider is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.
2. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

मूल्यांकन विधि(मदवार मूल्यांकन विधि) / Evaluation Method (Item Wise Evaluation Method)

Contract will be awarded schedule wise and the determination of L1 will be done separately for each schedule. The details of item-consignee combination covered under each schedule are as under:

मूल्यांकन अनुसूचियां / Evaluation Schedules	वस्तु/श्रेणी / Item/Category	मात्रा / Quantity
Schedule 1	Nh Knife Fuse Link,din 6a,size 000 , Fuse Current Catalogue Ampere Number , Nh Knife Fuse Link,din 6a,size 000	94

Schedule 2	Nh Knife Fuse Link,din 10a,size 000 , Fuse Current Catalogue Ampere Number , Nh Knife Fuse Link,din 10a,size 000	76
Schedule 3	Nh Knife Fuse Link,din 20a,size 000 , Fuse Current Catalogue Ampere Number , Nh Knife Fuse Link,din 20a,size 000	69
Schedule 4	Nh Knife Fuse Link,din 100a,size 000 , Fuse Current Catalogue Ampere Number , Nh Knife Fuse Link,din 100a,size 000 ,	65
Schedule 5	Fuse,hrc,hn,02,400a,415v,landt , Fuse Make, Larsen And Toubro Ltd Type, Hn Frequency, 50hz Voltage, 415v Current Catalog Number Ampere , 400 Size, 02 ,	54
Schedule 6	Fuse,hrc,lt,3na13,315a,sie , Fuse Make, Siemens Ltd Type, 3na Frequency, 50hz Voltage, 415v Current Catalog Number Ampere ,315 3na13 ,	57
Schedule 7	Fuse,hrc,250a,size 01,sf 94233 , Fuse Make, Larsen And Toubro Ltd Type, Size 01 Frequency, 50hz Voltage, 415v Current Catalog Number Ampere, 250 Sf 94233 ,	78
Schedule 8	Fuse,hrc,hn,200a,415v,landt , Fuse Make, Larsen And Toubro Ltd Type, Hn Frequency, 50hz Voltage, 415v Current Catalog Number Ampere , 200 Sf 94232 ,	69
Schedule 9	Fuse,hrc,160a,size 01,sf 94231 , Fuse Make, Larsen And Toubro Ltd Type, Size 01 Frequency, 50hz Voltage, 415v Current Catalog Number Ampere ,160 Sf 94231 ,	62
Schedule 10	Fuse,hrc,125a,size 01,sf 94230 , Fuse Make, Larsen And Toubro Ltd Type, Size 01 Frequency, 50hz Voltage, 415v Current Catalog Number Ampere , 125 Sf 94230 ,	160
Schedule 11	Fuse,hrc,125a,size 00,sf 94030,415v,50hz , Fuse Make, Larsen And Toubro Ltd Type, Size 00 Frequency, 50hz Voltage, 415v Breaking Capacity, 80ka Current Catalog Number Ampere , 125 Sf 94030 ,	75
Schedule 12	Fuse,hrc,80a,size 00,sf 94028 , Fuse Make, Larsen And Toubro Ltd Type, Size 00 Frequency, 50hz Voltage, 415v Breaking Capacity, 80ka Current Catalog Number Ampere ,80 Sf 94028 ,	75
Schedule 13	Fuse,hrc,63a,size 00,sf 94027 , Fuse Make, Larsen And Toubro Ltd Type, Size 00 Frequency, 50hz Voltage, 415v Breaking Capacity, 80ka Current Catalog Number Ampere ,63 Sf 94027 ,	116
Schedule 14	Fuse,hrc,63a,siemens , Fuse Make, Siemens Ltd Frequency, 50hz Voltage, 415v Breaking Capacity, 51ka Current Catalog Number Ampere , 63 ,	68
Schedule 15	Fuse,hbc,4a,tia 04,440v,50hz,gec , Fuse Make, Gec Alsthom Ltd Type, Hbc,tia Frequency, 50hz Voltage, 415v Breaking Capacity, 80ka Current Catalogue Number Ampere ,4 Tia 04 ,	138
Schedule 16	Fuse,hbc,6a,tia 06,440v,50hz,gec , Fuse Make, Gec Alsthom Ltd Type, Hbc,tia Frequency, 50hz Voltage, 415v Breaking Capacity, 80ka Current Catalogue Number Ampere , 6 Tia 06 ,	138
Schedule 17	Fuse,hrc,10a,tia 10,440v,50hz,gec , Fuse Make, Gec Alsthom Ltd Type, Tia Frequency, 50hz Voltage, 415v Breaking Capacity, 80ka Current Catalog Number Ampere ,10 Tia 10 ,	60
Schedule 18	Fuse,hrc,16a,tia 16,440v,50hz,gec , Fuse Make, Gec Alsthom Ltd Type, Tia Frequency, 50hz Voltage, 415v Breaking Capacity, 80ka Current Catalog Number Ampere ,16 Tia 16 ,	75
Schedule 19	Fuse,hbc,20a,tia 20,440v,50hz,gec , Fuse Make, Gec Alsthom Ltd Type, Hbc,tia Frequency, 50hz Voltage, 415v Breaking Capacity, 80ka Current Catalogue Number Ampere ,20 Tia 20 ,	82
Schedule 20	Fuse,hrc,25a,tia 25,440v,50hz,gec , Fuse Make, Gec Alsthom Ltd Type, Tia Frequency, 50hz Voltage, 415v Breaking Capacity, 80ka Current Catalog Number Ampere ,25 Tia 25 ,	92

Schedule 21	Fuse Hrc,link Suitable,32a,415v,50hz,ind , Fuse Make, Indo Wickman Type, Knife Frequency, 50hz Voltage, 415v Current Catalog Number Ampere ,32 Type,00sw032 ,	146
Schedule 22	Fuse,hrc,2a,hf,sf 90144,landt , Fuse Make, Larsen And Toubro Ltd Type, Hf Frequency, 50hz Voltage, 415v Current Catalog Number Ampere , 2 Size, 14x51 ,	290
Schedule 23	Fuse,hrc,4a,hf,sf 90145,415v,50hz,landt , Fuse Make, Larsen And Toubro Ltd Type, Hf Frequency, 50hz Voltage, 415v Current Catalog Number Ampere , Hrc Fuse, 4 Amp, Hf4a, Sf90145, Make, L And T ,	280
Schedule 24	Fuse,hrc,6a,hf,sf 90146,415v,50hz,landt , Fuse Make, Larsen And Toubro Ltd Type, Hf Frequency, 50hz Voltage, 415v Current Catalog Number Ampere ,6 Sf 90146 ,	280
Schedule 25	Fuse,hrc,10a,hf,sf 90148,415v,50hz,landt , Fuse Make, Larsen And Toubro Ltd Type, Hf Frequency, 50hz Voltage, 415v Current Catalog Number Ampere ,10 Sf 90148 ,	165
Schedule 26	Fuse,hrc,20a,hf,sf 90152,415v,50hz,landt , Fuse Make, Larsen And Toubro Ltd Type, Hf Frequency, 50hz Voltage, 415v Current Catalog Number Ampere ,20 Sf 90151 ,	110
Schedule 27	Fuse,hrc,25a,hf,415v,50hz,landt , Fuse Make, Larsen And Toubro Ltd Type, Hf Frequency, 50hz Voltage, 415v Current Catalog Number Ampere , 25 ,	150
Schedule 28	Fuse,hrc,32a,h.f14x51,415v,50hz,landt , Fuse Make, Siemens Ltd Frequency, 50hz Voltage, 415v Breaking Capacity, 51ka Current Catalog Number Ampere ,32 ,	240
Schedule 29	Fuse,hrc,40a,hf,sf 90143,landt , Fuse Make, Larsen And Toubro Ltd Type, Hf Frequency, 50hz Voltage, 415v Current Catalog Number Ampere ,40 90143 ,	125
Schedule 30	Fuse,hrc,50a,hf,sf 90158,415v,50hz,landt , Fuse Make, Larsen And Toubro Ltd Type, Hf Frequency, 50hz Voltage, 415v Current Catalog Number Ampere	125
Schedule 31	Fuse,hrc,63a,hf,415v,50hz,landt , Fuse Make, Larsen And Toubro Ltd Type, Hf Frequency, 50hz Voltage, 415v Current Catalog Number Ampere. 63 ,	245
Schedule 32	Fuse,hrc,63a,tis 63,415v,50hz,gec , Fuse Make, Gec Alsthom Ltd Type, Tis Frequency, 50hz Voltage, 415v Current Catalog Number Ampere ,63 Tis 63 ,	150
Schedule 33	Fuse,hrc,80a,bolted,440 500v,50hz,gec , Fuse, Hrc Make, Gec Alsthom Ltd Type, Bolted Frequency, 50hz Voltage, 415v Current Catalog Number Ampere, 80 ,	150
Schedule 34	Fuse,2a,240vac,bs, 3nwtia2 , Fuse Make, Siemen Ltd Type, Din Frequency, Voltage, Breaking Capacity, 80 Ka 120 Ka	100
Schedule 35	Fuse Hrc 4a , Fuse And Accessories Frequency, 50hz , Fuse Hrc 4a ,	100
Schedule 36	Fuse Hrc 6a , Fuse And Accessories Frequency, 50hz , Fuse Hrc 6a ,	100
Schedule 37	Fuse Link Hrc 10a , Fuse Make , Not Specified , Fuse Link Hrc 10a ,	100
Schedule 38	Fuse ,input,16a,tis,660v,50hz,gec , Fuse Make, Gec Alsthom Ltd Type, Tis Frequency, 50hz Voltage, 415v Current Catalog Number Ampere ,16 Tis 16 ,	100
Schedule 39	Fuse,hrc,20a,tis 20,415v,50hz,gec , Fuse Make, Gec Alsthom Ltd Type, Tis Frequency, 50hz Voltage, 415v Current Catalog Number Ampere ,20 Tis 20 ,	100
Schedule 40	Fuse,hrc,25a,tis 25,gec , Fuse Make, Gec Alsthom Ltd Type, Tis Frequency, 50hz Voltage, 415v Current Catalog Number Ampere, 25 Tis 25 ,	100
Schedule 41	Fuse,hrc,32a,tis 32,gec , Fuse Make, Gec Alsthom Ltd Type, Tis Frequency, 50hz Voltage, 415v Current Catalog Number Ampere , 32 Tis 32 ,	100
Schedule 42	Fuse,hrc,50a,tis 50,415v,50hz,gec , Fuse Make, Gec Alsthom Ltd Type, Tis Frequency, 50hz Voltage, 415v Current Catalog Number Ampere ,50 Tis 50 ,	74
Schedule 43	Fuse,hrc,63a,tis 63,500v,50hz,gec , Fuse Make, Gec Alsthom Ltd Type, Tis Frequency, 50hz Voltage, 415v Current Catalog Number Ampere ,63 Tis ,	150

Schedule 44	Fuse,hbc,2a,ns 2,440v,50hz,gec , Fuse Make, Gec Alsthom Ltd Type, Hbc,ns Frequency, 50hz Voltage, 415v Breaking Capacity, 80ka Current Catalog Number Ampere ,2 Ns 2 ,	180
Schedule 45	Fuse 4a Ns4 , Fuse Make, Gec Alsthom Ltd Type, Ns Frequency, 50hz Voltage, 415v Current Catalog Ampere Number , 4 Ns 4 ,	180
Schedule 46	Fuse,hrc,6a,ns 6,440v,50hz,gec , Fuse Make, Gec Alsthom Ltd Type, Ns Frequency, 50hz Voltage, 415v Current Catalog Ampere Number , 6 Ns 6 ,	155
Schedule 47	Fuse,hbc,10a,ns 10,440v,50hz,gec , Fuse Make, Gec Alsthom Ltd Type, Hbc,ns Frequency, 50hz Voltage, 415v Breaking Capacity, 80ka Current Catalog Number Ampere, 10 Ns 10 ,	75
Schedule 48	Fuse Link,hrc,16a,ns 16a,gec , Fuse Make, Gec Alsthom Ltd Type, Ns Frequency, 50hz Voltage, 415v Current Catalog Ampere Number , 16 Ns 16 ,	50
Schedule 49	Fuse,hrc,20a,ns 20,440v,50hz,gec , Fuse Make, Gec Alsthom Ltd Type, Ns Frequency, 50hz Voltage, 415v Current Catalog Ampere Number , 20 Ns 20 ,	50
Schedule 50	Fuse,hrc,25a,ns 25,440v,50hz,gec , Fuse Make, Gec Alsthom Ltd Type, Ns Frequency, 50hz Voltage, 415v Current Catalog Ampere Number ,25 Ns 25 ,	61
Schedule 51	Fuse,hrc,32a,ns 32,250v,50hz,gec , Fuse Make, Gec Alsthom Ltd Type, Ns Frequency, 50hz Voltage, 415v Current Catalog Ampere Number ,32 Ns 32 ,	75
Schedule 52	Fuse,hrc,100a,bolted,440 500v,50hz,gec , Fuse, Hrc Make, Gec Alsthom Ltd Type, Bolted Frequency, 50hz Voltage, 415v Current Catalog Number Ampere ,100 ,	57
Schedule 53	Fuse,hrc,125a,bolted,440 500v,50hz,gec , Fuse, Hrc Make, Gec Alsthom Ltd Type, Bolted Frequency, 50hz Voltage, 415v Current Catalog Number Ampere ,125 ,	73
Schedule 54	Fuse,hrc,200a,bolted,440 500v,50hz,gec , Fuse, Hrc Make, Gec Alsthom Ltd Type, Bolted Frequency, 50hz Voltage, 415v Current Catalog Number Ampere , 200 ,	37
Schedule 55	Hsbc,fuse,bolted,250amp. , Fuse Make, Gec Alsthom Ltd Type, Hbc,tis Frequency, 50hz Voltage, 415v Breaking Capacity, 80ka Current Catalogue Number Ampere , Hsbc,fuse,bolted,250amp. ,	37
Schedule 56	Hrc Power Fuse,315a,bussmann , Fuse Make , Bussmann Frequency , 50 Hz Current Catalogue Ampere Number , Hrc Power Fuse,315a,bussmann50hz,500v,120ka ,	37

NH KNIFE FUSE LINK,DIN 6A,SIZE 000 , FUSE CURRENT CATALOGUE AMPERE NUMBER , NH KNIFE FUSE LINK,DIN 6A,SIZE 000

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	CHUMBIT PRAKASH MAHANTA	786171,Materials Department	94	60

**NH KNIFE FUSE LINK,DIN 10A,SIZE 000 , FUSE CURRENT CATALOGUE AMPERE NUMBER
, NH KNIFE FUSE LINK,DIN 10A,SIZE 000**

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	CHUMBIT PRAKASH MAHANTA	786171,Materials Department	76	60

**NH KNIFE FUSE LINK,DIN 20A,SIZE 000 , FUSE CURRENT CATALOGUE AMPERE NUMBER
, NH KNIFE FUSE LINK,DIN 20A,SIZE 000**

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	CHUMBIT PRAKASH MAHANTA	786171,Materials Department	69	60

**NH KNIFE FUSE LINK,DIN 100A,SIZE 000 , FUSE CURRENT CATALOGUE AMPERE
NUMBER , NH KNIFE FUSE LINK,DIN 100A,SIZE 000 ,**

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	CHUMBIT PRAKASH MAHANTA	786171,Materials Department	65	60

**FUSE,HRC,HN,02,400A,415V,LandT , FUSE MAKE, LARSEN And TOUBRO LTD TYPE, HN
FREQUENCY, 50Hz VOLTAGE, 415V CURRENT CATALOG NUMBER Ampere , 400 SIZE, 02
,**

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	CHUMBIT PRAKASH MAHANTA	786171,Materials Department	54	60

FUSE,HRC,LT,3NA13,315A,SIE , FUSE MAKE, SIEMENS LTD TYPE, 3NA FREQUENCY, 50Hz VOLTAGE, 415V CURRENT CATALOG NUMBER Ampere ,315 3NA13 ,

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	CHUMBIT PRAKASH MAHANTA	786171,Materials Department	57	60

FUSE,HRC,250A,SIZE 01,SF 94233 , FUSE MAKE, LARSEN And TOUBRO LTD TYPE, SIZE 01 FREQUENCY, 50Hz VOLTAGE, 415V CURRENT CATALOG NUMBER Ampere, 250 SF 94233 ,

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	CHUMBIT PRAKASH MAHANTA	786171,Materials Department	78	60

FUSE,HRC,HN,200A,415V,LandT , FUSE MAKE, LARSEN And TOUBRO LTD TYPE, HN FREQUENCY, 50Hz VOLTAGE, 415V CURRENT CATALOG NUMBER Ampere , 200 SF 94232 ,

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	CHUMBIT PRAKASH MAHANTA	786171,Materials Department	69	60

FUSE,HRC,160A,SIZE 01,SF 94231 , FUSE MAKE, LARSEN And TOUBRO LTD TYPE, SIZE 01 FREQUENCY, 50Hz VOLTAGE, 415V CURRENT CATALOG NUMBER Ampere ,160 SF 94231 ,

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	CHUMBIT PRAKASH MAHANTA	786171,Materials Department	62	60

FUSE,HRC,125A,SIZE 01,SF 94230 , FUSE MAKE, LARSEN And TOUBRO LTD TYPE, SIZE 01 FREQUENCY, 50Hz VOLTAGE, 415V CURRENT CATALOG NUMBER Ampere , 125 SF 94230 ,

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	CHUMBIT PRAKASH MAHANTA	786171,Materials Department	160	60

FUSE,HRC,125A,SIZE 00,SF 94030,415V,50Hz , FUSE MAKE, LARSEN And TOUBRO LTD TYPE, SIZE 00 FREQUENCY, 50Hz VOLTAGE, 415V BREAKING CAPACITY, 80kA CURRENT CATALOG NUMBER Ampere , 125 SF 94030 ,

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	CHUMBIT PRAKASH MAHANTA	786171,Materials Department	75	60

FUSE,HRC,80A,SIZE 00,SF 94028 , FUSE MAKE, LARSEN And TOUBRO LTD TYPE, SIZE 00 FREQUENCY, 50Hz VOLTAGE, 415V BREAKING CAPACITY, 80kA CURRENT CATALOG NUMBER Ampere ,80 SF 94028 ,

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	CHUMBIT PRAKASH MAHANTA	786171,Materials Department	75	60

FUSE,HRC,63A,SIZE 00,SF 94027 , FUSE MAKE, LARSEN And TOUBRO LTD TYPE, SIZE 00 FREQUENCY, 50Hz VOLTAGE, 415V BREAKING CAPACITY, 80kA CURRENT CATALOG NUMBER Ampere ,63 SF 94027 ,

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	CHUMBIT PRAKASH MAHANTA	786171,Materials Department	116	60

FUSE,HRC,63A,SIEMENS , FUSE MAKE, SIEMENS LTD FREQUENCY, 50Hz VOLTAGE, 415V BREAKING CAPACITY, 51kA CURRENT CATALOG NUMBER Ampere , 63 ,

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	CHUMBIT PRAKASH MAHANTA	786171,Materials Department	68	60

FUSE,HBC,4A,TIA 04,440V,50Hz,GEC , FUSE MAKE, GEC ALSTHOM LTD TYPE, HBC,TIA FREQUENCY, 50Hz VOLTAGE, 415V BREAKING CAPACITY, 80kA CURRENT CATALOGUE NUMBER Ampere ,4 TIA 04 ,

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	CHUMBIT PRAKASH MAHANTA	786171,Materials Department	138	60

**FUSE,HBC,6A,TIA 06,440V,50Hz,GEC , FUSE MAKE, GEC ALSTHOM LTD TYPE, HBC,TIA
FREQUENCY, 50Hz VOLTAGE, 415V BREAKING CAPACITY, 80ka CURRENT CATALOGUE
NUMBER Ampere , 6 TIA 06 ,**

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	CHUMBIT PRAKASH MAHANTA	786171,Materials Department	138	60

**FUSE,HRC,10A,TIA 10,440V,50Hz,GEC , FUSE MAKE, GEC ALSTHOM LTD TYPE, TIA
FREQUENCY, 50Hz VOLTAGE, 415V BREAKING CAPACITY, 80ka CURRENT CATALOG
NUMBER Ampere ,10 TIA 10 ,**

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	CHUMBIT PRAKASH MAHANTA	786171,Materials Department	60	60

**FUSE,HRC,16A,TIA 16,440V,50Hz,GEC , FUSE MAKE, GEC ALSTHOM LTD TYPE, TIA
FREQUENCY, 50Hz VOLTAGE, 415V BREAKING CAPACITY, 80ka CURRENT CATALOG
NUMBER Ampere ,16 TIA 16 ,**

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	CHUMBIT PRAKASH MAHANTA	786171,Materials Department	75	60

**FUSE,HBC,20A,TIA 20,440V,50Hz,GEC , FUSE MAKE, GEC ALSTHOM LTD TYPE, HBC,TIA
FREQUENCY, 50Hz VOLTAGE, 415V BREAKING CAPACITY, 80ka CURRENT CATALOGUE
NUMBER Ampere ,20 TIA 20 ,**

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	CHUMBIT PRAKASH MAHANTA	786171,Materials Department	82	60

FUSE,HRC,25A,TIA 25,440V,50Hz,GEC , FUSE MAKE, GEC ALSTHOM LTD TYPE, TIA FREQUENCY, 50Hz VOLTAGE, 415V BREAKING CAPACITY, 80kA CURRENT CATALOG NUMBER Ampere ,25 TIA 25 ,

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	CHUMBIT PRAKASH MAHANTA	786171,Materials Department	92	60

FUSE HRC,LINK SUITABLE,32A,415V,50HZ,IND , FUSE MAKE, INDO WICKMAN TYPE, KNIFE FREQUENCY, 50Hz VOLTAGE, 415V CURRENT CATALOG NUMBER Ampere ,32 TYPE,00SW032 ,

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	CHUMBIT PRAKASH MAHANTA	786171,Materials Department	146	60

FUSE,HRC,2A,HF,SF 90144,LandT , FUSE MAKE, LARSEN And TOUBRO LTD TYPE, HF FREQUENCY, 50Hz VOLTAGE, 415V CURRENT CATALOG NUMBER Ampere , 2 SIZE, 14X51 ,

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	CHUMBIT PRAKASH MAHANTA	786171,Materials Department	290	60

FUSE,HRC,4A,HF,SF 90145,415V,50Hz,LandT , FUSE MAKE, LARSEN And TOUBRO LTD TYPE, HF FREQUENCY, 50Hz VOLTAGE, 415V CURRENT CATALOG NUMBER Ampere , HRC FUSE, 4 AMP, HF4A, SF90145, MAKE, L And T ,

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	CHUMBIT PRAKASH MAHANTA	786171,Materials Department	280	60

FUSE,HRC,6A,HF,SF 90146,415V,50Hz,LandT , FUSE MAKE, LARSEN And TOUBRO LTD TYPE, HF FREQUENCY, 50Hz VOLTAGE, 415V CURRENT CATALOG NUMBER Ampere ,6 SF 90146 ,

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	CHUMBIT PRAKASH MAHANTA	786171,Materials Department	280	60

FUSE,HRC,10A,HF,SF 90148,415V,50Hz,LandT , FUSE MAKE, LARSEN And TOUBRO LTD TYPE, HF FREQUENCY, 50Hz VOLTAGE, 415V CURRENT CATALOG NUMBER Ampere ,10 SF 90148 ,

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	CHUMBIT PRAKASH MAHANTA	786171,Materials Department	165	60

FUSE,HRC,20A,HF,SF 90152,415V,50Hz,LandT , FUSE MAKE, LARSEN And TOUBRO LTD TYPE, HF FREQUENCY, 50Hz VOLTAGE, 415V CURRENT CATALOG NUMBER Ampere ,20 SF 90151 ,

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	CHUMBIT PRAKASH MAHANTA	786171,Materials Department	110	60

FUSE,HRC,25A,HF,415V,50Hz,LandT , FUSE MAKE, LARSEN And TOUBRO LTD TYPE, HF FREQUENCY, 50Hz VOLTAGE, 415V CURRENT CATALOG NUMBER Ampere , 25 ,

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	CHUMBIT PRAKASH MAHANTA	786171,Materials Department	150	60

FUSE,HRC,32A,H.F14X51,415V,50Hz,LandT , FUSE MAKE, SIEMENS LTD FREQUENCY, 50Hz VOLTAGE, 415V BREAKING CAPACITY, 51kA CURRENT CATALOG NUMBER Ampere ,32 ,

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	CHUMBIT PRAKASH MAHANTA	786171,Materials Department	240	60

FUSE,HRC,40A,HF,SF 90143,LandT , FUSE MAKE, LARSEN And TOUBRO LTD TYPE, HF FREQUENCY, 50Hz VOLTAGE, 415V CURRENT CATALOG NUMBER Ampere ,40 90143 ,

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	CHUMBIT PRAKASH MAHANTA	786171,Materials Department	125	60

FUSE,HRC,50A,HF,SF 90158,415V,50Hz,LandT , FUSE MAKE, LARSEN And TOUBRO LTD TYPE, HF FREQUENCY, 50Hz VOLTAGE, 415V CURRENT CATALOG NUMBER Ampere

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	CHUMBIT PRAKASH MAHANTA	786171,Materials Department	125	60

FUSE,HRC,63A,HF,415V,50Hz,LandT , FUSE MAKE, LARSEN And TOUBRO LTD TYPE, HF FREQUENCY, 50Hz VOLTAGE, 415V CURRENT CATALOG NUMBER Ampere. 63 ,

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	CHUMBIT PRAKASH MAHANTA	786171,Materials Department	245	60

FUSE,HRC,63A,TIS 63,415V,50Hz,GEC , FUSE MAKE, GEC ALSTHOM LTD TYPE, TIS FREQUENCY, 50Hz VOLTAGE, 415V CURRENT CATALOG NUMBER Ampere ,63 TIS 63 ,

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	CHUMBIT PRAKASH MAHANTA	786171,Materials Department	150	60

FUSE,HRC,80A,BOLTED,440 500V,50Hz,GEC , FUSE, HRC MAKE, GEC ALSTHOM LTD TYPE, BOLTED FREQUENCY, 50Hz VOLTAGE, 415V CURRENT CATALOG NUMBER Ampere, 80 ,

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	CHUMBIT PRAKASH MAHANTA	786171,Materials Department	150	60

FUSE,2A,240VAC,BS, 3NWTIA2 , FUSE MAKE, SIEMEN LTD TYPE, DIN FREQUENCY, VOLTAGE, BREAKING CAPACITY, 80 KA 120 KA

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	CHUMBIT PRAKASH MAHANTA	786171,Materials Department	100	60

FUSE HRC 4A , FUSE And ACCESSORIES FREQUENCY, 50Hz , FUSE HRC 4A ,

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	CHUMBIT PRAKASH MAHANTA	786171,Materials Department	100	60

FUSE HRC 6A , FUSE And ACCESSORIES FREQUENCY, 50Hz , FUSE HRC 6A ,

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	CHUMBIT PRAKASH MAHANTA	786171,Materials Department	100	60

FUSE LINK HRC 10A , FUSE MAKE , NOT SPECIFIED , FUSE LINK HRC 10A ,

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	CHUMBIT PRAKASH MAHANTA	786171,Materials Department	100	60

**FUSE ,INPUT,16A,TIS,660V,50Hz,GEC , FUSE MAKE, GEC ALSTHOM LTD TYPE, TIS
FREQUENCY, 50Hz VOLTAGE, 415V CURRENT CATALOG NUMBER Ampere ,16 TIS 16 ,**

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	CHUMBIT PRAKASH MAHANTA	786171,Materials Department	100	60

**FUSE,HRC,20A,TIS 20,415V,50Hz,GEC , FUSE MAKE, GEC ALSTHOM LTD TYPE, TIS
FREQUENCY, 50Hz VOLTAGE, 415V CURRENT CATALOG NUMBER Ampere ,20 TIS 20 ,**

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	CHUMBIT PRAKASH MAHANTA	786171,Materials Department	100	60

FUSE,HRC,25A,TIS 25,GEC , FUSE MAKE, GEC ALSTHOM LTD TYPE, TIS FREQUENCY, 50Hz VOLTAGE, 415V CURRENT CATALOG NUMBER Ampere, 25 TIS 25 ,

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	CHUMBIT PRAKASH MAHANTA	786171,Materials Department	100	60

FUSE,HRC,32A,TIS 32,GEC , FUSE MAKE, GEC ALSTHOM LTD TYPE, TIS FREQUENCY, 50Hz VOLTAGE, 415V CURRENT CATALOG NUMBER Ampere , 32 TIS 32 ,

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	CHUMBIT PRAKASH MAHANTA	786171,Materials Department	100	60

**FUSE,HRC,50A,TIS 50,415V,50Hz,GEC , FUSE MAKE, GEC ALSTHOM LTD TYPE, TIS
FREQUENCY, 50Hz VOLTAGE, 415V CURRENT CATALOG NUMBER Ampere ,50 TIS 50 ,**

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	CHUMBIT PRAKASH MAHANTA	786171,Materials Department	74	60

**FUSE,HRC,63A,TIS 63,500V,50Hz,GEC , FUSE MAKE, GEC ALSTHOM LTD TYPE, TIS
FREQUENCY, 50Hz VOLTAGE, 415V CURRENT CATALOG NUMBER Ampere ,63 TIS ,**

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	CHUMBIT PRAKASH MAHANTA	786171,Materials Department	150	60

FUSE,HBC,2A,NS 2,440V,50Hz,GEC , FUSE MAKE, GEC ALSTHOM LTD TYPE, HBC,NS FREQUENCY, 50Hz VOLTAGE, 415V BREAKING CAPACITY, 80KA CURRENT CATALOG NUMBER Ampere ,2 NS 2 ,

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	CHUMBIT PRAKASH MAHANTA	786171,Materials Department	180	60

FUSE 4A NS4 , FUSE MAKE, GEC ALSTHOM LTD TYPE, NS FREQUENCY, 50Hz VOLTAGE, 415V CURRENT CATALOG AMPERE NUMBER , 4 NS 4 ,

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	CHUMBIT PRAKASH MAHANTA	786171,Materials Department	180	60

**FUSE,HRC,6A,NS 6,440V,50Hz,GEC , FUSE MAKE, GEC ALSTHOM LTD TYPE, NS
FREQUENCY, 50Hz VOLTAGE, 415V CURRENT CATALOG AMPERE NUMBER , 6 NS 6 ,**

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	CHUMBIT PRAKASH MAHANTA	786171,Materials Department	155	60

**FUSE,HBC,10A,NS 10,440V,50Hz,GEC , FUSE MAKE, GEC ALSTHOM LTD TYPE, HBC,NS
FREQUENCY, 50Hz VOLTAGE, 415V BREAKING CAPACITY, 80KA CURRENT CATALOG
NUMBER Ampere, 10 NS 10 ,**

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	CHUMBIT PRAKASH MAHANTA	786171,Materials Department	75	60

**FUSE LINK,HRC,16A,NS 16A,GEC , FUSE MAKE, GEC ALSTHOM LTD TYPE, NS
FREQUENCY, 50Hz VOLTAGE, 415V CURRENT CATALOG AMPERE NUMBER , 16 NS 16 ,**

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	CHUMBIT PRAKASH MAHANTA	786171,Materials Department	50	60

**FUSE,HRC,20A,NS 20,440V,50Hz,GEC , FUSE MAKE, GEC ALSTHOM LTD TYPE, NS
FREQUENCY, 50Hz VOLTAGE, 415V CURRENT CATALOG AMPERE NUMBER , 20 NS 20 ,**

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	CHUMBIT PRAKASH MAHANTA	786171,Materials Department	50	60

**FUSE,HRC,25A,NS 25,440V,50Hz,GEC , FUSE MAKE, GEC ALSTHOM LTD TYPE, NS
FREQUENCY, 50Hz VOLTAGE, 415V CURRENT CATALOG AMPERE NUMBER ,25 NS 25 ,**

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	CHUMBIT PRAKASH MAHANTA	786171,Materials Department	61	60

**FUSE,HRC,32A,NS 32,250V,50Hz,GEC , FUSE MAKE, GEC ALSTHOM LTD TYPE, NS
FREQUENCY, 50Hz VOLTAGE, 415V CURRENT CATALOG AMPERE NUMBER ,32 NS 32 ,**

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	CHUMBIT PRAKASH MAHANTA	786171,Materials Department	75	60

**FUSE,HRC,100A,BOLTED,440 500V,50Hz,GEC , FUSE, HRC MAKE, GEC ALSTHOM LTD
TYPE, BOLTED FREQUENCY, 50Hz VOLTAGE, 415V CURRENT CATALOG NUMBER
Ampere ,100 ,**

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	CHUMBIT PRAKASH MAHANTA	786171,Materials Department	57	60

**FUSE,HRC,125A,BOLTED,440 500V,50Hz,GEC , FUSE, HRC MAKE, GEC ALSTHOM LTD
TYPE, BOLTED FREQUENCY, 50Hz VOLTAGE, 415V CURRENT CATALOG NUMBER
Ampere ,125 ,**

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	CHUMBIT PRAKASH MAHANTA	786171,Materials Department	73	60

FUSE,HRC,200A,BOLTED,440 500V,50Hz,GEC , FUSE, HRC MAKE, GEC ALSTHOM LTD TYPE, BOLTED FREQUENCY, 50Hz VOLTAGE, 415V CURRENT CATALOG NUMBER Ampere , 200 ,

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	CHUMBIT PRAKASH MAHANTA	786171,Materials Department	37	60

HSBC,FUSE,BOLTED,250AMP. , FUSE MAKE, GEC ALSTHOM LTD TYPE, HBC,TIS FREQUENCY, 50Hz VOLTAGE, 415V BREAKING CAPACITY, 80KA CURRENT CATALOGUE NUMBER Ampere , HSBC,FUSE,BOLTED,250AMP. ,

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	CHUMBIT PRAKASH MAHANTA	786171,Materials Department	37	60

**HRC POWER FUSE,315A,BUSSMANN , FUSE MAKE , BUSSMANN FREQUENCY , 50 HZ
CURRENT CATALOGUE AMPERE NUMBER , HRC POWER
FUSE,315A,BUSSMANN50HZ,500V,120KA ,**

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	CHUMBIT PRAKASH MAHANTA	786171,Materials Department	37	60

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. Generic

Bidder financial standing: The bidder should not be under liquidation, court receivership or similar proceedings, should not be bankrupt. Bidder to upload undertaking to this effect with bid.

3. Generic

Bidder shall submit the following documents along with their bid for Vendor Code Creation:

- a. Copy of PAN Card.
- b. Copy of GSTIN.
- c. Copy of Cancelled Cheque.
- d. Copy of EFT Mandate duly certified by Bank.

4. Scope of Supply

Scope of supply (Bid price to include all cost components) : Only supply of Goods

5. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

1) Material shall be procured from specific brands only, namely **L&T, ABB, SCHNEIDER, GE, GEC, SIEMENS, HAVELLS, EATON, BUSSMAN**. Offers from only those bidders shall be considered for evaluation who quote **MAKES/ BRANDS** approved by IOCL for the required Goods category. Offers received from any bidder who quotes any other **MAKES/ BRANDS** than those mentioned above will be treated as unsolicited offer and shall be summarily rejected.

2) BIDDERS ARE REQUESTED TO REFER "**BUYER UPLOADED ATC DOCUMENT**" FOR DECLARATION FORMATS & OTHER RELEVANT DATA/ INFORMATION AS REQUIRED FOR THE SUBJECT TENDER.

6. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file.](#)

अस्वीकरण/Disclaimer

The Additional Terms and Conditions (ATC) have been incorporated by the Buyer after approval of their Competent Authority. The Buyer, is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any restriction arising in the bidding process due to these ATCs and including the modification of technical specifications and / or terms and conditions governing the bid. All representations / grievances pertaining to the ATC clauses shall be raised with the buyer organization directly and not with GeM. If any of the clause(s) is/are incorporated by the Buyer regarding the following, the bid & resultant contract shall be treated as null & void. Further, GeM reserves the right, at its sole discretion, to cancel the bid forthwith, without issuance of any prior notice or intimation :-

1. Publishing Custom / BOQ bids for items for which regular GeM categories are available (unless such Custom / BOQ item is bunched with the major regular product Category Item).
2. Mandating procurement of / from specific Brand / Make / Model / Manufacturer / Dealer except in case of Single Bid / Proprietary Article Certificate (PAC) Buying.
3. Inclusion of disqualification criteria related to suspension of seller / service provider, where such suspension period has already expired.
4. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.

5. Publishing bids on GeM for procurement of works.
6. Procurement of Goods by creating a Service bid on GeM & vice-versa.
7. Seeking sample with bid or approval of samples during bid evaluation process. However, trial / sample, as the case may be, shall be permitted in cases where trial / sample are allowed as per approved and published procurement policy of the Buyers' controlling Ministry / Department / State / Public Sector Enterprises Headquarters. If there is any violation of trial / sample clause with regard to approved policy of the Buyers' Ministry / Department / State / Public Sector Enterprises Headquarters, then this is to be determined and redressed by the concerned Buyer Organisation only.
8. Seeking experience from specific organization / department / institute only or from foreign / export experience.
9. Creating bid for items from incorrect categories.
10. Reference of conditions published on any external site or reference to external documents/clauses.
11. Asking for any Tender fee / Bid Participation fee, as the case may be.
12. Buyer added ATC Clauses which are in contravention of clauses defined in bid detail section, including specifications, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by the applicable GeM GTC.
13. Any ATC clause in contravention with GeM GTC Clause 4 (xiii) (h) will be invalid. In case of multiple L1 bidders against a service bid, the buyer shall place the Contract by selection of a bidder amongst the L-1 bidders through a Random Algorithm executed by GeM system.
14. In a category based bid, adding additional items, through buyer added, additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogues or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and
- All operative provisions of the erstwhile Labour Laws until their complete substitution.

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

This Bid is governed by the General Terms and Conditions, conditions stipulated in Bid and Service Level Agreement specific to the Service, as the case may be, as provided in the Marketplace.

However, in case of Service, if any condition specified in General Terms and Conditions is contradicted by the conditions stipulated in Service Level Agreement specific to said Service, then it will over-ride the conditions in the General Terms and Conditions.

यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions.

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---