Saudi Heart Association
جمعية القلب السعودية

National Life Support Committee

# SHA Training Center Requirements

Establishing a SHA Training Center requires meeting specific criteria, including the design of the Training Center layout, allocation of personnel resources, provision of equipment, adherence to technical specifications, and availability of supplies such as training manikins for BLS, ACLS, PALS, NRP, HSFA, SALSO and STLS.

The center should provide a flexible, technologically advanced learning environment that is safe, healthy, comfortable, visually appealing, and accessible.

# Training Center layout prerequisites:

The training center must ensure:

| Facility | description | √ | X | Note |
|---|---|---|---|---|
| Training Rooms | A minimum of two training rooms, each must be lighted and ventilated in compliance with local building, sanitation, and health regulations. | ☐ | ☐ | |
| Coordinator Office | Well-equipped with a computer/PC, printer, continuous internet access, and a locker for securing course documents. | ☐ | ☐ | |
| Administrative/Registration Office | | ☐ | ☐ | |
| Audio/Visual-Equipped Training Rooms | At least two rooms should be outfitted with audio/visual capabilities and Internet connectivity. | ☐ | ☐ | |
| Catering room. | | ☐ | ☐ | |
| Separate washrooms for males and females. | | ☐ | ☐ | |
| Safe facility | with enough emergency exits, real AED and first aid kit that is accessible if needed. | ☐ | ☐ | |

## Personnel Resources:

| Requirement | description | √ | X | Note |
|---|---|---|---|---|
| primary instructors | The training center must have at least two primary instructors with aligned qualifications. | ☐ | ☐ | |
| PCT certification | It is mandatory for the training center coordinator to hold a PCT certification. | ☐ | ☐ | |

## Manikins, equipment, and supplies

The ITC must ensure that appropriate manikins, supplies, and equipment are available in sufficient quantities (as detailed below), in good working order for each course conducted, and its specifications are compatible with SHA guidelines.

The training center is required to own the manikins, equipment, and supplies.

Saudi Heart Association
جمعية القلب السعودية

National Life Support Committee

# Saudi Basic Life Support (BLS)

| No. | description | √ | X | Note |
|---|---|---|---|---|
| 1. | Audio visual system | ☐ | ☐ | |
| 2. | Desktop/laptop computer or tablet with the power source and speakers, projector and projection screen/area, or large-monitor Supplies. | ☐ | ☐ | |
| 3. | internet access | ☐ | ☐ | |
| 4. | 4 adult manikins with feedback device | ☐ | ☐ | |
| 5. | 4 child manikins with feedback device (optional) | ☐ | ☐ | |
| 6. | 4 infant manikins with feedback device | ☐ | ☐ | |
| 7. | 2 AED | ☐ | ☐ | |
| 8. | 1 adult chocking | ☐ | ☐ | |
| 9. | 3 bag mask ventilation (adult size) | ☐ | ☐ | |
| 10. | 3 bag mask ventilation (infant size) | ☐ | ☐ | |
| 11. | 3 bag mask ventilation (child size) | ☐ | ☐ | |
| 12. | 3 pocket mask (adult size) | ☐ | ☐ | |
| 13. | 3 pocket mask (child size) | ☐ | ☐ | |
| 14. | 3 pocket mask (infant size) | ☐ | ☐ | |
| 15. | One-way valve | ☐ | ☐ | |
| 16. | Timing device. | ☐ | ☐ | |

Saudi Heart Association
جمعية القلب السعودية

National Life Support Committee

# Saudi Advanced Cardiac Life Support (ACLS)

**(in addition to BLS equipment except chocking manikin, child and infant equipment)**

| No. | description | √ | X | Note |
|---|---|---|---|---|
| 1. | ECG Simulator or Rhythm Generator | ☐ | ☐ | |
| 2. | Monitor/defibrillator w/ cardioversion and TCP | ☐ | ☐ | |
| 3. | Crash cart | ☐ | ☐ | |
| 4. | 1 Advanced life support Manikin | ☐ | ☐ | |
| 5. | 1 Adult Airway Manikin | ☐ | ☐ | |
| 6. | Adult oropharyngeal Airway size (3 different adult sizes ) | ☐ | ☐ | |
| 7. | Nasal cannula | ☐ | ☐ | |
| 8. | Simple oxygen mask | ☐ | ☐ | |
| 9. | Nonrebreathing mask | ☐ | ☐ | |
| 10. | Suction catheters (soft and rigid catheter) | ☐ | ☐ | |
| 11. | Nasopharyngeal airways | ☐ | ☐ | |
| 12. | Tongue depressor | ☐ | ☐ | |
| 13. | Water soluble lubricant | ☐ | ☐ | |
| 14. | Endotracheal tubes with stylet Different sizes | ☐ | ☐ | |
| 15. | Laryngoscope handle and blades | ☐ | ☐ | |
| 16. | Waveform capnography | ☐ | ☐ | |
| 17. | Laryngeal mask | ☐ | ☐ | |
| 18. | Stethoscope | ☐ | ☐ | |

| | | | | |
|---|---|---|---|---|
| 19. | IV administration set | ☐ | ☐ | |
| 20. | IV fluids or simulated IV fluids, 500- or 1000-mL bags | ☐ | ☐ | |
| 21. | Sharps container | ☐ | ☐ | |
| 22. | IO access device (Drill) | ☐ | ☐ | |
| 23. | 10-mL syringes (box) | ☐ | ☐ | |
| 24. | Antiseptic wipes (box) | ☐ | ☐ | |
| 25. | Towel | ☐ | ☐ | |
| 26. | IO needles or manual IO access needles (appropriate size for manikin) 3 different sizes /station | ☐ | ☐ | |
| 27. | Basins or buckets | ☐ | ☐ | |
| 28. | Latex-free disposable gloves | ☐ | ☐ | |
| 29. | 4'' × 4'' gauze pads | ☐ | ☐ | |
| 30. | IO task trainer ( Adult) | ☐ | ☐ | |

Saudi Heart Association
جمعية القلب السعودية

National Life Support Committee

# Saudi Pediatric Advanced Life Support (PALS)

**(in addition to BLS equipment except chocking manikin, and adult equipment)**

| No. | description | √ | X | Note |
|---|---|---|---|---|
| 1. | Pediatric Airway manikins (child and infant ) | ☐ | ☐ | |
| 2. | Nasal cannula | ☐ | ☐ | |
| 3. | Simple oxygen mask | ☐ | ☐ | |
| 4. | Nonrebreathing mask | ☐ | ☐ | |
| 5. | Suction catheters | ☐ | ☐ | |
| 6. | Oropharyngeal airways | ☐ | ☐ | |
| 7. | Nasopharyngeal airways | ☐ | ☐ | |
| 8. | Tongue depressor | ☐ | ☐ | |
| 9. | Crash cart | ☐ | ☐ | |
| 10. | Water soluble lubricant | ☐ | ☐ | |
| 11. | Endotracheal tubes with stylet Different sizes | ☐ | ☐ | |
| 12. | Laryngoscope handle and blades 1/3 students | ☐ | ☐ | |
| 13. | Waveform capnography | ☐ | ☐ | |
| 14. | Laryngeal mask | ☐ | ☐ | |
| 15. | Stethoscope | ☐ | ☐ | |
| 16. | IO manikins (child and infant) | ☐ | ☐ | |
| 17. | IO drill | ☐ | ☐ | |
| 18. | IO needles Different sizes | ☐ | ☐ | |

| | | | | |
|---|---|---|---|---|
| 19. | Resuscitation drugs or drug cards: atropine sulfate, epinephrine 0.1 mg/ml, fluids, glucose, etc. | ☐ | ☐ | |
| 20. | Fluid bag | ☐ | ☐ | |
| 21. | 3-way stopcock | ☐ | ☐ | |
| 22. | Syringes (different sizes) | ☐ | ☐ | |
| 23. | Alcohol swab | ☐ | ☐ | |
| 24. | Color-coded length-based resuscitation tape | ☐ | ☐ | |
| 25. | Towel | ☐ | ☐ | |
| 26. | IV set | ☐ | ☐ | |
| 27. | IV connecting tube | ☐ | ☐ | |
| 28. | Rhythm simulator | ☐ | ☐ | |
| 29. | Cardiac monitor/defibrillator with leads, electrodes, and pediatric and adult pads | ☐ | ☐ | |
| 30. | Pediatric advanced life support (ALS) mannequin | ☐ | ☐ | |
| 31. | Crash cart | ☐ | ☐ | |
| 32. | Color Coded Length Tape | ☐ | ☐ | |

Saudi Heart Association
جمعية القلب السعودية

National Life Support Committee

# Saudi Neonatal Resuscitation Program (NRP)

| No. | description | √ | X | Note |
|---|---|---|---|---|
| 1. | Prewarm radiant or resuscitator | ☐ | ☐ | |
| 2. | Timing device. | ☐ | ☐ | |
| 3. | Towels or Blankets | ☐ | ☐ | |
| 4. | Polyethylene bag / sheet–size for baby < 1500 g or < 30 weeks' gestation | ☐ | ☐ | |
| 5. | Thermal mattress & hat | ☐ | ☐ | |
| 6. | Stethoscope (neonatal preferred) | ☐ | ☐ | |
| 7. | Pulse oximeter plus neonatal sensor (disposable with foam band tape or self-adherent bandage) | ☐ | ☐ | |
| 8. | ECG leads for cardiac monitoring | ☐ | ☐ | |
| 9. | Thermoregulation probe | ☐ | ☐ | |
| 10. | Suction unit (negative pressure 80-100 mmHg) | ☐ | ☐ | |
| 11. | Suction catheters–sizes 5F, 6F, 8F and 10F or 12F | ☐ | ☐ | |
| 12. | Suction tubing | ☐ | ☐ | |
| 13. | Oropharyngeal airways–sizes 00 and 0 | ☐ | ☐ | |
| 14. | laryngoscope handles and blades | ☐ | ☐ | |
| 15. | Laryngoscopes with neonatal blades–0 and1 (and sizes 00 for extremely premature babies) | ☐ | ☐ | |
| 16. | Endotracheal tubes (ETT)–unstuffed, sizes 2.5, 3.0, 3.5 and 4.0 mm internal diameter) | ☐ | ☐ | |
| 17. | ETT introducer/stylet (optionally used for oral intubation only) | ☐ | ☐ | |
| 18. | Supplies for fixing ETT (e.g. sterile scissors, tape, skin prep swabs and skin barrier) | ☐ | ☐ | |

| | | | | |
|---|---|---|---|---|
| 19. | forceps–neonatal size (optional–for nasal intubation) | ☐ | ☐ | |
| 20. | end-tidal carbon dioxide (CO2 ) detector | ☐ | ☐ | |
| 21. | Meconium suction device | ☐ | ☐ | |
| 22. | Laryngeal mask airway–size 1 (suitable for neonates up to 5 kg) | ☐ | ☐ | |
| 23. | Bulb syringe | ☐ | ☐ | |
| 24. | Face masks (cushioned rim)–range of sizes suitable for premature and term neonates | ☐ | ☐ | |
| 25. | T-piece resuscitation device (preferred) | ☐ | ☐ | |
| 26. | Flow-inflating bag with pressure safety valve and manometer | ☐ | ☐ | |
| 27. | Self-inflating bag (240 mL) preferably with a removable oxygen reservoir and PEEP valve | ☐ | ☐ | |
| 28. | Medical glasses: Source of medical oxygen (reticulated and/or cylinder) with flow meter and tubing allowing flow rate of up to 10 L/min | ☐ | ☐ | |
| 29. | Source of medical air with flow meter and tubing–allowing flow rate of up to 10 L/min | ☐ | ☐ | |
| 30. | Feeding tubes for gastric decompression sizes 6F and 8F and 10 mL syringe | ☐ | ☐ | |
| 31. | Umbilical venous catheter (UVC) kit–UVC size 5F | ☐ | ☐ | |
| 32. | Peripheral IV cannulation kit including cannulas and 3-way taps with extension | ☐ | ☐ | |
| 33. | Tapes/devices to secure UVC/IV cannula (e.g. arm board) | ☐ | ☐ | |
| 34. | Syringes and needles–assorted sizes 1, 3. 5, 10, 20 and 50 mL | ☐ | ☐ | |
| 35. | Intraosseous needles | ☐ | ☐ | |
| 36. | Adrenaline (epinephrine) 1:10 000 concentrations (0.1 mg/mL) | ☐ | ☐ | |
| 37. | Normal saline (0.9% sodium chloride | ☐ | ☐ | |
| 38. | Blood suitable for emergency neonatal transfusion (Group O RhD negative) Technology | ☐ | ☐ | |
| 39. | Desktop/laptop computer or tablet with the power source and speakers, projector and projection screen/area, or | ☐ | ☐ | |

| | | | |
|---|---|---|---|
| | large-monitor Supplies | | |
| 40. | Newborn manikins with features of intubation and UVC insertion at least one per station. | ☐ ☐ | |
| 41. | Neonate Airway task trainer for intubation feature. | ☐ ☐ | |
| 42. | Cleaning and decontamination supplies (decontaminating solution, 4'' × 4'' gauze pads, soap and water, brush, basins or buckets | ☐ ☐ | |
| 43. | Latex-free disposable gloves | ☐ ☐ | |
| 44. | Gauze | ☐ ☐ | |

Saudi Heart Association
جمعية القلب السعودية

National Life Support Committee

# Saudi Heart Saver First Aid CPR AED (HSFA)

| No. | Equipment | Quantity | √ | X | Note |
|---|---|---|---|---|---|
| 1. | Computer with projector, screen, and speakers | 1/ station | ☐ | ☐ | |
| **2.** | **CPR/AED Equipment** | | | | |
| 3. | Adult manikin | 4 | ☐ | ☐ | |
| 4. | Child manikin (Optional) | 4 | ☐ | ☐ | |
| 5. | Infant manikin | 4 | ☐ | ☐ | |
| 6. | Choking adult manikin | 1 | ☐ | ☐ | |
| 7. | AED trainer | 2 | ☐ | ☐ | |
| 8. | Barrier device ( pocket mask: adult, child and infant size ) | 1 /participant | ☐ | ☐ | |
| 9. | 1-way valve | 1/ participant | ☐ | ☐ | |
| 10. | Face shield | 1/ participant | ☐ | ☐ | |
| **11.** | **HSFA Equipment** | | | | |
| 12. | Epinephrine pen Trainer | 5 | ☐ | ☐ | |
| 13. | gauze 4*4 | 1/ participant | ☐ | ☐ | |
| 14. | Arm sling | 10 | ☐ | ☐ | |
| 15. | Bandage | 10 | ☐ | ☐ | |
| 16. | Magazine for splint | 1/ participant | ☐ | ☐ | |
| 17. | Pair of latex-free gloves | 1/ participant | ☐ | ☐ | |
| 18. | yellow bag waste disposal | 1/ station | ☐ | ☐ | |
| 19. | Tourniquet | 2 | ☐ | ☐ | |

Saudi Heart Association
جمعية القلب السعودية

National Life Support Committee

# The Saudi Advanced Life Support in Obstetrics (SALSO)

## SALSO Equipment Checklist

| No. | description | √ | X | Note |
|---|---|---|---|---|
| 1. | * Birthing simulator | ☐ | ☐ | |
| 2. | Neonate manikin. | ☐ | ☐ | |
| 3. | Vacuum extractor equipment | ☐ | ☐ | |
| 4. | Forceps Delivery equipment | ☐ | ☐ | |
| 5. | Bloody 'show' on the pad. | ☐ | ☐ | |
| 6. | Pelvic manikin | ☐ | ☐ | |
| 7. | CTG and CTG trace attached | ☐ | ☐ | |
| 8. | ECG monitor | ☐ | ☐ | |
| 9. | IV pole with bag of fake blood running through tubing | ☐ | ☐ | |
| 10. | Disposable underpads | ☐ | ☐ | |
| 11. | Firm uterus (hard ball wrapped in fabric) | ☐ | ☐ | |
| 12. | Intrauterine balloon for PPH. | ☐ | ☐ | |
| 13. | Vaginal retractors; long weighted speculum | ☐ | ☐ | |
| 14. | Banjo curette | ☐ | ☐ | |
| 15. | Table. | ☐ | ☐ | |
| 16. | Positive Pressure Devices (BMV), NRM and SFM | ☐ | ☐ | |
| 17. | IV set, IV cannula and catheter | ☐ | ☐ | |
| 18. | Different size of needles | ☐ | ☐ | |
| 19. | Different size of syringes | ☐ | ☐ | |

| | | | | |
|---|---|---|---|---|
| 20. | NS and/or LR solution | ☐ | ☐ | |
| 21. | Gloves | ☐ | ☐ | |
| 22. | Drugs e.g., Simulated ( for simulation only ) (hydralazine, labetalol, magnesium sulfate, oxytocin, diazepam, ergotamine, etc.) | ☐ | ☐ | |
| 23. | Fetoscope | ☐ | ☐ | |
| 24. | Stethoscope & sphygmomanometer | ☐ | ☐ | |
| 25. | Thermometer | ☐ | ☐ | |
| 26. | LMA, OPA and NPA (Adult sizes) | ☐ | ☐ | |
| 27. | Foley's catheter | ☐ | ☐ | |
| 28. | 4 X4 Gauze | ☐ | ☐ | |
| 29. | Alcohol or other antiseptic solutions | ☐ | ☐ | |
| 30. | Tape or similar | ☐ | ☐ | |
| 31. | Intubation set (laryngoscope with blades and ETT adult sizes). | ☐ | ☐ | |
| 32. | Supraglottic airway device | ☐ | ☐ | |

* Birthing simulator with intra-uterine manipulation and various training possibilities for prenatal, intrapartum, and postpartum skills as follows **(Mandatory):**

- Fetal palpation of fontanelles, backbone, knees, and elbows
- Vertex presentation
- Normal vaginal delivery
- Complete, frank, and footling breech delivery
- C-section delivery
- Vertex and breech presentations in multiple delivery
- Demonstration of placenta previa: total, partial, and marginal
- Prolapse of umbilical cord
- Rubin's and Wood's (Shoulder Dystocia), Mauriceu-Smellie-Veit (Breech), Leopold's maneuver
- 3 soft vulva inserts for episiotomy exercises
- Normal delivery of umbilical cord and placenta
- Episiotomy
- Boggy uterus
- Fundal massage
- Postpartum hemorrhage (PPH)
- Clamping and cutting of umbilical cord

Saudi Heart Association
جمعية القلب السعودية

National Life Support Committee

# The Saudi Trauma Life Support (STLS) Provider Course

## Course Mannequin's, Equipment's and Supplies

## STLS Equipment Checklist

| No. | description | √ | X | Note |
|---|---|---|---|---|
| 1. | Full Body Mannequin (Adult) with simulator | ☐ | ☐ | |
| 2. | Full Body Mannequin (Child) with simulator | ☐ | ☐ | |
| 3. | Adult Airway task trainer with intubation feature | ☐ | ☐ | |
| 4. | Torso Task trainer with chest tube, needle decompression features, and Tube Thoracostomy (trauma mannequin) | ☐ | ☐ | |
| 5. | Task trainer for tourniquet placement | ☐ | ☐ | |
| 6. | IO task trainer | ☐ | ☐ | |
| 7. | Task trainer for wound packing | ☐ | ☐ | |
| 8. | Venous cutdown model | ☐ | ☐ | |
| 9. | Ultrasound machine or task trainer | ☐ | ☐ | |
| 10. | Nasal cannula | ☐ | ☐ | |
| 11. | Simple oxygen mask | ☐ | ☐ | |
| 12. | Nonrebreathing mask | ☐ | ☐ | |
| 13. | Bag Mask Ventilation device (Adult & Child size) | ☐ | ☐ | |
| 14. | Suction catheters | ☐ | ☐ | |
| 15. | Oropharyngeal airways (Different sizes) | ☐ | ☐ | |
| 16. | Nasopharyngeal airways (Different sizes) | ☐ | ☐ | |
| 17. | Tongue depressor | ☐ | ☐ | |

| | | | | |
|---|---|---|---|---|
| 18. | Water soluble lubricant | ☐ | ☐ | |
| 19. | Endotracheal tubes with stylet Different sizes | ☐ | ☐ | |
| 20. | Laryngoscope handle and blades | ☐ | ☐ | |
| 21. | Waveform capnography | ☐ | ☐ | |
| 22. | Laryngeal mask | ☐ | ☐ | |
| 23. | Stethoscope | ☐ | ☐ | |
| 24. | end-tidal colorimetric (ETCO2) | ☐ | ☐ | |
| 25. | Surgical drapes and sterile gown and gloves | ☐ | ☐ | |
| 26. | Skin preparation solution Gauze pads | ☐ | ☐ | |
| 27. | Chest drainage system | ☐ | ☐ | |
| 28. | Occlusive dressing | ☐ | ☐ | |
| 29. | Artery forceps | ☐ | ☐ | |
| 30. | Scalpel (number 10 blade) | ☐ | ☐ | |
| 31. | Tube (cuffed 6.0mm ID) | ☐ | ☐ | |
| 32. | Gum elastic bougie Syringe | ☐ | ☐ | |
| 33. | Chest drain (28-32 Fr gauge) | ☐ | ☐ | |
| 34. | Tape | ☐ | ☐ | |
| 35. | 3-way stopcock | ☐ | ☐ | |
| 36. | Syringe (different sizes) | ☐ | ☐ | |
| 37. | Pelvic stabilizing device | ☐ | ☐ | |
| 38. | Long bone femoral traction splint | ☐ | ☐ | |
| 39. | Long sheet | ☐ | ☐ | |
| 40. | IO needle | ☐ | ☐ | |

| | | | | |
|---|---|---|---|---|
| 41. | Rolled gauze | ☐ | ☐ | |
| 42. | Tourniquet | ☐ | ☐ | |
| 43. | Disposable gloves | ☐ | ☐ | |
| 44. | Clamps | ☐ | ☐ | |
| 45. | IV set | ☐ | ☐ | |
| 46. | IV cannulas: 14 g, 16 g, 18 g, 20 g, 22 g | ☐ | ☐ | |
| 47. | IV pole | ☐ | ☐ | |
| 48. | IV fluids: Normal saline Lactated Ringer's | ☐ | ☐ | |
| 49. | Gauze pads | ☐ | ☐ | |
| 50. | Sharps container | ☐ | ☐ | |
| 51. | Long bone femoral traction splint (optional) | ☐ | ☐ | |
| 52. | Surgical instruments | ☐ | ☐ | |
| 53. | Patient stretcher/trolley or sturdy table and padding, sheets and blanket | ☐ | ☐ | |
| 54. | Motor cycle helmet | ☐ | ☐ | |
| 55. | Cervical collar with blocks and straps | ☐ | ☐ | |
| 56. | Long spine board | ☐ | ☐ | |
| 57. | Ultrasound gel | ☐ | ☐ | |
| 58. | Crash Cart | ☐ | ☐ | |
| 59. | Simulated Drugs e.g., Simulated ( for simulation only ) RSI medications | ☐ | ☐ | |
| 60. | Simulated Blood products | ☐ | ☐ | |
| 61. | EKG Leads/Wires | ☐ | ☐ | |
| 62. | Temperature Probe | ☐ | ☐ | |

| | | | | |
|---|---|---|---|---|
| 63. | Central Venous Line | ☐ | ☐ | |
| 64. | NIBP Cuff | ☐ | ☐ | |
| 65. | Cardiac Monitor& Rhythm generator | ☐ | ☐ | |
| 66. | Capnography | ☐ | ☐ | |
| 67. | Pulse Oximeter | ☐ | ☐ | |
| 68. | Nasal Prongs | ☐ | ☐ | |
| 69. | Stethoscope | ☐ | ☐ | |
| 70. | Venturi Mask | ☐ | ☐ | |
| 71. | Tube Thoracostomy Kit | ☐ | ☐ | |
| 72. | Cricothyroidotomy Kit | ☐ | ☐ | |
| 73. | Thoracotomy Kit | ☐ | ☐ | |
| 74. | Laryngoscope | ☐ | ☐ | |
| 75. | Central Line Kit | ☐ | ☐ | |
| 76. | Video Assisted Laryngoscope | ☐ | ☐ | |
| 77. | Arterial Line Kit | ☐ | ☐ | |