

1st Optimal

Health • Hormones • Weight Loss


Your Optimal Treatment Plan

Prepared For:



Here's how 1st Optimal is different. We blend functional health coaching and medicine to create a plan just for you. Our health coaching helps with eating, exercise, sleep, and stress, so you can make lasting changes that fit your health goals.

At the same time, our medical team use advanced tests and treatments, like hormone therapy and special medicines, made just for you. We work together to create a plan that gets the best results with the least amount of treatment, helping you feel your best so you can help others too.



Watch this:



Choose from three areas of optimal telehealth care coverage, including **Peptide Treatments, Guided Hormone Optimization, & Weight Loss Care.**

Exclusive Member Benefits

- Guided Optimization
- Premium Member Pricing
- Priority Booking
- Hassle-Free Refills
- Free Educational E-Books

Guided Medical Oversight

- Telehealth Medical Consults
- Unlimited Asynchronous Care
- Lab Interpretations
- Ongoing Coaching & Support
- Patient Portal App

No Hidden Fees

- Free Shipping
- Free Medical Supplies
- Free Processing

Our free guides and resources are designed to give you the foundational knowledge you need to optimize your health and wellness journey. These resources offer actionable insights on hormone health, nutrition, and personalized care strategies, empowering you to make informed decisions and achieve lasting results.

Nutrition and Health Guides




PEPTIDE GUIDE



**MEN'S HEALTH
BLUEPRINT**



**MEN'S
BLOODWORK
GUIDE**



**MEN'S STRENGTH
GUIDE**



**MEN'S HEALTH
REDEFINE**




**THE 5 NATURAL
WAYS TO BOOST T**



**MAGNESIUM
GUIDE**



CREATINE GUIDE




Check out the 1st Optimal Podcast for more weekly insights!

Join the Optimal Health Solutions with 1st Optimal Facebook Community Group!



Educational Articles



HOW TESTOSTERONE AFFECTS SLEEP QUALITY



HORMONE OPTIMIZATION FOR MEN OVER 40



MEN'S HEALTH: THE IMPORTANCE OF CHECKING LABS



UNLOCKING THE POWER OF PEPTIDES

Watch This:



Learn the essentials of Blood Flow Restriction (BFR) training from Dr. Michael MacPherson, PhD. 1st Optimal Advisor, Human Performance, Physiology & Recovery. This quick breakdown covers how the AirBand BFR cuffs work, their benefits for muscle growth and recovery, and key safety tips for using them effectively.

Joe Miller LinkTree



1st Optimal LinkTree



Lifestyle Recommendations

Follow CDC Exercise Guidelines:

Engage in at least 150 minutes of moderate-intensity aerobic activity (like brisk walking or cycling) or 75 minutes of vigorous activity (like running or swimming) each week, plus muscle-strengthening exercises on 2+ days targeting major muscle groups. For strength training, use a weight where you can perform 8–12 reps with good form, equating to around 60–80% of your one-repetition maximum (1RM).

Prioritize Sleep Quality and Quantity:

Aim for 7–9 hours of quality sleep per night. Research shows sleeping less than 5 hours can reduce testosterone levels by up to 10–15%. Focus on a regular schedule and limit blue light exposure one hour before bed to improve sleep efficiency.

Stay Hydrated:

Aim for 3.7 liters/day for men and 2.7 liters/day for women, as recommended by the Institute of Medicine.

Dehydration can increase cortisol levels and reduce energy, impacting exercise performance and hormone balance.

Optimize Nutrient Intake:

Follow a balanced diet with 20–30% of daily calories from healthy fats, essential for testosterone production. For example, if you consume 2,000 calories per day, aim for 44–66 grams of fat from sources like avocados, nuts, and olive oil. Ensure adequate zinc (11 mg/day for men, 8 mg/day for women) and magnesium (400 mg/day for men, 310 mg/day for women) to support hormone health.

Incorporate Resistance Training:

Begin resistance training 2 to 3 nonconsecutive days per week using full-body workouts. Focus on major muscle groups and movement patterns including squat, hinge, push, pull, carry, and core stability.

Start with 1 to 3 sets of 8 to 12 repetitions per exercise using a moderate load, roughly 60% to 70% of estimated 1-repetition maximum. The weight should feel challenging but controlled, with 1 to 3 good reps left in reserve. For beginners, older adults, or deconditioned clients, start with 10 to 15 repetitions using lighter loads.

Use a controlled tempo: about 2 seconds lifting and 2 to 3 seconds lowering. Avoid rushing, bouncing, or sacrificing form to increase weight. Rest 1 to 2 minutes between moderate sets. Rest 2 to 3 minutes after heavier compound lifts.

Progress gradually. Once all prescribed reps can be completed with good form for 2 workouts in a row, increase weight by about 2% to 10%. Prioritize consistency, proper technique, full range of motion, recovery, protein intake, daily movement, and sleep. Pair resistance training with aerobic activity to support weight loss, blood sugar, blood pressure, cholesterol, strength, and long-term health.

Stop exercise and seek medical guidance for chest pain, dizziness, unusual shortness of breath, sharp pain, or worsening symptoms.

Lifestyle Recommendations

Reduce Sugar and Processed Foods:

Limit added sugars to less than 10% of daily calories, per CDC recommendations. For a 2,000-calorie diet, that's less than 50 grams of added sugar daily. High sugar intake can lead to insulin resistance and indirectly lower.

Manage Stress Levels:

Chronic stress can elevate cortisol levels, which can suppress testosterone. Incorporate 10–20 minutes of daily stress management practices such as mindfulness, breathing exercises, or progressive muscle relaxation. Studies show that lower cortisol levels correlate with higher testosterone levels.

Get Regular Sun Exposure or Supplement Vitamin D:

Aim for 10–30 minutes of midday sun exposure several times per week, depending on skin type and location, or take 600–800 IU of vitamin D daily if sun exposure is limited. Vitamin D is linked to improved testosterone levels and immune health.



Lifestyle Recommendations

Maintain a Healthy Weight:

Aim for a Body Mass Index (BMI) in the range of 18.5–24.9, as studies show that excess body fat, especially visceral fat, is associated with lower testosterone levels. Calculate BMI as $\text{weight (kg)} / \text{height (m}^2\text{)}$. Losing 5–10% of body weight can significantly improve testosterone levels and overall metabolic health if overweight.

Limit Alcohol and Avoid Smoking:


Limit alcohol to 2 drinks or less per day for men and 1 drink or less per day for women, as excessive intake can negatively impact testosterone levels and liver health. Smoking can reduce blood flow and negatively impact testosterone production, so it's recommended to quit smoking entirely for optimal hormone balance.



Coach Eli Coffey, 1st Optimal Coaching Partner, Team Bionic

When receiving treatment through **subcutaneous** (under the skin) or **intramuscular** (into the muscle) injection, the medication is delivered directly into your body through a needle. Subcutaneous injections are typically given in the fatty tissue just beneath the skin, while intramuscular injections go deeper into the muscle.

Subcutaneous Injection



[View Instructions](#)

Intramuscular Injection



[View Instructions](#)



Thank You.

> **Optimize You,
Uplift Others**

Questions? Let's Talk!



(816) 744-6814



MemberSupport@1stOptimal.com



1stOptimal.com

1st Optimal

Health • Hormones • Weight Loss