

Lab Results

Here, you can access reports on the laboratory tests conducted during your visits. If you have any questions or need further explanation of your laboratory reports, please contact us. If you believe any data is incorrect, please notify the office.

Please note: the list here may contain results that are yet to be reviewed by your provider.

BERDIA MONSON

Most recent results

Date Range: 06/11/2026 - 06/18/2026

CBC

WBC

10.51 cummk

>

Date: Jun 18, 2026 04:15 a.m. CDT

Reference Range: 3.98 cummk - 10.04 cummk

[View all for this result](#)

RBC

4.14 cummc

>

Date: Jun 18, 2026 04:15 a.m. CDT

Reference Range: 3.93 cummc - 5.22 cummc

[View all for this result](#)

Hgb

11.7 g/dL

>

Date: Jun 18, 2026 04:15 a.m. CDT

Reference Range: 11.2 g/dL - 15.7 g/dL

[View all for this result](#)**Hct****38.2 %**

Date: Jun 18, 2026 04:15 a.m. CDT

Reference Range: 34.1 % - 44.9 %

[View all for this result](#)**MCV****92.3 fL**

Date: Jun 18, 2026 04:15 a.m. CDT

Reference Range: 79.4 fL - 94.8 fL

[View all for this result](#)**MCH****28.3 pg**

Date: Jun 18, 2026 04:15 a.m. CDT

Reference Range: 25.6 pg - 32.2 pg

[View all for this result](#)**MCHC****30.6 g/dL**

Date: Jun 18, 2026 04:15 a.m. CDT

Reference Range: 32.2 g/dL - 35.5 g/dL

[View all for this result](#)**RDW****18.2 %**

Date: Jun 18, 2026 04:15 a.m. CDT

Reference Range: 11.7 % - 14.4 %

[View all for this result](#)

Platelets

182 cummk



Date: Jun 18, 2026 04:15 a.m. CDT

Reference Range: 182 cummk - 369 cummk

[View all for this result](#)

MPV

10.6 fL



Date: Jun 18, 2026 04:15 a.m. CDT

Reference Range: 9.4 fL - 12.3 fL

[View all for this result](#)

Differential

Neutro Auto

54.2 %



Date: Jun 18, 2026 04:15 a.m. CDT

Reference Range: 34.0 % - 71.1 %

[View all for this result](#)

Lymph Auto

34.1 %



Date: Jun 18, 2026 04:15 a.m. CDT

Reference Range: 19.3 % - 51.7 %

[View all for this result](#)

Mono Auto

8.5 % 

Date: Jun 18, 2026 04:15 a.m. CDT

Reference Range: 4.7 % - 12.5 %

[View all for this result](#)

Eos Auto

2.4 % 

Date: Jun 18, 2026 04:15 a.m. CDT

Reference Range: 0.7 % - 5.8 %

[View all for this result](#)

Basophil Auto

0.3 % 

Date: Jun 18, 2026 04:15 a.m. CDT

Reference Range: 0.1 % - 1.2 %

[View all for this result](#)

Neutro Absolute

5.71 cummk 

Date: Jun 18, 2026 04:15 a.m. CDT

Reference Range: 1.56 cummk - 6.13 cummk

[View all for this result](#)

Lymph Absolute

3.58 cummk 

Date: Jun 18, 2026 04:15 a.m. CDT

Reference Range: 1.18 cummk - 3.74 cummk

[View all for this result](#)

Mono Absolute

0.89 cummk

Date: Jun 18, 2026 04:15 a.m. CDT

Reference Range: 0.24 cummk - 0.86 cummk

[View all for this result](#)**Eos Absolute****0.25 cummk**

Date: Jun 18, 2026 04:15 a.m. CDT

Reference Range: 0.04 cummk - 0.36 cummk

[View all for this result](#)**Baso Absolute****0.03 cummk**

Date: Jun 18, 2026 04:15 a.m. CDT

Reference Range: 0.01 cummk - 0.08 cummk

[View all for this result](#)**NRBC Absolute****0.000 cummk**

Date: Jun 18, 2026 04:15 a.m. CDT

Reference Range: <= 0.012 cummk

[View all for this result](#)**Imm Gran Auto****0.5 %**

Date: Jun 18, 2026 04:15 a.m. CDT

[View all for this result](#)**General Chemistry**

Sodium Level**142 mmol/L**

Date: Jun 18, 2026 04:15 a.m. CDT

Reference Range: 136 mmol/L - 145 mmol/L

[View all for this result](#)**Potassium Level****3.9 mmol/L**

Date: Jun 18, 2026 04:15 a.m. CDT

Reference Range: 3.5 mmol/L - 5.1 mmol/L

[View all for this result](#)**Chloride Level****101 mmol/L**

Date: Jun 18, 2026 04:15 a.m. CDT

Reference Range: 98 mmol/L - 107 mmol/L

[View all for this result](#)**CO2****36 mmol/L**

Date: Jun 18, 2026 04:15 a.m. CDT

Reference Range: 21 mmol/L - 32 mmol/L

[View all for this result](#)**Anion Gap****5 mmol/L**

Date: Jun 18, 2026 04:15 a.m. CDT

Reference Range: 4 mmol/L - 12 mmol/L

[View all for this result](#)

BUN

20 mg/dL

>

Date: Jun 18, 2026 04:15 a.m. CDT

Reference Range: 7 mg/dL - 18 mg/dL

View all for this result

Creatinine Level

1.16 mg/dL

>

Date: Jun 18, 2026 04:15 a.m. CDT

Reference Range: 0.55 mg/dL - 1.02 mg/dL

View all for this result

Est Creatinine Clearance

31.96 mL/min

>

Date: Jun 18, 2026 04:36 a.m. CDT

View all for this result

Glucose Level

143 mg/dL

>

Date: Jun 18, 2026 04:15 a.m. CDT

Reference Range: 74 mg/dL - 106 mg/dL

View all for this result

eGFR CKD-EPI

45

>

Date: Jun 18, 2026 04:15 a.m. CDT

View all for this result

Calcium Level

9.1 mg/dL >

Date: Jun 18, 2026 04:15 a.m. CDT Reference Range: 8.5 mg/dL - 10.1 mg/dL

View all for this result

Magnesium Level

2.3 mg/dL >

Date: Jun 16, 2026 03:30 a.m. CDT Reference Range: 1.8 mg/dL - 2.4 mg/dL

Cardiac Markers

Troponin High Sensitivity

494 ng/L >

Date: Jun 15, 2026 11:34 a.m. CDT Reference Range: <= 51 ng/L

View all for this result

ProBNP

4159 pg/mL >

Date: Jun 15, 2026 08:57 a.m. CDT Reference Range: <= 450 pg/mL

Endocrinology

Procalcitonin

< 0.05 ng/mL >

Date: Jun 15, 2026 08:57 a.m. CDT Reference Range: <= 0.59 ng/mL

UA Macroscopic

UA Color

Yellow >

Date: Jun 15, 2026 09:49 a.m. CDT

UA Appear

Clear >

Date: Jun 15, 2026 09:49 a.m. CDT

UA pH

7.5 >

Date: Jun 15, 2026 09:49 a.m. CDT

UA Spec Grav

1.015 >

Date: Jun 15, 2026 09:49 a.m. CDT

UA Glucose

Negative mg/dL >

Date: Jun 15, 2026 09:49 a.m. CDT

UA Bili**Negative mg/dL**

Date: Jun 15, 2026 09:49 a.m. CDT

UA Ketones**Negative mg/dL**

Date: Jun 15, 2026 09:49 a.m. CDT

UA Blood**Negative**

Date: Jun 15, 2026 09:49 a.m. CDT

UA Protein**Negative mg/dL**

Date: Jun 15, 2026 09:49 a.m. CDT

UA Urobilinogen**0.2 EU/dL**

Date: Jun 15, 2026 09:49 a.m. CDT

UA Nitrite**Negative mg/dL**

Date: Jun 15, 2026 09:49 a.m. CDT

UA Leuk Est

Negative



Date: Jun 15, 2026 09:49 a.m. CDT

Patient Measurements

Height/Length Measured

5 ft 1.0 in



Date: Jun 15, 2026 08:32 a.m. CDT

Weight Measured

164.02 lb



Date: Jun 18, 2026 04:00 a.m. CDT

View all for this result

Body Mass Index Measured

34.3 kg/m2



Date: Jun 15, 2026 08:32 a.m. CDT

Reference Range: 18.5 kg/m2 - 24.9 kg/m2

Temperature Oral

97.3 DegF



Date: Jun 18, 2026 10:51 a.m. CDT

Reference Range: 97.0 DegF - 99.5 DegF

View all for this result

Heart Rate Monitored

68 bpm



Date: Jun 18, 2026 10:51 a.m. CDT

Reference Range: 60 bpm - 100 bpm

[View all for this result](#)

Respiratory Rate

16 br/min



Date: Jun 18, 2026 10:51 a.m. CDT

Reference Range: 14 br/min - 20 br/min

[View all for this result](#)

Systolic Blood Pressure

124 mmHg



Date: Jun 18, 2026 10:51 a.m. CDT

Reference Range: 90 mmHg - 120 mmHg

[View all for this result](#)

Diastolic Blood Pressure

53 mmHg



Date: Jun 18, 2026 10:51 a.m. CDT

Reference Range: 60 mmHg - 80 mmHg

[View all for this result](#)