

Lab Results

Here, you can access reports on the laboratory tests conducted during your visits. If you have any questions or need further explanation of your laboratory reports, please contact us. If you believe any data is incorrect, please notify the office.

Please note: the list here may contain results that are yet to be reviewed by your provider.

BERDIA MONSON

Most recent results

Date Range: 05/25/2026 - 06/01/2026

CBC

WBC

5.54 cummk 

Date: May 31, 2026 09:24 p.m. CDT Reference Range: 3.98 cummk - 10.04 cummk

RBC

2.43 cummc 

Date: May 31, 2026 09:24 p.m. CDT Reference Range: 3.93 cummc - 5.22 cummc

Hgb

6.9 g/dL 

Date: May 31, 2026 09:24 p.m. CDT Reference Range: 11.2 g/dL - 15.7 g/dL

Hct**21.6 %**

Date: May 31, 2026 09:24 p.m. CDT

Reference Range: 34.1 % - 44.9 %

MCV**88.9 fL**

Date: May 31, 2026 09:24 p.m. CDT

Reference Range: 79.4 fL - 94.8 fL

MCH**28.4 pg**

Date: May 31, 2026 09:24 p.m. CDT

Reference Range: 25.6 pg - 32.2 pg

MCHC**31.9 g/dL**

Date: May 31, 2026 09:24 p.m. CDT

Reference Range: 32.2 g/dL - 35.5 g/dL

RDW**17.5 %**

Date: May 31, 2026 09:24 p.m. CDT

Reference Range: 11.7 % - 14.4 %

Platelets**106 cummk**

Date: May 31, 2026 09:24 p.m. CDT

Reference Range: 182 cummk - 369 cummk

MPV**NA fL**

Date: May 31, 2026 09:24 p.m. CDT

Reference Range: 9.4 fL - 12.3 fL

Differential**Neutro Auto****69.7 %**

Date: May 31, 2026 09:24 p.m. CDT

Reference Range: 34.0 % - 71.1 %

Lymph Auto**18.4 %**

Date: May 31, 2026 09:24 p.m. CDT

Reference Range: 19.3 % - 51.7 %

Mono Auto**9.0 %**

Date: May 31, 2026 09:24 p.m. CDT

Reference Range: 4.7 % - 12.5 %

Eos Auto**1.6 %**

Date: May 31, 2026 09:24 p.m. CDT

Reference Range: 0.7 % - 5.8 %

Basophil Auto

0.4 % ➤

Date: May 31, 2026 09:24 p.m. CDT

Reference Range: 0.1 % - 1.2 %

Neutro Absolute

3.86 cummk ➤

Date: May 31, 2026 09:24 p.m. CDT

Reference Range: 1.56 cummk - 6.13 cummk

Lymph Absolute

1.02 cummk ➤

Date: May 31, 2026 09:24 p.m. CDT

Reference Range: 1.18 cummk - 3.74 cummk

Mono Absolute

0.50 cummk ➤

Date: May 31, 2026 09:24 p.m. CDT

Reference Range: 0.24 cummk - 0.86 cummk

Eos Absolute

0.09 cummk ➤

Date: May 31, 2026 09:24 p.m. CDT

Reference Range: 0.04 cummk - 0.36 cummk

Baso Absolute

0.02 cummk ➤

Date: May 31, 2026 09:24 p.m. CDT

Reference Range: 0.01 cummk - 0.08 cummk

NRBC Absolute**0.000 cummk**

Date: May 31, 2026 09:24 p.m. CDT

Reference Range: <= 0.012 cummk

Imm Gran Auto**0.9 %**

Date: May 31, 2026 09:24 p.m. CDT

Coagulation**PT****15.3 seconds**

Date: May 31, 2026 09:24 p.m. CDT

Reference Range: 11.7 seconds - 14.3 seconds

INR**1.2**

Date: May 31, 2026 09:24 p.m. CDT

PTT**41.1 seconds**

Date: May 31, 2026 09:24 p.m. CDT

Reference Range: 23.6 seconds - 35.1 seconds

General Chemistry

Sodium Level**133 mmol/L**

Date: May 31, 2026 09:24 p.m. CDT

Reference Range: 136 mmol/L - 145 mmol/L

Potassium Level**3.7 mmol/L**

Date: May 31, 2026 09:24 p.m. CDT

Reference Range: 3.5 mmol/L - 5.1 mmol/L

Chloride Level**100 mmol/L**

Date: May 31, 2026 09:24 p.m. CDT

Reference Range: 98 mmol/L - 107 mmol/L

CO2**24 mmol/L**

Date: May 31, 2026 09:24 p.m. CDT

Reference Range: 21 mmol/L - 32 mmol/L

Anion Gap**9 mmol/L**

Date: May 31, 2026 09:24 p.m. CDT

Reference Range: 4 mmol/L - 12 mmol/L

BUN**43 mg/dL**

Date: May 31, 2026 09:24 p.m. CDT

Reference Range: 7 mg/dL - 18 mg/dL

Creatinine Level**2.06 mg/dL**

Date: May 31, 2026 09:24 p.m. CDT

Reference Range: 0.55 mg/dL - 1.02 mg/dL

Est Creatinine Clearance**18.15 mL/min**

Date: May 31, 2026 10:04 p.m. CDT

Alk Phos**88 U/L**

Date: May 31, 2026 09:24 p.m. CDT

Reference Range: 46 U/L - 116 U/L

ALT**13 U/L**

Date: May 31, 2026 09:24 p.m. CDT

Reference Range: 14 U/L - 59 U/L

AST**14 U/L**

Date: May 31, 2026 09:24 p.m. CDT

Reference Range: 15 U/L - 37 U/L

Glucose Level**133 mg/dL**

Date: May 31, 2026 09:24 p.m. CDT

Reference Range: 74 mg/dL - 106 mg/dL

eGFR CKD-EPI**23**

Date: May 31, 2026 09:24 p.m. CDT

Calcium Level**8.0 mg/dL**

Date: May 31, 2026 09:24 p.m. CDT

Reference Range: 8.5 mg/dL - 10.1 mg/dL

Protein Total**6.4 g/dL**

Date: May 31, 2026 09:24 p.m. CDT

Reference Range: 6.4 g/dL - 8.2 g/dL

Albumin Level**2.6 g/dL**

Date: May 31, 2026 09:24 p.m. CDT

Reference Range: 3.4 g/dL - 5.0 g/dL

Bilirubin Total**0.4 mg/dL**

Date: May 31, 2026 09:24 p.m. CDT

Reference Range: 0.2 mg/dL - 1.0 mg/dL

Bilirubin Direct

0.12 mg/dL

Date: May 31, 2026 09:24 p.m. CDT

Reference Range: <= 0.20 mg/dL

Magnesium Level**2.2 mg/dL**

Date: May 31, 2026 09:24 p.m. CDT

Reference Range: 1.8 mg/dL - 2.4 mg/dL

Cardiac Markers**Troponin High Sensitivity****149 ng/L**

Date: May 31, 2026 11:46 p.m. CDT

Reference Range: <= 51 ng/L

[View all for this result](#)**ProBNP****4421 pg/mL**

Date: May 31, 2026 09:24 p.m. CDT

Reference Range: <= 450 pg/mL

Thyroid**T4 Free****1.00 ng/mL**

Date: May 31, 2026 09:24 p.m. CDT

Reference Range: 0.76 ng/mL - 1.46 ng/mL

TSH

1.894 uIU/mL



Date: May 31, 2026 09:24 p.m. CDT

Reference Range: 0.358 uIU/mL - 3.740 uIU/mL

Endocrinology

Procalcitonin

0.16 ng/mL



Date: May 31, 2026 09:24 p.m. CDT

Reference Range: <= 0.59 ng/mL

UA Macroscopic

UA Color

Yellow



Date: May 31, 2026 09:41 p.m. CDT

UA Appear

Clear



Date: May 31, 2026 09:41 p.m. CDT

UA pH

6.0



Date: May 31, 2026 09:41 p.m. CDT

UA Spec Grav**1.010**

Date: May 31, 2026 09:41 p.m. CDT

UA Glucose**Negative mg/dL**

Date: May 31, 2026 09:41 p.m. CDT

UA Bili**Negative**

Date: May 31, 2026 09:41 p.m. CDT

UA Ketones**Negative mg/dL**

Date: May 31, 2026 09:41 p.m. CDT

UA Blood**Negative**

Date: May 31, 2026 09:41 p.m. CDT

UA Protein**Negative mg/dL**

Date: May 31, 2026 09:41 p.m. CDT

UA Urobilinogen**0.2 EU/dL**

Date: May 31, 2026 09:41 p.m. CDT

UA Nitrite**Negative**

Date: May 31, 2026 09:41 p.m. CDT

UA Leuk Est**1+**

Date: May 31, 2026 09:41 p.m. CDT

UA Microscopic**UA WBC****0-2 /HPF**

Date: May 31, 2026 09:41 p.m. CDT

UA RBC**None Seen**

Date: May 31, 2026 09:41 p.m. CDT

UA Bacteria

Trace /HPF

>

Date: May 31, 2026 09:41 p.m. CDT

UA Squam Epithelial

>

0-5 /LPF

>

Date: May 31, 2026 09:41 p.m. CDT

Patient Measurements

Height/Length Measured

>

5 ft 1.0 in

>

Date: May 31, 2026 07:31 p.m. CDT

Weight Measured

>

196.87 lb

>

Date: Jun 01, 2026 04:20 a.m. CDT

View all for this result

Body Mass Index Measured

>

34.84 kg/m2

>

Date: May 31, 2026 07:31 p.m. CDT

Reference Range: 18.5 kg/m2 - 24.9 kg/m2

Temperature Axillary

>

36.5 degC

>

Date: Jun 01, 2026 07:00 a.m. CDT

Reference Range: 35.5 degC - 36.3 degC

[View all for this result](#)

Temperature Oral

96.8 DegF

Date: Jun 01, 2026 05:30 a.m. CDT

Reference Range: 97.0 DegF - 99.5 DegF

[View all for this result](#)

Heart Rate Monitored

73 bpm

Date: Jun 01, 2026 12:51 p.m. CDT

Reference Range: 60 bpm - 100 bpm

[View all for this result](#)

Respiratory Rate

12 br/min

Date: Jun 01, 2026 11:13 a.m. CDT

Reference Range: 12 br/min - 20 br/min

[View all for this result](#)

Systolic Blood Pressure

132 mmHg

Date: Jun 01, 2026 12:51 p.m. CDT

Reference Range: 90 mmHg - 120 mmHg

[View all for this result](#)

Diastolic Blood Pressure

74 mmHg

Date: Jun 01, 2026 12:51 p.m. CDT

Reference Range: 60 mmHg - 80 mmHg

[View all for this result](#)

Transfusion Data

Unit Number

END W091026245515

Date: Jun 01, 2026 11:12 a.m. CDT

[View all for this result](#)

Transfusion Started

06/01/2026 10:17

Date: Jun 01, 2026 10:17 a.m. CDT

[View all for this result](#)

Transfusion Ended

06/01/2026 11:12

Date: Jun 01, 2026 11:12 a.m. CDT

[View all for this result](#)

Blood Product

E0336 RBC CPD AS1 500 LR

Date: Jun 01, 2026 11:12 a.m. CDT

[View all for this result](#)

Division

0

Date: Jun 01, 2026 11:12 a.m. CDT

[View all for this result](#)**Blood Product Expiration****06/24/2026 23:59**

Date: Jun 01, 2026 10:17 a.m. CDT

[View all for this result](#)**Donor Blood Type****O POS**

Date: Jun 01, 2026 10:17 a.m. CDT

[View all for this result](#)**Donation Type****Volunteer homologous (allogeneic) donor**

Date: Jun 01, 2026 11:12 a.m. CDT

[View all for this result](#)**Pre-Transfusion Checks****Transfusion order reviewed, Informed consent verified, Pre-transfusion medications given: None ordered, IV Site:: Central Vein, Transfusion education provided, Filter tubing used**

Date: Jun 01, 2026 10:17 a.m. CDT

[View all for this result](#)

User ID**Rogers Goodwin, Andrea**

Date: Jun 01, 2026 11:12 a.m. CDT

[View all for this result](#)**Donor Center Code****W0910**

Date: Jun 01, 2026 10:17 a.m. CDT

[View all for this result](#)**Transfusion Reaction Occurred****No**

Date: Jun 01, 2026 11:12 a.m. CDT

[View all for this result](#)**Packed Red Blood Cells Volume****326 mL**

Date: Jun 01, 2026 11:12 a.m. CDT

[View all for this result](#)**Transfusion Medicine Testing****ABO/Rh Type****O Pos**

Date: Jun 01, 2026 02:16 a.m. CDT

Antibody Screen**Negative ABSC**

Date: Jun 01, 2026 02:16 a.m. CDT

RBC Product Ready**Done**

Date: Jun 01, 2026 02:16 a.m. CDT

Crossmatch Summary**Crossmatch****Computer XM OK**

Date: Jun 01, 2026 02:16 a.m. CDT

[View all for this result](#)**Transfusion Summary****TRANSFUSED**

The value for this result cannot be displayed. Contact your provider to obtain this information.



Date: Jun 01, 2026 11:12 a.m. CDT

[View all for this result](#)