

IMPERIAL

IMPERIAL COLLEGE LONDON

DEPARTMENT OF MATHEMATICS

MSCI RESEARCH PROJECT

Title

Author:
Sidharth Hariharan

Supervisor(s):
Bhavik Mehta

Submitted in partial fulfillment of the requirements for the MSci in Mathematics at Imperial
College London

November 14, 2024

Abstract

Hi

Acknowledgments

Plagiarism statement

The work contained in this thesis is my own work unless otherwise stated.

Signature: Sidharth Hariharan

Date: November 14, 2024

Contents

1	Introduction	5
1.1	Section Example	7
1.1.1	Subsection Example	7
1.2	Math Example	7
1.3	Algorithm Example	8
1.4	Reference Example	8

Chapter 1

Introduction

The introduction should attempt to set your work in the context of other work done in the field. It should demonstrate that you are aware of what you are doing, and how it relates to other work (with references). It should also provide an overview of the contents of the project. You should highlight your individual contributions and any novel result: which of the calculations, theorems, examples, proofs, conjectures, codes etc. are your own?

Here is some filler text to show you what a few pages may look like. Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum



Figure 1.1 This is an example of how you include a figure with a descriptive caption. This is an image of the South Kensington campus of Imperial College London on which we can recognize Queen's tower.

Module		
Module code	Module name	Number of students
	per gram	13.65
	each	0.01
Gnu	stuffed	92.50
Emu	stuffed	33.33
Armadillo	frozen	8.99

Table 1.1 Example booktabs table. Booktabs tables are nicer than regular ones. This site has a nice GUI for making LaTeX tables, and has a Booktabs option: <https://www.tablesgenerator.com/>

turpis. Pellentesque cursus luctus mauris.

Nulla malesuada porttitor diam. Donec felis erat, congue non, volutpat at, tincidunt tristique, libero. Vivamus viverra fermentum felis. Donec nonummy pellentesque ante. Phasellus adipiscing semper elit. Proin fermentum massa ac quam. Sed diam turpis, molestie vitae, placerat a, molestie nec, leo. Maecenas lacinia. Nam ipsum ligula, eleifend at, accumsan nec, suscipit a, ipsum. Morbi blandit ligula feugiat magna. Nunc eleifend consequat lorem. Sed lacinia nulla vitae enim. Pellentesque tincidunt purus vel magna. Integer non enim. Praesent euismod nunc eu purus. Donec bibendum quam in tellus. Nullam cursus pulvinar lectus. Donec et mi. Nam vulputate metus eu enim. Vestibulum pellentesque felis eu massa.

Quisque ullamcorper placerat ipsum. Cras nibh. Morbi vel justo vitae lacus tincidunt ultrices. Lorem ipsum dolor sit amet, consectetur adipiscing elit. In hac habitasse platea dictumst. Integer tempus convallis augue. Etiam facilisis. Nunc elementum fermentum wisi. Aenean placerat. Ut imperdiet, enim sed gravida sollicitudin, felis odio placerat quam, ac pulvinar elit purus eget enim. Nunc vitae tortor. Proin tempus nibh sit amet nisl. Vivamus quis tortor vitae risus porta vehicula. See Figure 1.1. **This is how you reference your figure in the text.**

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

Nulla malesuada porttitor diam. Donec felis erat, congue non, volutpat at, tincidunt tristique, libero. Vivamus viverra fermentum felis. Donec nonummy pellentesque ante. Phasellus adipiscing semper elit. Proin fermentum massa ac quam. Sed diam turpis, molestie vitae, placerat

a, molestie nec, leo. Maecenas lacinia. Nam ipsum ligula, eleifend at, accumsan nec, suscipit a, ipsum. Morbi blandit ligula feugiat magna. Nunc eleifend consequat lorem. Sed lacinia nulla vitae enim. Pellentesque tincidunt purus vel magna. Integer non enim. Praesent euismod nunc eu purus. Donec bibendum quam in tellus. Nullam cursus pulvinar lectus. Donec et mi. Nam vulputate metus eu enim. Vestibulum pellentesque felis eu massa.

Quisque ullamcorper placerat ipsum. Cras nibh. Morbi vel justo vitae lacus tincidunt ultrices. Lorem ipsum dolor sit amet, consectetur adipiscing elit. In hac habitasse platea dictumst. Integer tempus convallis augue. Etiam facilisis. Nunc elementum fermentum wisi. Aenean placerat. Ut imperdiet, enim sed gravida sollicitudin, felis odio placerat quam, ac pulvinar elit purus eget enim. Nunc vitae tortor. Proin tempus nibh sit amet nisl. Vivamus quis tortor vitae risus porta vehicula. **This is how you would reference a table:** Table 1.1.

1.1 Section Example

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

1.1.1 Subsection Example

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

Subsubsection Example

Note that you can reference chapters, sections, subsections and subsubsections. For example: Subsection 1.1.1!

1.2 Math Example

While math can be written inline like so $f(x) = \sum_{n=0}^{\infty} \frac{x^n}{n!}$, we often need to write stand-alone equations like so

$$\text{score}(x) = \left(\lambda_m \sum_{i=0}^{|\mathbf{m}|} \log \hat{p}_m(d(x, \mathbf{m}_i) | l_i) \right) + \left(\lambda_l \sum_{i=0}^{|\mathbf{l}|} \log \hat{p}_l(d(x, \mathbf{l}_i) | \mathbf{v}_i) \right) + \lambda_p \hat{p}_p(x) \quad (1.2.1)$$

To write equations over multiple lines (like systems of equation or equations too long to fit the page), one can use the *align* environment coupled to the *subequations* environment like so

$$\mathbb{P}(0 \rightsquigarrow -a) = D \int_0^\infty dt k_r e^{-k_r t} \int_0^t d\tau \partial_x u|_{x=-a}, \quad (1.2.2a)$$

$$\mathbb{P}(0 \rightsquigarrow b) = -D \int_0^\infty dt k_r e^{-k_r t} \int_0^t d\tau \partial_x u|_{x=b}. \quad (1.2.2b)$$

1.3 Algorithm Example

See Algorithm 1

Algorithm 1: Algorithm example

Input: \mathbf{m} , such that \mathbf{m}_i is the position of the i 'th monitor
 \mathbf{l} , such that \mathbf{l}_i is the position of the i 'th landmark
 \mathbf{p}^m , such that \mathbf{p}_i^m is the ping latency from monitor i to the target
 \mathbf{p}^l , such that \mathbf{p}_i^l is the set of ping latencies to landmark i

Pre: Compute $\hat{p}_m(d | l)$, an estimator giving the likelihood of the target being distance d away from the monitor, given that the monitor records a latency of l to that target. Implemented by training a KDE using \mathbf{p}^l .
Compute $\hat{p}_l(d | v)$, an estimator giving the likelihood of the target being distance d away from the landmark, given a Canberra distance of v between the target and the landmark, using training targets.

Output: Most likely location of the target

```

1 Function Likelihood( $x, \mathbf{v}$ )
2   MonitorScore  $\leftarrow \sum_{i=0}^{|\mathbf{m}|} \log \hat{p}_m(d(x, \mathbf{m}_i) | l_i);$ 
3   LandmarkScore  $\leftarrow \sum_{i=0}^{|\mathbf{l}|} \log \hat{p}_l(d(x, \mathbf{l}_i) | \mathbf{v}_i);$ 
4   return MonitorScore + LandmarkScore
5 end

6  $\mathbf{v} \leftarrow \{\text{canberra\_distance}(\mathbf{l}_i, \mathbf{p}^m) \mid \mathbf{l}_i \in \mathbf{l}\}$ 
7  $\mathbf{C} \leftarrow \text{Constraint-Based-Geolocation}(\mathbf{m}, \mathbf{p}^m);$ 
8  $\mathbf{C}_1 \leftarrow \{m \in \mathbf{m} \mid \mathbf{C} \text{ contains } m\} \cup \{l \in \mathbf{l} \mid \mathbf{C} \text{ contains } l\};$ 
9 return  $\text{argmax}_{x \in \mathbf{C}_1} \text{Likelihood}(x)$ 

```

1.4 Reference Example

Here is how you can cite papers which you have added in the `/bibs/bibliography.bib` file. You can cite single references as such [1] or multiple references like so [1, 2]. Here is a reference to a website [3].

Bibliography

- [1] A. Einstein. Zur Elektrodynamik bewegter Körper. *Annalen der Physik*, 322(10):891–921, 1905.
- [2] P. A. M. Dirac. *The Principles of Quantum Mechanics*. International series of monographs on physics. Clarendon Press, 1981.
- [3] Wikipedia Contributors. Riemann hypothesis — Wikipedia, the free encyclopedia. https://en.wikipedia.org/wiki/Riemann_hypothesis, 2024. [Online; accessed 01-February-2024].