

src/components/navbar/nav-item.tsx

↑...

6

interface NavItemProps {

7

title: string;

8

href: string;

9

- icon: React.ComponentType<{

10

className?: string;

11

- }>;

12

hovered: string | null;

13

setHovered: (value: string | null) => void;

14

active?: boolean;

.....

↑

@@ -42,9 +40,9 @@ export function NavItem({

42

/>

43

})

44

45

- <div className="relative z-10 flex items-center gap-2 px-

5

py-3 text-white">

46

- <Icon className="h-5 w-5 shrink-0" />

47

- {title}

48

</div>

49

</Link>

50

);

...

6

interface NavItemProps {

7

title: string;

8

href: string;

9

+ icon: React.ComponentType<{ className?: string }>;

10

11

setHovered: (value: string | null) => void;

12

active?: boolean;

.....

↑

@@ -42,9 +40,9 @@ export function NavItem({

40

/>

41

})

42

43

+ <div className="relative z-10 flex items-center gap-2 px-

4

py-2.5 text-white md:px-5 md:py-3">

44

+ <Icon className="h-4 w-4 shrink-0 md:h-5 md:w-5" />

45

+ {title}

46

</div>

47

</Link>

48

);

src/components/navbar/navbar-status.tsx

↑

@@ -2,7 +2,7 @@

2

3

import Link from "next/link";

4

import { motion, AnimatePresence } from "framer-motion";

5

- import { BriefcaseBusiness, FileText } from "lucide-react";

6

import { useState } from "react";

7

8

export default function NavbarStatus() {

.....

↑

@@ -17,8 +17,8 @@ export default function NavbarStatus() {

17

className="

18

relative

19

flex

20

- h-12

21

- w-52

22

items-center

23

justify-center

24

overflow-hidden

.....

↑

@@ -27,6 +27,8 @@ export default function NavbarStatus() {

27

border-white/10

28

bg-slate-900

29

text-white

30

31

>

32

<AnimatePresence mode="wait">

.....

↑

@@ -43,8 +45,9 @@ export default function NavbarStatus() {

43

<span className="absolute h-3 w-3 animate-ping

rounded-full bg-emerald-500/40" />

44

<span className="h-3 w-3 rounded-full bg-emerald-

500" />

45

</div>

46

-

47

Available for

work

48

</motion.div>

49

) : (

50

<motion.div

.....

↑

@@ -56,8 +59,9 @@ export default function NavbarStatus() {

56

className="absolute flex items-center gap-3"

57

>

58

<FileText size={18} />

59

-

2

3

import Link from "next/link";

4

import { motion, AnimatePresence } from "framer-motion";

5

+ import { FileText } from "lucide-react";

6

import { useState } from "react";

7

8

export default function NavbarStatus() {

.....

↑

@@ -17,8 +17,8 @@ export default function NavbarStatus() {

17

className="

18

relative

19

flex

20

+ h-10

21

+ w-full

22

items-center

23

justify-center

24

overflow-hidden

.....

↑

@@ -27,6 +27,8 @@ export default function NavbarStatus() {

27

border-white/10

28

bg-slate-900

29

text-white

30

+ md:h-12

31

+ md:w-52

32

33

>

34

<AnimatePresence mode="wait">

.....

↑

@@ -43,8 +45,9 @@ export default function NavbarStatus() {

45

<span className="absolute h-3 w-3 animate-ping

rounded-full bg-emerald-500/40" />

46

<span className="h-3 w-3 rounded-full bg-emerald-

500" />

47

</div>

48

+

49

+ Available for work

50

+

51

</motion.div>

52

) : (

53

<motion.div

.....

↑

@@ -56,8 +59,9 @@ export default function NavbarStatus() {

59

className="absolute flex items-center gap-3"

60

>

61

<FileText size={18} />

62

+

60	-	View Resume	63	+	View Resume
			64	+	
61		</motion.div>	65		</motion.div>
62		)}	66		)}
63		</AnimatePresence>	67		</AnimatePresence>
.....					
↓					

src/components/navbar/navbar.tsx						...
↑	@@ -3,7 +3,8 @@					
3	import Image from "next/image";		3	import Image from "next/image";		
4	import { useState } from "react";		4	import { useState } from "react";		
5	import { usePathname } from "next/navigation";		5	import { usePathname } from "next/navigation";		
6	- import { motion } from "framer-motion";		6	+ import { motion, AnimatePresence } from "framer-motion";		
			7	+ import { Menu, X } from "lucide-react";		
7			8			
8	import { NAV_ITEMS } from "@config/navigation";		9	import { NAV_ITEMS } from "@config/navigation";		
9	import { NavItem } from "../nav-item";		10	import { NavItem } from "../nav-item";		
⬆	@@ -12,17 +13,19 @@ import NavbarStatus from "../navbar-status";					
12	export default function Navbar() {		13	export default function Navbar() {		
13	const pathname = usePathname();		14	const pathname = usePathname();		
14	const [hovered, setHovered] = useState<string null>(null);		15	const [hovered, setHovered] = useState<string null>(null);		
			16	+ const [mobileOpen, setMobileOpen] = useState(false);		
15			17			
16	return (		18	return (		
17	<motion.nav		19	<motion.nav		
18	aria-label="Main Navigation"		20	aria-label="Main Navigation"		
19	initial={{ opacity: 0, y: -16 }}		21	initial={{ opacity: 0, y: -16 }}		
20	animate={{ opacity: 1, y: 0 }}		22	animate={{ opacity: 1, y: 0 }}		
21	- transition={{ duration: 0.55, ease: [0.22, 1, 0.36, 1],		23	+ transition={{ duration: 0.55, ease: [0.22, 1, 0.36, 1]		
	delay: 0 }}			}}		
22	- className="my-6 rounded-2xl border border-white/10 bg-black px-6 py-4"		24	+ className="my-4 rounded-2xl border border-white/10 bg-black px-4 py-3 md:my-6 md:px-6 md:py-4"		
23	>		25	>		
			26	+ { /* — Top bar — */		
24	<div className="flex items-center justify-between">		27	<div className="flex items-center justify-between">		
25	- { /* Left */		28	+ { /* Left: avatar + name */		
26	<div className="flex items-center gap-3">		29	<div className="flex items-center gap-3">		
27	<Image		30	<Image		
28	src="/profile.png"		31	src="/profile.png"		
⬆	@@ -32,14 +35,13 @@ export default function Navbar() {					
32	className="rounded-full border border-white"		35	className="rounded-full border border-white"		
33	priority		36	priority		
34	/>		37	/>		
35	-		38	+ 		
36	- 					
37	Aditya Tiwari		39	Aditya Tiwari		
38			40			
39	</div>		41	</div>		
40			42			
41	- { /* Center */		43	+ { /* Center nav — hidden on mobile, visible md+ */		
42	- <div className="flex items-center gap-2">		44	+ <div className="hidden items-center gap-2 md:flex">		
43	{NAV_ITEMS.map((item) => (		45	{NAV_ITEMS.map((item) => (		
44	<NavItem		46	<NavItem		
45	key={item.title}		47	key={item.title}		
⬆	@@ -53,9 +55,59 @@ export default function Navbar() {					
53	)))		55	)))		
54	</div>		56	</div>		
55			57			
56	- { /* Right */		58	+ { /* Right: status button (hidden on mobile) + hamburger */		
57	- <NavbarStatus />		59	+ <div className="flex items-center gap-3">		
			60	+ <div className="hidden md:block">		
			61	+ <NavbarStatus />		
			62	+ </div>		
			63	+ { /* Hamburger — visible only on mobile */		
			64	+ <button		
			65	aria-label={mobileOpen ? "Close menu" : "Open menu"}		
			66	aria-expanded={mobileOpen}		
			67	aria-expanded={mobileOpen}		
			68	onClick={() => setMobileOpen((prev) => !prev)}		

24	-	</p>	21	+	Contributions over the last year.
25	-	</div>	22	+	</p>
26	-				
27	-	{/* Desktop/tablet: icon + text pill Mobile: icon only */}			
28	-	<Link			
29	-	href="https://github.com/thegeekyb0y"			
30	-	target="_blank"			
31	-	rel="noopener noreferrer"			
32	-	className="			
33	-	flex items-center gap-2			
34	-	rounded-lg border border-white/10 bg-white/5			
35	-	px-3 py-1.5			
36	-	text-sm font-medium text-muted-foreground			
37	-	transition-all duration-150			
38	-	hover:-translate-y-0.5 hover:border-white/20			
39	-	hover:text-foreground			
40	-	active:scale-95 active:translate-y-0			
41	-	"			
42	-	>			
43	-	<FaGithub className="h-4 w-4 shrink-0" />			
44	-	@thegeekyb0y			
45	-	</Link>			
46	-	</div>	23	+	</div>
47	-	<div className="flex justify-center overflow-hidden">	24	+	
48	-	{mounted ? (	25	+	<div className="w-full overflow-x-auto">
49	-	<GitHubCalendar	26	+	{mounted ? (
50	-	username="thegeekyb0y"	27	+	<div className="min-w-0">
51	-	blockSize={11.5}	28	+	<GitHubCalendar
52	-	blockMargin={3}	29	+	username="thegeekyb0y"
53	-	fontSize={12}	30	+	blockSize={11}
54	-	theme={{	31	+	blockMargin={3}
55	-	dark: ["#161b22", "#0e4429", "#006d32",	32	+	fontSize={12}
56	-	"#26a641", "#39d353"],	33	+	theme={{
57	-	/>	34	+	dark: ["#161b22", "#0e4429", "#006d32",
			35	+	"#26a641", "#39d353"],
			36	+	}}
			37	+	/>
			38	+	</div>
58	-	) : (	39	+	<div className="h-28 w-full animate-pulse rounded-lg
59	-	<div className="h-[120px] w-full animate-pulse	40	+	bg-white/5" />
60	-	rounded-lg bg-white/5" />	41	+	</div>
61	-	</div>	42	+	</BentoCard>
62	-	</BentoCard>			
.....					
↓					

src/components/sections/hero.tsx					
↑	@@	-10,12 +10,12 @@ import { profile, socials } from "@config/profile";			
10	-	export function Hero() {	10	+	export function Hero() {
11	-	return (	11	+	return (
12	-	<BentoCard className="flex min-h-70 flex-col justify-between gap-6">	12	+	<BentoCard className="flex min-h-70 flex-col justify-between gap-6">
13	-	{/* group: bio hover contrast */}	13	+	{/* Bio + avatar row */}
14	-	<div className="group flex items-start justify-between gap-4">	14	+	<div className="group flex items-start justify-between gap-4">
15	-	<div className="flex flex-col gap-1.5">	15	+	<div className="flex flex-col gap-1.5">
16	-	<h1	16	+	<h1
17	-	className={cn(	17	+	className={cn(
18	-	"text-2xl font-bold leading-tight",	18	+	"text-xl font-bold leading-tight sm:text-2xl",
19	-	"transition-opacity duration-300",	19	+	"transition-opacity duration-300",
20	-	"opacity-100 group-hover:opacity-50",	20	+	"opacity-100 group-hover:opacity-50",
21	-	)}	21	+	)}
↑	@@	-35,7 +35,7 @@ export function Hero() {			
35	-	<p	35	+	<p
36	-	className={cn(	36	+	className={cn(
37	-	"max-w-60 text-sm leading-relaxed",	37	+	"max-w-52 text-sm leading-relaxed sm:max-w-60",
38	-	"transition-all duration-300",	38	+	"transition-all duration-300",
39	-	"text-muted-foreground opacity-75",	39	+	"text-muted-foreground opacity-75",
40	-		40	+	

41	"group-hover:text-foreground group-hover:opacity-100",	41	"group-hover:text-foreground group-hover:opacity-100",
42	@@ -45,43 +45,38 @@ export function Hero() {		
45	</p>	45	</p>
46	</div>	46	</div>
47		47	
48	- <code>/* Profile image morph – scoped group/img so it doesn't bleed */</code>	48	+ <code>/* Profile image – smaller on mobile */</code>
49	<div className="group/img relative shrink-0">	49	<div className="group/img relative shrink-0">
50	<Image	50	<Image
51	src={profile.avatar}	51	src={profile.avatar}
52	alt={profile.fullName}	52	alt={profile.fullName}
53	- width={120}	53	+ width={96}
54	- height={120}	54	+ height={96}
55	priority	55	priority
56	className={cn(	56	className={cn(
57	- "rounded-xl border border-white/10 object-cover",	57	+ "size-24 rounded-xl border border-white/10 object-cover sm:size-28 md:size-32",
58	"transition-opacity duration-500 ease-in-out",	58	"transition-opacity duration-500 ease-in-out",
59	"opacity-100 group-hover/img:opacity-0",	59	"opacity-100 group-hover/img:opacity-0",
60	)}	60	)}
61	/>	61	/>
62	<Image	62	<Image
63	src="/secondimg.jpg"	63	src="/secondimg.jpg"
64	alt={` \${profile.fullName} – alternate`}	64	alt={` \${profile.fullName} – alternate`}
65	- width={120}	65	+ width={96}
66	- height={120}	66	+ height={96}
67	className={cn(	67	className={cn(
68	- "absolute inset-0 rounded-xl border border-white/10 object-cover",	68	+ "absolute inset-0 size-24 rounded-xl border border-white/10 object-cover sm:size-28 md:size-32",
69	"transition-opacity duration-500 ease-in-out",	69	"transition-opacity duration-500 ease-in-out",
70	"opacity-0 group-hover/img:opacity-100",	70	"opacity-0 group-hover/img:opacity-100",
71	)}	71	)}
72	/>	72	/>
73	</div>	73	</div>
74	</div>	74	</div>
75		75	
76	- <code>/* Bottom row */</code>	76	+ <code>/* Bottom row: socials + resume */</code>
77	- <div className="flex items-center justify-between">	77	+ <div className="flex flex-wrap items-center justify-between gap-3">
78	- <code>/*</code>		
79	- <code>* TooltipProvider at this level:</code>		
80	- <code>* - delayDuration=0 so tooltips appear instantly, no mid-hover gap</code>		
81	- <code>* - skipDelayDuration=0 so rapid moves between icons never break</code>		
82	- <code>*/</code>		
83	<TooltipPrimitive.Provider delayDuration={0} skipDelayDuration={0}>	78	<TooltipPrimitive.Provider delayDuration={0} skipDelayDuration={0}>
84	- <div className="flex items-center gap-1.5">	79	+ <div className="flex items-center gap-1.5 flex-wrap">
85	{socials.map(({ label, href, icon: Icon }) => (	80	{socials.map(({ label, href, icon: Icon }) => (
86	<TooltipPrimitive.Root key={label}>	81	<TooltipPrimitive.Root key={label}>
87	<TooltipPrimitive.Trigger asChild>	82	<TooltipPrimitive.Trigger asChild>
88	@@ -106,14 +101,11 @@ export function Hero() {		
106	<TooltipPrimitive.Content	101	<TooltipPrimitive.Content
107	side="top"	102	side="top"
108	sideOffset={8}	103	sideOffset={8}
109	- <code>// No CSS animation – instant show/hide eliminates the</code>		
110	- <code>// half-played animation glitch on rapid hover</code>		
111	className={cn(	104	className={cn(
112	"z-50 rounded-md px-2.5 py-1",	105	"z-50 rounded-md px-2.5 py-1",
113	"border border-white/10 bg-black/90 backdrop-blur-sm",	106	"border border-white/10 bg-black/90 backdrop-blur-sm",
114	"text-xs font-medium text-foreground",	107	"text-xs font-medium text-foreground",
115	"select-none",	108	"select-none",
116	- <code>// tw-animate-css classes that are already in your globals</code>		
117	"animate-in fade-in-0 zoom-in-95 duration-100",	109	"animate-in fade-in-0 zoom-in-95 duration-100",
118	"data-[state=closed]:animate-out data-[state=closed]:fade-out-0 data-[state=closed]:zoom-out-95 data-[state=closed]:duration-75",	110	"data-[state=closed]:animate-out data-[state=closed]:fade-out-0 data-[state=closed]:zoom-out-95 data-[state=closed]:duration-75",

119	)}	111	)}
⌵			
src/components/sections/tech-stack.tsx		...	
⌵	@@ -70,24 +70,26 @@ function SkillChip({		
70	rounded-xl	70	rounded-xl
71	border border-white/10	71	border border-white/10
72	bg-white/3	72	bg-white/3
73	- px-3 py-2	73	+ px-2.5 py-1.5
74	- text-sm	74	+ text-xs
75	transition-all duration-200	75	transition-all duration-200
76	hover:border-white/20	76	hover:border-white/20
77	hover:bg-white/6	77	hover:bg-white/6
78	hover:-translate-y-0.5	78	hover:-translate-y-0.5
79	hover:scale-105	79	hover:scale-105
80	active:scale-95	80	active:scale-95
81	active:translate-y-0	81	active:translate-y-0
		82	+ sm:px-3 sm:py-2 sm:text-sm
82	"	83	"
83	style={{ "--brand-color": color } as	84	style={{ "--brand-color": color } as
	React.CSSProperties}		React.CSSProperties}
84	>	85	>
85	<Icon	86	<Icon
86	className="	87	className="
87	- h-4 w-4	88	+ h-3.5 w-3.5
88	text-foreground/80	89	text-foreground/80
89	transition-colors duration-200	90	transition-colors duration-200
90	group-hover:text-[var(--brand-color)]	91	group-hover:text-[var(--brand-color)]
		92	+ sm:h-4 sm:w-4
91	"	93	"
92	/>	94	/>
93	{name}	95	{name}
⌵	@@ -102,10 +104,10 @@ export function TechStack() {		
102	return (	104	return (
103	<div className="h-full">	106	<div className="h-full">
105	- <div className="mb-5 flex items-start justify-between">	107	+ <div className="mb-4 flex items-start justify-between
			sm:mb-5">
106	<div>	108	<div>
107	- <h2 className="text-lg font-semibold">Tech	109	+ <h2 className="text-base font-semibold sm:text-
	Stack</h2>		lg">Tech Stack</h2>
108	- <p className="text-sm text-muted-foreground">	110	+ <p className="text-xs text-muted-foreground sm:text-
			sm">
109	{view === "stack"	111	{view === "stack"
110	? "Technologies I use to build and ship	112	? "Technologies I use to build and ship
	products."		products."
111	: "More tools I've worked with across	113	: "More tools I've worked with across
	projects."}		projects."}
⌵	@@ -115,30 +117,32 @@ export function TechStack() {		
115	<motion.button	117	<motion.button
116	whileTap={{ scale: 0.92 }}	118	whileTap={{ scale: 0.92 }}
117	onClick={() => setView(view === "stack" ? "tools" :	119	onClick={() => setView(view === "stack" ? "tools" :
	"stack")}		"stack")}
		120	+ aria-label={view === "stack" ? "Show more tools" :
			"Show main stack"}
118	className="	121	className="
119	- flex h-9 w-9 items-center justify-center	122	+ flex h-8 w-8 items-center justify-center
120	rounded-lg	123	rounded-lg
121	border border-white/10	124	border border-white/10
122	bg-white/3	125	bg-white/3
123	transition-all duration-200	126	transition-all duration-200
124	hover:border-white/20	127	hover:border-white/20
125	hover:bg-white/6	128	hover:bg-white/6
		129	+ sm:h-9 sm:w-9
126	"	130	"
127	>	131	>
128	<ArrowRight	132	<ArrowRight
129	className={`	133	className={`
130	- h-4 w-4 transition-transform duration-300	134	+ h-3.5 w-3.5 transition-transform duration-300
			sm:h-4 sm:w-4
131	`\${view === "tools" ? "rotate-180" : ""}	135	`\${view === "tools" ? "rotate-180" : ""}
132	`}	136	`}
133	/>	137	/>

134	</motion.button>	138	</motion.button>
135	</div>	139	</div>
136		140	
137	- <div className="relative min-h-30">	141	+ <div className="relative min-h-28 sm:min-h-30">
138	<AnimatePresence mode="wait">	142	<AnimatePresence mode="wait">
139	<motion.div	143	<motion.div
140	key={view}	144	key={view}
141	- className="absolute inset-0 flex flex-wrap content-start gap-2"	145	+ className="absolute inset-0 flex flex-wrap content-start gap-1.5 sm:gap-2"
142	initial={{ opacity: 0, scale: 0.98, filter: "blur(4px)" }}	146	initial={{ opacity: 0, scale: 0.98, filter: "blur(4px)" }}
143	animate={{ opacity: 1, scale: 1, filter: "blur(0px)" }}	147	animate={{ opacity: 1, scale: 1, filter: "blur(0px)" }}
144	exit={{ opacity: 0, scale: 0.98, filter: "blur(4px)" }}	148	exit={{ opacity: 0, scale: 0.98, filter: "blur(4px)" }}
⋮	↓		

src/components/shared/bento-card.tsx		...	
⋮	@@ -10,7 +10,7 @@ export function BentoCard({		
10	<div	10	<div
11	ref={ref}	11	ref={ref}
12	className={cn(	12	className={cn(
13	- "rounded-xl border border-white/10 bg-black p-5",	13	+ "rounded-xl border border-white/10 bg-black p-4 sm:p-5",
14	"transition-colors duration-300 hover:border-white/15",	14	"transition-colors duration-300 hover:border-white/15",
15	className,	15	className,
16	)}	16	)}
⋮	↓		

Comments 0

🔒 Lock conversation



 **Subscribe**

You're not receiving notifications from this thread.