

ecFactory: Computational Prediction of Metabolic Engineering Targets in Yeast

A constraint-based pipeline for systematic and experimentally validated strain design.

Zamberger Bernd (Presenter)

VU Introduction to metabolic modelling (2026S)



Abstract

Engineering microbial cell factories (MCFs) for the production of valuable chemicals is time- and resource-intensive, typically requiring several years of research and substantial amounts of material to advance a proof-of-concept strain to commercial scale. Genome-scale metabolic models (GEMs) combined with computational algorithms can identify non-intuitive genetic targets, yet existing methods return extensive candidate lists without integrated filtering, and standard GEMs overpredict metabolic capabilities by neglecting enzyme capacity constraints. **ecFactory** is a three-step

computational pipeline that leverages *enzyme-constrained metabolic models* (ecModels) to predict a minimal, optimal combination of gene targets for enhanced chemical bioproduction. The application of ecFactory to **103 chemicals** in *Saccharomyces cerevisiae*, reduced ~ 85 initial gene candidates per product by **73%** to ~ 21 optimal targets. Predictions were experimentally validated for **22 chemicals** across independent studies. Clustering of gene-target profiles revealed **8 product groups** sharing common engineering strategies, building the foundation for rational *platform strain* design.

Motivation & Problem

Why is engineering cell factories hard?

- Metabolism is a **highly interconnected network** modifying selected genes can have non-intuitive cascading effects
- Full MCF development is time and resource intensive
- previous methods of computational methods have limited applicability

Limitations of existing methods

- existing methods return extensive lists of target gene candidates, ranked lists still require *arbitrary* user-defined cutoffs
- Standard GEMs:** overpredict metabolic capabilities because they lack kinetic and regulatory information
- Kinetic models** (e.g. FSEOF, OptKnock, OptForce) lack integration of additional analysis to reduce number of candidate genes

The ecFactory Pipeline

ecFactory integrates the **FSEOF algorithm** with **enzyme-constrained models** ecYeastGEM v8.3.4, generated by the GECKO 2.0 Toolbox [2] in three sequential steps:




Fig.1, from [1, Fig.2]: The three-step ecFactory pipeline with the ecModel as Input.

- ecFSEOF** Flux Scanning with Enforced Objective Function on ecModels scores each gene by the direction (OE/KD/KO) and intensity of the required expression change as product secretion is progressively enforced.
- Prioritization** Discards targets encoding redundant isoenzymes or enzymes with low catalytic efficiency (low specific activity k_{cat}).
- Optimal Combination** identifies the *smallest* combination of modifications sufficient to drive the cell from maximal biomass formation to an optimal production regime.

References

- Iván Domenzain et al. "Computational biology predicts metabolic engineering targets for increased production of 103 valuable chemicals in yeast". en. In: *Proc. Natl. Acad. Sci. U. S. A.* 122.9 (Mar. 2025), e2417322122.
- Iván Domenzain et al. "Reconstruction of a catalogue of genome-scale metabolic models with enzymatic constraints using GECKO 2.0". en. In: *Nat. Commun.* 13.1 (June 2022), p. 3766.

Results: Predicting Targets for 103 Chemicals

Scope: 103 chemicals across 10 families (amino acids, terpenes, organic acids, aromatics, fatty acids, alcohols, alkaloids, flavonoids, bioamines, stilbenoids) in *S. cerevisiae*.

Key finding: Enzyme constraints enable reduction of targets




Fig.2: excerpt from [1, Fig.3A]: Overview of the distribution of predicted number of gene targets per pipeline step. (Levels correspond to the Steps in Fig.1.) OE: overexpression, KD: knockdown, KO: knockout;

The pipeline reduced the number gene targets from $\sim 85 \rightarrow \sim 21$ representing a **73% reduction**.

Protein-limited vs. substrate-limited products

- heterologous products are more often protein-constrained than native products
- OE targets centre on the pentose-phosphate pathway; KD/KO targets on the TCA cycle and oxidative phosphorylation

Literature Validation

Predictions matched independently reported engineering targets for **22 chemicals** in published literature and **30 distinct gene targets** were confirmed experimentally across 18 products from different chemical classes

Towards Platform Strains

Products with similar engineering needs cluster together:




Fig.3: excerpt from [1, Fig.4B]: t-SNE visualisation of gene-target profiles for 103 chemicals. Eight clusters share common core engineering strategies

- Engineering strategies are shared beyond chemical families
- Protein burden and metabolic precursor demand are decisive
- The Results highlight the potential for **Platform strains**.