

C:\Users\thegr\AppData\Local\Temp\wireshark_Wi-Fi_20200608161225_a15748.pcapng 1473 total packets, 12 shown

No.	Time	Source	Destination	Protocol	Length	Info
107	12.553252	192.168.0.101	192.168.0.1	DNS	72	Standard query 0x788f A www.bing.com
Frame 107: 72 bytes on wire (576 bits), 72 bytes captured (576 bits) on interface \Device\NPF_{93DF5BA3-6DF2-41A0-8F80-385CAAF6BF13}, id 0 Ethernet II, Src: HonHaiPr_93:ff:4b (90:32:4b:93:ff:4b), Dst: Tp-LinkT_b2:4c:de (7c:8b:ca:b2:4c:de) Internet Protocol Version 4, Src: 192.168.0.101, Dst: 192.168.0.1 User Datagram Protocol, Src Port: 49539, Dst Port: 53 Domain Name System (query) Transaction ID: 0x788f Flags: 0x0100 Standard query Questions: 1 Answer RRs: 0 Authority RRs: 0 Additional RRs: 0 Queries [Response In: 108]						
108	12.555914	192.168.0.1	192.168.0.101	DNS	193	Standard query response 0x788f A www.bing.com
CNAME a-0001.a-afdententry.net.trafficmanager.net CNAME dual-a-0001.a-msedge.net A 13.107.21.200 A 204.79.197.200 Frame 108: 193 bytes on wire (1544 bits), 193 bytes captured (1544 bits) on interface \Device\NPF_{93DF5BA3-6DF2-41A0-8F80-385CAAF6BF13}, id 0 Ethernet II, Src: Tp-LinkT_b2:4c:de (7c:8b:ca:b2:4c:de), Dst: HonHaiPr_93:ff:4b (90:32:4b:93:ff:4b) Internet Protocol Version 4, Src: 192.168.0.1, Dst: 192.168.0.101 User Datagram Protocol, Src Port: 53, Dst Port: 49539 Domain Name System (response) Transaction ID: 0x788f Flags: 0x8180 Standard query response, No error Questions: 1 Answer RRs: 4 Authority RRs: 0 Additional RRs: 0 Queries Answers [Request In: 107] [Time: 0.002662000 seconds]						
110	12.562829	192.168.0.101	192.168.0.1	DNS	72	Standard query 0x50ac A www.ietf.org
Frame 110: 72 bytes on wire (576 bits), 72 bytes captured (576 bits) on interface \Device\NPF_{93DF5BA3-6DF2-41A0-8F80-385CAAF6BF13}, id 0 Ethernet II, Src: HonHaiPr_93:ff:4b (90:32:4b:93:ff:4b), Dst: Tp-LinkT_b2:4c:de (7c:8b:ca:b2:4c:de) Internet Protocol Version 4, Src: 192.168.0.101, Dst: 192.168.0.1 User Datagram Protocol, Src Port: 56302, Dst Port: 53 Domain Name System (query) Transaction ID: 0x50ac Flags: 0x0100 Standard query Questions: 1 Answer RRs: 0 Authority RRs: 0 Additional RRs: 0 Queries [Response In: 111]						
111	12.566067	192.168.0.1	192.168.0.101	DNS	149	Standard query response 0x50ac A www.ietf.org
CNAME www.ietf.org.cdn.cloudflare.net A 104.20.1.85 A 104.20.0.85 Frame 111: 149 bytes on wire (1192 bits), 149 bytes captured (1192 bits) on interface \Device\NPF_{93DF5BA3-6DF2-41A0-8F80-385CAAF6BF13}, id 0 Ethernet II, Src: Tp-LinkT_b2:4c:de (7c:8b:ca:b2:4c:de), Dst: HonHaiPr_93:ff:4b (90:32:4b:93:ff:4b) Internet Protocol Version 4, Src: 192.168.0.1, Dst: 192.168.0.101 User Datagram Protocol, Src Port: 53, Dst Port: 56302 Domain Name System (response) Transaction ID: 0x50ac Flags: 0x8180 Standard query response, No error Questions: 1 Answer RRs: 3 Authority RRs: 0 Additional RRs: 0 Queries Answers [Request In: 110] [Time: 0.003238000 seconds]						
141	13.936715	192.168.0.101	192.168.0.1	DNS	72	Standard query 0xbd7f A www.ietf.org
Frame 141: 72 bytes on wire (576 bits), 72 bytes captured (576 bits) on interface \Device\NPF_{93DF5BA3-6DF2-41A0-8F80-385CAAF6BF13}, id 0 Ethernet II, Src: HonHaiPr_93:ff:4b (90:32:4b:93:ff:4b), Dst: Tp-LinkT_b2:4c:de (7c:8b:ca:b2:4c:de)						

Internet Protocol Version 4, Src: 192.168.0.101, Dst: 192.168.0.1
User Datagram Protocol, Src Port: 60256, Dst Port: 53

Domain Name System (query)

Transaction ID: 0xbd7f
Flags: 0x0100 Standard query
Questions: 1
Answer RRs: 0
Authority RRs: 0
Additional RRs: 0
Queries
[Response In: 143]

No.	Time	Source	Destination	Protocol	Length	Info
143	13.940629	192.168.0.1	192.168.0.101	DNS	149	Standard query response 0xbd7f A www.ietf.org

CNAME www.ietf.org.cdn.cloudflare.net A 104.20.0.85 A 104.20.1.85

Frame 143: 149 bytes on wire (1192 bits), 149 bytes captured (1192 bits) on interface

\Device\NPF_{93DF5BA3-6DF2-41A0-8F80-385CAAF6BF13}, id 0

Ethernet II, Src: Tp-LinkT_b2:4c:de (7c:8b:ca:b2:4c:de), Dst: HonHaiPr_93:ff:4b (90:32:4b:93:ff:4b)

Internet Protocol Version 4, Src: 192.168.0.1, Dst: 192.168.0.101

User Datagram Protocol, Src Port: 53, Dst Port: 60256

Domain Name System (response)

Transaction ID: 0xbd7f
Flags: 0x8180 Standard query response, No error
Questions: 1
Answer RRs: 3
Authority RRs: 0
Additional RRs: 0
Queries
Answers
[Request In: 141]
[Time: 0.003914000 seconds]

No.	Time	Source	Destination	Protocol	Length	Info
144	13.948657	192.168.0.101	192.168.0.1	DNS	89	Standard query 0x6e7d

A nav.smartscreen.microsoft.com

Frame 144: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface

\Device\NPF_{93DF5BA3-6DF2-41A0-8F80-385CAAF6BF13}, id 0

Ethernet II, Src: HonHaiPr_93:ff:4b (90:32:4b:93:ff:4b), Dst: Tp-LinkT_b2:4c:de (7c:8b:ca:b2:4c:de)

Internet Protocol Version 4, Src: 192.168.0.101, Dst: 192.168.0.1

User Datagram Protocol, Src Port: 58929, Dst Port: 53

Domain Name System (query)

Transaction ID: 0x6e7d
Flags: 0x0100 Standard query
Questions: 1
Answer RRs: 0
Authority RRs: 0
Additional RRs: 0
Queries
[Response In: 145]

No.	Time	Source	Destination	Protocol	Length	Info
145	13.952330	192.168.0.1	192.168.0.101	DNS	212	Standard query response 0x6e7d A

nav.smartscreen.microsoft.com CNAME wd-prod-ss.trafficmanager.net CNAME wd-prod-ss-eu-west-1-fe.westeurope.cloudapp.azure.com

A 13.80.7.77

Frame 145: 212 bytes on wire (1696 bits), 212 bytes captured (1696 bits) on interface

\Device\NPF_{93DF5BA3-6DF2-41A0-8F80-385CAAF6BF13}, id 0

Ethernet II, Src: Tp-LinkT_b2:4c:de (7c:8b:ca:b2:4c:de), Dst: HonHaiPr_93:ff:4b (90:32:4b:93:ff:4b)

Internet Protocol Version 4, Src: 192.168.0.1, Dst: 192.168.0.101

User Datagram Protocol, Src Port: 53, Dst Port: 58929

Domain Name System (response)

Transaction ID: 0x6e7d
Flags: 0x8180 Standard query response, No error
Questions: 1
Answer RRs: 3
Authority RRs: 0
Additional RRs: 0
Queries
Answers
[Request In: 144]
[Time: 0.003673000 seconds]

No.	Time	Source	Destination	Protocol	Length	Info
372	14.691555	192.168.0.101	192.168.0.1	DNS	78	Standard query 0x1a35 A analytics.ietf.org

Frame 372: 78 bytes on wire (624 bits), 78 bytes captured (624 bits) on interface

\Device\NPF_{93DF5BA3-6DF2-41A0-8F80-385CAAF6BF13}, id 0

Ethernet II, Src: HonHaiPr_93:ff:4b (90:32:4b:93:ff:4b), Dst: Tp-LinkT_b2:4c:de (7c:8b:ca:b2:4c:de)

Internet Protocol Version 4, Src: 192.168.0.101, Dst: 192.168.0.1

User Datagram Protocol, Src Port: 49332, Dst Port: 53

Domain Name System (query)

```
Transaction ID: 0x1a35
Flags: 0x0100 Standard query
Questions: 1
Answer RRs: 0
Authority RRs: 0
Additional RRs: 0
Queries
[Response In: 1364]
No.    Time           Source           Destination      Protocol Length Info
1358 15.692239      192.168.0.101    192.168.0.1      DNS             78      Standard query 0x1a35 A analytics.ietf.org
Frame 1358: 78 bytes on wire (624 bits), 78 bytes captured (624 bits) on interface
\Device\NPF_{93DF5BA3-6DF2-41A0-8F80-385CAAF6BF13}, id 0
Ethernet II, Src: HonHaiPr_93:ff:4b (90:32:4b:93:ff:4b), Dst: Tp-LinkT_b2:4c:de (7c:8b:ca:b2:4c:de)
Internet Protocol Version 4, Src: 192.168.0.101, Dst: 192.168.0.1
User Datagram Protocol, Src Port: 49332, Dst Port: 53
Domain Name System (query)
Transaction ID: 0x1a35
Flags: 0x0100 Standard query
Questions: 1
Answer RRs: 0
Authority RRs: 0
Additional RRs: 0
Queries
[Retransmitted request. Original request in: 372]
[Retransmission: True]
No.    Time           Source           Destination      Protocol Length Info
1364 16.159053      192.168.0.1      192.168.0.101    DNS             108     Standard query response 0x1a35
A analytics.ietf.org CNAME ietf.org A 4.31.198.44
Frame 1364: 108 bytes on wire (864 bits), 108 bytes captured (864 bits) on interface
\Device\NPF_{93DF5BA3-6DF2-41A0-8F80-385CAAF6BF13}, id 0
Ethernet II, Src: Tp-LinkT_b2:4c:de (7c:8b:ca:b2:4c:de), Dst: HonHaiPr_93:ff:4b (90:32:4b:93:ff:4b)
Internet Protocol Version 4, Src: 192.168.0.1, Dst: 192.168.0.101
User Datagram Protocol, Src Port: 53, Dst Port: 49332
Domain Name System (response)
Transaction ID: 0x1a35
Flags: 0x8180 Standard query response, No error
Questions: 1
Answer RRs: 2
Authority RRs: 0
Additional RRs: 0
Queries
Answers
[Request In: 372]
[Time: 1.467498000 seconds]
No.    Time           Source           Destination      Protocol Length Info
1392 16.672433      192.168.0.1      192.168.0.101    DNS             108     Standard query response 0x1a35
A analytics.ietf.org CNAME ietf.org A 4.31.198.44
Frame 1392: 108 bytes on wire (864 bits), 108 bytes captured (864 bits) on interface
\Device\NPF_{93DF5BA3-6DF2-41A0-8F80-385CAAF6BF13}, id 0
Ethernet II, Src: Tp-LinkT_b2:4c:de (7c:8b:ca:b2:4c:de), Dst: HonHaiPr_93:ff:4b (90:32:4b:93:ff:4b)
Internet Protocol Version 4, Src: 192.168.0.1, Dst: 192.168.0.101
User Datagram Protocol, Src Port: 53, Dst Port: 49332
Domain Name System (response)
Transaction ID: 0x1a35
Flags: 0x8180 Standard query response, No error
Questions: 1
Answer RRs: 2
Authority RRs: 0
Additional RRs: 0
Queries
Answers
[Retransmitted response. Original response in: 1364]
[Retransmission: True]
```