



Presented by The High End



CARDBOARD RACE CAR COCKPIT

Life-Size Sit-In Formula Racing Car

Build a Formula 1 cockpit. Race from the bedroom. Trophies not included.


AGES 4–12	BOXES 3–4 Large Boxes	TIME 2–2.5 Hours	DIFF Beginner *	PIECES 8 pcs
--------------	--------------------------	---------------------	--------------------	-----------------

CARDBOARD NEEDED:
3–4 Large Boxes (at least 24" × 36" (61 × 91 cm) each)

MISSION GOAL:
Build a low, wide F1 cockpit: extended nose cone, front + rear wings, four road wheels, steering wheel. Child sits low inside.

HOW IT ALL GOES TOGETHER — CARDBOARD RACE CAR COCKPIT

Seen from directly above. Every part you cut is on this picture, with the letter from its own cut-template page. If a letter is on this drawing, there is a page for it in this file — that is the whole parts list, nothing else is needed.



Drawn to scale from the cut sizes in this plan. Front of the car is to the right.

EVERY PART IN THIS BUILD					
A	CAR BODY (FULL BOX) 36" × 24" (91 × 61 cm)	CUT ×1	B	NOSE CONE 12" × 22" (30 × 56 cm)	CUT ×1
C	FRONT WING ELEMENT 14" × 8" (36 × 20 cm)	CUT ×2	D	REAR WING ELEMENT 20" × 6" (51 × 15 cm)	CUT ×1
E	REAR WING ENDPLATE 6" × 8" (15 × 20 cm)	CUT ×2	F	STEERING WHEEL (CIRCLE) 8" × 8" (20 × 20 cm)	CUT ×2
G	ROAD WHEEL (DISC) 10" × 10" (25 × 25 cm)	CUT ×8	H	WHEEL SPACER (ROLL) 12" × 3" (30 × 8 cm)	CUT ×4

WHEEL MOUNT — LOOKING DOWN ON ONE WHEEL

CAR BODY SIDE

H SPACER TUBE
3"

G 2 DISCS 10" taped face to face = 1 wheel

FROM THE SIDE — WHERE THE AXLE MARKS GO

Four marks in all — 9" in from each end, 2" up from the bottom edge, on BOTH sides. The wheel hangs below the body; that is what gives it ground clearance.


BUILD SEQUENCE — WHAT IT LOOKS LIKE AFTER EACH STEP

Each picture is the car once that step is finished. The part you just added is the ORANGE one. Grey is what was already there. Work down the page and your car should look like each picture in turn.


1 ORIENT THE CAR BODY




2 CUT THE COCKPIT




3 ATTACH THE NOSE CONE




4 ADD FRONT WINGS



5 BUILD THE REAR WING




6 CUT THE ROAD WHEELS




4 WHEELS (2 DISCS EACH) + 4 TUBES

7 MOUNT THE ROAD WHEELS



8 ADD STEERING WHEEL



FINISHED CAR CHECK

Nose cone out front. A front wing each side, wider than the body. Rear wing up on its two endplates. 4 road wheels, 2 a side, standing 3" clear of the body. Steering wheel inside the cockpit. That is every part in the table above, all used.



CAR BODY (FULL BOX)

36" × 24" (91 × 61 cm) | Cut ×1

CUT
x1

CAR BODY (FULL BOX)

x1

0" 4" 8" 12" 16" 20" 24" 28" 32"

4" 8" 12" 16" 20"

CUT COCKPIT OVAL on top: child sits low, shoulders at edge. Adult only.

36" × 24" (91 × 61 cm)
Flip on its side — long = car length


MARK LEGEND FOR THIS PIECE:

OVAL — cut oval shape: pin string at center, trace with pencil

NOTE: Flip on its side — long = car length

NOSE CONE

x1

**HOW TO DRAW THIS SHAPE ON YOUR CARDBOARD:**

Mark 4.7" in from each TOP corner — that leaves a 2.6" nose. Draw straight lines from those marks down to the bottom corners.

Cut along the GOLD dashed outline. The faint grey box is the flat piece of cardboard it comes from; the grid squares are 2".

12" × 22" (30 × 56 cm)

F1 nose — wide at the back, narrow at the point

MARK LEGEND FOR THIS PIECE:

GOLD OUTLINE — this is the shape you cut. It is NOT a rectangle.

FOLD — score lightly, then fold at this line

SCORE — press hard with ruler but do NOT cut through

NOTE: Long taper to a point



FRONT WING ELEMENT

14" × 8" (36 × 20 cm) | Cut ×2

CUT
x2

FRONT WING ELEMENT

x2

0"

4"

8"

12"

4"

INNER EDGE — tape to nose cone sides, angled slightly down

14" × 8" (36 × 20 cm)
Wide flat — attach low at nose

MARK LEGEND FOR THIS PIECE:

FOLD — score lightly, then fold at this line

NOTE: Wide flat — attach low at nose



REAR WING ELEMENT

20" × 6" (51 × 15 cm) | Cut ×1

CUT
x1

REAR WING ELEMENT

x1

0"

4"

8"

12"

16"

4"

20" × 6" (51 × 15 cm)
Horizontal wing at rear

MARK LEGEND FOR THIS PIECE:

FOLD — score lightly, then fold at this line


NOTE: Horizontal wing at rear



REAR WING ENDPLATE

6" × 8" (15 × 20 cm) | Cut ×2

CUT
x2




MARK LEGEND FOR THIS PIECE:

FOLD — score lightly, then fold at this line

NOTE: Vertical plates — hold rear wing

STEERING WHEEL (CIRCLE)

x2

**HOW TO DRAW THIS SHAPE ON YOUR CARDBOARD:**

A circle 8" across. Trace a dinner plate, or pin a string 4" from the centre and swing a pencil right round.

Cut along the GOLD dashed outline. The faint grey box is the flat piece of cardboard it comes from; the grid squares are 2".

8" × 8" (20 × 20 cm)
Circle

MARK LEGEND FOR THIS PIECE:

GOLD OUTLINE — this is the shape you cut. It is NOT a rectangle.

CUT OUT — cut along the red dashes (an orange side is a fold)

NOTE: Stack for thickness



ROAD WHEEL (DISC)

10" × 10" (25 × 25 cm) | Cut ×8

CUT
x8

ROAD WHEEL (DISC) x8

HOW TO DRAW THIS SHAPE ON YOUR CARDBOARD:

A circle 10" across. Pin a string 5" from the centre and swing a pencil right round, or draw round a dinner plate and widen it to 10". Cut 8 and tape them in pairs — 2 discs make 1 wheel, and you need 4 wheels.

Cut along the GOLD dashed outline. The faint grey box is the flat piece of cardboard it comes from; the grid squares are 2".

10" × 10" (25 × 25 cm)
Circle

MARK LEGEND FOR THIS PIECE:

GOLD OUTLINE — this is the shape you cut. It is NOT a rectangle.

NOTE: Two discs taped together make one wheel — 4 wheels




WHEEL SPACER (ROLL)

12" x 3" (30 x 8 cm) | Cut x4

CUT
x4

WHEEL SPACER (ROLL)

x4



12" x 3" (30 x 8 cm)
Rolls into a short tube — holds each wheel clear of the body

MARK LEGEND FOR THIS PIECE:

ROLL — roll the cardboard tightly in this direction

NOTE: Rolls into a short tube — holds each wheel clear of the body

PIEZAS DE CARTÓN — 8 EN TOTAL (3-4 cajas grandes (al menos 24" × 36" (61 × 91 cm) cada una))

×1 Carrocería (caja completa) 36" × 24" <i>Ponla de lado: el largo es el largo del coche</i>	×2 Placa lateral del alerón trasero 6" × 8" <i>Placas verticales: sujetan el alerón trasero</i>
×1 Cono de morro 12" × 22" <i>Inclinación larga que termina en punta</i>	×2 Volante (círculo) 8" × 8" <i>Apíllalo para darle grosor</i>
×2 Elemento del alerón delantero 14" × 8" <i>Ancho y plano: colócalo bajo en el morro</i>	×8 Rueda (disco) 10" × 10" <i>Dos discos pegados forman una rueda — 4 ruedas</i>
×1 Elemento del alerón trasero 20" × 6" <i>Alerón horizontal en la parte de atrás</i>	×4 Separador de rueda (rollo) 12" × 3" <i>Se enrolla en un tubo corto: separa la rueda de la carrocería</i>

HERRAMIENTAS Y MATERIALES

- | | |
|---|---------------------------------|
| + 3-4 cajas de cartón grandes | + Pintura negra para las ruedas |
| + Cúter: SOLO PARA ADULTOS | + Marcadores negro y blanco |
| + Cinta de embalar | + Regla |
| + Colores de carreras llamativos (rojo, amarillo o el que elijas) | |

¡DATO CURIOSO!

Los coches de F1 de verdad pasan de 0 a 60 en menos de 2.5 segundos. El tuyo pasa de 0 a la imaginación al instante. La misma energía.

¡DESAFÍO!


Día de carreras: dos niños, dos coches de cartón. Decórenlos distinto. ¿Quién tiene el coche con pinta más rápida? Carrera al 3... 2... 1... ¡YA!

1

PASO 1: ORIENTA LA CARROCERÍA

Toma una caja grande sellada. Ponla de lado para que la dimensión LARGA sea ahora el largo del coche, no la altura. Esta orientación baja y ancha es la clave para que parezca un coche de F1 y no una caja.

PIEZAS DE ESTE PASO



2


PASO 2: CORTA LA CABINA

! AYUDA DE UN ADULTO

En la parte de ARRIBA de la caja, corta el óvalo de la cabina (marca de óvalo en la plantilla). El niño debe deslizarse dentro y quedar sentado bajo: solo los hombros y la cabeza por encima de la carrocería. Esta es la posición del piloto de F1.

SEGURIDAD: El adulto corta el óvalo de la cabina. Prueba el ajuste con el niño antes de rematar los bordes.

PIEZAS DE ESTE PASO




3

PASO 3: COLOCA EL CONO DE MORRO

Pega la pieza del cono de morro a la parte de adelante de la carrocería (marca de doblez del borde trasero). Marca la línea vertical central (marca de doblez) y flexiona la punta ligeramente hacia arriba. Los cortes inclinados en ambos lados le dan la forma de morro de F1, largo y agresivo.

PIEZAS DE ESTE PASO




4

PASO 4: AÑADE LOS ALERONES DELANTEROS

Pega un elemento del alerón delantero a cada lado del cono de morro (marca de doblez del borde interior), inclinándolo ligeramente hacia abajo. Deben sobresalir MÁS ANCHO que la carrocería a cada lado.

PIEZAS DE ESTE PASO




5

PASO 5: ARMA EL ALERÓN TRASERO

Pega las dos placas laterales del alerón trasero de pie en la parte más trasera del coche (marca de doblez de la pestaña de la base). Pega el elemento del alerón trasero en horizontal entre la parte de arriba de ambas placas. Esta forma de T es el alerón trasero.

PIEZAS DE ESTE PASO



6


PASO 6: CORTA LAS RUEDAS

! AYUDA DE UN ADULTO

Corta 8 discos de rueda: círculos de 10" (25 cm) de diámetro (marca de círculo en la plantilla). Únelos con cinta de dos en dos para obtener 4 ruedas gruesas. Después toma cada una de las 4 tiras separadoras de rueda, enrolla el lado largo hasta formar un tubo de 3" (8 cm) de largo (marca de enrollado) y cierra la unión con cinta. Un separador de rueda por rueda.

SEGURIDAD: Un adulto corta los 8 discos. Los círculos de cartón se cortan con cúter, no con tijeras: hazlo sobre una tabla, nunca sobre las piernas.

PIEZAS DE ESTE PASO




7

PASO 7: MONTA LAS RUEDAS

En cada lado de la carrocería marca dos puntos de eje: a 9" (23 cm) del borde delantero y a 9" (23 cm) del borde trasero, ambos a 2" (5 cm) del borde inferior. Son 4 marcas en total, 2 por lado. Pega un tubo separador de rueda sobre cada marca y después pega una rueda en el extremo exterior abierto de cada tubo. El tubo mantiene la rueda a 3" (8 cm) de la carrocería para que sobresalga como un neumático de verdad en lugar de quedar plana contra el lateral.

PIEZAS DE ESTE PASO




8

PASO 8: AÑADE EL VOLANTE

Corta 2 círculos del volante. En cada uno, corta los dos agujeros en forma de media luna que muestra la plantilla para que quede un aro y una barra por el centro para agarrar, como en la foto de portada. Apíalos y únelos con cinta. Móntalo dentro de la cabina sobre una columna corta de cinta a la altura adecuada para que el niño sentado lo sujete.

PIEZAS DE ESTE PASO




9

PASO 9: PINTA TU DECORACIÓN

Elige colores de carreras llamativos. Pinta el morro de un color y la carrocería de otro. Añade rayas de carreras, un número grande en el morro y el nombre del equipo en el costado. Haz que parezca RÁPIDO. Pinta las cuatro ruedas de negro y añade un círculo gris claro o plateado en el centro de cada una para el buje.

PIEZAS DE ESTE PASO





10

PASO 10: CONTROL DE CALIDAD

El niño queda sentado bajo en la cabina. Volante a la altura de las manos. Morro largo extendido. Alerones delanteros anchos. Alerón trasero montado. Colores de carreras llamativos. Compáralo con la foto de portada. Ese es el estándar. Cuatro ruedas montadas, dos por lado, separadas de la carrocería.

PIEZAS DE ESTE PASO



¡CONTROL DE CALIDAD!

¿Tu construcción se parece a la foto? Compárala lado a lado antes de darla por terminada.

"Build It. Own It." — Tatum & Kash Cardboard Creations