



Presented by The High End



CARDBOARD RACE CAR COCKPIT

Life-Size Sit-In Formula Racing Car

Build a Formula 1 cockpit. Race from the bedroom. Trophies not included.


AGES 4–12	BOXES 3–4 Large Boxes	TIME 2–2.5 Hours	DIFF Beginner *	PIECES 8 pcs
--------------	--------------------------	---------------------	--------------------	-----------------

CARDBOARD NEEDED:
3–4 Large Boxes (at least 24" × 36" (61 × 91 cm) each)

MISSION GOAL:
Build a low, wide F1 cockpit: extended nose cone, front + rear wings, four road wheels, steering wheel. Child sits low inside.

HOW IT ALL GOES TOGETHER — CARDBOARD RACE CAR COCKPIT

Seen from directly above. Every part you cut is on this picture, with the letter from its own cut-template page. If a letter is on this drawing, there is a page for it in this file — that is the whole parts list, nothing else is needed.



Drawn to scale from the cut sizes in this plan. Front of the car is to the right.

EVERY PART IN THIS BUILD					
A	CAR BODY (FULL BOX) 36" × 24" (91 × 61 cm)	CUT ×1	B	NOSE CONE 12" × 22" (30 × 56 cm)	CUT ×1
C	FRONT WING ELEMENT 14" × 8" (36 × 20 cm)	CUT ×2	D	REAR WING ELEMENT 20" × 6" (51 × 15 cm)	CUT ×1
E	REAR WING ENDPLATE 6" × 8" (15 × 20 cm)	CUT ×2	F	STEERING WHEEL (CIRCLE) 8" × 8" (20 × 20 cm)	CUT ×2
G	ROAD WHEEL (DISC) 10" × 10" (25 × 25 cm)	CUT ×8	H	WHEEL SPACER (ROLL) 12" × 3" (30 × 8 cm)	CUT ×4

WHEEL MOUNT — LOOKING DOWN ON ONE WHEEL

CAR BODY SIDE **G** 2 DISCS 10" taped face to face = 1 wheel
H SPACER TUBE 3"

FROM THE SIDE — WHERE THE AXLE MARKS GO

Four marks in all — 9" in from each end, 2" up from the bottom edge, on BOTH sides. The wheel hangs below the body; that is what gives it ground clearance.


BUILD SEQUENCE — WHAT IT LOOKS LIKE AFTER EACH STEP

Each picture is the car once that step is finished. The part you just added is the ORANGE one. Grey is what was already there. Work down the page and your car should look like each picture in turn.


1 ORIENT THE CAR BODY




2 CUT THE COCKPIT




3 ATTACH THE NOSE CONE




4 ADD FRONT WINGS



5 BUILD THE REAR WING




6 CUT THE ROAD WHEELS




4 WHEELS (2 DISCS EACH) + 4 TUBES

7 MOUNT THE ROAD WHEELS



8 ADD STEERING WHEEL



FINISHED CAR CHECK

Nose cone out front. A front wing each side, wider than the body. Rear wing up on its two endplates. 4 road wheels, 2 a side, standing 3" clear of the body. Steering wheel inside the cockpit. That is every part in the table above, all used.



CAR BODY (FULL BOX)

36" x 24" (91 x 61 cm) | Cut x1

CUT
x1

CAR BODY (FULL BOX)

x1

0" 4" 8" 12" 16" 20" 24" 28" 32"

4" 8" 12" 16" 20"

CUT COCKPIT OVAL on top: child sits low, shoulders at edge. Adult only.

36" x 24" (91 x 61 cm)
Flip on its side — long = car length


MARK LEGEND FOR THIS PIECE:

OVAL — cut oval shape: pin string at center, trace with pencil

NOTE: Flip on its side — long = car length

NOSE CONE

x1

**HOW TO DRAW THIS SHAPE ON YOUR CARDBOARD:**

Mark 4.7" in from each TOP corner — that leaves a 2.6" nose. Draw straight lines from those marks down to the bottom corners.

Cut along the GOLD dashed outline. The faint grey box is the flat piece of cardboard it comes from; the grid squares are 2".

12" × 22" (30 × 56 cm)

F1 nose — wide at the back, narrow at the point

MARK LEGEND FOR THIS PIECE:

GOLD OUTLINE — this is the shape you cut. It is NOT a rectangle.

FOLD — score lightly, then fold at this line

SCORE — press hard with ruler but do NOT cut through

NOTE: Long taper to a point



FRONT WING ELEMENT

14" x 8" (36 x 20 cm) | Cut x2

CUT
x2

FRONT WING ELEMENT

x2

0"4"8"12"

4"

INNER EDGE — tape to nose cone sides, angled slightly down

14" x 8" (36 x 20 cm)
Wide flat — attach low at nose

MARK LEGEND FOR THIS PIECE:

FOLD — score lightly, then fold at this line

NOTE: Wide flat — attach low at nose



REAR WING ELEMENT

20" × 6" (51 × 15 cm) | Cut ×1

CUT
x1

REAR WING ELEMENT

x1

The diagram shows a large white rectangle representing the cardboard piece. Inside, a smaller light gray rectangle is defined by dashed orange lines. The top edge of the gray rectangle has tick marks and labels at 0", 4", 8", 12", and 16". The left edge has a tick mark and label at 4".

20" × 6" (51 × 15 cm)
Horizontal wing at rear

MARK LEGEND FOR THIS PIECE:

FOLD — score lightly, then fold at this line


NOTE: Horizontal wing at rear



REAR WING ENDPLATE

6" × 8" (15 × 20 cm) | Cut ×2

CUT
x2




MARK LEGEND FOR THIS PIECE:

FOLD — score lightly, then fold at this line

NOTE: Vertical plates — hold rear wing

STEERING WHEEL (CIRCLE)

x2

**HOW TO DRAW THIS SHAPE ON YOUR CARDBOARD:**

A circle 8" across. Trace a dinner plate, or pin a string 4" from the centre and swing a pencil right round.

Cut along the GOLD dashed outline. The faint grey box is the flat piece of cardboard it comes from; the grid squares are 2".

8" × 8" (20 × 20 cm)
Circle

MARK LEGEND FOR THIS PIECE:

GOLD OUTLINE — this is the shape you cut. It is NOT a rectangle.

CUT OUT — cut along the red dashes (an orange side is a fold)

NOTE: Stack for thickness




ROAD WHEEL (DISC)

10" × 10" (25 × 25 cm) | Cut ×8

CUT
x8

ROAD WHEEL (DISC)

x8



HOW TO DRAW THIS SHAPE ON YOUR CARDBOARD:

A circle 10" across. Pin a string 5" from the centre and swing a pencil right round, or draw round a dinner plate and widen it to 10". Cut 8 and tape them in pairs — 2 discs make 1 wheel, and you need 4 wheels.

Cut along the GOLD dashed outline. The faint grey box is the flat piece of cardboard it comes from; the grid squares are 2".

10" × 10" (25 × 25 cm)
Circle

MARK LEGEND FOR THIS PIECE:

GOLD OUTLINE — this is the shape you cut. It is NOT a rectangle.

NOTE: Two discs taped together make one wheel — 4 wheels




WHEEL SPACER (ROLL)

12" x 3" (30 x 8 cm) | Cut x4

CUT
x4

WHEEL SPACER (ROLL)

x4



12" x 3" (30 x 8 cm)
Rolls into a short tube — holds each wheel clear of the body

MARK LEGEND FOR THIS PIECE:

ROLL — roll the cardboard tightly in this direction

NOTE: Rolls into a short tube — holds each wheel clear of the body

PAPPEILE — 8 INSGESAMT (3–4 große Kartons (jeweils mindestens 24" × 36" (61 × 91 cm)))

×1 Wagenkörper (ganzer Karton) 36" × 24" <i>Auf die Seite kippen – die lange Seite = Wagenlänge</i>	×2 Heckflügel-Endplatte 6" × 8" <i>Senkrechte Platten – halten den Heckflügel</i>
×1 Spitzkegel 12" × 22" <i>Lange Verjüngung bis zu einer Spitze</i>	×2 Lenkrad (Kreis) 8" × 8" <i>Für mehr Dicke aufeinanderlegen</i>
×2 Frontflügel-Element 14" × 8" <i>Breit und flach – tief an der Nase anbringen</i>	×8 Rad (Scheibe) 10" × 10" <i>Zwei zusammengeklebte Scheiben ergeben ein Rad — 4 Räder</i>
×1 Heckflügel-Element 20" × 6" <i>Waagerechter Flügel am Heck</i>	×4 Rad-Abstandshalter (Rolle) 12" × 3" <i>Wird zu einem kurzen Rohr gerollt — hält das Rad vom Wagenkörper ab</i>

WERKZEUG & MATERIAL

- | | |
|--|--------------------------------|
| + 3–4 große Pappkartons | + Schwarze Farbe für die Räder |
| + Cuttermesser – NUR FÜR ERWACHSENE | + Schwarzer und weißer Stift |
| + Paketklebeband | + Lineal |
| + Kräftige Rennfarben (rot, gelb oder nach Wahl) | |

WUSSTEST DU?

Echte F1-Wagen beschleunigen in unter 2,5 Sekunden von 0 auf 100. Deiner geht sofort von 0 auf Fantasie. Gleiche Energie.

HERAUSFORDERUNG!


Renntag: zwei Kinder, zwei Papp-Wagen. Verschieden gestalten. Wer hat den schnellsten Wagen? Rennen bei 3... 2... 1... LOS!

1

SCHRITT 1: DEN WAGENKÖRPER AUSRICHTEN

Nimm einen großen, verschlossenen Karton. Kippe ihn auf die Seite, sodass die LANGE Seite jetzt die Wagenlänge ist und nicht die Höhe. Diese niedrige, breite Ausrichtung ist der Schlüssel, damit es wie ein F1-Wagen aussieht und nicht wie ein Karton.

TEILE FÜR DIESEN SCHRITT



2


SCHRITT 2: DAS COCKPIT SCHNEIDEN

! HILFE EINES ERWACHSENEN

Schneide OBEN in den Karton das Cockpit-Oval (Oval-Markierung auf der Vorlage). Das Kind sollte hineinrutschen und tief sitzen – nur Schultern und Kopf ragen über den Wagenkörper hinaus. Das ist die F1-Fahrerposition.

SICHERHEIT: Erwachsene schneiden das Cockpit-Oval. Passform mit dem Kind testen, bevor die Kanten fertig bearbeitet werden.

TEILE FÜR DIESEN SCHRITT




3

SCHRITT 3: DEN SPITZKEGEL ANBRINGEN

Klebe das Spitzkegel-Teil an die Vorderseite des Wagenkörpers (Faltmarkierung an der Hinterkante). Ritze die mittlere senkrechte Linie ein (Ritzmarkierung) und biege die Spitze leicht nach oben. Verjüngungsschnitte an beiden Seiten geben ihm die lange, aggressive F1-Nasenform.

TEILE FÜR DIESEN SCHRITT




4

SCHRITT 4: FRONTFLÜGEL ANBRINGEN

Klebe an jede Seite des Spitzkegels ein Frontflügel-Element (Faltmarkierung an der Innenkante), leicht nach unten geneigt. Diese sollten auf jeder Seite BREITER als der Wagenkörper hinausragen.

TEILE FÜR DIESEN SCHRITT




5

SCHRITT 5: DEN HECKFLÜGEL BAUEN

Klebe beide Heckflügel-Endplatten ganz hinten am Wagen aufrecht an (Faltmarkierung der Basislasche). Klebe das Heckflügel-Element waagrecht zwischen die Oberseiten beider Endplatten. Diese T-Form ist der Heckflügel.

TEILE FÜR DIESEN SCHRITT



6


SCHRITT 6: DIE RÄDER AUSSCHNEIDEN

! HILFE EINES ERWACHSENEN

Schneide 8 Radscheiben aus: Kreise mit 10" (25 cm) Durchmesser (Kreismarkierung auf der Vorlage). Klebe sie paarweise zusammen, sodass du 4 dicke Räder hast. Nimm dann jeden der 4 Rad-Abstandshalter-Streifen, rolle die lange Seite zu einem Rohr von 3" (8 cm) Länge (Rollmarkierung) und klebe die Naht zu. Ein Rad-Abstandshalter pro Rad.

SICHERHEIT: Ein Erwachsener schneidet die 8 Scheiben. Pappkreise brauchen ein Cuttermesser, keine Schere — schneide auf einem Brett, nie auf dem Schoß.

TEILE FÜR DIESEN SCHRITT




7

SCHRITT 7: DIE RÄDER MONTIEREN

Markiere auf jeder Seite des Wagenkörpers zwei Achspunkte: 9" (23 cm) von der Vorderkante und 9" (23 cm) von der Hinterkante, beide 2" (5 cm) über der Unterkante. Das sind 4 Markierungen insgesamt, 2 pro Seite. Klebe auf jede Markierung ein Rad-Abstandshalter-Rohr flach auf und klebe dann ein Rad auf das offene äußere Ende jedes Rohrs. Das Rohr hält das Rad 3" (8 cm) vom Wagenkörper weg, sodass es wie ein echter Reifen absteht statt flach an der Seite zu liegen.

TEILE FÜR DIESEN SCHRITT




8

SCHRITT 8: LENKRAD ANBRINGEN

Schneide 2 Lenkrad-Kreise aus. Schneide in jeden die zwei halbmondförmigen Löcher, die auf der Vorlage gezeigt werden, sodass ein Rand und ein Steg quer durch die Mitte zum Festhalten übrig bleiben, wie auf dem Titelfoto. Lege sie aufeinander und klebe sie zusammen. Montiere das Lenkrad im Cockpit auf einer kurzen Klebeband-Säule auf der richtigen Höhe, damit ein sitzendes Kind es halten kann.

TEILE FÜR DIESEN SCHRITT




9

SCHRITT 9: DEINE LACKIERUNG MALEN

Wähle kräftige Rennfarben. Male die Nase in einer Farbe, den Körper in einer anderen. Füge Rennstreifen, eine große Nummer auf der Nase und einen Teamnamen an der Seite hinzu. Lass es SCHNELL aussehen. Male alle vier Räder schwarz und setze in die Mitte jedes Rades einen hellgrauen oder silbernen Kreis als Nabe.

TEILE FÜR DIESEN SCHRITT





10

SCHRITT 10: QUALITÄTSKONTROLLE

Das Kind sitzt tief im Cockpit. Lenkrad auf Handhöhe. Lange Nase ausgestreckt. Frontflügel breit. Heckflügel montiert. Kräftige Rennfarben. Vergleiche mit dem Titelfoto. Das ist der Maßstab. Vier Räder montiert, zwei pro Seite, deutlich vom Wagenkörper abstehend.

TEILE FÜR DIESEN SCHRITT



QUALITÄTSKONTROLLE!

Sieht dein Bau wie das Titelfoto aus? Vergleiche beides, bevor du fertig bist.

"Build It. Own It." — Tatum & Kash Cardboard Creations