



Presented by The High End



CARDBOARD BEAST SUIT

Wearable 15-Piece Creature Suit — Faceted Skull, Collar, Spine & Tail

The hardest build we sell. A faceted skull, armoured legs and a tail that swings.

AGES
6–12

BOXES
3 Large Boxes

TIME
3–4 Hours

DIFF
Advanced ***

PIECES
15 pcs

CARDBOARD NEEDED:



3 Large Boxes (at least 24" × 36" (61 × 91 cm) each)

MISSION GOAL:

Build and wear a complete 15-piece beast suit: a faceted skull with snout and jaw, neck collar, chest, back, spine ridge, 2 shoulder plates, 2 claw cuffs, 2 thigh plates, 2 shin guards and a scuted tail.

HOW IT ALL GOES TOGETHER — CARDBOARD BEAST SUIT

Every part you cut, shown on the child at its real size, with the letter from its own cut-template page. The grey figure is only there for scale — measure your own child, never this drawing. Pieces that wrap round the head, an arm or a leg are shown as they look once wrapped, not laid flat.




EVERY PART IN THIS BUILD					
A	SKULL CROWN 14" × 10" (36 × 25 cm)	CUT ×1	B	SKULL SIDE 10" × 7" (25 × 18 cm)	CUT ×2
C	SNOUT TOP 10" × 6" (25 × 15 cm)	CUT ×1	D	SNOUT SIDE 6" × 5" (15 × 13 cm)	CUT ×2
E	BEAST JAW 10" × 5" (25 × 13 cm)	CUT ×1	F	NECK COLLAR 16" × 5" (41 × 13 cm)	CUT ×1
G	SHOULDER PLATE 8" × 7" (20 × 18 cm)	CUT ×2	H	CHEST PLATE 12" × 15" (30 × 38 cm)	CUT ×1
I	BACK PLATE 12" × 15" (30 × 38 cm)	CUT ×1	J	SPINE RIDGE 16" × 5" (41 × 13 cm)	CUT ×1
K	CLAW CUFF 9" × 8" (23 × 20 cm)	CUT ×2	L	THIGH PLATE 10" × 9" (25 × 23 cm)	CUT ×2
M	SHIN GUARD 10" × 8" (25 × 20 cm)	CUT ×2	N	TAIL 22" × 8" (56 × 20 cm)	CUT ×1
O	TAIL SCUTE STRIP 18" × 4" (46 × 10 cm)	CUT ×1			

BUILD SEQUENCE — WHAT IT LOOKS LIKE AFTER EACH STEP

Each picture is the build once that step is finished. The part you just added is the ORANGE one. Grey is what was already there. Work down the page and yours should look like each picture in turn.

2 CUT THE SKULL PANELS




4 BUILD THE SNOUT




5 HINGE THE JAW



6 FIT THE NECK COLLAR



7 CUT CHEST & BACK




FRONT



BACK

8 BUILD THE SPINE RIDGE




FRONT



BACK

10 MAKE THE CLAW CUFFS




FRONT



BACK

11 ARMOUR THE LEGS




FRONT




BACK

12 BUILD THE TAIL



FRONT



BACK



SKULL CROWN

14" x 10" (36 x 25 cm) | Cut x1

CUT
x1

SKULL CROWN

0"

4"

8"

12"

4"

8"

BROW TRIM — only if the crown hides the eyes: cut off the strip below this line

14" x 10" (36 x 25 cm)

Top of the head — the brow is cut into this

MARK LEGEND FOR THIS PIECE:

CUT — scissors or box cutter on this line

FOLD — score lightly, then fold at this line

NOTE: Top of the head — the brow is cut into this



SKULL SIDE

10" × 7" (25 × 18 cm) | Cut ×2

CUT
x2

SKULL SIDE

x2

MARK LEGEND FOR THIS PIECE:

GOLD OUTLINE — this is the shape you cut. It is NOT a rectangle.	FOLD — score lightly, then fold at this line
--	--

NOTE: Angled cheek panels — these make it faceted




SNOUT TOP

10" × 6" (25 × 15 cm) | Cut ×1

CUT
x1

SNOUT TOP

x1



HOW TO DRAW THIS SHAPE ON YOUR CARDBOARD:
Mark 2.5" in from each front corner. Draw straight lines back to the rear corners.

Cut along the GOLD dashed outline. The faint grey box is the flat piece of cardboard it comes from; the grid squares are 2".

10" × 6" (25 × 15 cm)
Tapered snout — wide at the back, narrow at the nose

MARK LEGEND FOR THIS PIECE:

- GOLD OUTLINE — this is the shape you cut. It is NOT a rectangle.
- FOLD — score lightly, then fold at this line

NOTE: Roof of the muzzle




SNOUT SIDE

6" × 5" (15 × 13 cm) | Cut ×2

CUT
x2

SNOUT SIDE

x2



HOW TO DRAW THIS SHAPE ON YOUR CARDBOARD:
Mark the nose end 1.5" down from the top and the same up from the bottom. Draw straight lines back to the rear corners.

Cut along the GOLD dashed outline. The faint grey box is the flat piece of cardboard it comes from; the grid squares are 2".

6" × 5" (15 × 13 cm)
Wedge — tall at the back, short at the nose

MARK LEGEND FOR THIS PIECE:

GOLD OUTLINE — this is the shape you cut. It is NOT a rectangle.

NOTE: Wedges — these give the muzzle its box




BEAST JAW

10" × 5" (25 × 13 cm) | Cut ×1

CUT
x1

BEAST JAW

x1



HOW TO DRAW THIS SHAPE ON YOUR CARDBOARD:

Along the FRONT edge mark 7 teeth about 1.4" apart. From each mark cut a triangle 2.5" deep. The zigzag IS the cut line — do not cut the edge straight first.

Cut along the GOLD dashed outline. The faint grey box is the flat piece of cardboard it comes from; the grid squares are 2".

10" × 5" (25 × 13 cm)

Lower jaw — teeth cut along the front edge, not a straight strip


MARK LEGEND FOR THIS PIECE:

GOLD OUTLINE — this is the shape you cut. It is NOT a rectangle.	FOLD — score lightly, then fold at this line
--	--

NOTE: Lower jaw — teeth cut into the front edge

NECK COLLAR

×1



HOW TO DRAW THIS SHAPE ON YOUR CARDBOARD:

Divide the bottom edge into 6 equal sections of about 2.7" and trace a cup bottom in each.

Cut along the GOLD dashed outline. The faint grey box is the flat piece of cardboard it comes from; the grid squares are 2".

16" x 5" (41 x 13 cm)

Overlapping plate edge — scooped

MARK LEGEND FOR THIS PIECE:

GOLD OUTLINE — this is the shape you cut. It is NOT a rectangle.

FOLD — score lightly, then fold at this line

NOTE: Scalloped ring — wraps the neck loosely



SHOULDER PLATE

8" × 7" (20 × 18 cm) | Cut ×2

CUT
x2

SHOULDER PLATE x2

HOW TO DRAW THIS SHAPE ON YOUR CARDBOARD:

Mark 2.4" in from the two OUTER corners along the top and bottom edges, and 2.1" in along the outer edge. Trace round a bowl to curve that outer edge.

Cut along the GOLD dashed outline. The faint grey box is the flat piece of cardboard it comes from; the grid squares are 2".

8" × 7" (20 × 18 cm)
Rounded outer edge

MARK LEGEND FOR THIS PIECE:

GOLD OUTLINE — this is the shape you cut. It is NOT a rectangle.	FOLD — score lightly, then fold at this line
--	--

NOTE: Rounded pauldrons over the shoulders

CHEST PLATE

CUT
x1

x1



Cut along the GOLD dashed outline. The faint grey box is the flat piece of cardboard it comes from; the grid squares are 2".

Beast chest plate — neck scooped out of the top, straight sides for the rib folds

FOLD — score lightly, then fold at this line


PIECE H: CHEST PLATE | CARDBOARD BEAST SUIT | Presented by The High End



BACK PLATE

12" x 15" (30 x 38 cm) | Cut x1

CUT
x1



MARK LEGEND FOR THIS PIECE:

FOLD — score lightly, then fold at this line

NOTE: Matches the chest — spine mounts here




SPINE RIDGE

16" × 5" (41 × 13 cm) | Cut ×1

CUT
x1

SPINE RIDGE

x1



HOW TO DRAW THIS SHAPE ON YOUR CARDBOARD:

Divide the top edge into 5 sections of about 3.2". In each one mark the centre and draw two lines down to the section edges, making a triangle 3" tall.

Cut along the GOLD dashed outline. The faint grey box is the flat piece of cardboard it comes from; the grid squares are 2".

16" × 5" (41 × 13 cm)
Spine scutes — triangular spikes

MARK LEGEND FOR THIS PIECE:

GOLD OUTLINE — this is the shape you cut. It is NOT a rectangle.	FOLD — score lightly, then fold at this line
--	--

NOTE: The signature detail — cut the scutes




CLAW CUFF

9" × 8" (23 × 20 cm) | Cut ×2

CUT
x2

CLAW CUFF

x2



HOW TO DRAW THIS SHAPE ON YOUR CARDBOARD:
Divide the bottom edge into 3 claws of about 3" each. Each claw is 3.4" long and narrows to a BLUNT tip about 1" wide — do not cut them to sharp points. Cut a small notch between each claw.
Cut along the GOLD dashed outline. The faint grey box is the flat piece of cardboard it comes from; the grid squares are 2".

9" × 8" (23 × 20 cm)
Cuff with 3 blunt-tipped claws along the bottom edge

MARK LEGEND FOR THIS PIECE:

GOLD OUTLINE — this is the shape you cut. It is NOT a rectangle.	FOLD — score lightly, then fold at this line
--	--

NOTE: Cut 3 claws — ROUND the tips




THIGH PLATE

10" × 9" (25 × 23 cm) | Cut ×2

CUT
x2

THIGH PLATE

x2



HOW TO DRAW THIS SHAPE ON YOUR CARDBOARD:

Mark both bottom corners and keep them square. Scoop a curve up out of the middle of the bottom edge, 1.8" deep at its highest — trace round a bowl.

Cut along the GOLD dashed outline. The faint grey box is the flat piece of cardboard it comes from; the grid squares are 2".

10" × 9" (25 × 23 cm)

Knee clearance — curve scooped out of the bottom edge

MARK LEGEND FOR THIS PIECE:

GOLD OUTLINE — this is the shape you cut. It is NOT a rectangle.

FOLD — score lightly, then fold at this line


NOTE: Upper leg — must not block the knee



SHIN GUARD

10" × 8" (25 × 20 cm) | Cut ×2

CUT
x2



MARK LEGEND FOR THIS PIECE:

FOLD — score lightly, then fold at this line

NOTE: Score centre to wrap the shin



TAIL

22" × 8" (56 × 20 cm) | Cut ×1

CUT
x1

TAIL

x1

0" 4" 8" 12" 16" 20"

4"

ROLL

ROLL LOOSELY into a long cone. Tape the seam.

HOW TO DRAW THIS SHAPE ON YOUR CARDBOARD:
Mark the tip end 3" down from the top and the same up from the bottom, leaving a 2" tip. Draw straight lines from those marks back to the base corners.

Cut along the GOLD dashed outline. The faint grey box is the flat piece of cardboard it comes from; the grid squares are 2".

22" × 8" (56 × 20 cm)
Tapered tail — full height at the base, narrow at the tip

MARK LEGEND FOR THIS PIECE:

GOLD OUTLINE — this is the shape you cut. It is NOT a rectangle.	ROLL — roll the cardboard tightly in this direction
--	---

NOTE: Tapers to a point, rolls into a cone




TAIL SCUTE STRIP

18" × 4" (46 × 10 cm) | Cut ×1

CUT
x1

TAIL SCUTE STRIP

×1



HOW TO DRAW THIS SHAPE ON YOUR CARDBOARD:

Divide the strip into 6 sections. Make a triangle in each, starting 2.4" tall at the base end and shrinking to about 1.1" at the tip.

Cut along the GOLD dashed outline. The faint grey box is the flat piece of cardboard it comes from; the grid squares are 2".

18" × 4" (46 × 10 cm)

Tail scutes — spikes shrinking toward the tip

MARK LEGEND FOR THIS PIECE:

GOLD OUTLINE — this is the shape you cut. It is NOT a rectangle.

NOTE: Scutes that run down the tail

PAPPEILE — 15 INSGESAMT (3 große Kartons (jeweils mindestens 24" × 36" (61 × 91 cm)))

×1 Schädelkrone
14" × 10"
Oberseite des Kopfes — die Braue wird hier eingeschnitten

×2 Schädelseite
10" × 7"
Angewinkelte Wangenplatten — sie machen ihn facettiert

×1 Schnauzendach
10" × 6"
Die Oberseite der Schnauze

×2 Schnauzenseite
6" × 5"
Keile — sie geben der Schnauze ihre Box

×1 Kiefer
10" × 5"
Unterkiefer — Zähne in die Vorderkante geschnitten

×1 Halskragen
16" × 5"
Bogenring — liegt LOCKER um den Hals

×2 Schulterplatte
8" × 7"
Abgerundete Schulterstücke

×1 Brustplatte
12" × 15"
Oberkörper des Kindes abzeichnen

×1 Rückenplatte
12" × 15"
Passend zur Brust — der Kamm wird hier montiert

×1 Rückenkamm
16" × 5"
Das Erkennungsdetail — Zacken ausschneiden

×2 Krallenstulpe
9" × 8"
3 Krallen schneiden — Spitzen ABRUNDEN

×2 Oberschenkelplatte
10" × 9"
Oberschenkel — darf das Knie nicht blockieren

×2 Beinschiene
10" × 8"
Mitte ritzen, damit sie das Schienbein umschließt

×1 Schwanz
22" × 8"
Läuft spitz zu, wird zum Kegel gerollt

×1 Schwanzzacken-Streifen
18" × 4"
Zacken, die den Schwanz entlanglaufen

WERKZEUG & MATERIAL

+ 3 große Kartons

+ Schere

+ Cuttermesser — NUR FÜR ERWACHSENE

+ Packband (3+ Rollen)

+ Lineal und Bleistift

+ Farbe in den Farben deiner Kreatur

+ Schwarzer Marker für Schuppen und Krallen

+ Band oder Gummiband für die Schulter-, Arm- und Beinbindungen

WUSSTEST DU?

Stegosaurus hatte Platten entlang des Rückens, ganz ähnlich diesem Kamm. Forscher streiten bis heute, ob sie der Verteidigung, der Zurschaustellung oder der Kühlung dienen.

HERAUSFORDERUNG!


Bestien-Challenge: Überlegt euch, wie eure Kreatur sich bewegt, was sie frisst und welches Geräusch sie macht, wenn sie glücklich ist. Dann schleicht in der Rolle durch den Flur.

1

SCHRITT 1: FLACH LEGEN UND PLANEN

Lege alle 3 Kartons flach und ordne jedes Teil an, bevor du irgendetwas schneidest. Das ist ein langer Bau — mach zuerst das ganze Layout. Zeichne jetzt den Oberkörper des Kindes auf die Brustplatte; alles andere ist gemessen, die Brust wird angepasst.

TEILE FÜR DIESEN SCHRITT



2


SCHRITT 2: DIE SCHÄDELTEILE SCHNEIDEN

! HILFE EINES ERWACHSENEN

Schneide die Schädelkrone (14" x 10" (36 x 25 cm)) und 2 Schädelseiten (10" x 7" (25 x 18 cm)). Verjünge jede Seite zum Schnauzenende hin. Probiere die Krone am Kind an: Wenn ihre Vorderkante die Augen verdeckt, schneide den Streifen unterhalb der Brauen-Schnittlinie ab und wirf ihn weg — die Braue beschattet die Augen, sie bedeckt sie nie.

SICHERHEIT: Die Braue muss über den Augen sitzen. Muss das Kind den Kopf in den Nacken legen, um geradeaus zu sehen, schneide höher und probiere erneut.

TEILE FÜR DIESEN SCHRITT



3


SCHRITT 3: DIE SCHÄDELBOX BAUEN

! HILFE EINES ERWACHSENEN

Falte beide Facetten der Schädelkrone nach unten. Klebe in jede eine Schädelseite, Laschen nach oben unter die Krone. Du hast jetzt einen abgewinkelten, facettierten Schädel statt einer flachen Platte — genau diese Facettierung lässt ihn wie Knochen wirken. Probiere ihn an, bevor du weitermachst.

SICHERHEIT: Zu zweit geht es leichter — einer hält die Facetten im Winkel, einer klebt.

TEILE FÜR DIESEN SCHRITT




4

SCHRITT 4: DIE SCHNAUZE BAUEN

Falte die Lasche des Schnauzendachs und verjünge beide Seiten. Klebe unter jede Kante einen Schnauzenseiten-Keil, sodass eine dreiseitige, unten offene Box entsteht. Klebe das Ganze an die Vorderseite des Schädels, nach unten und außen geneigt.

TEILE FÜR DIESEN SCHRITT




5

SCHRITT 5: DEN KIEFER ANSCHLAGEN

Schneide Zickzackzähne in die Vorderkante des Kiefers. Falte seine Lasche und klebe sie unter die Rückseite der Schnauze, sodass er darunter hängt. Lass das Maul offen — dort atmet und spricht das Kind.

SICHERHEIT: Halte den Maulspalt offen. Eine geschlossene Schnauze wird binnen Minuten heiß und dumpt.

TEILE FÜR DIESEN SCHRITT



6


SCHRITT 6: DEN HALSKRAGEN ANPASSEN

! HILFE EINES ERWACHSENEN

Schneide die Bogenkante des Halskragens und lege ihn LOCKER um den Hals, hinten verklebt. LOCKER ist das Stichwort: Er muss sich frei mit dem Kopf drehen und beim Ziehen einfach abgehen.

SICHERHEIT: Klebe den Kragen niemals eng oder geschlossen um den Hals. Er liegt auf den Schultern auf, er greift nicht.

TEILE FÜR DIESEN SCHRITT



7


SCHRITT 7: BRUST UND RÜCKEN SCHNEIDEN

! HILFE EINES ERWACHSENEN

Schneide Brustplatte und Rückenplatte (je 12" × 15" (30 × 38 cm)). Falte die Seitenteile der Brust nach hinten, sodass sie zu den Rippen hin umschließen. Stanze an beiden oberen Ecken Löcher und fädle Band ein — das werden die Schulterbindungen.

SICHERHEIT: Der Erwachsene stanzt die Löcher. Bindungen über die Schultern, niemals um den Hals.

TEILE FÜR DIESEN SCHRITT




8

SCHRITT 8: DEN RÜCKENKAMM BAUEN

Schneide Dreieckszacken entlang des Rückenkamms — in der Mitte größer, zu den Enden hin kleiner. Falte die untere Lasche und klebe sie entlang der Mittellinie der Rückenplatte, sodass die Zacken aufrecht stehen. Das ist das Detail, das zuerst auffällt.

TEILE FÜR DIESEN SCHRITT




9

SCHRITT 9: DIE SCHULTERPLATTEN ANBRINGEN

Runde die Außenkante jeder Schulterplatte ab. Falte die Laschen und binde sie an die Schulterbänder, sodass sie über dem Gelenk sitzen und leicht nach außen hängen, wie echte Schulterstücke. Sie sollen sich heben, wenn der Arm sich hebt.

TEILE FÜR DIESEN SCHRITT



10


SCHRITT 10: DIE KRALLENSTULPEN MACHEN

! HILFE EINES ERWACHSENEN

Ritze jede Krallenstulpe mittig, damit sie sich um den Unterarm biegt. Schneide 3 Krallen in die Vorderkante, verjünge sie und RUNDE dann jede Spitze ab. Stanze an beiden Enden Löcher und fädle Band zum Binden ein.

SICHERHEIT: Runde die Krallenspitzen ab. Spitze Pappe auf Handhöhe in Gesichtsnähe ist zehn Sekunden Nacharbeit wert.

TEILE FÜR DIESEN SCHRITT



11


SCHRITT 11: DIE BEINE PANZERN

! HILFE EINES ERWACHSENEN

Ritze jede Oberschenkelplatte und Beinschiene mittig, damit sie umschließen. Schneide an den Oberschenkelplatten die Kurve, die das Knie freigibt. Binde die Oberschenkel oberhalb des Knies, die Schienen unterhalb, mit der Lücke am Gelenk. Gehen, hinsetzen, aufstehen — behindert eine Bindung das Beugen, versetze sie.

SICHERHEIT: Beinpanzerung darf das Knie niemals einschränken. Testet Treppen vor dem Losgehen — das ist das Teil, das Stürze verursacht.

TEILE FÜR DIESEN SCHRITT




12

SCHRITT 12: DEN SCHWANZ BAUEN

Verjünge den Schwanz von 8" (20 cm) auf etwa 2" (5 cm) an der Spitze, rolle ihn locker zu einem langen Kegel und klebe die Naht. Schneide den Schwanzzacken-Streifen in Dreiecke, zur Spitze hin kleiner, und klebe sie oben auf. Klebe das breite Ende unten an die Rückenplatte, sodass er hängt und schwingt.

SICHERHEIT: Ein Schwanz ist eine Stolperfalle für alle dahinter. Halte ihn von Treppen fern und sag Bescheid, wer hinterhergeht.

TEILE FÜR DIESEN SCHRITT




13

SCHRITT 13: BEMALEN UND PRÜFEN

Bemale den ganzen Anzug und ziehe dann mit schwarzem Marker Schuppenlinien über Schädel, Brust, Rücken, Beine und Schwanz. Abschlusstest: alle Teile an, den Flur entlanggehen, den Kopf in beide Richtungen drehen, beide Arme heben, einsetzen und aufstehen, drei Stufen steigen. Sicht frei, Atmen leicht, Knie beugen sich, nichts fällt ab, der Schwanz schwingt. Vergleiche mit dem Titelfoto — das ist der Maßstab.

SICHERHEIT: Pappe brennt. Halte den ganzen Anzug von Kerzen und Kürbislaternen fern und ergänze Reflektorband, wenn es nach Einbruch der Dunkelheit rausgeht.

TEILE FÜR DIESEN SCHRITT**QUALITÄTSKONTROLLE!**

Sieht dein Bau wie das Titelfoto aus? Vergleiche beides, bevor du fertig bist.

"Build It. Own It." — Tatum & Kash Cardboard Creations