



Presented by The High End

CARDBOARD FIRE TRUCK CAB

Life-Size Sit-In Fire Truck — Dashboard, Steering Wheel & Helmet

Build the fire truck. Wear the helmet. Save the living room.

AGES 4+	BOXES 2–3 Large Boxes	TIME 90 Minutes	DIFF Beginner *	PIECES 10 pcs
------------	--------------------------	--------------------	--------------------	------------------

CARDBOARD NEEDED:
2–3 Large Boxes (at least 24" × 36" (61 × 91 cm) each)


MISSION GOAL:
Build a sit-in fire truck cab with windshield, steering wheel, dashboard, light bar, hood — plus a wearable firefighter helmet. All exterior painted fire engine red.

1

STEP 1: BUILD THE CAB BOX

Lay the Cab Floor flat (fold marks show where walls attach). Stand both Side Panels upright on left and right of the floor. Tape all inside seams with 3+ layers. This is the shell your child sits inside.

PIECES USED IN THIS STEP



BUILD TO MATCH THIS


2

STEP 2: ADD THE WINDSHIELD

Tape the Front Windshield Panel upright at the front. Cut the windshield opening using the 4 cut lines shown on the template — top cut, bottom cut, left cut, right cut. Keep solid frame around all 4 sides. This is what the driver looks through.

SAFETY: Adult cuts all 4 window cut lines. Smooth edges — no sharp points.

PIECES USED IN THIS STEP




! ADULT ASSIST NEEDED

3

STEP 3: BUILD THE HOOD

Attach the Hood Extension at the base of the windshield using the fold mark. Score the midline (score mark on template) so the hood angles slightly downward. Attach a Headlight Circle to each front corner.

PIECES USED IN THIS STEP




4

STEP 4: BUILD THE STEERING WHEEL

Cut both Steering Wheel circles (circle mark on template — trace a plate). Stack them and tape together for double thickness. Tape the Steering Column to the back of the wheel, then mount the whole assembly inside the cab at chest height when seated.

SAFETY: Steering wheel must not block the child's exit from the cab.

PIECES USED IN THIS STEP




5

STEP 5: DRAW THE DASHBOARD

On the inside of the windshield panel below the window, draw a full dashboard — dials, gauges, a radio, a siren switch, a speedometer. The more detail, the better the build.

PIECES USED IN THIS STEP




6

STEP 6: MOUNT THE LIGHT BAR

Tape the Light Bar across the top of the windshield panel (fold mark on template). Draw alternating red and blue light shapes across it. This is the emergency light bar — the most important outside detail.

PIECES USED IN THIS STEP




7

STEP 7: CLOSE THE REAR PANEL

Tape the Rear Panel upright at the back of the cab floor. The child should now sit inside an enclosed cab with an open top.

PIECES USED IN THIS STEP




8

STEP 8: PAINT FIRE ENGINE RED

Paint the ENTIRE exterior fire engine red — every outside surface. This is the single most critical step. Add HEE FIRE DEPT or a badge number on the door. Add a flame logo on the side panel.

SAFETY: Water-based paint only in a ventilated space.

PIECES USED IN THIS STEP



9


STEP 9: BUILD THE HELMET

Score the center of the Helmet Wrap so it curves around the head. Tape the side seam. Cut a front brim from scrap cardboard (attachment mark on template). Paint tan or brown. This is the helmet in the cover photo.

SAFETY:

Confirm child can see clearly and breathe with helmet on.

PIECES USED IN THIS STEP




10

STEP 10: QUALITY CHECK

Child sits at the steering wheel. Full red paint outside. Light bar on top. Firefighter helmet on. Compare to cover photo. That's the standard.

PIECES USED IN THIS STEP



QUALITY CHECK!

Does your build match the cover photo? Compare side by side before you call it done.

"Build It. Own It." — Tatum & Kash Cardboard Creations



CAB SIDE PANEL

24" x 18" (61 x 46 cm) | Cut x2

CUT
x2

CAB SIDE PANEL

x2

BASE EDGE — tape to Cab Floor

TOP EDGE — Light Bar mounts here

24" x 18" (61 x 46 cm)
Left + right walls of the cab

MARK LEGEND FOR THIS PIECE:

FOLD — score lightly, then fold at this line

NOTE: Left + right walls of the cab



FRONT WINDSHIELD PANEL

20" × 18" (51 × 46 cm) | Cut ×1

CUT
x1

FRONT WINDSHIELD PANEL

TOP CUT of windshield opening

BOTTOM CUT of windshield opening

20" × 18" (51 × 46 cm)
Cut large window at eye level

MARK LEGEND FOR THIS PIECE:

CUT — scissors or box cutter on this line

NOTE: Cut large window at eye level



CAB FLOOR / SEAT BASE

20" x 16" (51 x 41 cm) | Cut x1

CUT
x1

CAB FLOOR / SEAT BASE

x1

FRONT EDGE — windshield panel stands here

REAR EDGE — rear panel stands here

20" x 16" (51 x 41 cm)
Child sits on this — double layer for strength

MARK LEGEND FOR THIS PIECE:

FOLD — score lightly, then fold at this line

NOTE: Child sits on this — double layer for strength



HOOD EXTENSION

18" x 12" (46 x 30 cm) | Cut x1

CUT
x1

HOOD EXTENSION

FOLD EDGE attaches to bottom of windshield

SCORE MIDLINE — angled down slightly for hood slope

18" x 12" (46 x 30 cm)
Angles forward from base of windshield

MARK LEGEND FOR THIS PIECE:

FOLD — score lightly, then fold at this line

SCORE — press hard with ruler but do NOT cut through

NOTE: Angles forward from base of windshield

E


STEERING WHEEL (CIRCLE)

10" × 10" (25 × 25 cm) | Cut ×2

CUT
x2

STEERING WHEEL (CIRCLE)

x2



CUT PERFECT CIRCLE — trace a plate or bowl. Stack 2 for rigidity.

10" × 10" (25 × 25 cm)
Stack both circles for thickness

MARK LEGEND FOR THIS PIECE:

OVAL — cut oval shape: pin string at center, trace with pencil

NOTE: Stack both circles for thickness




STEERING COLUMN

4" x 8" (10 x 20 cm) | Cut x1

CUT
x1

STEERING COLUMN

x1



4" x 8" (10 x 20 cm)
Supports steering wheel from dash

MARK LEGEND FOR THIS PIECE:

FOLD — score lightly, then fold at this line

NOTE: Supports steering wheel from dash



LIGHT BAR (ROOF STRIP)

20" × 6" (51 × 15 cm) | Cut ×1

CUT
x1

LIGHT BAR (ROOF STRIP)

x1

EDGE — folds over cab top to attach

20" × 6" (51 × 15 cm)
Mount on top of cab — draw red/blue lights

MARK LEGEND FOR THIS PIECE:

FOLD — score lightly, then fold at this line

NOTE: Mount on top of cab — draw red/blue lights

PAPPEILE — 10 INSGESAMT (2–3 große Kartons (jeweils mindestens 24" × 36" (61 × 91 cm)))

×2 Kabinen-Seitenwand 24" × 18" <i>Linke und rechte Wand der Kabine</i>	×1 Lenksäule 4" × 8" <i>Stützt das Lenkrad vom Armaturenbrett aus</i>
×1 Vordere Windschutzscheiben-Wand 20" × 18" <i>Großes Fenster auf Augenhöhe ausschneiden</i>	×1 Lichtbalken (Dachstreifen) 20" × 6" <i>Oben auf der Kabine anbringen – rote/blau Lichter aufmalen</i>
×1 Kabinenboden / Sitzfläche 20" × 16" <i>Das Kind sitzt darauf – doppellagig für mehr Festigkeit</i>	×2 Scheinwerfer-Kreis 5" × 5" <i>An die vorderen Ecken der Motorhaube kleben</i>
×1 Motorhauben-Verlängerung 18" × 12" <i>Verläuft schräg nach vorne ab der Basis der Windschutzscheibe</i>	×1 Rückwand 20" × 18" <i>Hintere Wand der Kabine</i>
×2 Lenkrad (Kreis) 10" × 10" <i>Beide Kreise für mehr Dicke aufeinanderlegen</i>	×1 Helm-Umhüllung 14" × 10" <i>Vordere Krempe aus Resten anbringen – beige bemalen</i>

WERKZEUG & MATERIAL

- + 2–3 große Pappkartons
- + Cuttermesser – NUR FÜR ERWACHSENE
- + Stabile Schere für Kinder
- + Paketklebeband (2+ Rollen)
- + ROTE FARBE (am wichtigsten – die ganze Außenseite ist feuerwehrrrot)
- + Schwarzer und gelber Stift für das Armaturenbrett
- + Beige/braune Farbe für den Helm

WUSSTEST DU?

Echte Feuerwehrautos pumpen 1.900 Liter Wasser pro Minute. Deins pumpt 0 – aber der Mut ist derselbe.

HERAUSFORDERUNG!

Feueralarm! Stelle einen Timer auf 60 Sekunden. Schafft es die ganze Familie zum Feuerwehrauto und angeschnallt, bevor der Alarm losgeht?

1 SCHRITT 1: DIE KABINENBOX BAUEN

Lege den Kabinenboden flach hin (Faltmarkierungen zeigen, wo die Wände ansetzen). Stelle beide Seitenwände links und rechts vom Boden aufrecht hin. Klebe alle Innennähte mit 3+ Lagen. Das ist die Hülle, in der dein Kind sitzt.

2 SCHRITT 2: DIE WINDSCHUTZSCHEIBE ANBRINGEN

! HILFE EINES ERWACHSENEN

Klebe die vordere Windschutzscheiben-Wand vorne aufrecht an. Schneide die Fensteröffnung anhand der 4 Schnitlinien auf der Vorlage aus – oberer Schnitt, unterer Schnitt, linker Schnitt, rechter Schnitt. Lasse rundherum an allen 4 Seiten einen festen Rahmen stehen. Hier schaut der Fahrer hindurch.

SICHERHEIT: Erwachsene schneiden alle 4 Fenster-Schnitlinien. Kanten glätten – keine scharfen Spitzen.

3 SCHRITT 3: DIE MOTORHAUBE BAUEN

Bringe die Motorhauben-Verlängerung an der Basis der Windschutzscheibe an (Faltmarkierung). Ritze die Mittellinie ein (Ritzmarkierung auf der Vorlage), damit die Haube leicht nach unten abfällt. Klebe an jede vordere Ecke einen Scheinwerfer-Kreis.

4 SCHRITT 4: DAS LENKRAD BAUEN

Schneide beide Lenkrad-Kreise aus (Kreismarkierung auf der Vorlage – einen Teller abzeichnen). Lege sie aufeinander und klebe sie für doppelte Dicke zusammen. Klebe die Lenksäule an die Rückseite des Lenkrads und montiere dann die ganze Einheit in der Kabine auf Brusthöhe des sitzenden Kindes.

SICHERHEIT: Das Lenkrad darf den Ausstieg des Kindes aus der Kabine nicht versperren.

5 SCHRITT 5: DAS ARMATURENBRETT ZEICHNEN

Zeichne auf die Innenseite der Windschutzscheiben-Wand unterhalb des Fensters ein vollständiges Armaturenbrett – Anzeigen, Skalen, ein Funkgerät, einen Sirenschalter, einen Tacho. Je mehr Details, desto besser wird das Werk.

6 SCHRITT 6: DEN LICHTBALKEN ANBRINGEN

Klebe den Lichtbalken oben quer über die Windschutzscheiben-Wand (Faltmarkierung auf der Vorlage). Male abwechselnd rote und blaue Lichtformen darüber. Das ist der Notlichtbalken – das wichtigste Detail außen.

7 SCHRITT 7: DIE RÜCKWAND SCHLIESSEN

Klebe die Rückwand hinten am Kabinenboden aufrecht an. Das Kind sollte nun in einer geschlossenen Kabine mit offenem Dach sitzen.

8 SCHRITT 8: FEUERWEHRROT BEMALEN

Bemale die GESAMTE Außenseite feuerwehrrot – jede äußere Fläche. Das ist der allerwichtigste Schritt. Schreibe HEE FIRE DEPT oder eine Kennnummer auf die Tür. Bringe ein Flammen-Logo auf der Seitenwand an.

SICHERHEIT: Nur Farbe auf Wasserbasis und in einem gut belüfteten Raum verwenden.

9 SCHRITT 9: DEN HELM BAUEN

Ritze die Mitte der Helm-Umhüllung ein, damit sie sich um den Kopf wölbt. Klebe die Seitennaht fest. Schneide eine vordere Krempe aus Pappresten (Anbringungsmarkierung auf der Vorlage). Male sie beige oder braun an. Das ist der Helm auf dem Titelfoto.

SICHERHEIT: Stelle sicher, dass das Kind mit aufgesetztem Helm klar sehen und atmen kann.

10 SCHRITT 10: QUALITÄTSKONTROLLE

Das Kind sitzt am Lenkrad. Außen komplett rote Farbe. Lichtbalken oben. Feuerwehrhelm auf. Vergleiche mit dem Titelfoto. Das ist der Maßstab.

QUALITÄTSKONTROLLE!

Sieht dein Bau wie das Titelfoto aus? Vergleiche beides, bevor du fertig bist.

"Build It. Own It." — Tatum & Kash Cardboard Creations