



Presented by The High End

CARDBOARD FIRE TRUCK CAB

Life-Size Sit-In Fire Truck — Dashboard, Steering Wheel & Helmet

Build the fire truck. Wear the helmet. Save the living room.

AGES 4+	BOXES 2–3 Large Boxes	TIME 90 Minutes	DIFF Beginner *	PIECES 10 pcs
------------	--------------------------	--------------------	--------------------	------------------

CARDBOARD NEEDED:
2–3 Large Boxes (at least 24" × 36" (61 × 91 cm) each)


MISSION GOAL:
Build a sit-in fire truck cab with windshield, steering wheel, dashboard, light bar, hood — plus a wearable firefighter helmet. All exterior painted fire engine red.

1

STEP 1: BUILD THE CAB BOX

Lay the Cab Floor flat (fold marks show where walls attach). Stand both Side Panels upright on left and right of the floor. Tape all inside seams with 3+ layers. This is the shell your child sits inside.

PIECES USED IN THIS STEP



BUILD TO MATCH THIS


2

STEP 2: ADD THE WINDSHIELD

Tape the Front Windshield Panel upright at the front. Cut the windshield opening using the 4 cut lines shown on the template — top cut, bottom cut, left cut, right cut. Keep solid frame around all 4 sides. This is what the driver looks through.

SAFETY: Adult cuts all 4 window cut lines. Smooth edges — no sharp points.

PIECES USED IN THIS STEP




! ADULT ASSIST NEEDED

3

STEP 3: BUILD THE HOOD

Attach the Hood Extension at the base of the windshield using the fold mark. Score the midline (score mark on template) so the hood angles slightly downward. Attach a Headlight Circle to each front corner.

PIECES USED IN THIS STEP




4

STEP 4: BUILD THE STEERING WHEEL

Cut both Steering Wheel circles (circle mark on template — trace a plate). Stack them and tape together for double thickness. Tape the Steering Column to the back of the wheel, then mount the whole assembly inside the cab at chest height when seated.

SAFETY: Steering wheel must not block the child's exit from the cab.

PIECES USED IN THIS STEP




5

STEP 5: DRAW THE DASHBOARD

On the inside of the windshield panel below the window, draw a full dashboard — dials, gauges, a radio, a siren switch, a speedometer. The more detail, the better the build.

PIECES USED IN THIS STEP




6

STEP 6: MOUNT THE LIGHT BAR

Tape the Light Bar across the top of the windshield panel (fold mark on template). Draw alternating red and blue light shapes across it. This is the emergency light bar — the most important outside detail.

PIECES USED IN THIS STEP




7

STEP 7: CLOSE THE REAR PANEL

Tape the Rear Panel upright at the back of the cab floor. The child should now sit inside an enclosed cab with an open top.

PIECES USED IN THIS STEP




8

STEP 8: PAINT FIRE ENGINE RED

Paint the ENTIRE exterior fire engine red — every outside surface. This is the single most critical step. Add HEE FIRE DEPT or a badge number on the door. Add a flame logo on the side panel.

SAFETY: Water-based paint only in a ventilated space.

PIECES USED IN THIS STEP



9

STEP 9: BUILD THE HELMET

Score the center of the Helmet Wrap so it curves around the head. Tape the side seam. Cut a front brim from scrap cardboard (attachment mark on template). Paint tan or brown. This is the helmet in the cover photo.

SAFETY:

Confirm child can see clearly and breathe with helmet on.

PIECES USED IN THIS STEP

J

x1



HELMET WRAP

14" x 10"

10

STEP 10: QUALITY CHECK

Child sits at the steering wheel. Full red paint outside. Light bar on top. Firefighter helmet on. Compare to cover photo. That's the standard.

PIECES USED IN THIS STEP

E

x2



STEERING WHEEL...

10" x 10"

G

x1



LIGHT BAR (ROOF...

20" x 6"

QUALITY CHECK!

Does your build match the cover photo? Compare side by side before you call it done.

"Build It. Own It." — Tatum & Kash Cardboard Creations



CAB SIDE PANEL

24" x 18" (61 x 46 cm) | Cut x2

CUT
x2

CAB SIDE PANEL

x2

BASE EDGE — tape to Cab Floor

TOP EDGE — Light Bar mounts here

24" x 18" (61 x 46 cm)
Left + right walls of the cab

MARK LEGEND FOR THIS PIECE:

FOLD — score lightly, then fold at this line

NOTE: Left + right walls of the cab



FRONT WINDSHIELD PANEL

20" × 18" (51 × 46 cm) | Cut ×1

CUT
x1

FRONT WINDSHIELD PANEL

x1

TOP CUT of windshield opening

BOTTOM CUT of windshield opening

20" × 18" (51 × 46 cm)
Cut large window at eye level

MARK LEGEND FOR THIS PIECE:

CUT — scissors or box cutter on this line

NOTE: Cut large window at eye level



CAB FLOOR / SEAT BASE

20" × 16" (51 × 41 cm) | Cut ×1

CUT
x1

CAB FLOOR / SEAT BASE

x1

FRONT EDGE — windshield panel stands here

REAR EDGE — rear panel stands here

20" × 16" (51 × 41 cm)
Child sits on this — double layer for strength

MARK LEGEND FOR THIS PIECE:

FOLD — score lightly, then fold at this line

NOTE: Child sits on this — double layer for strength



HOOD EXTENSION

18" x 12" (46 x 30 cm) | Cut x1

CUT
x1

HOOD EXTENSION

x1

FOLD EDGE attaches to bottom of windshield

SCORE MIDLINE — angled down slightly for hood slope

18" x 12" (46 x 30 cm)
Angles forward from base of windshield


MARK LEGEND FOR THIS PIECE:

FOLD — score lightly, then fold at this line	SCORE — press hard with ruler but do NOT cut through
--	--

NOTE: Angles forward from base of windshield

STEERING WHEEL (CIRCLE)

x2



CUT PERFECT CIRCLE — trace a plate or bowl. Stack 2 for rigidity.

10" × 10" (25 × 25 cm)
Stack both circles for thickness

MARK LEGEND FOR THIS PIECE:

OVAL — cut oval shape: pin string at center, trace with pencil

NOTE: Stack both circles for thickness




STEERING COLUMN

4" x 8" (10 x 20 cm) | Cut x1

CUT
x1

STEERING COLUMN

x1



4" x 8" (10 x 20 cm)
Supports steering wheel from dash

MARK LEGEND FOR THIS PIECE:

FOLD — score lightly, then fold at this line

NOTE: Supports steering wheel from dash



LIGHT BAR (ROOF STRIP)

20" × 6" (51 × 15 cm) | Cut ×1

CUT
x1

LIGHT BAR (ROOF STRIP)

x1

EDGE — folds over cab top to attach

20" × 6" (51 × 15 cm)
Mount on top of cab — draw red/blue lights

MARK LEGEND FOR THIS PIECE:

FOLD — score lightly, then fold at this line

NOTE: Mount on top of cab — draw red/blue lights

PIEZAS DE CARTÓN — 10 EN TOTAL (2-3 cajas grandes (al menos 24" × 36" (61 × 91 cm) cada una))

×2 Panel lateral de la cabina 24" × 18" <i>Paredes izquierda y derecha de la cabina</i>	×1 Columna de dirección 4" × 8" <i>Sujeta el volante desde el tablero</i>
×1 Panel del parabrisas delantero 20" × 18" <i>Corta una ventana grande a la altura de los ojos</i>	×1 Barra de luces (tira del techo) 20" × 6" <i>Móntala encima de la cabina: dibuja luces rojas/azules</i>
×1 Piso / base del asiento de la cabina 20" × 16" <i>El niño se sienta aquí: doble capa para más resistencia</i>	×2 Círculo de faro 5" × 5" <i>Pégalo en las esquinas delanteras del capó</i>
×1 Extensión del capó 18" × 12" <i>Sale hacia delante desde la base del parabrisas</i>	×1 Panel trasero 20" × 18" <i>Pared de atrás de la cabina</i>
×2 Volante (círculo) 10" × 10" <i>Apila los dos círculos para darle grosor</i>	×1 Banda del casco 14" × 10" <i>Añade un ala delantera con un sobrante: pinta de color canela</i>

HERRAMIENTAS Y MATERIALES

- | | |
|-------------------------------------|--|
| + 2-3 cajas de cartón grandes | + PINTURA ROJA (lo más importante: todo el exterior es rojo de bomberos) |
| + Cúter: SOLO PARA ADULTOS | + Marcadores negro y amarillo para el tablero |
| + Tijeras resistentes para niños | + Pintura canela/marrón para el casco |
| + Cinta de embalar (2 o más rollos) | |

¡DATO CURIOSO!

Los camiones de bomberos de verdad bombean 500 galones de agua por minuto. El tuyo bombea 0, pero la valentía es la misma.

¡DESAFÍO!

¡Simulacro de incendio! Pon un cronómetro de 60 segundos. ¿Puede toda la familia llegar al camión de bomberos y abrocharse antes de que suene la alarma?

1 PASO 1: ARMA LA CAJA DE LA CABINA

Coloca el piso de la cabina plano (las marcas de doblez muestran dónde se sujetan las paredes). Pon de pie los dos paneles laterales a la izquierda y a la derecha del piso. Pega todas las costuras interiores con 3 o más capas. Esta es la estructura donde se sienta tu hijo.

2 PASO 2: AÑADE EL PARABRISAS

! AYUDA DE UN ADULTO

Pega el panel del parabrisas delantero de pie en la parte de adelante. Corta la abertura del parabrisas usando las 4 líneas de corte que muestra la plantilla: corte de arriba, de abajo, izquierdo y derecho. Deja un marco firme en los 4 lados. Esto es por donde mira el conductor.

SEGURIDAD: El adulto corta las 4 líneas de la ventana. Bordes lisos: sin puntas afiladas.

3 PASO 3: ARMA EL CAPÓ

Sujeta la extensión del capó en la base del parabrisas usando la marca de doblez. Marca la línea central (marca de doblez en la plantilla) para que el capó se incline ligeramente hacia abajo. Pega un círculo de faro en cada esquina delantera.

4 PASO 4: ARMA EL VOLANTE

Corta los dos círculos del volante (marca de círculo en la plantilla: calca un plato). Apílalos y únelos con cinta para que tengan doble grosor. Pega la columna de dirección a la parte de atrás del volante y luego monta todo el conjunto dentro de la cabina a la altura del pecho cuando el niño está sentado.

SEGURIDAD: El volante no debe bloquear la salida del niño de la cabina.

5 PASO 5: DIBUJA EL TABLERO

En la parte de adentro del panel del parabrisas, debajo de la ventana, dibuja un tablero completo: diales, indicadores, una radio, un interruptor de sirena, un velocímetro. Cuanto más detalle, mejor queda.

6 PASO 6: MONTA LA BARRA DE LUCES

Pega la barra de luces a lo ancho de la parte de arriba del panel del parabrisas (marca de doblez en la plantilla). Dibuja luces alternadas rojas y azules a lo largo de ella. Esta es la barra de luces de emergencia: el detalle exterior más importante.

7 PASO 7: CIERRA EL PANEL TRASERO

Pega el panel trasero de pie en la parte de atrás del piso de la cabina. El niño debe quedar ahora sentado dentro de una cabina cerrada con la parte de arriba abierta.

8 PASO 8: PINTA DE ROJO DE BOMBEROS

Pinta TODO el exterior de rojo de bomberos: cada superficie de afuera. Este es el paso más importante de todos. Añade HEE FIRE DEPT o un número de placa en la puerta. Añade un logo de llamas en el panel lateral.

SEGURIDAD: Solo pintura al agua y en un espacio ventilado.

9 PASO 9: ARMA EL CASCO

Marca el centro de la banda del casco para que se curve alrededor de la cabeza. Pega la costura lateral. Corta un ala delantera con un cartón sobrante (marca de unión en la plantilla). Pinta de canela o marrón. Este es el casco de la foto de portada.

SEGURIDAD: Confirma que el niño puede ver bien y respirar con el casco puesto.

10 PASO 10: CONTROL DE CALIDAD

El niño se sienta al volante. Pintura roja completa por fuera. Barra de luces arriba. Casco de bombero puesto. Compáralo con la foto de portada. Ese es el estándar.

¡CONTROL DE CALIDAD!

¿Tu construcción se parece a la foto? Compárala lado a lado antes de darla por terminada.

"Build It. Own It." — Tatum & Kash Cardboard Creations