



Presented by The High End

CARDBOARD FIRE TRUCK CAB

Life-Size Sit-In Fire Truck — Dashboard, Steering Wheel & Helmet

Build the fire truck. Wear the helmet. Save the living room.

AGES 4+	BOXES 2–3 Large Boxes	TIME 90 Minutes	DIFF Beginner *	PIECES 10 pcs
------------	--------------------------	--------------------	--------------------	------------------

CARDBOARD NEEDED:
2–3 Large Boxes (at least 24" × 36" (61 × 91 cm) each)


MISSION GOAL:
Build a sit-in fire truck cab with windshield, steering wheel, dashboard, light bar, hood — plus a wearable firefighter helmet. All exterior painted fire engine red.

1

STEP 1: BUILD THE CAB BOX

Lay the Cab Floor flat (fold marks show where walls attach). Stand both Side Panels upright on left and right of the floor. Tape all inside seams with 3+ layers. This is the shell your child sits inside.

PIECES USED IN THIS STEP



BUILD TO MATCH THIS


2

STEP 2: ADD THE WINDSHIELD

Tape the Front Windshield Panel upright at the front. Cut the windshield opening using the 4 cut lines shown on the template — top cut, bottom cut, left cut, right cut. Keep solid frame around all 4 sides. This is what the driver looks through.

SAFETY: Adult cuts all 4 window cut lines. Smooth edges — no sharp points.

PIECES USED IN THIS STEP




! ADULT ASSIST NEEDED

3

STEP 3: BUILD THE HOOD

Attach the Hood Extension at the base of the windshield using the fold mark. Score the midline (score mark on template) so the hood angles slightly downward. Attach a Headlight Circle to each front corner.

PIECES USED IN THIS STEP




4

STEP 4: BUILD THE STEERING WHEEL

Cut both Steering Wheel circles (circle mark on template — trace a plate). Stack them and tape together for double thickness. Tape the Steering Column to the back of the wheel, then mount the whole assembly inside the cab at chest height when seated.

SAFETY: Steering wheel must not block the child's exit from the cab.

PIECES USED IN THIS STEP




5

STEP 5: DRAW THE DASHBOARD

On the inside of the windshield panel below the window, draw a full dashboard — dials, gauges, a radio, a siren switch, a speedometer. The more detail, the better the build.

PIECES USED IN THIS STEP




6

STEP 6: MOUNT THE LIGHT BAR

Tape the Light Bar across the top of the windshield panel (fold mark on template). Draw alternating red and blue light shapes across it. This is the emergency light bar — the most important outside detail.

PIECES USED IN THIS STEP




7

STEP 7: CLOSE THE REAR PANEL

Tape the Rear Panel upright at the back of the cab floor. The child should now sit inside an enclosed cab with an open top.

PIECES USED IN THIS STEP




8

STEP 8: PAINT FIRE ENGINE RED

Paint the ENTIRE exterior fire engine red — every outside surface. This is the single most critical step. Add HEE FIRE DEPT or a badge number on the door. Add a flame logo on the side panel.

SAFETY: Water-based paint only in a ventilated space.

PIECES USED IN THIS STEP



9

STEP 9: BUILD THE HELMET

Score the center of the Helmet Wrap so it curves around the head. Tape the side seam. Cut a front brim from scrap cardboard (attachment mark on template). Paint tan or brown. This is the helmet in the cover photo.

SAFETY:

Confirm child can see clearly and breathe with helmet on.

PIECES USED IN THIS STEP

J

x1



HELMET WRAP

14" x 10"

10

STEP 10: QUALITY CHECK

Child sits at the steering wheel. Full red paint outside. Light bar on top. Firefighter helmet on. Compare to cover photo. That's the standard.

PIECES USED IN THIS STEP

E

x2



STEERING WHEEL...

10" x 10"

G

x1



LIGHT BAR (ROOF...

20" x 6"

QUALITY CHECK!

Does your build match the cover photo? Compare side by side before you call it done.

"Build It. Own It." — Tatum & Kash Cardboard Creations



CAB SIDE PANEL

24" x 18" (61 x 46 cm) | Cut x2

CUT
x2

CAB SIDE PANEL

x2

BASE EDGE — tape to Cab Floor

TOP EDGE — Light Bar mounts here

24" x 18" (61 x 46 cm)
Left + right walls of the cab

MARK LEGEND FOR THIS PIECE:

FOLD — score lightly, then fold at this line

NOTE: Left + right walls of the cab



FRONT WINDSHIELD PANEL

20" × 18" (51 × 46 cm) | Cut ×1

CUT
x1

FRONT WINDSHIELD PANEL

x1

TOP CUT of windshield opening

BOTTOM CUT of windshield opening

20" × 18" (51 × 46 cm)
Cut large window at eye level

MARK LEGEND FOR THIS PIECE:

CUT — scissors or box cutter on this line

NOTE: Cut large window at eye level



CAB FLOOR / SEAT BASE

20" x 16" (51 x 41 cm) | Cut x1

CUT
x1

CAB FLOOR / SEAT BASE

x1

FRONT EDGE — windshield panel stands here

20" x 16" (51 x 41 cm)
Child sits on this — double layer for strength

MARK LEGEND FOR THIS PIECE:

FOLD — score lightly, then fold at this line

NOTE: Child sits on this — double layer for strength



HOOD EXTENSION

18" x 12" (46 x 30 cm) | Cut x1

CUT
x1

HOOD EXTENSION

FOLD EDGE attaches to bottom of windshield

SCORE MIDLINE — angled down slightly for hood slope

18" x 12" (46 x 30 cm)
Angles forward from base of windshield

MARK LEGEND FOR THIS PIECE:

FOLD — score lightly, then fold at this line

SCORE — press hard with ruler but do NOT cut through

NOTE: Angles forward from base of windshield

E


STEERING WHEEL (CIRCLE)

10" × 10" (25 × 25 cm) | Cut ×2

CUT
x2

STEERING WHEEL (CIRCLE)

x2



CUT PERFECT CIRCLE — trace a plate or bowl. Stack 2 for rigidity.

10" × 10" (25 × 25 cm)
Stack both circles for thickness

MARK LEGEND FOR THIS PIECE:

OVAL — cut oval shape: pin string at center, trace with pencil

NOTE: Stack both circles for thickness




STEERING COLUMN

4" x 8" (10 x 20 cm) | Cut x1

CUT
x1

STEERING COLUMN

x1



4" x 8" (10 x 20 cm)
Supports steering wheel from dash

MARK LEGEND FOR THIS PIECE:

FOLD — score lightly, then fold at this line

NOTE: Supports steering wheel from dash



LIGHT BAR (ROOF STRIP)

20" × 6" (51 × 15 cm) | Cut ×1

CUT
x1

LIGHT BAR (ROOF STRIP)

x1

EDGE — folds over cab top to attach

20" × 6" (51 × 15 cm)
Mount on top of cab — draw red/blue lights

MARK LEGEND FOR THIS PIECE:

FOLD — score lightly, then fold at this line

NOTE: Mount on top of cab — draw red/blue lights

PIÈCES EN CARTON — 10 AU TOTAL (2 à 3 grandes boîtes (au moins 24" × 36" (61 × 91 cm) chacune))

×2 Panneau latéral de cabine 24" × 18" <i>Parois gauche et droite de la cabine</i>	×1 Colonne de direction 4" × 8" <i>Soutient le volant depuis le tableau de bord</i>
×1 Panneau de pare-brise avant 20" × 18" <i>Découpez une grande fenêtre à hauteur des yeux</i>	×1 Rampe lumineuse (bande de toit) 20" × 6" <i>À monter sur le toit de la cabine — dessinez des feux rouges/bleus</i>
×1 Plancher de cabine / base du siège 20" × 16" <i>L'enfant s'assoit dessus — double épaisseur pour la solidité</i>	×2 Cercle de phare 5" × 5" <i>Collez aux coins avant du capot</i>
×1 Prolongement du capot 18" × 12" <i>S'incline vers l'avant depuis la base du pare-brise</i>	×1 Panneau arrière 20" × 18" <i>Paroi arrière de la cabine</i>
×2 Volant (cercle) 10" × 10" <i>Superposez les deux cercles pour l'épaisseur</i>	×1 Bandeau du casque 14" × 10" <i>Ajoutez une visière avant en chute — peignez en beige</i>

OUTILS ET MATÉRIEL

- + 2 à 3 grandes boîtes en carton
- + Un cutter — RÉSERVÉ AUX ADULTES
- + Des ciseaux solides pour enfants
- + Du ruban adhésif d'emballage (2 rouleaux ou plus)
- + DE LA PEINTURE ROUGE (le plus important — tout l'extérieur est rouge pompier)
- + Des marqueurs noir et jaune pour le tableau de bord
- + De la peinture beige/marron pour le casque

LE SAVIEZ-VOUS ?

Un vrai camion de pompiers débite 1 900 litres d'eau par minute. Le tien en débite 0 — mais le courage est le même.

DÉFI !

Exercice incendie ! Réglez un minuteur sur 60 secondes. Toute la famille peut-elle rejoindre le camion de pompiers et s'attacher avant que l'alarme retentisse ?

1 ÉTAPE 1: CONSTRUIRE LA BOÎTE-CABINE

Posez le plancher de cabine à plat (les repères de pli indiquent où se fixent les parois). Dressez les deux panneaux latéraux à gauche et à droite du plancher. Scotchez toutes les coutures intérieures avec 3 couches ou plus. C'est la coque dans laquelle votre enfant s'assoit.

2 ÉTAPE 2: AJOUTER LE PARE-BRISE

! AIDE D'UN ADULTE

Scotchez le panneau de pare-brise avant à la verticale, à l'avant. Découpez l'ouverture du pare-brise à l'aide des 4 lignes de coupe indiquées sur le gabarit — coupe du haut, coupe du bas, coupe de gauche, coupe de droite. Conservez un cadre plein sur les 4 côtés. C'est ce à travers quoi le conducteur regarde.

SÉCURITÉ : L'adulte découpe les 4 lignes de coupe de la fenêtre. Lissez les bords — aucune pointe coupante.

3 ÉTAPE 3: CONSTRUIRE LE CAPOT

Fixez le prolongement du capot à la base du pare-brise à l'aide du repère de pli. Rainez la ligne médiane (repère de rainage sur le gabarit) pour que le capot s'incline légèrement vers le bas. Fixez un cercle de phare à chaque coin avant.

4 ÉTAPE 4: FABRIQUER LE VOLANT

Découpez les deux cercles du volant (repère de cercle sur le gabarit — tracez le contour d'une assiette). Superposez-les et scotchez-les ensemble pour une double épaisseur. Scotchez la colonne de direction à l'arrière du volant, puis montez l'ensemble à l'intérieur de la cabine, à hauteur de poitrine en position assise.

SÉCURITÉ : Le volant ne doit pas gêner la sortie de l'enfant de la cabine.

5 ÉTAPE 5: DESSINER LE TABLEAU DE BORD

À l'intérieur du panneau de pare-brise, sous la fenêtre, dessinez un tableau de bord complet — des cadrans, des jauges, une radio, un bouton de sirène, un compteur de vitesse. Plus il y a de détails, meilleure est la réalisation.

6 ÉTAPE 6: MONTER LA RAMPE LUMINEUSE

Scotchez la rampe lumineuse en travers du haut du panneau de pare-brise (repère de pli sur le gabarit). Dessinez dessus des formes de feux rouges et bleus en alternance. C'est la rampe de feux d'urgence — le détail extérieur le plus important.

7 ÉTAPE 7: FERMER LE PANNEAU ARRIÈRE

Scotchez le panneau arrière à la verticale, à l'arrière du plancher de cabine. L'enfant doit maintenant être assis dans une cabine fermée, ouverte par le haut.

8 ÉTAPE 8: PEINDRE EN ROUGE POMPIER

Peignez TOUT l'extérieur en rouge pompier — chaque surface extérieure. C'est l'étape la plus cruciale. Ajoutez HEE FIRE DEPT ou un numéro d'insigne sur la portière. Ajoutez un logo de flamme sur le panneau latéral.

SÉCURITÉ : Uniquement de la peinture à l'eau, dans un espace ventilé.

9 ÉTAPE 9: FABRIQUER LE CASQUE

Rainez le centre du bandeau du casque pour qu'il s'incurve autour de la tête. Scotchez la couture latérale. Découpez une visière avant dans une chute de carton (repère de fixation sur le gabarit). Peignez en beige ou marron. C'est le casque de la photo de couverture.

SÉCURITÉ : Vérifiez que l'enfant voit clairement et respire bien avec le casque sur la tête.

10 ÉTAPE 10: CONTRÔLE QUALITÉ

L'enfant est assis au volant. Tout l'extérieur est peint en rouge. La rampe lumineuse est sur le toit. Le casque de pompier est en place. Comparez à la photo de couverture. C'est le niveau à atteindre.

CONTRÔLE QUALITÉ !

Votre construction ressemble-t-elle à la photo ? Comparez côte à côte avant de terminer.

"Build It. Own It." — Tatum & Kash Cardboard Creations