



Presented by The High End

CARDBOARD FIRE TRUCK CAB

Life-Size Sit-In Fire Truck — Dashboard, Steering Wheel & Helmet

Build the fire truck. Wear the helmet. Save the living room.

AGES 4+	BOXES 2–3 Large Boxes	TIME 90 Minutes	DIFF Beginner *	PIECES 10 pcs
------------	--------------------------	--------------------	--------------------	------------------

CARDBOARD NEEDED:
2–3 Large Boxes (at least 24" × 36" (61 × 91 cm) each)


MISSION GOAL:
Build a sit-in fire truck cab with windshield, steering wheel, dashboard, light bar, hood — plus a wearable firefighter helmet. All exterior painted fire engine red.

1

STEP 1: BUILD THE CAB BOX

Lay the Cab Floor flat (fold marks show where walls attach). Stand both Side Panels upright on left and right of the floor. Tape all inside seams with 3+ layers. This is the shell your child sits inside.

PIECES USED IN THIS STEP



BUILD TO MATCH THIS


2

STEP 2: ADD THE WINDSHIELD

Tape the Front Windshield Panel upright at the front. Cut the windshield opening using the 4 cut lines shown on the template — top cut, bottom cut, left cut, right cut. Keep solid frame around all 4 sides. This is what the driver looks through.

SAFETY: Adult cuts all 4 window cut lines. Smooth edges — no sharp points.

PIECES USED IN THIS STEP




! ADULT ASSIST NEEDED

3

STEP 3: BUILD THE HOOD

Attach the Hood Extension at the base of the windshield using the fold mark. Score the midline (score mark on template) so the hood angles slightly downward. Attach a Headlight Circle to each front corner.

PIECES USED IN THIS STEP




4

STEP 4: BUILD THE STEERING WHEEL

Cut both Steering Wheel circles (circle mark on template — trace a plate). Stack them and tape together for double thickness. Tape the Steering Column to the back of the wheel, then mount the whole assembly inside the cab at chest height when seated.

SAFETY: Steering wheel must not block the child's exit from the cab.

PIECES USED IN THIS STEP




5

STEP 5: DRAW THE DASHBOARD

On the inside of the windshield panel below the window, draw a full dashboard — dials, gauges, a radio, a siren switch, a speedometer. The more detail, the better the build.

PIECES USED IN THIS STEP




6

STEP 6: MOUNT THE LIGHT BAR

Tape the Light Bar across the top of the windshield panel (fold mark on template). Draw alternating red and blue light shapes across it. This is the emergency light bar — the most important outside detail.

PIECES USED IN THIS STEP




7

STEP 7: CLOSE THE REAR PANEL

Tape the Rear Panel upright at the back of the cab floor. The child should now sit inside an enclosed cab with an open top.

PIECES USED IN THIS STEP




8

STEP 8: PAINT FIRE ENGINE RED

Paint the ENTIRE exterior fire engine red — every outside surface. This is the single most critical step. Add HEE FIRE DEPT or a badge number on the door. Add a flame logo on the side panel.

SAFETY: Water-based paint only in a ventilated space.

PIECES USED IN THIS STEP



9

STEP 9: BUILD THE HELMET

Score the center of the Helmet Wrap so it curves around the head. Tape the side seam. Cut a front brim from scrap cardboard (attachment mark on template). Paint tan or brown. This is the helmet in the cover photo.

SAFETY:

Confirm child can see clearly and breathe with helmet on.

PIECES USED IN THIS STEP

J

x1



HELMET WRAP

14" x 10"

10

STEP 10: QUALITY CHECK

Child sits at the steering wheel. Full red paint outside. Light bar on top. Firefighter helmet on. Compare to cover photo. That's the standard.

PIECES USED IN THIS STEP

E

x2



STEERING WHEEL...

10" x 10"

G

x1



LIGHT BAR (ROOF...

20" x 6"

QUALITY CHECK!

Does your build match the cover photo? Compare side by side before you call it done.

"Build It. Own It." — Tatum & Kash Cardboard Creations



CAB SIDE PANEL

24" x 18" (61 x 46 cm) | Cut x2

CUT
x2

CAB SIDE PANEL

x2

BASE EDGE — tape to Cab Floor

TOP EDGE — Light Bar mounts here

24" x 18" (61 x 46 cm)
Left + right walls of the cab

MARK LEGEND FOR THIS PIECE:

FOLD — score lightly, then fold at this line

NOTE: Left + right walls of the cab



FRONT WINDSHIELD PANEL

20" × 18" (51 × 46 cm) | Cut ×1

CUT
x1

FRONT WINDSHIELD PANEL

TOP CUT of windshield opening

BOTTOM CUT of windshield opening

20" × 18" (51 × 46 cm)

Cut large window at eye level

MARK LEGEND FOR THIS PIECE:

CUT — scissors or box cutter on this line

NOTE: Cut large window at eye level



CAB FLOOR / SEAT BASE

20" x 16" (51 x 41 cm) | Cut x1

CUT
x1

CAB FLOOR / SEAT BASE

x1

FRONT EDGE — windshield panel stands here

REAR EDGE — rear panel stands here

20" x 16" (51 x 41 cm)
Child sits on this — double layer for strength

MARK LEGEND FOR THIS PIECE:

FOLD — score lightly, then fold at this line

NOTE: Child sits on this — double layer for strength



HOOD EXTENSION

18" x 12" (46 x 30 cm) | Cut x1

CUT
x1

HOOD EXTENSION

FOLD EDGE attaches to bottom of windshield

SCORE MIDLINE — angled down slightly for hood slope

18" x 12" (46 x 30 cm)
Angles forward from base of windshield

MARK LEGEND FOR THIS PIECE:


FOLD — score lightly, then fold at this line

SCORE — press hard with ruler but do NOT cut through

NOTE: Angles forward from base of windshield

STEERING WHEEL (CIRCLE)

x2



CUT PERFECT CIRCLE — trace a plate or bowl. Stack 2 for rigidity.

10" × 10" (25 × 25 cm)
Stack both circles for thickness

MARK LEGEND FOR THIS PIECE:

OVAL — cut oval shape: pin string at center, trace with pencil

NOTE: Stack both circles for thickness




STEERING COLUMN

4" x 8" (10 x 20 cm) | Cut x1

CUT
x1

STEERING COLUMN

x1



4" x 8" (10 x 20 cm)
Supports steering wheel from dash

MARK LEGEND FOR THIS PIECE:

FOLD — score lightly, then fold at this line

NOTE: Supports steering wheel from dash



LIGHT BAR (ROOF STRIP)

20" × 6" (51 × 15 cm) | Cut ×1

CUT
x1

LIGHT BAR (ROOF STRIP)

x1

EDGE — folds over cab top to attach

20" × 6" (51 × 15 cm)
Mount on top of cab — draw red/blue lights

MARK LEGEND FOR THIS PIECE:

FOLD — score lightly, then fold at this line

NOTE: Mount on top of cab — draw red/blue lights

O QUE VOCÊ PRECISA — CARDBOARD FIRE TRUCK CAB

PEÇAS DE PAPELÃO — 10 NO TOTAL (2–3 caixas grandes (pelo menos 24" × 36" (61 × 91 cm) cada))

×2

Painel lateral da cabine

24" × 18"

Paredes esquerda e direita da cabine

×1

Painel frontal do para-brisa

20" × 18"

Corte uma janela grande na altura dos olhos

×1

Piso da cabine / base do assento

20" × 16"

A criança senta aqui — dobre em camada dupla para reforçar

×1

Extensão do capô

18" × 12"

Inclina para frente a partir da base do para-brisa

×2

Volante (círculo)

10" × 10"

Empilhe os dois círculos para dar espessura

×1

Coluna da direção

4" × 8"

Sustenta o volante a partir do painel

×1

Barra de luzes (tira do teto)

20" × 6"

Monte no topo da cabine — desenhe luzes vermelhas/azuis

×2

Círculo do farol

5" × 5"

Cole nos cantos da frente do capô

×1

Painel traseiro

20" × 18"

Parede dos fundos da cabine

×1

Volta do capacete

14" × 10"

Adicione uma aba frontal de sobra — pinte de bege

FERRAMENTAS E MATERIAIS

+ 2–3 caixas de papelão grandes

+ Estilete — SOMENTE PARA ADULTOS

+ Tesoura reforçada para crianças

+ Fita para embalagem (2 ou mais rolos)

+ TINTA VERMELHA (a mais importante — todo o exterior é vermelho de bombeiro)

+ Canetas preta e amarela para o painel

+ Tinta bege/marrom para o capacete

CURIOSIDADE!

Um caminhão de bombeiros de verdade bombeia quase 2.000 litros de água por minuto. O seu bombeia 0 — mas a coragem é a mesma.

DESAFIO!

Simulado de incêndio! Marque 60 segundos no cronômetro. A família inteira consegue chegar ao caminhão de bombeiros e se prender antes de o alarme tocar?

1 PASSO 1: MONTE A CAIXA DA CABINE

Deite o Piso da cabine (as marcas de dobra mostram onde as paredes se encaixam). Coloque os dois Painéis laterais em pé, à esquerda e à direita do piso. Prenda todas as junções internas com 3 ou mais camadas de fita. Essa é a estrutura onde a criança vai sentar.

2 PASSO 2: ADICIONE O PARA-BRISA

! AJUDA DE UM ADULTO

Prenda o Painel frontal do para-brisa em pé, na frente. Corte a abertura do para-brisa usando as 4 linhas de corte mostradas no molde — corte de cima, de baixo, da esquerda e da direita. Mantenha uma moldura firme nos 4 lados. É por aí que o motorista olha.

SEGURANÇA: O adulto corta todas as 4 linhas de corte da janela. Alise as bordas — sem pontas afiadas.

3 PASSO 3: MONTE O CAPÔ

Prenda a Extensão do capô na base do para-brisa usando a marca de dobra. Vinque a linha central (marca de vinco no molde) para que o capô incline levemente para baixo. Prenda um Círculo de farol em cada canto da frente.

4 PASSO 4: MONTE O VOLANTE

Corte os dois círculos do Volante (marca de círculo no molde — contorne um prato). Empilhe-os e prenda com fita para dar espessura dupla. Prenda a Coluna da direção nas costas do volante e monte o conjunto inteiro dentro da cabine, na altura do peito quando a criança estiver sentada.

SEGURANÇA: O volante não pode bloquear a saída da criança da cabine.

5 PASSO 5: DESENHE O PAINEL

Na parte interna do painel do para-brisa, abaixo da janela, desenhe um painel completo — mostradores, medidores, um rádio, um botão de sirene, um velocímetro. Quanto mais detalhe, melhor fica.

6 PASSO 6: MONTE A BARRA DE LUZES

Prenda a Barra de luzes no topo do painel do para-brisa (marca de dobra no molde). Desenhe formas de luzes vermelhas e azuis alternadas ao longo dela. Essa é a barra de luzes de emergência — o detalhe externo mais importante.

7 PASSO 7: FECHÉ O PAINEL TRASEIRO

Prenda o Painel traseiro em pé, nos fundos do piso da cabine. Agora a criança deve sentar dentro de uma cabine fechada, com o topo aberto.

8 PASSO 8: PINTÉ DE VERMELHO DE BOMBEIRO

Pinte TODO o exterior de vermelho de bombeiro — cada superfície externa. Essa é a etapa mais crítica de todas. Adicione HEE FIRE DEPT ou o número de um distintivo na porta. Coloque um logo de chamas no painel lateral.

SEGURANÇA: Use somente tinta à base de água em local arejado.

9 PASSO 9: MONTE O CAPACETE

Vinque o centro da Volta do capacete para que ela se curve em volta da cabeça. Prenda a costura lateral com fita. Corte uma aba frontal de papelão de sobra (marca de encaixe no molde). Pinte de bege ou marrom. Esse é o capacete da foto da capa.

SEGURANÇA: Confirme que a criança consegue enxergar bem e respirar com o capacete.

10 PASSO 10: CONTROLE DE QUALIDADE

A criança senta no volante. Toda a parte de fora pintada de vermelho. Barra de luzes no topo. Capacete de bombeiro na cabeça. Compare com a foto da capa. Esse é o padrão.

CONTROLE DE QUALIDADE!

A sua montagem está parecida com a foto? Compare lado a lado antes de finalizar.

"Build It. Own It." — Tatum & Kash Cardboard Creations