



Presented by The High End



CARDBOARD PIRATE SHIP

Life-Size Blueprint — Full Hull, Mast & Sails

Build a life-size pirate ship your kids can sit inside and sail the living room.

AGES 4–12	BOXES 4–5 Large Boxes	TIME 2–3 Hours	DIFF Intermediate **	PIECES 9 pcs
--------------	--------------------------	-------------------	-------------------------	-----------------

CARDBOARD NEEDED:
4–5 Large Boxes (at least 24" × 36" (61 × 91 cm) each)

MISSION GOAL:
Build a pirate ship hull large enough for a child to sit inside, with a standing mast, 2 sails, 2 cannons, and rope rigging.

1 STEP 1: FLATTEN & PLAN


Open and flatten all 4–5 boxes. Keep one sealed for the hull floor. Lay all pieces out to plan before cutting anything.

2 STEP 2: CUT THE HULL SIDES

Cut 2 Hull Side pieces (36" × 24" (91 × 61 cm)). Score a gentle curved arc along the bottom edge (cut line shown on template) — this gives it a real ship shape. Stack both and compare — they must match.

SAFETY: Adult uses box cutter. Kids trace the cut line first with pencil.

PIECES USED IN THIS STEP




3 STEP 3: ASSEMBLE THE HULL

Stand both hull sides upright, 16" (41 cm) apart. Lay the Hull Bottom connecting them at the base. Tape all inside seams with 3+ overlapping tape strips. Sit a child inside to test — add more tape until it holds steady.

SAFETY: Two people needed — one holds panels, one tapes corners.


PIECES USED IN THIS STEP



4 STEP 4: ADD BOW & STERN

Tape the Bow piece to the front — pointed end forward. Tape the Stern Platform across the top rear of both hull sides. The captain stands on the stern.

PIECES USED IN THIS STEP



5 STEP 5: BUILD THE MAST

Lay the Mast Strip flat (48" × 8" (122 × 20 cm)). Roll it tightly from the short edge — see the (roll) roll arrow on the template. Tape every 2 inches as you roll. When done, tape the full seam. Stand it center-ship. Cross-tape the base in an X to hold it upright.

SAFETY: Two people to hold mast upright while taping the base brace.



! ADULT ASSIST NEEDED


BUILD TO MATCH THIS

6

STEP 6: MOUNT SPARS & SAILS

Tape both Spars horizontally to the mast — one at the top, one 12" (30 cm) below. The fold marks on the template show the center balance point. Tape the Large Sail to the lower spar, Small Sail to the upper. Draw a skull & crossbones on the large sail.

PIECES USED IN THIS STEP





7

STEP 7: MOUNT CANNONS

Roll each Cannon Strip into a short fat tube ((roll) arrow on template). Poke a hole in each hull side wall and push a cannon through, angling outward. Tape from inside.

PIECES USED IN THIS STEP





8

STEP 8: STRING THE RIGGING

Run string from the mast top down to the bow and stern. Add strings between spars. Pull taut and tape each end down. This is what makes it look like a real ship.

PIECES USED IN THIS STEP





9

STEP 9: DECORATE

Draw wood plank lines in brown across the hull sides. Add a Jolly Roger flag at the mast top. Name your ship on the bow.

PIECES USED IN THIS STEP



10

STEP 10: QUALITY CHECK

Child sits inside hull — holds their weight. Mast stands. Sails visible. Cannons mounted. Rigging strung. Compare to cover photo. That's the standard.

QUALITY CHECK!

Does your build match the cover photo? Compare side by side before you call it done.

"Build It. Own It." — Tatum & Kash Cardboard Creations



HULL SIDE

36" x 24" (91 x 61 cm) | Cut x2

CUT
x2

HULL SIDE

x2

BASE EDGE — tape to Hull Bottom

CUT CURVED ARC — hull shape

36" x 24" (91 x 61 cm)
Score gentle curve at bottom

MARK LEGEND FOR THIS PIECE:

CUT — scissors or box cutter on this line

FOLD — score lightly, then fold at this line

NOTE: Score gentle curve at bottom



HULL BOTTOM

36" x 12" (91 x 30 cm) | Cut x1

CUT
x1

HULL BOTTOM

x1

FOLD UP — attaches to hull side

FOLD UP — attaches to hull side

36" x 12" (91 x 30 cm)
Connects both hull sides

MARK LEGEND FOR THIS PIECE:

FOLD — score lightly, then fold at this line

NOTE: Connects both hull sides




BOW (FRONT POINT)

14" × 24" (36 × 61 cm) | Cut ×1

CUT
x1

BOW (FRONT POINT)

x1



14" × 24" (36 × 61 cm)
Taper to point at top

MARK LEGEND FOR THIS PIECE:

TAPER — cut diagonally to this point

NOTE: Taper to point at top




STERN PLATFORM

14" x 14" (36 x 36 cm) | Cut x1

CUT
x1

STERN PLATFORM

x1



FOLD TAB — tape to hull top edges

14" x 14" (36 x 36 cm)
Raised rear deck

MARK LEGEND FOR THIS PIECE:

FOLD — score lightly, then fold at this line

NOTE: Raised rear deck



MAST STRIP -> TUBE

48" x 8" (122 x 20 cm) | Cut x1

CUT
x1

MAST STRIP -> TUBE

x1



48" x 8" (122 x 20 cm)
Roll tightly into 4ft tube

MARK LEGEND FOR THIS PIECE:

ROLL — roll the cardboard tightly in this direction

NOTE: Roll tightly into 4ft tube




SAIL — LARGE

18" × 24" (46 × 61 cm) | Cut ×1

CUT
x1

SAIL — LARGE x1



TOP EDGE — tape to spar

18" × 24" (46 × 61 cm)
Draw skull + crossbones

MARK LEGEND FOR THIS PIECE:

FOLD — score lightly, then fold at this line

NOTE: Draw skull + crossbones




SAIL — SMALL

12" x 16" (30 x 41 cm) | Cut x1

CUT
x1

SAIL — SMALL

x1



12" x 16" (30 x 41 cm)
Top sail

MARK LEGEND FOR THIS PIECE:

FOLD — score lightly, then fold at this line

NOTE: Top sail

PAPPEILE — 9 INSGESAMT (4–5 große Kartons (mindestens je 24" × 36" (61 × 91 cm)))

×2

Rumpfseite

36" × 24"

Unten eine sanfte Rundung einritzen

×1

Rumpfboden

36" × 12"

Verbindet beide Rumpfseiten

×1

Bug (vordere Spitze)

14" × 24"

Nach oben hin spitz zulaufen lassen

×1

Heckplattform

14" × 14"

Erhöhtes hinteres Deck

×1

Maststreifen -> Rohr

48" × 8"

Fest zu einem 4-Fuß-Rohr aufrollen

×1

Segel — groß

18" × 24"

Totenkopf + gekreuzte Knochen aufmalen

×1

Segel — klein

12" × 16"

Obersegel

×2

Kanonenrohr-Streifen

10" × 6"

Zu einem kurzen, dicken Rohr aufrollen

×2

Rah (Mastquerstange)

20" × 4"

Hieran werden die Segel befestigt

WERKZEUG & MATERIAL

+ 4–5 große Pappkartons (am besten in Haushaltsgeräte-Größe)

+ Cuttermesser — NUR FÜR ERWACHSENE

+ Robuste Kinderschere

+ Packband (2+ Rollen)

+ Braune + schwarze Stifte oder Farbe

+ Schnur oder Wolle für die Tauwerk-Takelage

+ Papier oder dünne Pappe für die Segel

+ Lineal oder Maßband

WUSSTEST DU?

Echte Piratenschiffe nannte man Galeonen. Blackbeards Schiff hieß Queen Anne's Revenge!

HERAUSFORDERUNG!

Crew-Challenge: Baue eine funktionierende Zugbrücke! Schneide den vorderen Teil des Rumpfes so ein, dass er sich wie eine echte Landungsbrücke herunterklappen lässt.

1

SCHRITT 1: FLACHLEGEN & PLANEN

Öffnet alle 4–5 Kartons und legt sie flach hin. Lasst einen verschlossen für den Rumpfboden. Legt alle Teile aus und plant alles, bevor ihr irgendetwas zuschneidet.

2

SCHRITT 2: DIE RUMPFSEITEN ZUSCHNEIDEN

! HILFE EINES ERWACHSENEN

Schneidet 2 Rumpfsseiten zu (36" × 24" (91 × 61 cm)). Ritzt entlang der Unterkante einen sanft geschwungenen Bogen ein (Schnittlinie ist auf der Vorlage eingezeichnet) — so bekommt das Schiff seine echte Form. Legt beide übereinander und vergleicht sie — sie müssen genau gleich sein.

SICHERHEIT: Das Cuttermesser benutzt ein Erwachsener. Die Kinder zeichnen die Schnittlinie zuerst mit einem Bleistift nach.

3

SCHRITT 3: DEN RUMPF ZUSAMMENBAUEN

! HILFE EINES ERWACHSENEN

Stellt beide Rumpfsseiten aufrecht hin, mit 16" (41 cm) Abstand. Legt den Rumpfboden unten dazwischen, sodass er beide verbindet. Klebt alle Innennähte mit 3+ überlappenden Klebebandstreifen ab. Setzt ein Kind hinein und testet es — klebt so lange nach, bis alles fest hält.

SICHERHEIT: Hierfür braucht ihr zwei Personen — eine hält die Platten, die andere klebt die Ecken.

4

SCHRITT 4: BUG & HECK ANBRINGEN

Klebt das Bug-Teil vorne an — mit der Spitze nach vorne. Klebt die Heckplattform oben quer über das hintere Ende beider Rumpfsseiten. Auf dem Heck steht der Kapitän.

5

SCHRITT 5: DEN MAST BAUEN

! HILFE EINES ERWACHSENEN

Legt den Maststreifen flach hin (48" × 8" (122 × 20 cm)). Rollt ihn von der kurzen Kante her fest auf — schaut euch dazu den (roll) Aufroll-Pfeil auf der Vorlage an. Klebt ihn beim Aufrollen alle 2 Zoll fest. Wenn ihr fertig seid, klebt die ganze Naht ab. Stellt den Mast in die Schiffsmitte. Klebt den Fuß über Kreuz in Form eines X fest, damit er aufrecht steht.

SICHERHEIT: Zwei Personen halten den Mast aufrecht, während die Fußstrebe festgeklebt wird.

6

SCHRITT 6: RAHEN & SEGEL ANBRINGEN

Klebt beide Rahen waagerecht an den Mast — eine ganz oben, eine 12" (30 cm) darunter. Die Faltmarkierungen auf der Vorlage zeigen den mittigen Gleichgewichtspunkt. Klebt das große Segel an die untere Rah, das kleine Segel an die obere. Malt einen Totenkopf mit gekreuzten Knochen auf das große Segel.

7

SCHRITT 7: KANONEN ANBRINGEN

Rollt jeden Kanonen-Streifen zu einem kurzen, dicken Rohr auf ((roll) Pfeil auf der Vorlage). Stecht in jede Rumpfsseitenwand ein Loch und schiebt eine Kanone hindurch, leicht nach außen geneigt. Klebt sie von innen fest.

8

SCHRITT 8: DIE TAKELAGE SPANNEN

Spannt eine Schnur von der Mastspitze hinunter zum Bug und zum Heck. Zieht zusätzliche Schnüre zwischen den Rahen. Zieht alles straff und klebt jedes Ende fest. Genau das lässt es wie ein echtes Schiff aussehen.

9

SCHRITT 9: VERZIEREN

Malt mit Braun quer über die Rumpfsseiten Holzplanken-Linien. Bringt oben am Mast eine Jolly-Roger-Flagge an. Schreibt vorne am Bug den Namen eures Schiffes hin.

10

SCHRITT 10: QUALITÄTSKONTROLLE

Das Kind setzt sich in den Rumpf — er trägt sein Gewicht. Der Mast steht. Die Segel sind sichtbar. Die Kanonen sind angebracht. Die Takelage ist gespannt. Vergleicht alles mit dem Titelfoto. Das ist der Maßstab.

QUALITÄTSKONTROLLE!

Sieht dein Bau wie das Titelfoto aus? Vergleiche beides, bevor du fertig bist.

"Build It. Own It." — Tatum & Kash Cardboard Creations