



Presented by The High End

CARDBOARD RACE CAR COCKPIT

Life-Size Sit-In Formula Racing Car

Build a Formula 1 cockpit. Race from the bedroom. Trophies not included.


AGES 4–12	BOXES 3–4 Large Boxes	TIME 2–2.5 Hours	DIFF Beginner *	PIECES 8 pcs
--------------	--------------------------	---------------------	--------------------	-----------------

CARDBOARD NEEDED:
3–4 Large Boxes (at least 24" × 36" (61 × 91 cm) each)

MISSION GOAL:
Build a low, wide F1 cockpit: extended nose cone, front + rear wings, four road wheels, steering wheel. Child sits low inside.

HOW IT ALL GOES TOGETHER — CARDBOARD RACE CAR COCKPIT

Seen from directly above. Every part you cut is on this picture, with the letter from its own cut-template page. If a letter is on this drawing, there is a page for it in this file — that is the whole parts list, nothing else is needed.



Drawn to scale from the cut sizes in this plan. Front of the car is to the right.

EVERY PART IN THIS BUILD					
A	CAR BODY (FULL BOX) 36" × 24" (91 × 61 cm)	CUT ×1	B	NOSE CONE 12" × 22" (30 × 56 cm)	CUT ×1
C	FRONT WING ELEMENT 14" × 8" (36 × 20 cm)	CUT ×2	D	REAR WING ELEMENT 20" × 6" (51 × 15 cm)	CUT ×1
E	REAR WING ENDPLATE 6" × 8" (15 × 20 cm)	CUT ×2	F	STEERING WHEEL (CIRCLE) 8" × 8" (20 × 20 cm)	CUT ×2
G	ROAD WHEEL (DISC) 10" × 10" (25 × 25 cm)	CUT ×8	H	WHEEL SPACER (ROLL) 12" × 3" (30 × 8 cm)	CUT ×4

WHEEL MOUNT — LOOKING DOWN ON ONE WHEEL

CAR BODY SIDE G 2 DISCS 10" taped face to face = 1 wheel
H SPACER TUBE 3"

FROM THE SIDE — WHERE THE AXLE MARKS GO

Four marks in all — 9" in from each end, 2" up from the bottom edge, on BOTH sides. The wheel hangs below the body; that is what gives it ground clearance.


BUILD SEQUENCE — WHAT IT LOOKS LIKE AFTER EACH STEP

Each picture is the car once that step is finished. The part you just added is the ORANGE one. Grey is what was already there. Work down the page and your car should look like each picture in turn.


1 ORIENT THE CAR BODY




2 CUT THE COCKPIT




3 ATTACH THE NOSE CONE




4 ADD FRONT WINGS



5 BUILD THE REAR WING




6 CUT THE ROAD WHEELS




4 WHEELS (2 DISCS EACH) + 4 TUBES

7 MOUNT THE ROAD WHEELS



8 ADD STEERING WHEEL



FINISHED CAR CHECK

Nose cone out front. A front wing each side, wider than the body. Rear wing up on its two endplates. 4 road wheels, 2 a side, standing 3" clear of the body. Steering wheel inside the cockpit. That is every part in the table above, all used.



CAR BODY (FULL BOX)

36" x 24" (91 x 61 cm) | Cut x1

CUT
x1

CAR BODY (FULL BOX)

x1

0" 4" 8" 12" 16" 20" 24" 28" 32"

4" 3" 12" 13" 20"

CUT COCKPIT OVAL on top: child sits low, shoulders at edge. Adult only.

36" x 24" (91 x 61 cm)
Flip on its side — long = car length


MARK LEGEND FOR THIS PIECE:

OVAL — cut oval shape: pin string at center, trace with pencil

NOTE: Flip on its side — long = car length

NOSE CONE

x1

**HOW TO DRAW THIS SHAPE ON YOUR CARDBOARD:**

Mark 4.7" in from each TOP corner — that leaves a 2.6" nose. Draw straight lines from those marks down to the bottom corners.

Cut along the GOLD dashed outline. The faint grey box is the flat piece of cardboard it comes from; the grid squares are 2".

12" × 22" (30 × 56 cm)

F1 nose — wide at the back, narrow at the point

MARK LEGEND FOR THIS PIECE:

GOLD OUTLINE — this is the shape you cut. It is NOT a rectangle.

FOLD — score lightly, then fold at this line

SCORE — press hard with ruler but do NOT cut through

NOTE: Long taper to a point



FRONT WING ELEMENT

14" x 8" (36 x 20 cm) | Cut x2

CUT
x2

FRONT WING ELEMENT

x2

0"

4"

8"

12"

4"

INNER EDGE — tape to nose cone sides, angled slightly down

14" x 8" (36 x 20 cm)
Wide flat — attach low at nose

MARK LEGEND FOR THIS PIECE:

FOLD — score lightly, then fold at this line

NOTE: Wide flat — attach low at nose



REAR WING ELEMENT

20" × 6" (51 × 15 cm) | Cut ×1

CUT
x1

REAR WING ELEMENT

x1

The diagram shows a large white rectangle representing the cardboard piece. Inside, a smaller light gray rectangle is defined by dashed orange lines. The top edge of the gray rectangle has tick marks and labels at 0", 4", 8", 12", and 16". The left edge has a tick mark and label at 4".

20" × 6" (51 × 15 cm)
Horizontal wing at rear

MARK LEGEND FOR THIS PIECE:

FOLD — score lightly, then fold at this line


NOTE: Horizontal wing at rear



REAR WING ENDPLATE

6" × 8" (15 × 20 cm) | Cut ×2

CUT
x2




MARK LEGEND FOR THIS PIECE:

FOLD — score lightly, then fold at this line

NOTE: Vertical plates — hold rear wing

STEERING WHEEL (CIRCLE)

x2

**HOW TO DRAW THIS SHAPE ON YOUR CARDBOARD:**

A circle 8" across. Trace a dinner plate, or pin a string 4" from the centre and swing a pencil right round.

Cut along the GOLD dashed outline. The faint grey box is the flat piece of cardboard it comes from; the grid squares are 2".

8" × 8" (20 × 20 cm)
Circle

MARK LEGEND FOR THIS PIECE:

GOLD OUTLINE — this is the shape you cut. It is NOT a rectangle.

CUT OUT — cut along the red dashes (an orange side is a fold)

NOTE: Stack for thickness



ROAD WHEEL (DISC)

10" × 10" (25 × 25 cm) | Cut ×8

CUT
x8

ROAD WHEEL (DISC) x8

HOW TO DRAW THIS SHAPE ON YOUR CARDBOARD:
A circle 10" across. Pin a string 5" from the centre and swing a pencil right round, or draw round a dinner plate and widen it to 10". Cut 8 and tape them in pairs — 2 discs make 1 wheel, and you need 4 wheels.

Cut along the GOLD dashed outline. The faint grey box is the flat piece of cardboard it comes from; the grid squares are 2".

10" × 10" (25 × 25 cm)
Circle

MARK LEGEND FOR THIS PIECE:

GOLD OUTLINE — this is the shape you cut. It is NOT a rectangle.

NOTE: Two discs taped together make one wheel — 4 wheels




WHEEL SPACER (ROLL)

12" x 3" (30 x 8 cm) | Cut x4

CUT
x4

WHEEL SPACER (ROLL)

x4



12" x 3" (30 x 8 cm)
Rolls into a short tube — holds each wheel clear of the body

MARK LEGEND FOR THIS PIECE:

ROLL — roll the cardboard tightly in this direction

NOTE: Rolls into a short tube — holds each wheel clear of the body

KARTONNEN ONDERDELEN — 8 IN TOTAAL (3–4 grote dozen (elk minstens 24" × 36" (61 × 91 cm)))

×1 Autoromp (hele doos) 36" × 24" <i>Op de zijkant kantelen — lang = autolengte</i>	×2 Achternvleugel-eindplaat 6" × 8" <i>Verticale platen — houden de achternvleugel vast</i>
×1 Neuskegel 12" × 22" <i>Lange versmalling naar een punt</i>	×2 Stuur (cirkel) 8" × 8" <i>Stapelen voor dikte</i>
×2 Voorvleugelement 14" × 8" <i>Breed en plat — laag aan de neus bevestigen</i>	×8 Wiel (schijf) 10" × 10" <i>Twee op elkaar geplakte schijven vormen één wiel — 4 wielen</i>
×1 Achternvleugelement 20" × 6" <i>Horizontale vleugel aan de achterkant</i>	×4 Wielafstandhouder (rol) 12" × 3" <i>Rol je op tot een kort buisje — houdt het wiel vrij van de carrosserie</i>

GEREEDSCHAP & MATERIAAL

- | | |
|--|------------------------------|
| + 3–4 grote kartonnen dozen | + Zwarte verf voor de wielen |
| + Stanley mes — ALLEEN VOOR VOLWASSENEN | + Zwarte en witte stiften |
| + Verpakkingstape | + Liniaal |
| + Felle racekleuren (rood, geel of naar keuze) | |

WIST JE DIT?

Echte F1-auto's gaan in minder dan 2,5 seconde van 0 naar 100. De jouwe gaat meteen van 0 naar fantasie. Dezelfde energie.

UITDAGING!


Racedag: twee kinderen, twee kartonnen auto's. Versier ze verschillend. Wie heeft de snelst ogende auto? Race op 3... 2... 1... GO!

1

STAP 1: PLAATS DE AUTOROMP

Neem één grote dichtgeplakte doos. Kantel hem op zijn zijkant zodat de LANGE afmeting nu de autolengte is, niet de hoogte. Deze lage, brede stand is de sleutel om op een F1-auto te lijken in plaats van op een doos.

ONDERDELEN VOOR DEZE STAP




2

STAP 2: KNIP DE COCKPIT**! HULP VAN EEN VOLWASSENE**

Knip aan de BOVENKANT van de doos het cockpitovaal uit (ovale marking op het sjabloon). Het kind moet erin glijden en laag zitten — alleen de schouders en het hoofd boven de autoromp uit. Dit is de zitpositie van een F1-coureur.

VEILIGHEID: Volwassene knipt het cockpitovaal. Pas het samen met het kind voordat je de randen afwerkt.

ONDERDELEN VOOR DEZE STAP




3

STAP 3: BEVESTIG DE NEUSKEGEL

Plak het neuskegel-onderdeel aan de voorkant van de autoromp (vouwmarkering aan de achterrand). Rits de verticale middenlijn in (ritsmarkering) en buig de punt iets omhoog. Versmallingsknippen aan beide zijden geven hem de lange, agressieve F1-neusvorm.

ONDERDELEN VOOR DEZE STAP




4

STAP 4: VOEG VOORVLEUGELS TOE

Plak aan elke kant van de neuskegel een voorvleugelement (vouwmarkering aan de binnenrand), licht naar beneden gehoekt. Deze moeten aan elke kant BREDER uitsteken dan de autoromp.

ONDERDELEN VOOR DEZE STAP




5

STAP 5: BOUW DE ACHTERVLEUGEL

Plak beide achtervleugel-eindplaten rechtop helemaal achteraan de auto (vouwmartering van het basislipje). Plak het achtervleugelelement horizontaal tussen de bovenkanten van beide eindplaten. Deze T-vorm is de achtervleugel.

ONDERDELEN VOOR DEZE STAP




6

STAP 6: KNIP DE WIELEN UIT**! HULP VAN EEN VOLWASSENE**

Snijd 8 wielschijven: cirkels van 10" (25 cm) doorsnede (cirkelmarkering op het sjabloon). Plak ze twee aan twee op elkaar, zodat je 4 dikke wielen overhoudt. Neem daarna elk van de 4 wielafstandhouder-stroken, rol de lange zijde op tot een buisje van 3" (8 cm) lang (rolmarkering) en plak de naad dicht. Eén wielafstandhouder per wiel.

VEILIGHEID: Een volwassene snijdt de 8 schijven. Kartonnen cirkels snijdt je met een stanleymes, niet met een schaar — op een plank, nooit op schoot.

ONDERDELEN VOOR DEZE STAP




7

STAP 7: MONTEER DE WIELEN

Markeer aan elke kant van de carrosserie twee aspunten: 9" (23 cm) vanaf de voorrand en 9" (23 cm) vanaf de achterrand, allebei 2" (5 cm) boven de onderrand. Dat zijn 4 markeringen in totaal, 2 per kant. Plak op elke markering een wielafstandhouder-buisje plat vast en plak daarna een wiel op het open buitenuiteinde van elk buisje. Het buisje houdt het wiel 3" (8 cm) van de carrosserie af, zodat het uitsteekt als een echte band in plaats van plat tegen de zijkant te liggen.

ONDERDELEN VOOR DEZE STAP




8

STAP 8: VOEG HET STUUR TOE

Knip 2 stuurcirkels uit. Knip in elke cirkel de twee halveaanvormige gaten uit die op het sjabloon staan, zodat er een rand en een balk dwars door het midden overblijven om vast te pakken, zoals op de foto op de voorkant. Stapel ze en plak ze aan elkaar. Bevestig het stuur in de cockpit op een korte tapekolom, op de juiste hoogte voor een zittend kind om vast te houden.

ONDERDELEN VOOR DEZE STAP




9

STAP 9: SCHILDER JE LIVERY

Kies felle racekleuren. Verf de neus in één kleur, de romp in een andere. Voeg racestrepen toe, een groot nummer op de neus, een teamnaam op de zijkant. Laat het er **SNEL** uitzien. Verf alle vier de wielen zwart en zet in het midden van elk wiel een lichtgrijze of zilveren cirkel als naaf.

ONDERDELEN VOOR DEZE STAP






10

STAP 10: KWALITEITSCONTROLE

Het kind zit laag in de cockpit. Het stuur op handhoogte. Lange neus uitgestrekt. Voorvleugels breed. Achtervleugel bevestigd. Felle racekleuren. Vergelijk met de foto op de voorkant. Dat is de norm. Vier wielen gemonteerd, twee per kant, duidelijk vrij van de carrosserie.

ONDERDELEN VOOR DEZE STAP

**KWALITEITSCONTROLE!**

Lijkt je bouwwerk op de foto? Vergelijk ze naast elkaar voordat je klaar bent.

"Build It. Own It." — Tatum & Kash Cardboard Creations