



Presented by The High End

CASTLE FORTRESS ALPHA

Two Round 71-Inch Towers, Battlemented Crowns & a Walk-Through Gate

Two round stone towers and a gate wall with an arch your child walks through standing up.

AGES
4–12

BOXES
3 Refrigerator Boxes

TIME
5–6 Hours

DIFF
Advanced ***

PIECES
13 pcs

CARDBOARD NEEDED:

3 Refrigerator Boxes (sides at least 30" × 66" (76 × 168 cm))

FINISHED SIZE:


58" wide × 71" tall × 21" deep (147 × 180 × 53 cm); gate opening 18" wide × 52" tall (46 × 132 cm)

MISSION GOAL:

Build the castle in the cover photo: two round towers 71" high, each with a battlemented crown on 12 tan corbels and an arrow slit, joined by a grey stone gate wall with 3 merlons, a ledge, and a tan-trimmed gate 52" tall that a child walks through.

HOW IT ALL GOES TOGETHER — CASTLE FORTRESS ALPHA

The finished build, front view, with every part in the place the steps put it and the letter from its own cut-template page. Parts are drawn at their real size relative to each other, so if a letter is on this picture there is a page for it in this file. Pieces that roll into a tube are shown rolled, not laid flat.




EVERY PART IN THIS BUILD			
A	TOWER HALF 25" × 64" (64 × 163 cm)	CUT ×4	
B	TOWER BASE DISC 15.25" × 15.25" (39 × 39 cm)		CUT ×2
C	TOWER LID 17.75" × 17.75" (45 × 45 cm)	CUT ×2	
D	CROWN STRIP 29" × 7" (74 × 18 cm)		CUT ×4
E	CORBEL BLOCK 9" × 2" (23 × 5 cm)	CUT ×24	
F	GATE WALL 28" × 60" (71 × 152 cm)		CUT ×2
G	LEDGE STRIP 25" × 2" (64 × 5 cm)	CUT ×1	
H	ARCH TRIM 22" × 11" (56 × 28 cm)		CUT ×1
I	JAMB TRIM 2" × 43" (5 × 109 cm)	CUT ×2	
J	IMPOST BLOCK 3.5" × 1.5" (9 × 4 cm)		CUT ×2
K	SLIT FRAME 4" × 9" (10 × 23 cm)	CUT ×2	
L	SLIT SILL 5" × 1" (13 × 3 cm)		CUT ×2
M	GATE BRACE 12" × 36" (30 × 91 cm)	CUT ×2	


BUILD SEQUENCE — WHAT IT LOOKS LIKE AFTER EACH STEP

Each picture is the build once that step is finished. The part you just added is the ORANGE one. Grey is what was already there. Work down the page and yours should look like each picture in turn.


3 ROLL THE TOWER TUBES




4 FIT THE SLIT WINDOWS




5 WEIGHT THE TOWER BASES




6 ADD THE CORBEL BLOCKS




7 FIT THE TOWER LIDS




8 BUILD THE CROWNS




9 BUILD THE GATE WALL




10 TRIM THE GATE



11 STAND UP THE CASTLE






MARK LEGEND FOR THIS PIECE:

SCORE — press hard with ruler but do NOT cut through	CUT OUT — cut along the red dashes (an orange side is a fold)	GLUE HERE — where another part goes
--	---	-------------------------------------

NOTE: Score every 2", ridges running up. Two halves make one 15.25" tube. Slit in the 2 front halves only

TOWER BASE DISC

x2



SIZE CHECK — THIS DRAWING IS NOT REAL SIZE. Printed on letter paper at 100% it measures about 6.9" × 6.9" (45% of real size).
Cut your **REAL** piece at 15.25" × 15.25" (39 × 39 cm). Use a ruler, not the printout — each grid square = 2 real inches.

HOW TO DRAW THIS SHAPE ON YOUR CARDBOARD:

A circle 15.25" across. Pin a string at the centre and swing a pencil right round at 7.6" (half of 15.25"). Check it against the bottom of your rolled tube and trim until it just slips inside.

Cut along the GOLD dashed outline. The faint grey box is the flat piece of cardboard it comes from; the grid squares are 2".

15.25" × 15.25" (39 × 39 cm)*Circle — fits inside the bottom of the tower tube***MARK LEGEND FOR THIS PIECE:**

GOLD OUTLINE — this is the shape you cut. It is **NOT** a rectangle.

NOTE: Fits inside the bottom of each tube; the weight sits on it




TOWER LID

17.75" × 17.75" (45 × 45 cm) | Cut ×2

CUT
x2

TOWER LID

x2



SIZE CHECK — THIS DRAWING IS NOT REAL SIZE. Printed on letter paper at 100% it measures about 6.9" × 6.9" (39% of real size).
Cut your REAL piece at 17.75" × 17.75" (45 × 45 cm). Use a ruler, not the printout — each grid square = 2 real inches.

HOW TO DRAW THIS SHAPE ON YOUR CARDBOARD:

A circle 17.75" across. Pin a string at the centre and swing a pencil right round at 8.9" (half of 17.75"). It overhangs the 15.25" tube by about 1.25" all round.

Cut along the GOLD dashed outline. The faint grey box is the flat piece of cardboard it comes from; the grid squares are 2".

17.75" × 17.75" (45 × 45 cm)

Circle — the lid of the tower; overhangs the tube all round

MARK LEGEND FOR THIS PIECE:

GOLD OUTLINE — this is the shape you cut. It is NOT a rectangle.

NOTE: The lid on top of each tube; overhangs it about 1.25" all round




CROWN STRIP

29" × 7" (74 × 18 cm) | Cut ×4

CUT
x4

CROWN STRIP

x4



SIZE CHECK — THIS DRAWING IS NOT REAL SIZE. Printed on letter paper at 100% it measures about 7.3" × 1.8" (25% of real size).
Cut your REAL piece at 29" × 7" (74 × 18 cm). Use a ruler, not the printout — each grid square = 2 real inches.

HOW TO DRAW THIS SHAPE ON YOUR CARDBOARD:
Draw a line 3" down from the top edge. From the LEFT end, mark every 3.5" along the top: keep blocks 1, 3, 5 and 7 full height and cut blocks 2, 4, 6 and 8 down to the line. The last 1" stays at the line too: it is the overlap tab.
Cut along the GOLD dashed outline. The faint grey box is the flat piece of cardboard it comes from; the grid squares are 2".

29" × 7" (74 × 18 cm)
Crown strip — 4 merlons along the top, a low overlap tab at the right end

MARK LEGEND FOR THIS PIECE:

GOLD OUTLINE — this is the shape you cut. It is NOT a rectangle.

NOTE: 2 per tower, joined end to end into a ring round the Tower Lid




CORBEL BLOCK

9" x 2" (23 x 5 cm) | Cut x24

CUT
x24

CORBEL BLOCK

x24



SIZE CHECK — THIS DRAWING IS NOT REAL SIZE. Printed on letter paper at 100% it measures about 7.3" x 1.6" (81% of real size).
Cut your REAL piece at 9" x 2" (23 x 5 cm). Use a ruler, not the printout — each grid square = 2 real inches.

9" x 2" (23 x 5 cm)
12 per tower. Folds into a small 3-sided block under the crown


MARK LEGEND FOR THIS PIECE:

FOLD — score lightly, then fold at this line	GLUE HERE — where another part goes
--	-------------------------------------

NOTE: 12 per tower. Folds into a small 3-sided block under the crown

GATE WALL

x2



SIZE CHECK — THIS DRAWING IS NOT REAL SIZE. Printed on letter paper at 100% it measures about 3.2" × 6.9" (11% of real size). Cut your REAL piece at 28" × 60" (71 × 152 cm). Use a ruler, not the printout — each grid square = 2 real inches.

HOW TO DRAW THIS SHAPE ON YOUR CARDBOARD:

Draw a line 3" down from the top. Mark the centre of the top edge and measure 8.8" each way from it, then split that 17.5" into 5 blocks of 3.5". Keep blocks 1, 3 and 5 full height; cut everything else down to the line, out to both ends.

Cut along the GOLD dashed outline. The faint grey box is the flat piece of cardboard it comes from; the grid squares are 2".

28" × 60" (71 × 152 cm)

Gate wall — 3 merlons centred on the top; cut the gate out of the bottom

MARK LEGEND FOR THIS PIECE:

GOLD OUTLINE — this is the shape you cut. It is NOT a

FOLD — score lightly, then fold at this line

CUT OUT — cut along the red dashes (an orange side is a fold)

GLUE HERE — where another part goes

NOTE: Cut 2 the same and glue them face to face. The 1.5" side strips fold back onto the towers




LEDGE STRIP

25" × 2" (64 × 5 cm) | Cut ×1

CUT
x1

LEDGE STRIP

×1



SIZE CHECK — THIS DRAWING IS NOT REAL SIZE. Printed on letter paper at 100% it measures about 7.3" × 0.6" (29% of real size).
Cut your REAL piece at 25" × 2" (64 × 5 cm). Use a ruler, not the printout — each grid square = 2 real inches.

25" × 2" (64 × 5 cm)

Runs across the front of the gate wall just under the 3 merlons

MARK LEGEND FOR THIS PIECE:

CUT — scissors or box cutter on this line

NOTE: Runs across the front of the gate wall just under the 3 merlons




ARCH TRIM

22" × 11" (56 × 28 cm) | Cut ×1

CUT
x1

ARCH TRIM

×1



SIZE CHECK — THIS DRAWING IS NOT REAL SIZE. Printed on letter paper at 100% it measures about 7.3" × 3.6" (33% of real size).
Cut your **REAL** piece at 22" × 11" (56 × 28 cm). Use a ruler, not the printout — each grid square = 2 real inches.

HOW TO DRAW THIS SHAPE ON YOUR CARDBOARD:

Mark the middle of the bottom edge. With a string and pencil pinned there, draw a half circle 11" out and a second one 9" out. Cut along both curves; the band between them is 2" wide and fits round the top of the gate.

Cut along the **GOLD** dashed outline. The faint grey box is the flat piece of cardboard it comes from; the grid squares are 2".

22" × 11" (56 × 28 cm)

Arch trim — half a ring, flat along the bottom

MARK LEGEND FOR THIS PIECE:

GOLD OUTLINE — this is the shape you cut. It is **NOT** a rectangle.

NOTE: Bare tan band round the top of the gate




JAMB TRIM

2" × 43" (5 × 109 cm) | Cut ×2

CUT
x2

JAMB TRIM

x2



SIZE CHECK — THIS DRAWING IS NOT REAL SIZE. Printed on letter paper at 100% it measures about 0.4" × 7.6" (18% of real size).
Cut your REAL piece at 2" × 43" (5 × 109 cm). Use a ruler, not the printout — each grid square = 2 real inches.

2" × 43" (5 × 109 cm)

Bare tan strips up both sides of the gate, from the floor to where the top bends

MARK LEGEND FOR THIS PIECE:

CUT — scissors or box cutter on this line

NOTE: Bare tan strips up both sides of the gate, from the floor to where the top bends



IMPOST BLOCK

3.5" × 1.5" (9 × 4 cm) | Cut ×2

CUT
x2

IMPOST BLOCK

x2

SIZE CHECK — THIS DRAWING IS NOT REAL SIZE. Printed on letter paper at 100% it measures about 7.3" × 3.1" (208% of real size — BIGGER than the REAL piece at 3.5" × 1.5" (9 × 4 cm). Use a ruler, not the printout — each grid square = 2 real inches.

3.5" × 1.5" (9 × 4 cm)

Covers each join where the trim band meets a jamb

MARK LEGEND FOR THIS PIECE:

CUT — scissors or box cutter on this line

NOTE: Covers each join where the trim band meets a jamb




SLIT FRAME

4" × 9" (10 × 23 cm) | Cut ×2

CUT
x2

SLIT FRAME

x2



SIZE CHECK — THIS DRAWING IS NOT REAL SIZE. Printed on letter paper at 100% it measures about 3.1" × 6.9" (77% of real size). Cut your REAL piece at 4" × 9" (10 × 23 cm). Use a ruler, not the printout — each grid square = 2 real inches.

HOW TO DRAW THIS SHAPE ON YOUR CARDBOARD:
Mark both side edges 3" down from the top, and the centre of the top edge. Draw a curve from each side mark up to the centre mark, bulging outward, so they meet in a point. Then cut out the slit window shown.
Cut along the GOLD dashed outline. The faint grey box is the flat piece of cardboard it comes from; the grid squares are 2".

4" × 9" (10 × 23 cm)
Slit frame — pointed top, straight sides; the slit is cut out of the middle

MARK LEGEND FOR THIS PIECE:

GOLD OUTLINE — this is the shape you cut. It is NOT a rectangle.	CUT OUT — cut along the red dashes (an orange side is a fold)
--	---

NOTE: Raised frame round each arrow slit




SLIT SILL

5" × 1" (13 × 3 cm) | Cut ×2

CUT
x2

SLIT SILL

x2



SIZE CHECK — THIS DRAWING IS NOT REAL SIZE. Printed on letter paper at 100% it measures about 7.3" × 1.5" (146% of real size — BIGGER than the REAL piece at 5" × 1" (13 × 3 cm). Use a ruler, not the printout — each grid square = 2 real inches.

5" × 1" (13 × 3 cm)
Small shelf under each slit frame

MARK LEGEND FOR THIS PIECE:

CUT — scissors or box cutter on this line

NOTE: Small shelf under each slit frame




GATE BRACE

12" × 36" (30 × 91 cm) | Cut ×2

CUT
x2

GATE BRACE

x2



SIZE CHECK — THIS DRAWING IS NOT REAL SIZE. Printed on letter paper at 100% it measures about 2.3" × 6.9" (19% of real size). Cut your REAL piece at 12" × 36" (30 × 91 cm). Use a ruler, not the printout — each grid square = 2 real inches.

HOW TO DRAW THIS SHAPE ON YOUR CARDBOARD:
From one corner measure 36" up one edge and 12" along the bottom edge. Join the two marks with one straight line and cut along it. The square corner goes at the floor, against the wall.
Cut along the GOLD dashed outline. The faint grey box is the flat piece of cardboard it comes from; the grid squares are 2".

12" × 36" (30 × 91 cm)
Brace — a right-angled triangle

MARK LEGEND FOR THIS PIECE:

GOLD OUTLINE — this is the shape you cut. It is NOT a rectangle.

NOTE: Hidden behind the gate wall; stops the castle tipping

KARTONNEN ONDERDELEN — 13 IN TOTAAL (3 koelkastdozen (zijden minstens 30" × 66" (76 × 168 cm)))

×4 Torenhelft 25" × 64" <i>Elke 2" rillen, golven omhoog. Twee helften vormen een buis van 15.25". Schietgat alleen in de 2 voorste helften</i>	×1 Boograndje 22" × 11" <i>Kale kartonnen band rond de bovenkant van de poort</i>
×2 Bodemschijf van de toren 15.25" × 15.25" <i>Past binnen in de onderkant van elke buis; het gewicht ligt erop</i>	×2 Neggestrook 2" × 43" <i>Kale kartonnen stroken aan beide kanten van de poort, van de vloer tot waar hij buigt</i>
×2 Torendeksel 17.75" × 17.75" <i>Het deksel op elke buis; steekt rondom ongeveer 1.25" uit</i>	×2 Kämpferblok 3.5" × 1.5" <i>Dekt elke naad af waar de band op een neggestrook komt</i>
×4 Kroonstrook 29" × 7" <i>2 per toren, met de uiteinden verbonden tot een ring om het torendeksel</i>	×2 Schietgatkader 4" × 9" <i>Verhoogd kader rond elk schietgat</i>
×24 Kraagsteenblok 9" × 2" <i>12 per toren. Wordt gevouwen tot een klein blokje met 3 kanten onder de kroon</i>	×2 Schietgatrichel 5" × 1" <i>Klein plankje onder elk schietgatkader</i>
×2 Poortmuur 28" × 60" <i>Snijdt er 2 gelijke en lijm ze plat op elkaar. De zijstroken van 1.5" vouwen terug op de torens</i>	×2 Muurschoor 12" × 36" <i>Verstopt achter de poortmuur; voorkomt dat het kasteel omvalt</i>
×1 Lijststrook 25" × 2" <i>Loopt aan de voorkant over de poortmuur, net onder de 3 kantelen</i>	

GEREEDSCHAP & MATERIAAL

- + 3 koelkastdozen (gratis bij witgoedwinkels), plat gemaakt
- + Afbreekmes: ALLEEN VOOR VOLWASSENEN
- + Verpakkingstape (4 rollen of meer)
- + Sterke lijm: lijpistool (volwassene) of knutsellijm
- + Duimstok, touwtje + potlood
- + Middengrijze verf (ongeveer 1 liter) + roller of brede kwast
- + Donkergrijze stift voor de steenlijnen
- + Twee zakken van 2 kg rijst of zand (torengewicht)
- + Opstapje (volwassene) voor de torentoppen

WIST JE DIT?

De blokjes onder de top van elke toren heten kraagstenen. Echte kastelen gebruikten ze om de kantelen voorbij de muur naar buiten te brengen, met openingen in de vloer zodat de verdedigers recht naar de voet van de toren konden kijken.

UITDAGING!

Koninklijke poortwachter: een kind bewaakt de poort en verzint een wachtwoord. De anderen moeten een raadsel oplossen om erdoor te mogen. Wissel elke ronde van wacht.

1

STAP 1: TEKEN DE ONDERDELEN AF

Maak de 3 koelkastdozen plat. Teken sjabloon A op 4 van de grootste vlakken, met de golven van het karton OMHOOG langs de zijde van 64" (163 cm): zo buigt een buis. Teken sjabloon F twee keer, op twee andere vlakken. Zet B, C, D, H en M op de volgende twee vlakken, en daarna E (24 stuks), G, I, J, K en L op wat er over is. Alle maten staan op de sjabloonpagina.

2

STAP 2: SNIJD DE ONDERDELEN UIT**! HULP VAN EEN VOLWASSENE**

Snijd elk onderdeel uit langs de gouden omtrek of de rode streepjes. Snijd het schietgat alleen in 2 van de A-delen; die 2 zijn de voorste helften. Snijd de poort uit beide F-delen: 18" (46 cm) breed en 52" (132 cm) hoog met een ronde bovenkant, onderaan open zodat er niets is om over te struikelen. Snijd het schietgatraampje uit beide K-delen.


VEILIGHEID: De volwassene gebruikt het mes. Maak de poortrand glad: geen gerafeld karton.

3

STAP 3: ROL DE TORENBUIZEN**! HULP VAN EEN VOLWASSENE**

Ril elke torenhelft langs de blauwe lijnen, elke 2" (5 cm), en buig hem dan over een tafelrand tot hij tot een halve buis krult. Zet een voorste helft (met schietgat) en een gladde helft tegen elkaar en laat de randen bij beide naden 1" (3 cm) overlappen, zodat ze een buis van 15.25" (39 cm) breed vormen. Tape beide naden binnen en buiten, van de vloer tot boven. Maak 2 buizen.


VEILIGHEID: Twee mensen: een houdt de helften vast, de ander tapet.

ONDERDELEN VOOR DEZE STAP

4

STAP 4: ZET DE SCHIETGATEN EROP

Lijm op elke voorste helft een schietgat kader over het schietgat, zodat het raampje er precies op valt (paars vak op sjabloon A), en lijm direct eronder een schietgatrichel, recht en in het midden. Het schietgat zit hoog in de toren, net onder de bovenkant van de buis.


ONDERDELEN VOOR DEZE STAP

5

STAP 5: VERZWAAR DE TORENS**! HULP VAN EEN VOLWASSENE**

Leg elke buis op zijn kant. Duw een bodemschijf van de toren gelijk met de rand in het onderste uiteinde en tape hem van binnen rondom vast. Leg een zak van 2 kg rijst of zand in de buis, zodat die op de schijf ligt als de toren rechtop staat. Elke toren wordt 71" (180 cm) hoog en is maar 15.25" (39 cm) breed: zonder gewicht onderin valt hij makkelijk om.

VEILIGHEID: Sla het gewicht nooit over. Niet klimmen, hangen of trekken aan de torens.


ONDERDELEN VOOR DEZE STAP

6

STAP 6: ZET DE KRAAGSTEENBLOKKEN EROP

Vouw elk kraagsteenblok langs de 3 oranje lijnen tot een klein blokje met 3 kanten: achterkant 3.5" (9 cm), bovenkant 1.25" (3 cm), schuine voorkant, met het lipje aan het eind binnen achter de achterkant gestoken. Tape het dicht. Lijm er 12 rond de bovenkant van elke buis, 4" (10 cm) uit elkaar, achterkant plat tegen de buis en bovenkant gelijk met de rand van de buis.

ONDERDELEN VOOR DEZE STAP




7

STAP 7: ZET DE TORENDEKSELS EROP

Zet, met de buis nog op zijn kant, een torendeksel in het midden op het bovenste uiteinde, zodat het rondom ongeveer 1.25" (3 cm) uitsteekt en op de 12 kraagstenen rust. Tape het deksel van onderen tussen de kraagstenen aan de buis en lijm het op elke kraagsteen.

ONDERDELEN VOOR DEZE STAP




8

STAP 8: BOUW DE KRONEN**! HULP VAN EEN VOLWASSENE**

Verbind 2 kroonstroken met de uiteinden tot een ring van 56" (142 cm) omtrek: het gladde lipje van 1" (3 cm) aan het eind van elke strook gaat achter de eerste kanteel van de andere, gelijmd. Zet de toren rechtop. Schuif de ring over het torendeksel tot de onderrand gelijk is met de onderkant van het deksel, lijm hem rondom aan de dekselrand en tape daarna aan de binnenkant. Elke kroon heeft nu 8 kantelen. Doe hetzelfde bij de tweede toren.

VEILIGHEID: Een volwassene op een opstapje voor de torentoppen.

ONDERDELEN VOOR DEZE STAP




9

STAP 9: BOUW DE POORTMUUR

Lijm de twee poortmuurdelen plat op elkaar, randen, kantelen en poortopeningen gelijk, zodat de muur twee lagen dik is. Vouw de strook van 1.5" (4 cm) aan elke kant langs de oranje lijnen naar achteren. Lijm de lijststrook aan de voorkant in zijn paarse vak, net onder de 3 kantelen.


ONDERDELEN VOOR DEZE STAP



10

STAP 10: WERK DE POORT AF

Lijm aan elke kant van de poort een neggestrook, gelijk met de rand, van de vloer 43" (109 cm) omhoog tot waar de bovenkant begint te buigen (de paarse I-vakken op sjabloon F). Lijm het boograndje rond de bovenkant van de poort met de uiteinden op de neggestroken. Lijm over elk van die twee naden een k mpferblok dat aan beide kanten een beetje uitsteekt. Laat dit allemaal kaal karton.


ONDERDELEN VOOR DEZE STAP

11

STAP 11: ZET HET KASTEEL RECHTOP**! HULP VAN EEN VOLWASSENE**

Zet de twee torens 25" (64 cm) uit elkaar, schietgaten naar voren. Zet de poortmuur ertussen, op de vloer, en lijm en tape elke teruggevouwen zijstrook tegen de zijkant van een toren. Tape dan de 2 muurschoren rechtop achter de muur, een naast elke kant van de poort, met de rechte hoek op de vloer en de lange rand plat tegen de achterkant van de muur. Van voren zie je de schoren niet; ze voorkomen dat het kasteel voor- of achterover valt.


VEILIGHEID: Twee mensen. Duw zacht tegen elke torentop; hij moet terugveren, niet vallen.

ONDERDELEN VOOR DEZE STAP

12

STAP 12: VERF HET STEENGRIJS


Verf de torens, de kronen (stroken en dekselranden), de poortmuur, de lijst, de schietgatkaders en de richels middengrijs. Laat de kraagstenen, het boograndje, de twee neggen en de k mpferblokken kaal karton, precies zoals op de omslagfoto. Laat drogen.

ONDERDELEN VOOR DEZE STAP

13

STAP 13: TEKEN DE STENEN


Teken met de donkergrijze stift de steenrijen op alle grijze vlakken: vlakke lijnen om de 2.5" (6 cm) over de hele hoogte van elke toren en de poortmuur, en dan korte rechtopstaande streepjes om de 4" (10 cm) in elke rij, in elke tweede rij 2" (5 cm) verschoven, zodat de stenen verspringen zoals bakstenen. Houd de lijnen zacht en een beetje ongelijk. Teken niet op de kale randen of de kraagstenen.

ONDERDELEN VOOR DEZE STAP

14

STAP 14: KWALITEITSCONTROLE

Twee ronde torens van 71" (180 cm) hoog, elk met een uitstekende kroon van 8 kantelen op 12 kale kraagstenen en een schietgat met kader en richel. Daartussen de grijze poortmuur met 3 kantelen op een lijst en een kale rand rond de poort, en een kind loopt er rechtop doorheen (kinderen tot ongeveer 50" (127 cm); langere bukken). Grijze stenen op al het andere. Vergelijk met de omslagfoto. Dat is de norm.

ONDERDELEN VOOR DEZE STAP**KWALITEITSCONTROLE!**

Lijkt je bouwwerk op de foto? Vergelijk ze naast elkaar voordat je klaar bent.

"Build It. Own It." — Tatum & Kash Cardboard Creations