



Presented by The High End

CARDBOARD KNIGHT ARMOR SET


Wearable 11-Part Suit — Domed Helmet, Chest, Arms, Thighs, Shins & Shield

A full wearable suit of armor. Cut it, tape it, wear it, rule the realm.

AGES 4–12	BOXES 2 Medium Boxes	TIME 2–3 Hours	DIFF Beginner *	PIECES 11 pcs
CARDBOARD NEEDED: 2 Medium Boxes (at least 18" × 24" (46 × 61 cm) each) FINISHED SIZE: Helmet fits heads 19.5–22.5" (50–57 cm) · chest and back plates 10" × 14" (25 × 36 cm) · shield 14" × 20" (36 × 51 cm)				
MISSION GOAL: Build and wear a complete knight armor suit like the cover photo: a domed helmet with a crest and two slits, chest and back plates, 2 shoulder plates, 2 arm guards, 2 thigh plates, 2 shin guards with cardboard straps, and a kite shield.				

HOW IT ALL GOES TOGETHER — CARDBOARD KNIGHT ARMOR SET

Every part you cut, shown on the child at its real size, with the letter from its own cut-template page. The grey figure is only there for scale — measure your own child, never this drawing. Pieces that wrap round the head, an arm or a leg are shown as they look once wrapped, not laid flat.



EVERY PART IN THIS BUILD					
A	HELMET WRAP 23" × 8" (58 × 20 cm)	CUT ×1	B	HELMET DOME PANEL 6" × 7" (15 × 18 cm)	CUT ×4
C	HELMET CREST 14" × 3" (36 × 8 cm)	CUT ×1	D	CHEST FRONT 10" × 14" (25 × 36 cm)	CUT ×1
E	CHEST BACK 10" × 14" (25 × 36 cm)	CUT ×1	F	SHOULDER PLATE 6" × 6" (15 × 15 cm)	CUT ×2
G	ARM GUARD 8" × 6" (20 × 15 cm)	CUT ×2	H	THIGH PLATE 6" × 9" (15 × 23 cm)	CUT ×2
I	SHIN GUARD 10" × 7" (25 × 18 cm)	CUT ×2	J	ARMOUR STRAP 16" × 1.5" (41 × 4 cm)	CUT ×10
K	SHIELD 14" × 20" (36 × 51 cm)	CUT ×1			

BUILD SEQUENCE — WHAT IT LOOKS LIKE AFTER EACH STEP

Each picture is the build once that step is finished. The part you just added is the ORANGE one. Grey is what was already there. Work down the page and yours should look like each picture in turn.

2 BUILD THE HELMET BAND




3 BUILD THE HELMET DOME



4 ADD THE HELMET CREST



5 BUILD THE CHEST PLATE




FRONT



BACK

7 BUILD THE ARM GUARDS




FRONT



BACK

8 HANG THE THIGH PLATES




FRONT



BACK

9 BUILD THE SHIN GUARDS




FRONT



BACK

10 BUILD THE SHIELD



FRONT



BACK



HELMET WRAP

23" × 8" (58 × 20 cm) | Cut ×1

CUT
x1

HELMET WRAP

x1

0" 4" 8" 12" 16" 20"

4" 8" 12" 16" 20" 24" 28" 32" 36" 40" 44" 48" 50"

FACE OPENING — CUT OUT (adult only)

SIZE CHECK — THIS DRAWING IS NOT REAL SIZE. Printed on letter paper at 100% it measures about 7.3" × 2.5" (32% of real size).
Cut your REAL piece at 23" × 8" (58 × 20 cm). Use a ruler, not the printout — each grid square = 2 real inches.

23" × 8" (58 × 20 cm)
The band around the head: overlap and tape the seam at the back


MARK LEGEND FOR THIS PIECE:

CUT OUT — cut along the red dashes (an orange side is a fold)

NOTE: The band around the head: overlap and tape the seam at the back

HELMET DOME PANEL

x4



SIZE CHECK — THIS DRAWING IS NOT REAL SIZE. Printed on letter paper at 100% it measures about 5.9" × 6.9" (98% of real size). Cut your **REAL** piece at 6" × 7" (15 × 18 cm). Use a ruler, not the printout — each grid square = 2 real inches.

HOW TO DRAW THIS SHAPE ON YOUR CARDBOARD:

Draw a line 1" up from the bottom edge — that strip is the tab. Mark the centre of the top edge. From each end of the tab line, draw a smooth outward curve up to that centre mark (like one segment of an orange peel). Cut one, then trace it for the other three so all four match.

Cut along the **GOLD** dashed outline. The faint grey box is the flat piece of cardboard it comes from; the grid squares are 2".

6" × 7" (15 × 18 cm)

Dome panel — straight tab at the bottom, curved sides meeting in a point

MARK LEGEND FOR THIS PIECE:

GOLD OUTLINE — this is the shape you cut. It is **NOT** a rectangle.

FOLD — score lightly, then fold at this line

CUT OUT — cut along the red dashes (an orange side is a fold)

NOTE: Four identical panels tape together into the round top of the helmet. Cut the 2 slits in **ONE** panel only — that one goes at the front




HELMET CREST

14" × 3" (36 × 8 cm) | Cut ×1

CUT
x1

HELMET CREST

x1



SIZE CHECK — THIS DRAWING IS NOT REAL SIZE. Printed on letter paper at 100% it measures about 7.3" × 1.6" (52% of real size).
Cut your REAL piece at 14" × 3" (36 × 8 cm). Use a ruler, not the printout — each grid square = 2 real inches.

14" × 3" (36 × 8 cm)

The raised ridge that runs over the top of the helmet, front to back

MARK LEGEND FOR THIS PIECE:

FOLD — score lightly, then fold at this line

NOTE: The raised ridge that runs over the top of the helmet, front to back




CHEST FRONT

10" × 14" (25 × 36 cm) | Cut ×1

CUT
x1

CHEST FRONT

x1



SIZE CHECK — THIS DRAWING IS NOT REAL SIZE. Printed on letter paper at 100% it measures about 4.9" × 6.9" (49% of real size). Cut your REAL piece at 10" × 14" (25 × 36 cm). Use a ruler, not the printout — each grid square = 2 real inches.

HOW TO DRAW THIS SHAPE ON YOUR CARDBOARD:
Mark 3.3" in from each TOP corner — the gap between those two marks is the neck. Scoop a shallow curve 2.1" deep between them. Then mark 0.7" in from each BOTTOM corner and draw a straight line up to the top corner on that side. Check the neck over the child's head before you cut the second one.
Cut along the GOLD dashed outline. The faint grey box is the flat piece of cardboard it comes from; the grid squares are 2".

10" × 14" (25 × 36 cm)
Breastplate — neck scooped out of the top, tapers in at the waist


MARK LEGEND FOR THIS PIECE:

GOLD OUTLINE — this is the shape you cut. It is NOT a rectangle.	FOLD — score lightly, then fold at this line
--	--

NOTE: Trace child's torso for fit

CHEST BACK

x1



SIZE CHECK — THIS DRAWING IS NOT REAL SIZE. Printed on letter paper at 100% it measures about 4.9" × 6.9" (49% of real size). Cut your REAL piece at 10" × 14" (25 × 36 cm). Use a ruler, not the printout — each grid square = 2 real inches.

HOW TO DRAW THIS SHAPE ON YOUR CARDBOARD:

Same outline as the chest front, but scoop the neck only 1.3" deep — the back of the neck sits higher than the front. Mark 3.3" in from each top corner, curve between the marks, then taper 0.7" in at each bottom corner.

Cut along the GOLD dashed outline. The faint grey box is the flat piece of cardboard it comes from; the grid squares are 2".

10" × 14" (25 × 36 cm)

Back plate — matches the front, shallower neck scoop

MARK LEGEND FOR THIS PIECE:


GOLD OUTLINE — this is the shape you cut. It is NOT a rectangle.

FOLD — score lightly, then fold at this line

NOTE: Matches chest front

SHOULDER PLATE

x2



SIZE CHECK — THIS DRAWING IS NOT REAL SIZE. Printed on letter paper at 100% it measures about 6.9" × 6.9" (115% of real size — **BIGGER** than the REAL piece at 6" × 6" (15 × 15 cm). Use a ruler, not the printout — each grid square = 2 real inches.

HOW TO DRAW THIS SHAPE ON YOUR CARDBOARD:

Mark 1.7" in from the two OUTER corners along the top and bottom edges, and 1.7" in along the outer edge. Trace round a mug between the marks to curve that whole outer edge.

Cut along the GOLD dashed outline. The faint grey box is the flat piece of cardboard it comes from; the grid squares are 2".

6" × 6" (15 × 15 cm)*Pauldron — square inner edge, rounded outer edge***MARK LEGEND FOR THIS PIECE:**

GOLD OUTLINE — this is the shape you cut. It is NOT a rectangle.

NOTE: Round the outer edge




ARM GUARD

8" × 6" (20 × 15 cm) | Cut ×2

CUT
x2

ARM GUARD

x2



SIZE CHECK — THIS DRAWING IS NOT REAL SIZE. Printed on letter paper at 100% it measures about 7.3" × 5.5" (91% of real size).
Cut your REAL piece at 8" × 6" (20 × 15 cm). Use a ruler, not the printout — each grid square = 2 real inches.

8" × 6" (20 × 15 cm)

Score center to wrap forearm; held on by 2 cardboard straps

MARK LEGEND FOR THIS PIECE:

SCORE — press hard with ruler but do NOT cut through

GLUE HERE — where another part goes

NOTE: Score center to wrap forearm; held on by 2 cardboard straps



THIGH PLATE

6" × 9" (15 × 23 cm) | Cut ×2

CUT
x2

THIGH PLATE

x2

0"

4"

4"

8"

TAPE BEHIND CHEST FRONT

STRAP

SIZE CHECK — THIS DRAWING IS NOT REAL SIZE. Printed on letter paper at 100% it measures about 4.6" × 6.9" (77% of real size). Cut your REAL piece at 6" × 9" (15 × 23 cm). Use a ruler, not the printout — each grid square = 2 real inches.

HOW TO DRAW THIS SHAPE ON YOUR CARDBOARD:
Mark 1.3" in from each BOTTOM corner along the bottom edge and 2" up each side. Trace round a mug between the marks to round both bottom corners.

Cut along the GOLD dashed outline. The faint grey box is the flat piece of cardboard it comes from; the grid squares are 2".

6" × 9" (15 × 23 cm)
Thigh plate — square top edge, rounded bottom corners

MARK LEGEND FOR THIS PIECE:

GOLD OUTLINE — this is the shape you cut. It is NOT a rectangle.

GLUE HERE — where another part goes

NOTE: Hangs from the bottom corner of the chest front over the thigh; held on by 1 cardboard strap




SHIN GUARD

10" × 7" (25 × 18 cm) | Cut ×2

CUT
x2

SHIN GUARD

x2



SIZE CHECK — THIS DRAWING IS NOT REAL SIZE. Printed on letter paper at 100% it measures about 7.3" × 5.1" (73% of real size).
Cut your REAL piece at 10" × 7" (25 × 18 cm). Use a ruler, not the printout — each grid square = 2 real inches.

10" × 7" (25 × 18 cm)

Score center to wrap shin; held on by 2 cardboard straps

MARK LEGEND FOR THIS PIECE:

SCORE — press hard with ruler but do NOT cut through

GLUE HERE — where another part goes

NOTE: Score center to wrap shin; held on by 2 cardboard straps



ARMOUR STRAP

16" × 1.5" (41 × 4 cm) | Cut ×10

CUT
x10

ARMOUR STRAP

×10



SIZE CHECK — THIS DRAWING IS NOT REAL SIZE. Printed on letter paper at 100% it measures about 7.3" × 0.7" (45% of real size).
Cut your REAL piece at 16" × 1.5" (41 × 4 cm). Use a ruler, not the printout — each grid square = 2 real inches.

16" × 1.5" (41 × 4 cm)

Cardboard straps: 4 for the arm guards, 2 for the thigh plates, 4 for the shin guards. Trim each to fit

MARK LEGEND FOR THIS PIECE:

CUT — scissors or box cutter on this line


NOTE: Cardboard straps: 4 for the arm guards, 2 for the thigh plates, 4 for the shin guards. Trim each to fit



SHIELD

14" × 20" (36 × 51 cm) | Cut ×1

CUT
x1



MARK LEGEND FOR THIS PIECE:

GOLD OUTLINE — this is the shape you cut. It is NOT a rectangle.	SCORE — press hard with ruler but do NOT cut through
--	--

NOTE: Kite shape — point at bottom

PIÈCES EN CARTON — 11 AU TOTAL (2 boîtes moyennes (au moins 18" × 24" (46 × 61 cm) chacune))

×1 Bandeau du casque 23" × 8" <i>Le bandeau autour de la tête : faites chevaucher les extrémités et scotchez la couture à l'arrière</i>	×2 Brassard 8" × 6" <i>Rainez au centre pour envelopper l'avant-bras ; tenu par 2 sangles en carton</i>
×4 Panneau du dôme du casque 6" × 7" <i>Quatre panneaux identiques s'assemblent au ruban adhésif pour former le haut arrondi du casque. Découpez les 2 fentes dans L'UN SEUL panneau — celui à l'avant.</i>	×2 Plaque de cuisse 6" × 9" <i>Pend du coin inférieur du plastron avant, sur la cuisse ; tenue par 1 sangle en carton</i>
×1 Crête du casque 14" × 3" <i>L'arête en relief qui passe sur le haut du casque, de l'avant vers l'arrière</i>	×2 Jambière 10" × 7" <i>Rainez au centre pour envelopper le tibia ; tenue par 2 sangles en carton</i>
×1 Plastron avant 10" × 14" <i>Tracez le torse de l'enfant pour l'ajustement</i>	×10 Sangle d'armure 16" × 1.5" <i>Sangles en carton : 4 pour les brassards, 2 pour les plaques de cuisse, 4 pour les jambières. Recoupez chacune à la bonne longueur.</i>
×1 Plastron arrière 10" × 14" <i>Identique au plastron avant</i>	×1 Bouclier 14" × 20" <i>Forme de cerf-volant — pointe vers le bas</i>
×2 Épaulière 6" × 6" <i>Arrondissez le bord extérieur</i>	

OUTILS ET MATÉRIEL

- + 2 boîtes en carton moyennes
- + Des ciseaux
- + Du ruban adhésif d'emballage
- + Des marqueurs argentés ou de la peinture métallisée
- + Un marqueur noir pour les rivets
- + Des pastilles velcro (ou plus de ruban adhésif) pour fermer les bouts des sangles
- + Un crayon pour tracer

LE SAVIEZ-VOUS ?

Une vraie armure de chevalier médiéval pesait jusqu'à 23 kg. La tienne pèse 0. Là, c'est un sacré progrès.

DÉFI !

Quête chevaleresque : une fois entièrement équipé, accomplis 5 missions — sauver une peluche, défendre un fort de coussins, terrasser un dragon-coussin, transporter un trésor et saluer le roi.

1 ÉTAPE 1: MESURER L'ENFANT

Avant de couper quoi que ce soit, tracez légèrement au crayon le torse, le bras, le tibia et la tête de l'enfant sur le carton. L'armure doit lui aller — une armure qui tombe n'est pas une armure.


2 ÉTAPE 2: FABRIQUER LE BANDEAU DU CASQUE

! AIDE D'UN ADULTE

Le bandeau du casque est volontairement coupé PLUS LONG que la tête de n'importe quel enfant. Enroulez-le autour de la tête de l'enfant, faites chevaucher les extrémités d'environ 1 pouce, marquez cet endroit, coupez l'excédent des DEUX côtés de façon égale pour que l'ouverture du visage reste devant, et scotchez la couture à l'arrière. Découpez l'ouverture du visage indiquée sur le gabarit : 8" (20 cm) de large, de 2" (5 cm) sous le bord supérieur jusqu'au bord inférieur, qu'elle traverse. Le bandeau se place juste au-dessus des sourcils et descend sur les côtés de la tête jusqu'à la mâchoire ; tout le visage reste dégagé, comme sur la photo de couverture.

SÉCURITÉ : Un adulte découpe. Les yeux, le nez, la bouche et le menton doivent être entièrement dégagés.

PIÈCES DE CETTE ÉTAPE




3 ÉTAPE 3: FABRIQUER LE DÔME DU CASQUE

! AIDE D'UN ADULTE

Découpez les 4 panneaux du dôme du casque selon la même forme courbe. Dans UN SEUL d'entre eux, découpez les 2 fentes indiquées sur le gabarit — c'est le panneau avant. Repliez vers l'intérieur la languette du bas de chaque panneau le long de la ligne de pli. Scotchez la languette du panneau avant à l'intérieur du bord supérieur du bandeau, centrée au-dessus de l'ouverture du visage, puis le panneau arrière en face, puis un panneau de chaque côté. Courbez les panneaux vers l'intérieur jusqu'à ce que leurs bords courbes se rejoignent, et scotchez chaque couture du bandeau jusqu'à la pointe. Les 4 pointes se rejoignent au-dessus du sommet du crâne et le haut du casque est maintenant arrondi, comme sur la photo. Les 4 panneaux sont volontairement un peu plus larges que nécessaire : là où ils se chevauchent en bas, scotchez-les en les laissant se chevaucher.

SÉCURITÉ : Un adulte découpe les fentes. Elles sont décoratives — l'enfant voit par l'ouverture du visage.


PIÈCES DE CETTE ÉTAPE



4 ÉTAPE 4: AJOUTER LA CRÊTE DU CASQUE

Pliez la crête du casque en deux dans le sens de la longueur (ligne de pli sur le gabarit) et scotchez les deux moitiés ensemble pour obtenir un aileron rigide. Posez-la debout sur son bord plié au milieu du casque, de l'avant du bandeau, par-dessus le sommet, jusqu'à l'arrière du bandeau, et scotchez-la des deux côtés. Coupez la longueur en trop à l'arrière.

PIÈCES DE CETTE ÉTAPE



5

ÉTAPE 5: FABRIQUER LE PLASTRON

Découpez le plastron avant à la largeur et à la longueur du torse de l'enfant. Faites de même pour le plastron arrière. Percez des trous aux coins supérieurs des épaules (repères de pli sur le gabarit). Passez-y des boucles de ruban adhésif — ce sont les bretelles d'épaules qui relient l'avant à l'arrière. Ajoutez une croix ou un emblème HEE sur le devant, en argenté.

PIÈCES DE CETTE ÉTAPE




6

ÉTAPE 6: AJOUTER LES ÉPAULIÈRES

Arrondissez le coin extérieur de chaque épaulière (ligne de coupe sur le gabarit). Scotchez-les au plastron au niveau des bretelles d'épaules — elles doivent retomber sur les articulations des bras comme de vraies spallières.

PIÈCES DE CETTE ÉTAPE




7

ÉTAPE 7: FABRIQUER LES BRASSARDS

Rainez la ligne verticale centrale de chaque brassard (repère de rainage sur le gabarit) pour qu'il puisse se courber autour du bras. Scotchez une extrémité d'une sangle d'armure sur chaque case STRAP du gabarit, sur la face intérieure du brassard. Enroulez le brassard autour de l'avant-bras, passez chaque sangle derrière le bras, recoupez-la pour qu'elle chevauche l'autre bord d'environ 1 pouce et fermez-la avec une pastille velcro ou un morceau de ruban adhésif. Ajoutez des rivets au marqueur noir tout autour des bords.

SÉCURITÉ : Bien ajustées, pas serrées — un doigt doit pouvoir glisser sous chaque sangle.

PIÈCES DE CETTE ÉTAPE



8

ÉTAPE 8: ACCROCHER LES PLAQUES DE CUISSE

Arrondissez les deux coins inférieurs de chaque plaque de cuisse (contour doré). Scotchez le bord supérieur de chaque plaque derrière un coin inférieur du plastron avant (case TAPE BEHIND CHEST FRONT) pour que les plaques pendent devant les cuisses. Scotchez une sangle d'armure sur la case STRAP en bas de chaque plaque, passez-la derrière la cuisse, recoupez-la et fermez-la avec une pastille velcro ou du ruban adhésif. La sangle maintient la plaque contre la jambe quand l'enfant marche.

SÉCURITÉ : Bien ajustées, pas serrées — un doigt doit pouvoir glisser sous chaque sangle.

PIÈCES DE CETTE ÉTAPE




9

ÉTAPE 9: FABRIQUER LES JAMBIÈRES

Rainez la ligne verticale centrale de chaque jambière (repère de rainage sur le gabarit). Scotchez une sangle d'armure sur chacune des 2 cases STRAP, sur la face intérieure. Enroulez la jambière autour du devant du tibia, passez les deux sangles derrière la jambe, recoupez-les et fermez chacune avec une pastille velcro ou du ruban adhésif. Ajoutez des lignes rainées horizontales sur la surface pour l'effet armure à plaques.

SÉCURITÉ : Bien ajustées, pas serrées — un doigt doit pouvoir glisser sous chaque sangle.

PIÈCES DE CETTE ÉTAPE

10

ÉTAPE 10: FABRIQUER LE BOUCLIER


Découpez le bouclier (14" x 20" (36 x 51 cm)). Utilisez les repères d'effilage du gabarit pour tailler le bas en pointe de cerf-volant. Rainez l'arête verticale centrale pour la rigidité (repère de rainage sur le gabarit). Décorez-le d'un blason familial. Ajoutez 2 boucles de ruban adhésif à l'arrière pour la sangle du bras.

PIÈCES DE CETTE ÉTAPE

11

ÉTAPE 11: TOUT EN ARGENT


Repassez chaque pièce — casque, crête, plastron, épaulières, brassards, plaques de cuisse, jambières, sangles et bouclier — au marqueur ou à la peinture argentée. Ajoutez des rivets au marqueur noir sur chaque bord. C'est cette étape qui donne l'air d'une vraie armure — ne sautez aucune surface.

PIÈCES DE CETTE ÉTAPE

12

ÉTAPE 12: CONTRÔLE QUALITÉ

Enfilez l'armure complète — tout est bien ajusté et reste en place quand l'enfant marche. Le casque est arrondi en haut, avec la crête au milieu et 2 fentes devant. Les plaques de cuisse et les jambières tiennent grâce aux sangles en carton. De l'argent sur chaque pièce. Comparez avec la photo de couverture. C'est le standard.

PIÈCES DE CETTE ÉTAPE**CONTRÔLE QUALITÉ !**

Votre construction ressemble-t-elle à la photo ? Comparez côte à côte avant de terminer.

"Build It. Own It." — Tatum & Kash Cardboard Creations