



Presented by The High End



# CARDBOARD RACE CAR COCKPIT

Life-Size Sit-In Formula Racing Car — Long Nose, Fat Tires, Fairing & High Rear Wing

Build a Formula 1 cockpit. Race from the bedroom. Trophies not included.


|              |                        |                   |                         |                  |
|--------------|------------------------|-------------------|-------------------------|------------------|
| AGES<br>4–10 | BOXES<br>3 Large Boxes | TIME<br>3–4 Hours | DIFF<br>Intermediate ** | PIECES<br>17 pcs |
|--------------|------------------------|-------------------|-------------------------|------------------|

CARDBOARD NEEDED:  
3 Large Boxes (sides at least 24" × 36" (61 × 91 cm); one is the body)  
FINISHED SIZE:  
60" long × 42" wide at the tires × 32" tall at the wing (152 × 107 × 81 cm); cockpit 18" × 16"

MISSION GOAL:  
Build the car in the photo: a low body the child sits down inside, a long striped nose, a tall fairing behind the head, a rear wing high on tall endplates, 4 fat tires on suspension arms, a 3-spoke wheel, and a big orange 7.

# HOW IT ALL GOES TOGETHER — CARDBOARD RACE CAR COCKPIT

Seen from directly above. Every part you cut is on this picture, with the letter from its own cut-template page. If a letter is on this drawing, there is a page for it in this file — that is the whole parts list, nothing else is needed.



Drawn to scale from the cut sizes in this plan. Front of the car is to the right.

| EVERY PART IN THIS BUILD                               |        |                                                         |        |
|--------------------------------------------------------|--------|---------------------------------------------------------|--------|
| <b>A CAR BODY (FULL BOX)</b><br>36" × 24" (91 × 61 cm) | CUT ×1 | <b>B NOSE TOP</b><br>24" × 25" (61 × 64 cm)             | CUT ×1 |
| <b>C NOSE SIDE</b><br>25" × 16" (64 × 41 cm)           | CUT ×2 | <b>D NOSE TIP</b><br>10" × 9" (25 × 23 cm)              | CUT ×1 |
| <b>E DASH PANEL</b><br>23" × 7" (58 × 18 cm)           | CUT ×1 | <b>F FAIRING FRONT</b><br>10" × 9" (25 × 23 cm)         | CUT ×1 |
| <b>G FAIRING SIDE</b><br>12" × 9" (30 × 23 cm)         | CUT ×2 | <b>H FAIRING TOP</b><br>10" × 17" (25 × 43 cm)          | CUT ×1 |
| <b>I REAR WING ENDPLATE</b><br>8" × 25" (20 × 64 cm)   | CUT ×2 | <b>J REAR WING ELEMENT</b><br>26" × 8" (66 × 20 cm)     | CUT ×1 |
| <b>K TIRE INNER DISC</b><br>11" × 11" (28 × 28 cm)     | CUT ×4 | <b>L TIRE OUTER RING</b><br>11" × 11" (28 × 28 cm)      | CUT ×4 |
| <b>M TIRE TREAD</b><br>36" × 5" (91 × 13 cm)           | CUT ×4 | <b>N SUSPENSION ARM</b><br>8" × 3" (20 × 8 cm)          | CUT ×8 |
| <b>O STEERING COLUMN</b><br>8" × 6" (20 × 15 cm)       | CUT ×1 | <b>P STEERING WHEEL LAYER</b><br>10" × 10" (25 × 25 cm) | CUT ×2 |
| <b>Q STEERING HUB</b><br>2.5" × 2.5" (6 × 6 cm)        | CUT ×1 |                                                         |        |

| WHEEL MOUNT — LOOKING DOWN ON ONE TIRE                                                                                                                                               | FROM THE SIDE — WHERE THE AXLE MARKS GO                                                                                                                                                                                               |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>BODY SIDE</p> <p>N = 2 SUSPENSION ARMS in a V, 3" either side of the axle mark, holding the tire 4" out. K INNER DISC + M TREAD 5" wide + L OUTER RING = one tire 11" across.</p> | <p>wing top 32"</p> <p>9"</p> <p>9"</p> <p>body 16"</p> <p>nose tip 9"</p> <p>5.5"</p> <p>Four axle marks — 9" in from each end, 5.5" up from the bottom edge, on BOTH sides. Each tire stands on the floor 4" out from the body.</p> |

## BUILD SEQUENCE — WHAT IT LOOKS LIKE AFTER EACH STEP

Each picture is the car once that step is finished. The part you just added is the ORANGE one. Grey is what was already there. Work down the page and your car should look like each picture in turn.

### 3 SET UP THE CAR BODY



### 4 CUT THE COCKPIT



### 5 FIT THE DASH PANEL



### 6 BUILD THE NOSE




### 7 BUILD THE FAIRING



### 8 BUILD THE REAR WING




### 9 BUILD THE TIRES




4 TIRES — EACH: INNER DISC + TREAD + OUTER RING

### 10 MOUNT THE TIRES



### 11 ADD THE STEERING WHEEL



### FINISHED CAR CHECK

Long nose out front. Fairing behind the cockpit. Rear wing high on its two tall endplates. 4 fat tires, 2 a side, each held 4" out from the body by a V of 2 arms. Steering wheel on the dash. That is every part in the table above, all used.



# CAR BODY (FULL BOX)

36" × 24" (91 × 61 cm) | Cut ×1

CUT  
x1

CAR BODY (FULL BOX)

x1

0" 4" 8" 12" 16" 20" 24" 28" 32"

4" 3" 12" 13" 20"

FAIRING

COCKPIT OPENING — CUT OUT (adult only)

36" × 24" (91 × 61 cm)

SIZE CHECK — THIS DRAWING IS NOT REAL SIZE. Printed on letter paper at 100% it measures about 7.3" × 4.9" (20% of real size). Cut your REAL piece at 36" × 24" (91 × 61 cm). Use a ruler, not the printout — each grid square = 2 real inches.

A 36" × 24" × 16" box used whole. Drawn: its TOP, back of the car on the left


MARK LEGEND FOR THIS PIECE:

|                                                               |                                     |
|---------------------------------------------------------------|-------------------------------------|
| CUT OUT — cut along the red dashes (an orange side is a fold) | GLUE HERE — where another part goes |
|---------------------------------------------------------------|-------------------------------------|

NOTE: A 36" × 24" × 16" box used whole. Drawn: its TOP, back of the car on the left

## NOSE TOP

x1



**SIZE CHECK — THIS DRAWING IS NOT REAL SIZE.** Printed on letter paper at 100% it measures about 6.6" × 6.9" (28% of real size).  
**Cut your REAL piece at 24" × 25" (61 × 64 cm).** Use a ruler, not the printout — each grid square = 2 real inches.

**HOW TO DRAW THIS SHAPE ON YOUR CARDBOARD:**

The bottom edge (24") is the end that meets the body. Mark 7" in from each TOP corner — that leaves a 10" tip. Draw straight lines from those marks down to the bottom corners.

*Cut along the GOLD dashed outline. The faint grey box is the flat piece of cardboard it comes from; the grid squares are 2".*

**24" × 25" (61 × 64 cm)**

*Nose top — 24" wide at the body, 10" at the tip*

**MARK LEGEND FOR THIS PIECE:**

**GOLD OUTLINE** — this is the shape you cut. It is NOT a rectangle.

**NOTE:** The long sloping top of the nose: the stripes go on it




# NOSE SIDE

25" × 16" (64 × 41 cm) | Cut ×2

CUT  
x2

NOSE SIDE

x2



**SIZE CHECK — THIS DRAWING IS NOT REAL SIZE.** Printed on letter paper at 100% it measures about 7.3" × 4.7" (29% of real size).  
Cut your **REAL** piece at 25" × 16" (64 × 41 cm). Use a ruler, not the printout — each grid square = 2 real inches.

**HOW TO DRAW THIS SHAPE ON YOUR CARDBOARD:**  
Keep the bottom edge straight and the left (body) end its full 16". Mark the right (tip) end 9" up from the bottom and draw a straight line from that mark to the top-left corner. Cut 1, flip it over and trace the second.  
*Cut along the GOLD dashed outline. The faint grey box is the flat piece of cardboard it comes from; the grid squares are 2".*

25" × 16" (64 × 41 cm)  
Nose side — tall at the body, sloping down to the tip

MARK LEGEND FOR THIS PIECE:

GOLD OUTLINE — this is the shape you cut. It is NOT a rectangle.

**NOTE:** Left and right sides of the nose: 16" at the body, 9" at the tip



# NOSE TIP

10" × 9" (25 × 23 cm) | Cut ×1

CUT  
x1

NOSE TIP

x1

SIZE CHECK — THIS DRAWING IS NOT REAL SIZE. Printed on letter paper at 100% it measures about 7.3" × 6.6" (73% of real size).  
Cut your REAL piece at 10" × 9" (25 × 23 cm). Use a ruler, not the printout — each grid square = 2 real inches.

10" × 9" (25 × 23 cm)  
*Closes the front end of the nose*

MARK LEGEND FOR THIS PIECE:

CUT — scissors or box cutter on this line

NOTE: Closes the front end of the nose



DASH PANEL

23" × 7" (58 × 18 cm) | Cut ×1

CUT  
x1

DASH PANEL

x1

0"4"8"12"16"20"

4"

FOLD TAB BACK — tapes under the top of the body

SIZE CHECK — THIS DRAWING IS NOT REAL SIZE. Printed on letter paper at 100% it measures about 7.3" × 2.2" (32% of real size).  
Cut your REAL piece at 23" × 7" (58 × 18 cm). Use a ruler, not the printout — each grid square = 2 real inches.

23" × 7" (58 × 18 cm)  
Stands across the inside of the body at the front of the cockpit; holds the steering wheel

MARK LEGEND FOR THIS PIECE:

FOLD — score lightly, then fold at this line

NOTE: Stands across the inside of the body at the front of the cockpit; holds the steering wheel



# FAIRING FRONT

10" × 9" (25 × 23 cm) | Cut ×1

CUT  
x1

FAIRING FRONT

x1

**SIZE CHECK — THIS DRAWING IS NOT REAL SIZE.** Printed on letter paper at 100% it measures about 7.3" × 6.6" (73% of real size).  
Cut your REAL piece at 10" × 9" (25 × 23 cm). Use a ruler, not the printout — each grid square = 2 real inches.

**10" × 9" (25 × 23 cm)**  
*The headrest face right behind the driver's head*

MARK LEGEND FOR THIS PIECE:

CUT — scissors or box cutter on this line

**NOTE:** The headrest face right behind the driver's head




# FAIRING SIDE

12" × 9" (30 × 23 cm) | Cut ×2

CUT  
x2

FAIRING SIDE

x2



**SIZE CHECK — THIS DRAWING IS NOT REAL SIZE.** Printed on letter paper at 100% it measures about 7.3" × 5.5" (61% of real size).  
Cut your REAL piece at 12" × 9" (30 × 23 cm). Use a ruler, not the printout — each grid square = 2 real inches.

**HOW TO DRAW THIS SHAPE ON YOUR CARDBOARD:**  
Keep the bottom edge straight and the left (front) end its full 9". Mark the right (back) end 4" up from the bottom and draw a straight line from that mark to the top-left corner. Cut 1, flip it over and trace the second.  
Cut along the GOLD dashed outline. The faint grey box is the flat piece of cardboard it comes from; the grid squares are 2".

12" × 9" (30 × 23 cm)  
Fairing side — tall behind the head, sloping down to the back

MARK LEGEND FOR THIS PIECE:

GOLD OUTLINE — this is the shape you cut. It is NOT a rectangle.


**NOTE:** Left and right sides of the fairing



# FAIRING TOP

10" × 17" (25 × 43 cm) | Cut ×1

CUT  
**x1**



**MARK LEGEND FOR THIS PIECE:**

FOLD — score lightly, then fold at this line

**NOTE:** Slopes from the headrest down to the back; the last 4" folds down



# REAR WING ENDPLATE

8" × 25" (20 × 64 cm) | Cut ×2

CUT  
x2

REAR WING ENDPLATE

x2

SIZE CHECK — THIS DRAWING IS NOT REAL SIZE. Printed on letter paper at 100% it measures about 2.4" × 7.6" (30% of real size). Cut your REAL piece at 8" × 25" (20 × 64 cm). Use a ruler, not the printout — each grid square = 2 real inches.

8" × 25" (20 × 64 cm)

Tall plates: the bottom 9" tapes to the body side, the top holds the wing

MARK LEGEND FOR THIS PIECE:

GLUE HERE — where another part goes

NOTE: Tall plates: the bottom 9" tapes to the body side, the top holds the wing



# REAR WING ELEMENT

26" × 8" (66 × 20 cm) | Cut ×1

CUT  
x1

REAR WING ELEMENT

x1

SIZE CHECK — THIS DRAWING IS NOT REAL SIZE. Printed on letter paper at 100% it measures about 7.3" × 2.2" (28% of real size).  
Cut your REAL piece at 26" × 8" (66 × 20 cm). Use a ruler, not the printout — each grid square = 2 real inches.

26" × 8" (66 × 20 cm)  
The wing: a 1" tab at each end tapes inside an endplate

MARK LEGEND FOR THIS PIECE:

FOLD — score lightly, then fold at this line

NOTE: The wing: a 1" tab at each end tapes inside an endplate




# TIRE INNER DISC

11" × 11" (28 × 28 cm) | Cut ×4

CUT  
x4

## TIRE INNER DISC

x4



**SIZE CHECK — THIS DRAWING IS NOT REAL SIZE.** Printed on letter paper at 100% it measures about 6.9" × 6.9" (63% of real size).  
Cut your **REAL** piece at 11" × 11" (28 × 28 cm). Use a ruler, not the printout — each grid square = 2 real inches.

### HOW TO DRAW THIS SHAPE ON YOUR CARDBOARD:

A circle 11" across. Pin a string 5.5" from the centre and swing a pencil right round. Cut 1, then trace it for the rest: 4 inner discs and 4 outer rings are all this size.

*Cut along the GOLD dashed outline. The faint grey box is the flat piece of cardboard it comes from; the grid squares are 2".*

11" × 11" (28 × 28 cm)  
Circle

### MARK LEGEND FOR THIS PIECE:

**GOLD OUTLINE** — this is the shape you cut. It is **NOT** a rectangle.

**NOTE:** The side of each tire facing the car; its plain middle is the hub you see




# TIRE OUTER RING

11" × 11" (28 × 28 cm) | Cut ×4

CUT  
x4

## TIRE OUTER RING

x4



**SIZE CHECK — THIS DRAWING IS NOT REAL SIZE.** Printed on letter paper at 100% it measures about 6.9" × 6.9" (63% of real size).  
Cut your REAL piece at 11" × 11" (28 × 28 cm). Use a ruler, not the printout — each grid square = 2 real inches.

### HOW TO DRAW THIS SHAPE ON YOUR CARDBOARD:

A circle 11" across (string 5.5" from the centre). From the same centre draw a 6" circle (string 3") and cut it out — the hub hole you look into.

*Cut along the GOLD dashed outline. The faint grey box is the flat piece of cardboard it comes from; the grid squares are 2".*

**11" × 11" (28 × 28 cm)**

*Circle with the hub hole cut out of the middle*

### MARK LEGEND FOR THIS PIECE:

**GOLD OUTLINE** — this is the shape you cut. It is NOT a rectangle.

**CUT OUT** — cut along the red dashes (an orange side is a fold)

**NOTE:** The outside face of each tire, with the hub hole




# TIRE TREAD

36" × 5" (91 × 13 cm) | Cut ×4

CUT  
x4

TIRE TREAD

x4



SIZE CHECK — THIS DRAWING IS NOT REAL SIZE. Printed on letter paper at 100% it measures about 7.3" × 1" (20% of real size).  
Cut your REAL piece at 36" × 5" (91 × 13 cm). Use a ruler, not the printout — each grid square = 2 real inches.

36" × 5" (91 × 13 cm)

Wraps the edges of 2 discs into a fat tire 5" wide. Ridges run ACROSS the strip

MARK LEGEND FOR THIS PIECE:

CUT — scissors or box cutter on this line

NOTE: Wraps the edges of 2 discs into a fat tire 5" wide. Ridges run ACROSS the strip




# SUSPENSION ARM

8" × 3" (20 × 8 cm) | Cut ×8

CUT  
x8

## SUSPENSION ARM

x8



SIZE CHECK — THIS DRAWING IS NOT REAL SIZE. Printed on letter paper at 100% it measures about 7.3" × 2.7" (91% of real size).  
Cut your REAL piece at 8" × 3" (20 × 8 cm). Use a ruler, not the printout — each grid square = 2 real inches.

8" × 3" (20 × 8 cm)  
2 per tire, in a V: they hold the tire 4" out from the body

### MARK LEGEND FOR THIS PIECE:

FOLD — score lightly, then fold at this line

NOTE: 2 per tire, in a V: they hold the tire 4" out from the body




# STEERING COLUMN

8" × 6" (20 × 15 cm) | Cut ×1

CUT  
**x1**

## STEERING COLUMN

×1



**SIZE CHECK — THIS DRAWING IS NOT REAL SIZE.** Printed on letter paper at 100% it measures about 7.3" × 5.5" (91% of real size).  
Cut your REAL piece at 8" × 6" (20 × 15 cm). Use a ruler, not the printout — each grid square = 2 real inches.

8" × 6" (20 × 15 cm)

*Folds into a square tube 2" across that holds the wheel off the dash*


### MARK LEGEND FOR THIS PIECE:

**SCORE** — press hard with ruler but do NOT cut through

**NOTE:** Folds into a square tube 2" across that holds the wheel off the dash

## STEERING WHEEL LAYER

x2



**SIZE CHECK — THIS DRAWING IS NOT REAL SIZE.** Printed on letter paper at 100% it measures about 6.9" × 6.9" (69% of real size).  
Cut your REAL piece at 10" × 10" (25 × 25 cm). Use a ruler, not the printout — each grid square = 2 real inches.

**HOW TO DRAW THIS SHAPE ON YOUR CARDBOARD:**

A circle 10" across (string 5" from the centre). Inside it cut the 3 red holes: a half-moon on top and two quarters below. That leaves a 1.5" rim, a hub and 3 spokes 1.2" wide. Cut 2 the same: 2 layers make 1 wheel.

Cut along the GOLD dashed outline. The faint grey box is the flat piece of cardboard it comes from; the grid squares are 2".

10" × 10" (25 × 25 cm)

Circle with 3 holes: rim, hub and 3 spokes

**MARK LEGEND FOR THIS PIECE:**

**GOLD OUTLINE** — this is the shape you cut. It is NOT a rectangle.

**CUT OUT** — cut along the red dashes (an orange side is a fold)

**NOTE:** Cut 2 the same and glue them together: 2 layers make 1 wheel




# STEERING HUB

2.5" × 2.5" (6 × 6 cm) | Cut ×1

CUT  
x1

## STEERING HUB

x1



**SIZE CHECK — THIS DRAWING IS NOT REAL SIZE.** Printed on letter paper at 100% it measures about 6.9" × 6.9" (276% of real size — BIGGER than the REAL piece at 2.5" × 2.5" (6 × 6 cm). Use a ruler, not the printout — each grid square = 2 real inches.

**HOW TO DRAW THIS SHAPE ON YOUR CARDBOARD:**  
A circle 2.5" across. Trace a jar lid or a roll of tape.

*Cut along the GOLD dashed outline. The faint grey box is the flat piece of cardboard it comes from; the grid squares are 2".*

2.5" × 2.5" (6 × 6 cm)  
Circle

### MARK LEGEND FOR THIS PIECE:

**GOLD OUTLINE** — this is the shape you cut. It is NOT a rectangle.

**NOTE:** Glues on the middle of the wheel, where the 3 spokes meet

## PIEZAS DE CARTÓN — 17 EN TOTAL (3 cajas grandes (lados de 24" × 36" (61 × 91 cm) o más))

|                                                                                                                                                                        |                                                                                                                                                             |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p><b>×1 Carrocería (caja entera)</b><br/>36" × 24"<br/><i>Una caja de 36" × 24" × 16" entera. Dibujado: su parte de ARRIBA, la parte trasera a la izquierda</i></p>   | <p><b>×1 Alerón trasero</b><br/>26" × 8"<br/><i>El alerón: una pestaña de 1" en cada extremo se pega por dentro de una placa lateral</i></p>                |
| <p><b>×1 Tapa del morro</b><br/>24" × 25"<br/><i>La parte de arriba larga e inclinada del morro: ahí van las franjas</i></p>                                           | <p><b>×4 Disco interior de la rueda</b><br/>11" × 11"<br/><i>La cara de cada rueda que mira al coche; su centro natural es el buje que se ve</i></p>        |
| <p><b>×2 Lateral del morro</b><br/>25" × 16"<br/><i>Lados izquierdo y derecho del morro: 16" junto a la carrocería, 9" en la punta</i></p>                             | <p><b>×4 Aro exterior de la rueda</b><br/>11" × 11"<br/><i>La cara de fuera de cada rueda, con el hueco del buje</i></p>                                    |
| <p><b>×1 Punta del morro</b><br/>10" × 9"<br/><i>Cierra el extremo delantero del morro</i></p>                                                                         | <p><b>×4 Banda de rodadura</b><br/>36" × 5"<br/><i>Envuelve el borde de 2 discos y forma una rueda ancha de 5". Las ondas van A LO ANCHO de la tira</i></p> |
| <p><b>×1 Panel del tablero</b><br/>23" × 7"<br/><i>Va atravesado por dentro de la carrocería, delante de la cabina; sostiene el volante</i></p>                        | <p><b>×8 Brazo de suspensión</b><br/>8" × 3"<br/><i>2 por rueda, en V: sostienen la rueda a 4" de la carrocería</i></p>                                     |
| <p><b>×1 Frente del carenado</b><br/>10" × 9"<br/><i>El reposacabezas justo detrás de la cabeza del piloto</i></p>                                                     | <p><b>×1 Columna de dirección</b><br/>8" × 6"<br/><i>Se dobla en un tubo cuadrado de 2" que separa el volante del tablero</i></p>                           |
| <p><b>×2 Lateral del carenado</b><br/>12" × 9"<br/><i>Lados izquierdo y derecho del carenado</i></p>                                                                   | <p><b>×2 Capa del volante</b><br/>10" × 10"<br/><i>Corta 2 iguales y pégalas juntas: 2 capas forman 1 volante</i></p>                                       |
| <p><b>×1 Tapa del carenado</b><br/>10" × 17"<br/><i>Baja del reposacabezas hacia atrás; las últimas 4" se doblan hacia abajo</i></p>                                   | <p><b>×1 Centro del volante</b><br/>2.5" × 2.5"<br/><i>Se pega en el centro del volante, donde se juntan los 3 radios</i></p>                               |
| <p><b>×2 Placa lateral del alerón</b><br/>8" × 25"<br/><i>Placas altas: las 9" de abajo se pegan al lado de la carrocería, la parte de arriba sujeta el alerón</i></p> |                                                                                                                                                             |

## HERRAMIENTAS Y MATERIALES

- + 3 cajas grandes, lados de al menos 24" × 36"
- + Una de unos 36" × 24" × 16" (carrocería)
- + Cúter: SOLO PARA ADULTOS
- + Cinta de embalar + cola blanca

- + Pintura naranja + negra
- + Regla, lápiz + cuerda para los círculos
- + Marcador negro

### ¡DATO CURIOSO!

Un coche de F1 de verdad llega a 60 mph (unos 97 km/h) en unos 2.6 segundos. El tuyo va de 0 a la imaginación al instante. La misma energía.

### ¡DESAFÍO!

Día de carrera: dos niños, dos coches de cartón. Decóralos distinto. ¿Cuál parece más rápido? ¡En sus marcas... 3... 2... 1... YA!

1

## PASO 1: MARCA LAS PIEZAS

Deja entera la caja A: es la carrocería del coche. Aplana las otras dos cajas y marca las piezas de la B a la Q a partir de sus páginas de plantilla, con la cuadrícula de 2" (5 cm) y las medidas de cada página. Dibuja cada círculo con un lápiz atado a una cuerda sujeta en el centro. Coloca las 4 tiras de M de modo que las ondas del cartón vayan A LO ANCHO de cada tira: así se curvan bien.

2

## PASO 2: RECORTA LAS PIEZAS

! AYUDA DE UN ADULTO

Recorta cada pieza por su contorno dorado: B, 2 de C, D, E, F, 2 de G, H, 2 de I, J, 4 de K, 4 de L, 4 de M, 8 de N, O, 2 de P y Q. Recorta también los huecos marcados con rayas rojas en L y P.

**SEGURIDAD:** El adulto usa el cúter, sobre una tabla. Corta los círculos poco a poco.

### PIEZAS DE ESTE PASO




3

## PASO 3: PREPARA LA CARROCERÍA

Usa una caja larga de unos 36" x 24" (91 x 61 cm) x 16" (41 cm). Cierra todas sus solapas con cinta y acuéstala de modo que mida 36" (91 cm) de largo, 24" (61 cm) de ancho y 16" (41 cm) de alto: baja y ancha, como en la foto. El extremo izquierdo de la plantilla A es la parte TRASERA del coche.

### PIEZAS DE ESTE PASO



4


## PASO 4: CORTA LA CABINA

! AYUDA DE UN ADULTO

En la parte de arriba de la carrocería corta la abertura de la cabina que muestra la plantilla A: 18" (46 cm) de largo y 16" (41 cm) de ancho, empezando a 12" (30 cm) del extremo trasero, centrada de lado a lado. Redondea las esquinas. Luego, en el extremo DELANTERO de la caja, corta un hueco para las piernas de 18" (46 cm) de ancho y 12" (30 cm) de alto, desde el borde de abajo y centrado: las piernas se estiran dentro del morro. Prueba: el niño se sienta en el piso de la caja y solo asoman los hombros y la cabeza.

**SEGURIDAD:** Corta un adulto. Pon cinta en todos los bordes: nada áspero en la cabina.

### PIEZAS DE ESTE PASO



5

PASO 5: PON EL PANEL DEL TABLERO

Dobla la pestaña de 1" (3 cm) de la parte de arriba del panel del tablero. Mete la mano por la cabina y colócalo atravesado por dentro de la caja, en el borde DELANTERO de la cabina, con la pestaña hacia delante. Pega la pestaña con cinta bajo la tapa de la caja y los dos extremos a las paredes laterales. Su borde de abajo queda a 10" (25 cm) del suelo, así las piernas pasan por debajo; refuerza la carrocería y sostiene el volante.

PIEZAS DE ESTE PASO



6




PASO 6: ARMA EL MORRO

! AYUDA DE UN ADULTO

Pon de pie los dos laterales del morro sobre su borde recto de abajo, con el extremo alto contra el frente de la carrocería, cada uno alineado con una pared lateral, e inclina los extremos bajos hacia dentro hasta que queden a 10" (25 cm) uno del otro. Pega la punta del morro entre los extremos bajos. Pon la tapa del morro encima, con el extremo ancho junto a la carrocería, y pega todas las uniones por dentro y por fuera. El morro mide 24" (61 cm) de largo y baja de 16" (41 cm) junto a la carrocería a 9" (23 cm) en la punta.

**SEGURIDAD:** Dos personas: una sujeta los laterales y otra pega.

PIEZAS DE ESTE PASO






7

PASO 7: ARMA EL CARENADO

Pega el frente del carenado entre los extremos altos de los dos laterales del carenado y luego la tapa del carenado encima, doblando sus últimas 4" (10 cm) hacia abajo para cerrar la parte de atrás. Colócalo sobre la carrocería detrás de la cabina (recuadro FAIRING de la plantilla A), con el extremo alto justo en el borde de la cabina, y pégalo todo alrededor. Sube 9" (23 cm) por encima de la carrocería justo detrás de la cabeza del piloto y baja hacia atrás, como en la foto.

PIEZAS DE ESTE PASO



8


PASO 8: ARMA EL ALERÓN TRASERO

! AYUDA DE UN ADULTO

Pega las 9" (23 cm) de abajo de cada placa lateral del alerón planas contra un lado de la carrocería, bien atrás, con el borde de abajo a 7" (18 cm) del suelo, de modo que sobresalga 16" (41 cm) por encima de la carrocería. Dobra la pestaña de 1" (3 cm) de cada extremo del alerón trasero y pégalas por dentro de la parte de arriba de las placas, para que el alerón cruce el coche con su parte de arriba a 32" (81 cm) del suelo, como en la foto.

**SEGURIDAD:** Dos personas: una sujeta las placas de pie y otra pega.

PIEZAS DE ESTE PASO




9

PASO 9: ARMA LAS RUEDAS

Pon un disco interior de la rueda de canto. Curva una banda de rodadura a lo largo de su borde (ondas a lo ancho de la tira) y pégala con trocitos de cinta cada 2" (5 cm); solapa los extremos y pégalos. Pega un aro exterior de la rueda en el otro borde de la banda de la misma forma. Tienes un tambor de 11" (28 cm) de diámetro y 5" (13 cm) de ancho con un hueco para el buje en la cara de fuera. Haz 4.

PIEZAS DE ESTE PASO




10

PASO 10: MONTA LAS RUEDAS

En cada lado de la carrocería marca dos puntos de eje: a 9" (23 cm) del extremo delantero y a 9" (23 cm) del extremo trasero, ambos a 5.5" (14 cm) del borde de abajo. Dobra cada brazo de suspensión a lo largo por la mitad, pégalo plano y dobla sus pestañas de 1.5" (4 cm) de los extremos. Para cada punto de eje, pega una pestaña de 2 brazos de suspensión a la carrocería, uno 3" (8 cm) delante de la marca y otro 3" (8 cm) detrás, y pega sus otras pestañas juntas en el centro del disco interior de una rueda. Los dos brazos forman una V y sostienen la rueda a 4" (10 cm) de la carrocería, con su borde en el suelo.

PIEZAS DE ESTE PASO




11

## PASO 11: PON EL VOLANTE

Pega juntas las 2 capas del volante con los huecos alineados y pega el centro del volante en el medio por delante. Marca las 3 líneas de la columna de dirección, dóblala en un tubo cuadrado de 2" (5 cm) y pega la unión. Corta 1" (3 cm) en cada esquina de un extremo, dobla las solapas hacia fuera y pégalas en el centro del panel del tablero, mirando al piloto. Pega la parte de atrás del volante al otro extremo. El volante queda a la altura de las manos, justo por encima de la carrocería.

**SEGURIDAD:** El volante no debe impedir que el niño salga.

### PIEZAS DE ESTE PASO




12

## PASO 12: PINTA LA DECORACIÓN

Deja de cartón natural la carrocería, el morro, el carenado y el alerón, como en la foto. Morro: pinta una franja naranja de 5" (13 cm) de ancho por el centro de la tapa del morro con una franja negra de 1.5" (4 cm) a cada lado, y llévalas las tres por encima de la carrocería hasta la cabina. Junto a la cabina: una franja naranja de 2" (5 cm) con líneas negras de 1/2" a cada lado, desde la cabina hasta el carenado. Lados: un gran 7 naranja de 10" (25 cm) de alto en la mitad trasera de cada lado. Alerón: pinta de naranja las 3" (8 cm) delanteras de su parte de arriba. Ruedas: pinta de negro las bandas y las dos caras, pero deja natural un círculo de 6" (15 cm) en el centro de cada disco interior: se ve por el hueco como el buje.

**SEGURIDAD:** Solo pintura al agua, en un lugar ventilado.

### PIEZAS DE ESTE PASO



13

## PASO 13: CONTROL DE CALIDAD

El niño se sienta bajo en la cabina, con las piernas bajo el tablero y las manos en el volante de 3 radios. Morro largo con franjas delante, carenado detrás de la cabeza, alerón alto sobre sus dos placas, 4 ruedas negras anchas, cada una a 4" (10 cm) de la carrocería sobre su V de brazos, 7 naranja en ambos lados. Compáralo con la foto de portada. Ese es el estándar.

### PIEZAS DE ESTE PASO



### ¡CONTROL DE CALIDAD!

¿Tu construcción se parece a la foto? Compárala lado a lado antes de darla por terminada.

"Build It. Own It." — Tatum & Kash Cardboard Creations