



Presented by The High End



CARDBOARD RACE CAR COCKPIT

Life-Size Sit-In Formula Racing Car — Long Nose, Fat Tires, Fairing & High Rear Wing

Build a Formula 1 cockpit. Race from the bedroom. Trophies not included.


AGES 4–10	BOXES 3 Large Boxes	TIME 3–4 Hours	DIFF Intermediate **	PIECES 17 pcs
--------------	------------------------	-------------------	-------------------------	------------------

CARDBOARD NEEDED:
3 Large Boxes (sides at least 24" × 36" (61 × 91 cm); one is the body)
FINISHED SIZE:
60" long × 42" wide at the tires × 32" tall at the wing (152 × 107 × 81 cm); cockpit 18" × 16"

MISSION GOAL:
Build the car in the photo: a low body the child sits down inside, a long striped nose, a tall fairing behind the head, a rear wing high on tall endplates, 4 fat tires on suspension arms, a 3-spoke wheel, and a big orange 7.

HOW IT ALL GOES TOGETHER — CARDBOARD RACE CAR COCKPIT

Seen from directly above. Every part you cut is on this picture, with the letter from its own cut-template page. If a letter is on this drawing, there is a page for it in this file — that is the whole parts list, nothing else is needed.



Drawn to scale from the cut sizes in this plan. Front of the car is to the right.

EVERY PART IN THIS BUILD					
A	CAR BODY (FULL BOX) 36" × 24" (91 × 61 cm)	CUT ×1	B	NOSE TOP 24" × 25" (61 × 64 cm)	CUT ×1
C	NOSE SIDE 25" × 16" (64 × 41 cm)	CUT ×2	D	NOSE TIP 10" × 9" (25 × 23 cm)	CUT ×1
E	DASH PANEL 23" × 7" (58 × 18 cm)	CUT ×1	F	FAIRING FRONT 10" × 9" (25 × 23 cm)	CUT ×1
G	FAIRING SIDE 12" × 9" (30 × 23 cm)	CUT ×2	H	FAIRING TOP 10" × 17" (25 × 43 cm)	CUT ×1
I	REAR WING ENDPLATE 8" × 25" (20 × 64 cm)	CUT ×2	J	REAR WING ELEMENT 26" × 8" (66 × 20 cm)	CUT ×1
K	TIRE INNER DISC 11" × 11" (28 × 28 cm)	CUT ×4	L	TIRE OUTER RING 11" × 11" (28 × 28 cm)	CUT ×4
M	TIRE TREAD 36" × 5" (91 × 13 cm)	CUT ×4	N	SUSPENSION ARM 8" × 3" (20 × 8 cm)	CUT ×8
O	STEERING COLUMN 8" × 6" (20 × 15 cm)	CUT ×1	P	STEERING WHEEL LAYER 10" × 10" (25 × 25 cm)	CUT ×2
Q	STEERING HUB 2.5" × 2.5" (6 × 6 cm)	CUT ×1			

WHEEL MOUNT — LOOKING DOWN ON ONE TIRE	FROM THE SIDE — WHERE THE AXLE MARKS GO
BODY SIDE N = 2 SUSPENSION ARMS in a V, 3" either side of the axle mark, holding the tire 4" out. K INNER DISC + M TREAD 5" wide + L OUTER RING = one tire 11" across.	wing top 32" 9" 9" body 16" nose tip 9" 5.5" Four axle marks — 9" in from each end, 5.5" up from the bottom edge, on BOTH sides. Each tire stands on the floor 4" out from the body.

BUILD SEQUENCE — WHAT IT LOOKS LIKE AFTER EACH STEP

Each picture is the car once that step is finished. The part you just added is the ORANGE one. Grey is what was already there. Work down the page and your car should look like each picture in turn.

3 SET UP THE CAR BODY



4 CUT THE COCKPIT



5 FIT THE DASH PANEL



6 BUILD THE NOSE




7 BUILD THE FAIRING



8 BUILD THE REAR WING




9 BUILD THE TIRES




4 TIRES — EACH: INNER DISC + TREAD + OUTER RING

10 MOUNT THE TIRES



11 ADD THE STEERING WHEEL



FINISHED CAR CHECK

Long nose out front. Fairing behind the cockpit. Rear wing high on its two tall endplates. 4 fat tires, 2 a side, each held 4" out from the body by a V of 2 arms. Steering wheel on the dash. That is every part in the table above, all used.



CAR BODY (FULL BOX)

36" x 24" (91 x 61 cm) | Cut x1

CUT
x1

CAR BODY (FULL BOX)

x1

0" 4" 8" 12" 16" 20" 24" 28" 32"

4" 3" 12" 13" 20"

FAIRING

COCKPIT OPENING — CUT OUT (adult only)

36" x 24" (91 x 61 cm)

SIZE CHECK — THIS DRAWING IS NOT REAL SIZE. Printed on letter paper at 100% it measures about 7.3" x 4.9" (20% of real size).
Cut your REAL piece at 36" x 24" (91 x 61 cm). Use a ruler, not the printout — each grid square = 2 real inches.

A 36" x 24" x 16" box used whole. Drawn: its TOP, back of the car on the left


MARK LEGEND FOR THIS PIECE:

CUT OUT — cut along the red dashes (an orange side is a fold)	GLUE HERE — where another part goes
---	-------------------------------------

NOTE: A 36" x 24" x 16" box used whole. Drawn: its TOP, back of the car on the left

NOSE TOP

x1



SIZE CHECK — THIS DRAWING IS NOT REAL SIZE. Printed on letter paper at 100% it measures about 6.6" × 6.9" (28% of real size).
Cut your REAL piece at 24" × 25" (61 × 64 cm). Use a ruler, not the printout — each grid square = 2 real inches.

HOW TO DRAW THIS SHAPE ON YOUR CARDBOARD:

The bottom edge (24") is the end that meets the body. Mark 7" in from each TOP corner — that leaves a 10" tip. Draw straight lines from those marks down to the bottom corners.

Cut along the GOLD dashed outline. The faint grey box is the flat piece of cardboard it comes from; the grid squares are 2".

24" × 25" (61 × 64 cm)*Nose top — 24" wide at the body, 10" at the tip***MARK LEGEND FOR THIS PIECE:**

GOLD OUTLINE — this is the shape you cut. It is NOT a rectangle.

NOTE: The long sloping top of the nose: the stripes go on it




NOSE SIDE

25" × 16" (64 × 41 cm) | Cut ×2

CUT
x2

NOSE SIDE

×2



SIZE CHECK — THIS DRAWING IS NOT REAL SIZE. Printed on letter paper at 100% it measures about 7.3" × 4.7" (29% of real size).
Cut your **REAL** piece at 25" × 16" (64 × 41 cm). Use a ruler, not the printout — each grid square = 2 real inches.

HOW TO DRAW THIS SHAPE ON YOUR CARDBOARD:

Keep the bottom edge straight and the left (body) end its full 16". Mark the right (tip) end 9" up from the bottom and draw a straight line from that mark to the top-left corner. Cut 1, flip it over and trace the second.

Cut along the **GOLD** dashed outline. The faint grey box is the flat piece of cardboard it comes from; the grid squares are 2".

25" × 16" (64 × 41 cm)

Nose side — tall at the body, sloping down to the tip

MARK LEGEND FOR THIS PIECE:

GOLD OUTLINE — this is the shape you cut. It is **NOT** a rectangle.

NOTE: Left and right sides of the nose: 16" at the body, 9" at the tip



NOSE TIP

10" × 9" (25 × 23 cm) | Cut ×1

CUT
x1

NOSE TIP

x1

SIZE CHECK — THIS DRAWING IS NOT REAL SIZE. Printed on letter paper at 100% it measures about 7.3" × 6.6" (73% of real size).
Cut your REAL piece at 10" × 9" (25 × 23 cm). Use a ruler, not the printout — each grid square = 2 real inches.

10" × 9" (25 × 23 cm)
Closes the front end of the nose

MARK LEGEND FOR THIS PIECE:

CUT — scissors or box cutter on this line

NOTE: Closes the front end of the nose



DASH PANEL

23" × 7" (58 × 18 cm) | Cut ×1

CUT
x1

DASH PANEL

x1

0"

4"

8"

12"

16"

20"

FOLD TAB BACK — tapes under the top of the body

SIZE CHECK — THIS DRAWING IS NOT REAL SIZE. Printed on letter paper at 100% it measures about 7.3" × 2.2" (32% of real size).
Cut your REAL piece at 23" × 7" (58 × 18 cm). Use a ruler, not the printout — each grid square = 2 real inches.

23" × 7" (58 × 18 cm)
Stands across the inside of the body at the front of the cockpit; holds the steering wheel

MARK LEGEND FOR THIS PIECE:

FOLD — score lightly, then fold at this line

NOTE: Stands across the inside of the body at the front of the cockpit; holds the steering wheel



FAIRING FRONT

10" × 9" (25 × 23 cm) | Cut ×1

CUT
x1

FAIRING FRONT

x1

SIZE CHECK — THIS DRAWING IS NOT REAL SIZE. Printed on letter paper at 100% it measures about 7.3" × 6.6" (73% of real size).
Cut your REAL piece at 10" × 9" (25 × 23 cm). Use a ruler, not the printout — each grid square = 2 real inches.

10" × 9" (25 × 23 cm)
The headrest face right behind the driver's head

MARK LEGEND FOR THIS PIECE:

CUT — scissors or box cutter on this line

NOTE: The headrest face right behind the driver's head




FAIRING SIDE

12" × 9" (30 × 23 cm) | Cut ×2

CUT
x2

FAIRING SIDE

x2



SIZE CHECK — THIS DRAWING IS NOT REAL SIZE. Printed on letter paper at 100% it measures about 7.3" × 5.5" (61% of real size).
Cut your REAL piece at 12" × 9" (30 × 23 cm). Use a ruler, not the printout — each grid square = 2 real inches.

HOW TO DRAW THIS SHAPE ON YOUR CARDBOARD:
Keep the bottom edge straight and the left (front) end its full 9". Mark the right (back) end 4" up from the bottom and draw a straight line from that mark to the top-left corner. Cut 1, flip it over and trace the second.
Cut along the GOLD dashed outline. The faint grey box is the flat piece of cardboard it comes from; the grid squares are 2".

12" × 9" (30 × 23 cm)
Fairing side — tall behind the head, sloping down to the back

MARK LEGEND FOR THIS PIECE:

GOLD OUTLINE — this is the shape you cut. It is NOT a rectangle.


NOTE: Left and right sides of the fairing



FAIRING TOP

10" × 17" (25 × 43 cm) | Cut ×1

CUT
x1



MARK LEGEND FOR THIS PIECE:

FOLD — score lightly, then fold at this line

NOTE: Slopes from the headrest down to the back; the last 4" folds down



REAR WING ENDPLATE

8" × 25" (20 × 64 cm) | Cut ×2

CUT
x2

REAR WING ENDPLATE

x2

SIZE CHECK — THIS DRAWING IS NOT REAL SIZE. Printed on letter paper at 100% it measures about 2.4" × 7.6" (30% of real size). Cut your REAL piece at 8" × 25" (20 × 64 cm). Use a ruler, not the printout — each grid square = 2 real inches.

8" × 25" (20 × 64 cm)

Tall plates: the bottom 9" tapes to the body side, the top holds the wing

MARK LEGEND FOR THIS PIECE:

GLUE HERE — where another part goes

NOTE: Tall plates: the bottom 9" tapes to the body side, the top holds the wing



REAR WING ELEMENT

26" × 8" (66 × 20 cm) | Cut ×1

CUT
x1

REAR WING ELEMENT

0"4"8"12"16"20"24"

4"

SIZE CHECK — THIS DRAWING IS NOT REAL SIZE. Printed on letter paper at 100% it measures about 7.3" × 2.2" (28% of real size).
Cut your REAL piece at 26" × 8" (66 × 20 cm). Use a ruler, not the printout — each grid square = 2 real inches.

26" × 8" (66 × 20 cm)
The wing: a 1" tab at each end tapes inside an endplate

MARK LEGEND FOR THIS PIECE:

FOLD — score lightly, then fold at this line

NOTE: The wing: a 1" tab at each end tapes inside an endplate




TIRE INNER DISC

11" × 11" (28 × 28 cm) | Cut ×4

CUT
x4

TIRE INNER DISC

x4



SIZE CHECK — THIS DRAWING IS NOT REAL SIZE. Printed on letter paper at 100% it measures about 6.9" × 6.9" (63% of real size).
Cut your **REAL** piece at 11" × 11" (28 × 28 cm). Use a ruler, not the printout — each grid square = 2 real inches.

HOW TO DRAW THIS SHAPE ON YOUR CARDBOARD:

A circle 11" across. Pin a string 5.5" from the centre and swing a pencil right round. Cut 1, then trace it for the rest: 4 inner discs and 4 outer rings are all this size.

Cut along the GOLD dashed outline. The faint grey box is the flat piece of cardboard it comes from; the grid squares are 2".

11" × 11" (28 × 28 cm)
Circle

MARK LEGEND FOR THIS PIECE:

GOLD OUTLINE — this is the shape you cut. It is **NOT** a rectangle.

NOTE: The side of each tire facing the car; its plain middle is the hub you see




TIRE OUTER RING

11" × 11" (28 × 28 cm) | Cut ×4

CUT
x4

TIRE OUTER RING

x4



SIZE CHECK — THIS DRAWING IS NOT REAL SIZE. Printed on letter paper at 100% it measures about 6.9" × 6.9" (63% of real size).
Cut your REAL piece at 11" × 11" (28 × 28 cm). Use a ruler, not the printout — each grid square = 2 real inches.

HOW TO DRAW THIS SHAPE ON YOUR CARDBOARD:

A circle 11" across (string 5.5" from the centre). From the same centre draw a 6" circle (string 3") and cut it out — the hub hole you look into.

Cut along the GOLD dashed outline. The faint grey box is the flat piece of cardboard it comes from; the grid squares are 2".

11" × 11" (28 × 28 cm)

Circle with the hub hole cut out of the middle

MARK LEGEND FOR THIS PIECE:

GOLD OUTLINE — this is the shape you cut. It is NOT a rectangle.

CUT OUT — cut along the red dashes (an orange side is a fold)

NOTE: The outside face of each tire, with the hub hole




TIRE TREAD

36" × 5" (91 × 13 cm) | Cut ×4

CUT
x4

TIRE TREAD

x4



SIZE CHECK — THIS DRAWING IS NOT REAL SIZE. Printed on letter paper at 100% it measures about 7.3" × 1" (20% of real size).
Cut your REAL piece at 36" × 5" (91 × 13 cm). Use a ruler, not the printout — each grid square = 2 real inches.

36" × 5" (91 × 13 cm)

Wraps the edges of 2 discs into a fat tire 5" wide. Ridges run ACROSS the strip

MARK LEGEND FOR THIS PIECE:

CUT — scissors or box cutter on this line

NOTE: Wraps the edges of 2 discs into a fat tire 5" wide. Ridges run ACROSS the strip




SUSPENSION ARM

8" × 3" (20 × 8 cm) | Cut ×8

CUT
x8

SUSPENSION ARM

x8



SIZE CHECK — THIS DRAWING IS NOT REAL SIZE. Printed on letter paper at 100% it measures about 7.3" × 2.7" (91% of real size).
Cut your REAL piece at 8" × 3" (20 × 8 cm). Use a ruler, not the printout — each grid square = 2 real inches.

8" × 3" (20 × 8 cm)
2 per tire, in a V: they hold the tire 4" out from the body

MARK LEGEND FOR THIS PIECE:

FOLD — score lightly, then fold at this line

NOTE: 2 per tire, in a V: they hold the tire 4" out from the body




STEERING COLUMN

8" × 6" (20 × 15 cm) | Cut ×1

CUT
x1

STEERING COLUMN

×1



SIZE CHECK — THIS DRAWING IS NOT REAL SIZE. Printed on letter paper at 100% it measures about 7.3" × 5.5" (91% of real size).
Cut your REAL piece at 8" × 6" (20 × 15 cm). Use a ruler, not the printout — each grid square = 2 real inches.

8" × 6" (20 × 15 cm)

Folds into a square tube 2" across that holds the wheel off the dash


MARK LEGEND FOR THIS PIECE:

SCORE — press hard with ruler but do NOT cut through

NOTE: Folds into a square tube 2" across that holds the wheel off the dash

STEERING WHEEL LAYER

x2



SIZE CHECK — THIS DRAWING IS NOT REAL SIZE. Printed on letter paper at 100% it measures about 6.9" × 6.9" (69% of real size).
Cut your REAL piece at 10" × 10" (25 × 25 cm). Use a ruler, not the printout — each grid square = 2 real inches.

HOW TO DRAW THIS SHAPE ON YOUR CARDBOARD:

A circle 10" across (string 5" from the centre). Inside it cut the 3 red holes: a half-moon on top and two quarters below. That leaves a 1.5" rim, a hub and 3 spokes 1.2" wide. Cut 2 the same: 2 layers make 1 wheel.

Cut along the GOLD dashed outline. The faint grey box is the flat piece of cardboard it comes from; the grid squares are 2".

10" × 10" (25 × 25 cm)

Circle with 3 holes: rim, hub and 3 spokes

MARK LEGEND FOR THIS PIECE:

GOLD OUTLINE — this is the shape you cut. It is NOT a rectangle.

CUT OUT — cut along the red dashes (an orange side is a fold)

NOTE: Cut 2 the same and glue them together: 2 layers make 1 wheel




STEERING HUB

2.5" × 2.5" (6 × 6 cm) | Cut ×1

CUT
x1

STEERING HUB

x1



SIZE CHECK — THIS DRAWING IS NOT REAL SIZE. Printed on letter paper at 100% it measures about 6.9" × 6.9" (276% of real size — BIGGER than the REAL piece at 2.5" × 2.5" (6 × 6 cm). Use a ruler, not the printout — each grid square = 2 real inches.

HOW TO DRAW THIS SHAPE ON YOUR CARDBOARD:
A circle 2.5" across. Trace a jar lid or a roll of tape.

Cut along the GOLD dashed outline. The faint grey box is the flat piece of cardboard it comes from; the grid squares are 2".

2.5" × 2.5" (6 × 6 cm)
Circle

MARK LEGEND FOR THIS PIECE:

GOLD OUTLINE — this is the shape you cut. It is NOT a rectangle.

NOTE: Glues on the middle of the wheel, where the 3 spokes meet

PIÈCES EN CARTON — 17 AU TOTAL (3 grands cartons (côtés de 24" × 36" (61 × 91 cm) ou plus))

×1 Caisse de la voiture (carton entier) 36" × 24" <i>Un carton de 36" × 24" × 16" entier. Dessiné : son DESSUS, l'arrière de la voiture à gauche</i>	×1 Aileron arrière 26" × 8" <i>L'aileron : une languette de 1" à chaque bout se scotche à l'intérieur d'une dérive</i>
×1 Dessus du nez 24" × 25" <i>Le long dessus incliné du nez : les bandes y sont peintes</i>	×4 Disque intérieur du pneu 11" × 11" <i>La face de chaque pneu tournée vers la voiture ; son centre brut est le moyeu visible</i>
×2 Côté du nez 25" × 16" <i>Côtés gauche et droit du nez : 16" contre la caisse, 9" au bout</i>	×4 Anneau extérieur du pneu 11" × 11" <i>La face extérieure de chaque pneu, avec le trou du moyeu</i>
×1 Bout du nez 10" × 9" <i>Ferme l'avant du nez</i>	×4 Bande de roulement 36" × 5" <i>Entoure le bord de 2 disques pour faire un pneu large de 5". Les cannelures vont EN TRAVERS de la bande</i>
×1 Panneau de tableau de bord 23" × 7" <i>Se place en travers dans la caisse, à l'avant du cockpit ; il porte le volant</i>	×8 Bras de suspension 8" × 3" <i>2 par pneu, en V : ils tiennent le pneu à 4" de la caisse</i>
×1 Avant du carénage 10" × 9" <i>L'appui-tête juste derrière la tête du pilote</i>	×1 Colonne de direction 8" × 6" <i>Se plie en un tube carré de 2" qui éloigne le volant du tableau de bord</i>
×2 Côté du carénage 12" × 9" <i>Côtés gauche et droit du carénage</i>	×2 Couche du volant 10" × 10" <i>Découpez-en 2 identiques et collez-les : 2 couches font 1 volant</i>
×1 Dessus du carénage 10" × 17" <i>Descend de l'appui-tête vers l'arrière ; les 4" du bout se replient vers le bas</i>	×1 Moyeu du volant 2.5" × 2.5" <i>Se colle au centre du volant, là où se rejoignent les 3 branches</i>
×2 Dérive d'aileron arrière 8" × 25" <i>Hautes plaques : les 9" du bas se scotchent sur le côté de la caisse, le haut tient l'aileron</i>	

OUTILS ET MATÉRIEL

- + 3 grands cartons, côtés d'au moins 24" × 36"
- + L'un d'environ 36" × 24" × 16" (la caisse)
- + Cutter : RÉSERVÉ AUX ADULTES
- + Ruban adhésif + colle blanche
- + Peinture orange + noire
- + Règle, crayon + ficelle pour les cercles
- + Feutre noir

LE SAVIEZ-VOUS ?

Une vraie F1 atteint 60 mph (environ 97 km/h) en à peu près 2.6 secondes. La tienne passe de 0 à l'imagination instantanément. Même énergie.

DÉFI !

Jour de course : deux enfants, deux voitures en carton. Décorez-les différemment. Laquelle a l'air la plus rapide ? Partez dans 3... 2... 1... GO !

1

ÉTAPE 1: TRACEZ LES PIÈCES

Gardez le carton A entier : c'est la caisse de la voiture. Aplatissez les deux autres cartons et tracez les pièces B à Q d'après leurs pages de gabarit, avec la grille de 2" (5 cm) et les mesures de chaque page. Tracez chaque cercle avec un crayon attaché à une ficelle fixée au centre. Placez les 4 bandes de M pour que les cannelures du carton aillent EN TRAVERS de chaque bande : elles se courbent alors facilement.

2


ÉTAPE 2: DÉCOUPEZ LES PIÈCES

! AIDE D'UN ADULTE

Découpez chaque pièce sur son contour doré : B, 2 de C, D, E, F, 2 de G, H, 2 de I, J, 4 de K, 4 de L, 4 de M, 8 de N, O, 2 de P et Q. Découpez aussi les trous tracés en tirets rouges sur L et P.

SÉCURITÉ : L'adulte utilise le cutter, sur une planche. Coupez les cercles par petits coups.

PIÈCES DE CETTE ÉTAPE




3

ÉTAPE 3: PRÉPAREZ LA CAISSE

Prenez un long carton d'environ 36" x 24" (91 x 61 cm) x 16" (41 cm). Fermez tous ses rabats au ruban et couchez-le pour qu'il fasse 36" (91 cm) de long, 24" (61 cm) de large et 16" (41 cm) de haut : bas et large, comme sur la photo. Le bout gauche du gabarit A est l'ARRIÈRE de la voiture.

PIÈCES DE CETTE ÉTAPE



4


ÉTAPE 4: DÉCOUPEZ LE COCKPIT

! AIDE D'UN ADULTE

Sur le dessus de la caisse, découpez l'ouverture du cockpit du gabarit A : 18" (46 cm) de long et 16" (41 cm) de large, à partir de 12" (30 cm) du bout arrière, centrée d'un côté à l'autre. Arrondissez les coins. Puis, dans le bout AVANT du carton, découpez une ouverture pour les jambes de 18" (46 cm) de large et 12" (30 cm) de haut, à partir du bord du bas et centrée : les jambes s'allongent dans le nez. Essai : l'enfant s'assoit au fond du carton et seules ses épaules et sa tête dépassent.

SÉCURITÉ : Un adulte découpe. Scotchez tous les bords coupés du cockpit.

PIÈCES DE CETTE ÉTAPE



5

ÉTAPE 5: POSEZ LE TABLEAU DE BORD


Pliez la languette de 1" (3 cm) en haut du panneau de tableau de bord. Passez la main par le cockpit et placez-le en travers à l'intérieur du carton, au bord AVANT du cockpit, languette vers l'avant. Scotchez la languette sous le dessus du carton et les deux bouts aux parois. Son bord du bas est à 10" (25 cm) du sol, donc les jambes passent dessous ; il rigidifie la caisse et porte le volant.

PIÈCES DE CETTE ÉTAPE

6

ÉTAPE 6: MONTEZ LE NEZ**! AIDE D'UN ADULTE**


Posez les deux côtés du nez debout sur leur bord droit du bas, le bout haut contre l'avant de la caisse, chacun aligné sur une paroi, et rapprochez les bouts bas jusqu'à 10" (25 cm) d'écart. Scotchez le bout du nez entre les bouts bas. Posez le dessus du nez par-dessus, le bout large contre la caisse, et scotchez chaque jointure dedans et dehors. Le nez fait 24" (61 cm) de long et descend de 16" (41 cm) contre la caisse à 9" (23 cm) au bout.

SÉCURITÉ : À deux : l'un tient les côtés, l'autre scotche.**PIÈCES DE CETTE ÉTAPE**

7

ÉTAPE 7: MONTEZ LE CARÉNAGE

Scotchez l'avant du carénage entre les bouts hauts des deux côtés du carénage, puis le dessus du carénage par-dessus, en repliant ses 4" (10 cm) du bout vers le bas pour fermer l'arrière. Posez-le sur la caisse derrière le cockpit (case FAIRING du gabarit A), le bout haut juste au bord du cockpit, et scotchez tout autour. Il monte 9" (23 cm) au-dessus de la caisse juste derrière la tête du pilote et redescend vers l'arrière, comme sur la photo.

PIÈCES DE CETTE ÉTAPE

8

ÉTAPE 8: MONTEZ L'AILERON ARRIÈRE

! AIDE D'UN ADULTE

Scotchez à plat les 9" (23 cm) du bas de chaque dérive d'aileron arrière contre un côté de la caisse, tout à l'arrière, le bord du bas à 7" (18 cm) du sol, pour qu'elle dépasse de 16" (41 cm) au-dessus de la caisse. Pliez la languette de 1" (3 cm) à chaque bout de l'aileron arrière et scotchez-les à l'intérieur du haut des dérives, pour que l'aileron traverse la voiture avec son dessus à 32" (81 cm) du sol, comme sur la photo.

SÉCURITÉ : À deux : l'un tient les dérives droites, l'autre scotche.

PIÈCES DE CETTE ÉTAPE




9

ÉTAPE 9: MONTEZ LES PNEUS

Posez un disque intérieur du pneu sur la tranche. Courbez une bande de roulement le long de son bord (cannelures en travers de la bande) et scotchez-la avec de petits morceaux tous les 2" (5 cm) ; chevauchez les bouts et scotchez-les. Scotchez un anneau extérieur du pneu dans l'autre bord de la bande de la même façon. Vous avez un tambour de 11" (28 cm) de diamètre et 5" (13 cm) de large, avec le trou du moyeu sur la face extérieure. Faites-en 4.

PIÈCES DE CETTE ÉTAPE




10

ÉTAPE 10: FIXEZ LES PNEUS

De chaque côté de la caisse, marquez deux points d'essieu : à 9" (23 cm) du bout avant et à 9" (23 cm) du bout arrière, tous deux à 5.5" (14 cm) du bord du bas. Pliez chaque bras de suspension en deux dans la longueur, collez-le à plat et repliez ses languettes de 1.5" (4 cm) aux bouts. Pour chaque point d'essieu, collez une languette de 2 bras de suspension sur la caisse, l'un 3" (8 cm) devant la marque et l'autre 3" (8 cm) derrière, et collez leurs autres languettes ensemble au centre du disque intérieur d'un pneu. Les deux bras forment un V et tiennent le pneu à 4" (10 cm) de la caisse, son bord au sol.

PIÈCES DE CETTE ÉTAPE




11

ÉTAPE 11: POSEZ LE VOLANT

Collez ensemble les 2 couches du volant, trous alignés, et collez le moyeu du volant au centre, devant. Marquez les 3 lignes de la colonne de direction, pliez-la en un tube carré de 2" (5 cm) et scotchez la jointure. Fendez 1" (3 cm) à chaque coin d'un bout, rabattez les languettes vers l'extérieur et collez-les au milieu du panneau de tableau de bord, face au pilote. Collez l'arrière du volant à l'autre bout. Le volant est à hauteur des mains, juste au-dessus de la caisse.

SÉCURITÉ : Le volant ne doit pas empêcher l'enfant de sortir.

PIÈCES DE CETTE ÉTAPE




12

ÉTAPE 12: PEIGNEZ LA DÉCORATION

Laissez la caisse, le nez, le carénage et l'aileron en carton brut, comme sur la photo. Nez : peignez une bande orange de 5" (13 cm) de large au milieu du dessus du nez avec une bande noire de 1.5" (4 cm) de chaque côté, et prolongez les trois sur la caisse jusqu'au cockpit. À côté du cockpit : une bande orange de 2" (5 cm) bordée de lignes noires de 1/2", de chaque côté, du cockpit au carénage. Côtés : un grand 7 orange de 10" (25 cm) de haut sur la moitié arrière de chaque côté. Aileron : peignez en orange les 3" (8 cm) avant de son dessus. Pneus : peignez en noir les bandes et les deux faces, mais laissez brut un cercle de 6" (15 cm) au milieu de chaque disque intérieur : on le voit par le trou, c'est le moyeu.

SÉCURITÉ : Peinture à l'eau uniquement, dans une pièce aérée.

PIÈCES DE CETTE ÉTAPE




13

ÉTAPE 13: CONTRÔLE QUALITÉ

L'enfant est assis bas dans le cockpit, jambes sous le tableau de bord, mains sur le volant à 3 branches. Long nez rayé devant, carénage derrière la tête, aileron haut sur ses deux dérives, 4 gros pneus noirs, chacun à 4" (10 cm) de la caisse sur son V de bras, 7 orange des deux côtés. Comparez avec la photo de couverture. C'est la référence.

PIÈCES DE CETTE ÉTAPE



CONTRÔLE QUALITÉ !

Votre construction ressemble-t-elle à la photo ? Comparez côte à côte avant de terminer.

"Build It. Own It." — Tatum & Kash Cardboard Creations